EXPERIMENT #40

Timestamp: 20260330_152337 | Environment: Local

1. Experiment Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 × 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	204
Has percolation	✓ Yes
# Percolating paths	1
Nodes before pruning	204
Nodes after pruning	204
Edges before pruning	2828
Edges after pruning	2828

2. Network Visualizations




Fig. — 01 random lines N30




Fig. — 02 intersections N30




Fig. — 03 percolating paths before pruning N30




Fig. — 04 before after pruning N30

3. Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
0	0	1	1.0000	1.0000	0.002218
1	0	2	1.0000	1.0000	0.009630

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2	0	3	1.0000	1.0000	0.054442
3	0	4	1.0000	1.0000	0.008652
4	0	5	1.0000	1.0000	0.002530
5	0	6	1.0000	1.0000	0.003616
6	0	7	1.0000	1.0000	0.002928
7	0	8	1.0000	1.0000	0.000867
8	0	9	1.0000	1.0000	0.002066
9	0	10	1.0000	1.0000	0.003573
10	0	11	1.0000	1.0000	0.018135
11	0	12	1.0000	1.0000	0.050627
12	0	15	1.0000	1.0000	0.003336
13	0	23	1.0000	1.0000	0.001268
14	0	24	1.0000	1.0000	0.021788
15	0	25	1.0000	1.0000	0.022883
16	0	33	1.0000	1.0000	0.020476
17	0	44	1.0000	1.0000	0.023894
18	0	66	1.0000	1.0000	0.012382
19	0	76	1.0000	1.0000	0.002606
20	0	118	1.0000	1.0000	0.041464
21	0	147	1.0000	1.0000	0.012027
22	0	165	1.0000	1.0000	0.000188
23	0	167	1.0000	1.0000	0.010259
24	0	173	1.0000	1.0000	0.015500
25	0	181	1.0000	1.0000	0.049065
26	0	190	1.0000	1.0000	0.033501
27	1	2	1.0000	1.0000	0.007412
28	1	3	1.0000	1.0000	0.056660
29	1	4	1.0000	1.0000	0.006434
30	1	5	1.0000	1.0000	0.000312
31	1	6	1.0000	1.0000	0.005834
32	1	7	1.0000	1.0000	0.000710
33	1	8	1.0000	1.0000	0.003085
34	1	9	1.0000	1.0000	0.000152
35	1	10	1.0000	1.0000	0.001354
36	1	11	1.0000	1.0000	0.015917
37	1	12	1.0000	1.0000	0.052845

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
38	1	65	1.0000	1.0000	0.002927
39	1	66	1.0000	1.0000	0.010164
40	1	67	1.0000	1.0000	0.001949
41	1	68	1.0000	1.0000	0.004269
42	1	69	1.0000	1.0000	0.001623
43	1	70	1.0000	1.0000	0.005885
44	1	71	1.0000	1.0000	0.018820
45	1	72	1.0000	1.0000	0.046864
46	1	73	1.0000	1.0000	0.002274
47	1	74	1.0000	1.0000	0.001687
48	1	78	1.0000	1.0000	0.051839
49	1	118	1.0000	1.0000	0.039246
50	1	123	1.0000	1.0000	0.038935
51	1	149	1.0000	1.0000	0.009157
52	1	195	1.0000	1.0000	0.021529
53	2	3	1.0000	1.0000	0.064072
54	2	4	1.0000	1.0000	0.000979
55	2	5	1.0000	1.0000	0.007101
56	2	6	1.0000	1.0000	0.013246
57	2	7	1.0000	1.0000	0.006702
58	2	8	1.0000	1.0000	0.010497
59	2	9	1.0000	1.0000	0.007564
60	2	10	1.0000	1.0000	0.006058
61	2	11	1.0000	1.0000	0.008505
62	2	12	1.0000	1.0000	0.060257
63	2	36	1.0000	1.0000	0.008864
64	2	57	1.0000	1.0000	0.028789
65	2	79	1.0000	1.0000	0.006744
66	2	93	1.0000	1.0000	0.028091
67	2	100	1.0000	1.0000	0.009508
68	2	101	1.0000	1.0000	0.024202
69	2	102	1.0000	1.0000	0.003307
70	2	103	1.0000	1.0000	0.009979
71	2	104	1.0000	1.0000	0.002886
72	2	105	1.0000	1.0000	0.006547
73	2	106	1.0000	1.0000	0.016745

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
74	2	107	1.0000	1.0000	0.062037
75	2	108	1.0000	1.0000	0.052717
76	2	118	1.0000	1.0000	0.031834
77	2	126	1.0000	1.0000	0.025851
78	2	151	1.0000	1.0000	0.002459
79	2	197	1.0000	1.0000	0.019459
80	3	4	1.0000	1.0000	0.063094
81	3	5	1.0000	1.0000	0.056972
82	3	6	1.0000	1.0000	0.050826
83	3	7	1.0000	1.0000	0.057370
84	3	8	1.0000	1.0000	0.053575
85	3	9	1.0000	1.0000	0.056508
86	3	10	1.0000	1.0000	0.058014
87	3	11	1.0000	1.0000	0.072577
88	3	12	1.0000	1.0000	0.003815
89	3	16	1.0000	1.0000	0.064150
90	3	45	1.0000	1.0000	0.059771
91	3	80	1.0000	1.0000	0.063891
92	3	109	1.0000	1.0000	0.009303
93	3	110	1.0000	1.0000	0.063359
94	3	111	1.0000	1.0000	0.066797
95	3	118	1.0000	1.0000	0.095906
96	3	141	1.0000	1.0000	0.066768
97	3	152	1.0000	1.0000	0.054500
98	3	183	1.0000	1.0000	0.032068
99	4	5	1.0000	1.0000	0.006122
100	4	6	1.0000	1.0000	0.012268
101	4	7	1.0000	1.0000	0.005724
102	4	8	1.0000	1.0000	0.009518
103	4	9	1.0000	1.0000	0.006586
104	4	10	1.0000	1.0000	0.005079
105	4	11	1.0000	1.0000	0.009483
106	4	12	1.0000	1.0000	0.059279
107	4	28	1.0000	1.0000	0.025354
108	4	58	1.0000	1.0000	0.013022
109	4	68	1.0000	1.0000	0.002164

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
110	4	94	1.0000	1.0000	0.006322
111	4	102	1.0000	1.0000	0.004286
112	4	112	1.0000	1.0000	0.011045
113	4	113	1.0000	1.0000	0.003239
114	4	114	1.0000	1.0000	0.007202
115	4	115	1.0000	1.0000	0.018415
116	4	116	1.0000	1.0000	0.024915
117	4	117	1.0000	1.0000	0.051918
118	4	118	1.0000	1.0000	0.032812
119	4	127	1.0000	1.0000	0.034444
120	4	153	1.0000	1.0000	0.002735
121	5	6	1.0000	1.0000	0.006146
122	5	7	1.0000	1.0000	0.000398
123	5	8	1.0000	1.0000	0.003396
124	5	9	1.0000	1.0000	0.000464
125	5	10	1.0000	1.0000	0.001043
126	5	11	1.0000	1.0000	0.015606
127	5	12	1.0000	1.0000	0.053157
128	5	17	1.0000	1.0000	0.004781
129	5	37	1.0000	1.0000	0.002951
130	5	47	1.0000	1.0000	0.002468
131	5	81	1.0000	1.0000	0.005405
132	5	104	1.0000	1.0000	0.009986
133	5	113	1.0000	1.0000	0.009361
134	5	118	1.0000	1.0000	0.038934
135	5	129	1.0000	1.0000	0.032517
136	5	137	1.0000	1.0000	0.109869
137	5	138	1.0000	1.0000	0.017761
138	5	139	1.0000	1.0000	0.010416
139	5	140	1.0000	1.0000	0.010587
140	5	154	1.0000	1.0000	0.007281
141	5	168	1.0000	1.0000	0.005171
142	5	175	1.0000	1.0000	0.017840
143	5	184	1.0000	1.0000	0.019775
144	6	7	1.0000	1.0000	0.006544
145	6	8	1.0000	1.0000	0.002749

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
146	6	9	1.0000	1.0000	0.005682
147	6	10	1.0000	1.0000	0.007188
148	6	11	1.0000	1.0000	0.021751
149	6	12	1.0000	1.0000	0.047011
150	6	19	1.0000	1.0000	0.011045
151	6	23	1.0000	1.0000	0.004884
152	6	39	1.0000	1.0000	0.013919
153	6	49	1.0000	1.0000	0.006713
154	6	69	1.0000	1.0000	0.007457
155	6	83	1.0000	1.0000	0.003449
156	6	109	1.0000	1.0000	0.060129
157	6	118	1.0000	1.0000	0.045080
158	6	137	1.0000	1.0000	0.103724
159	6	142	1.0000	1.0000	0.021366
160	6	156	1.0000	1.0000	0.010880
161	6	163	1.0000	1.0000	0.007309
162	6	169	1.0000	1.0000	0.022762
163	6	177	1.0000	1.0000	0.043328
164	6	186	1.0000	1.0000	0.033449
165	6	200	1.0000	1.0000	0.773424
166	7	8	1.0000	1.0000	0.003795
167	7	9	1.0000	1.0000	0.000862
168	7	10	1.0000	1.0000	0.000644
169	7	11	1.0000	1.0000	0.015207
170	7	12	1.0000	1.0000	0.053555
171	7	20	1.0000	1.0000	0.000014
172	7	24	1.0000	1.0000	0.018860
173	7	40	1.0000	1.0000	0.013136
174	7	50	1.0000	1.0000	0.006312
175	7	61	1.0000	1.0000	0.016141
176	7	70	1.0000	1.0000	0.005175
177	7	84	1.0000	1.0000	0.004169
178	7	96	1.0000	1.0000	0.016038
179	7	110	1.0000	1.0000	0.005989
180	7	118	1.0000	1.0000	0.038536
181	7	135	1.0000	1.0000	0.007780

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
182	7	138	1.0000	1.0000	0.018160
183	7	144	1.0000	1.0000	0.021581
184	7	157	1.0000	1.0000	0.016762
185	7	164	1.0000	1.0000	0.003021
186	7	170	1.0000	1.0000	0.038396
187	7	201	1.0000	1.0000	0.779968
188	8	9	1.0000	1.0000	0.002933
189	8	10	1.0000	1.0000	0.004439
190	8	11	1.0000	1.0000	0.019002
191	8	12	1.0000	1.0000	0.049760
192	8	25	1.0000	1.0000	0.023750
193	8	41	1.0000	1.0000	0.026656
194	8	51	1.0000	1.0000	0.005798
195	8	62	1.0000	1.0000	0.029893
196	8	71	1.0000	1.0000	0.021905
197	8	85	1.0000	1.0000	0.003318
198	8	111	1.0000	1.0000	0.013222
199	8	118	1.0000	1.0000	0.042331
200	8	145	1.0000	1.0000	0.006327
201	8	202	1.0000	1.0000	0.776173
202	9	10	1.0000	1.0000	0.001506
203	9	11	1.0000	1.0000	0.016069
204	9	12	1.0000	1.0000	0.052693
205	9	22	1.0000	1.0000	0.002411
206	9	53	1.0000	1.0000	0.010075
207	9	87	1.0000	1.0000	0.048634
208	9	106	1.0000	1.0000	0.024309
209	9	115	1.0000	1.0000	0.025001
210	9	118	1.0000	1.0000	0.039398
211	9	132	1.0000	1.0000	0.030754
212	9	159	1.0000	1.0000	0.002694
213	9	167	1.0000	1.0000	0.008193
214	9	168	1.0000	1.0000	0.005635
215	9	169	1.0000	1.0000	0.017080
216	9	170	1.0000	1.0000	0.039258
217	9	171	1.0000	1.0000	0.018701

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
218	9	172	1.0000	1.0000	0.025211
219	9	179	1.0000	1.0000	0.044774
220	9	187	1.0000	1.0000	0.019324
221	10	11	1.0000	1.0000	0.014563
222	10	12	1.0000	1.0000	0.054199
223	10	30	1.0000	1.0000	0.004554
224	10	72	1.0000	1.0000	0.048219
225	10	98	1.0000	1.0000	0.006214
226	10	107	1.0000	1.0000	0.055979
227	10	116	1.0000	1.0000	0.029994
228	10	118	1.0000	1.0000	0.037891
229	10	140	1.0000	1.0000	0.009544
230	10	143	1.0000	1.0000	0.000123
231	10	160	1.0000	1.0000	0.007266
232	10	172	1.0000	1.0000	0.023705
233	11	12	1.0000	1.0000	0.068762
234	11	31	1.0000	1.0000	0.008856
235	11	43	1.0000	1.0000	0.059376
236	11	64	1.0000	1.0000	0.014241
237	11	73	1.0000	1.0000	0.018191
238	11	88	1.0000	1.0000	0.006570
239	11	99	1.0000	1.0000	0.006769
240	11	108	1.0000	1.0000	0.061222
241	11	117	1.0000	1.0000	0.042435
242	11	118	1.0000	1.0000	0.023329
243	11	133	1.0000	1.0000	0.017513
244	11	161	1.0000	1.0000	0.015499
245	11	173	1.0000	1.0000	0.002636
246	11	174	1.0000	1.0000	0.006998
247	11	175	1.0000	1.0000	0.002235
248	11	176	1.0000	1.0000	0.062560
249	11	177	1.0000	1.0000	0.065079
250	11	178	1.0000	1.0000	0.057395
251	11	179	1.0000	1.0000	0.060843
252	11	188	1.0000	1.0000	0.015687
253	12	74	1.0000	1.0000	0.051158

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
254	12	89	1.0000	1.0000	0.087714
255	12	118	1.0000	1.0000	0.092091
256	12	162	1.0000	1.0000	0.066549
257	12	180	1.0000	1.0000	0.041319
258	12	181	1.0000	1.0000	0.001561
259	12	182	1.0000	1.0000	0.007439
260	12	183	1.0000	1.0000	0.028253
261	12	184	1.0000	1.0000	0.072931
262	12	185	1.0000	1.0000	0.098511
263	12	186	1.0000	1.0000	0.080460
264	12	187	1.0000	1.0000	0.072017
265	12	188	1.0000	1.0000	0.084449
266	13	14	1.0000	1.0000	0.048195
267	13	26	1.0000	1.0000	0.033757
268	13	27	1.0000	1.0000	0.053647
269	13	28	1.0000	1.0000	0.032937
270	13	29	1.0000	1.0000	0.039826
271	13	30	1.0000	1.0000	0.007058
272	13	31	1.0000	1.0000	0.008211
273	13	91	1.0000	1.0000	0.020399
274	13	119	1.0000	1.0000	0.045049
275	13	120	1.0000	1.0000	0.035184
276	13	148	1.0000	1.0000	0.045373
277	13	189	1.0000	1.0000	0.023380
278	13	191	1.0000	1.0000	0.029171
279	14	29	1.0000	1.0000	0.088021
280	14	46	1.0000	1.0000	0.058511
281	14	59	1.0000	1.0000	0.061165
282	14	95	1.0000	1.0000	0.066858
283	14	103	1.0000	1.0000	0.066736
284	14	119	1.0000	1.0000	0.093244
285	14	128	1.0000	1.0000	0.080987
286	14	134	1.0000	1.0000	0.053768
287	14	135	1.0000	1.0000	0.057834
288	14	136	1.0000	1.0000	0.055362
289	14	174	1.0000	1.0000	0.072259

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
290	14	189	1.0000	1.0000	0.071575
291	14	198	1.0000	1.0000	0.270087
292	15	16	1.0000	1.0000	0.006372
293	15	17	1.0000	1.0000	0.005587
294	15	18	1.0000	1.0000	0.000339
295	15	19	1.0000	1.0000	0.004094
296	15	20	1.0000	1.0000	0.000422
297	15	21	1.0000	1.0000	0.005141
298	15	22	1.0000	1.0000	0.001141
299	15	23	1.0000	1.0000	0.002068
300	15	24	1.0000	1.0000	0.018452
301	15	25	1.0000	1.0000	0.019547
302	15	26	1.0000	1.0000	0.031489
303	15	32	1.0000	1.0000	0.006561
304	15	33	1.0000	1.0000	0.017140
305	15	44	1.0000	1.0000	0.020558
306	15	54	1.0000	1.0000	0.020460
307	15	65	1.0000	1.0000	0.001810
308	15	66	1.0000	1.0000	0.009046
309	15	75	1.0000	1.0000	0.001205
310	15	76	1.0000	1.0000	0.000730
311	15	90	1.0000	1.0000	0.009797
312	15	100	1.0000	1.0000	0.015803
313	15	112	1.0000	1.0000	0.016361
314	15	147	1.0000	1.0000	0.008692
315	15	165	1.0000	1.0000	0.003148
316	15	167	1.0000	1.0000	0.006923
317	15	173	1.0000	1.0000	0.012164
318	15	180	1.0000	1.0000	0.095281
319	15	181	1.0000	1.0000	0.052401
320	15	190	1.0000	1.0000	0.030165
321	16	17	1.0000	1.0000	0.011959
322	16	18	1.0000	1.0000	0.006033
323	16	19	1.0000	1.0000	0.002278
324	16	20	1.0000	1.0000	0.006794
325	16	21	1.0000	1.0000	0.011513

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
326	16	22	1.0000	1.0000	0.005231
327	16	26	1.0000	1.0000	0.025117
328	16	32	1.0000	1.0000	0.000189
329	16	45	1.0000	1.0000	0.004379
330	16	54	1.0000	1.0000	0.014088
331	16	65	1.0000	1.0000	0.004562
332	16	75	1.0000	1.0000	0.007577
333	16	80	1.0000	1.0000	0.000259
334	16	90	1.0000	1.0000	0.003425
335	16	100	1.0000	1.0000	0.009431
336	16	109	1.0000	1.0000	0.073453
337	16	110	1.0000	1.0000	0.000790
338	16	111	1.0000	1.0000	0.002647
339	16	112	1.0000	1.0000	0.009989
340	16	141	1.0000	1.0000	0.002619
341	16	152	1.0000	1.0000	0.009650
342	16	180	1.0000	1.0000	0.101653
343	16	183	1.0000	1.0000	0.032081
344	17	18	1.0000	1.0000	0.005926
345	17	19	1.0000	1.0000	0.009681
346	17	20	1.0000	1.0000	0.005165
347	17	21	1.0000	1.0000	0.000446
348	17	22	1.0000	1.0000	0.006728
349	17	26	1.0000	1.0000	0.037076
350	17	32	1.0000	1.0000	0.012148
351	17	37	1.0000	1.0000	0.007732
352	17	47	1.0000	1.0000	0.002312
353	17	54	1.0000	1.0000	0.026047
354	17	65	1.0000	1.0000	0.007397
355	17	75	1.0000	1.0000	0.004382
356	17	81	1.0000	1.0000	0.000624
357	17	90	1.0000	1.0000	0.015384
358	17	100	1.0000	1.0000	0.021390
359	17	104	1.0000	1.0000	0.014767
360	17	112	1.0000	1.0000	0.021948
361	17	113	1.0000	1.0000	0.014142

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
362	17	129	1.0000	1.0000	0.037298
363	17	137	1.0000	1.0000	0.105088
364	17	138	1.0000	1.0000	0.012980
365	17	139	1.0000	1.0000	0.005635
366	17	140	1.0000	1.0000	0.015368
367	17	154	1.0000	1.0000	0.012062
368	17	168	1.0000	1.0000	0.009952
369	17	175	1.0000	1.0000	0.022621
370	17	180	1.0000	1.0000	0.089694
371	17	184	1.0000	1.0000	0.024555
372	18	19	1.0000	1.0000	0.003754
373	18	20	1.0000	1.0000	0.000761
374	18	21	1.0000	1.0000	0.005481
375	18	22	1.0000	1.0000	0.000802
376	18	26	1.0000	1.0000	0.031150
377	18	32	1.0000	1.0000	0.006222
378	18	38	1.0000	1.0000	0.007860
379	18	48	1.0000	1.0000	0.001919
380	18	54	1.0000	1.0000	0.020121
381	18	60	1.0000	1.0000	0.009785
382	18	65	1.0000	1.0000	0.001470
383	18	75	1.0000	1.0000	0.001544
384	18	82	1.0000	1.0000	0.000426
385	18	90	1.0000	1.0000	0.009458
386	18	100	1.0000	1.0000	0.015463
387	18	105	1.0000	1.0000	0.012502
388	18	112	1.0000	1.0000	0.016022
389	18	114	1.0000	1.0000	0.012179
390	18	130	1.0000	1.0000	0.031845
391	18	134	1.0000	1.0000	0.002966
392	18	144	1.0000	1.0000	0.020834
393	18	145	1.0000	1.0000	0.001785
394	18	146	1.0000	1.0000	0.010271
395	18	155	1.0000	1.0000	0.001548
396	18	176	1.0000	1.0000	0.048100
397	18	180	1.0000	1.0000	0.095621

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
398	18	199	1.0000	1.0000	0.780715
399	19	20	1.0000	1.0000	0.004515
400	19	21	1.0000	1.0000	0.009235
401	19	22	1.0000	1.0000	0.002952
402	19	23	1.0000	1.0000	0.006161
403	19	26	1.0000	1.0000	0.027396
404	19	32	1.0000	1.0000	0.002468
405	19	39	1.0000	1.0000	0.002874
406	19	49	1.0000	1.0000	0.004332
407	19	54	1.0000	1.0000	0.016367
408	19	65	1.0000	1.0000	0.002284
409	19	69	1.0000	1.0000	0.003588
410	19	75	1.0000	1.0000	0.005298
411	19	83	1.0000	1.0000	0.007596
412	19	90	1.0000	1.0000	0.005704
413	19	100	1.0000	1.0000	0.011709
414	19	109	1.0000	1.0000	0.071174
415	19	112	1.0000	1.0000	0.012268
416	19	137	1.0000	1.0000	0.114769
417	19	142	1.0000	1.0000	0.010321
418	19	156	1.0000	1.0000	0.000165
419	19	163	1.0000	1.0000	0.003736
420	19	169	1.0000	1.0000	0.011717
421	19	177	1.0000	1.0000	0.054373
422	19	180	1.0000	1.0000	0.099375
423	19	186	1.0000	1.0000	0.022404
424	19	200	1.0000	1.0000	0.784469
425	20	21	1.0000	1.0000	0.004720
426	20	22	1.0000	1.0000	0.001563
427	20	24	1.0000	1.0000	0.018874
428	20	26	1.0000	1.0000	0.031911
429	20	32	1.0000	1.0000	0.006983
430	20	40	1.0000	1.0000	0.013150
431	20	50	1.0000	1.0000	0.006326
432	20	54	1.0000	1.0000	0.020882
433	20	61	1.0000	1.0000	0.016155

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
434	20	65	1.0000	1.0000	0.002231
435	20	70	1.0000	1.0000	0.005189
436	20	75	1.0000	1.0000	0.000783
437	20	84	1.0000	1.0000	0.004183
438	20	90	1.0000	1.0000	0.010219
439	20	96	1.0000	1.0000	0.016051
440	20	100	1.0000	1.0000	0.016224
441	20	110	1.0000	1.0000	0.006003
442	20	112	1.0000	1.0000	0.016783
443	20	135	1.0000	1.0000	0.007794
444	20	138	1.0000	1.0000	0.018146
445	20	144	1.0000	1.0000	0.021595
446	20	157	1.0000	1.0000	0.016776
447	20	164	1.0000	1.0000	0.003035
448	20	170	1.0000	1.0000	0.038410
449	20	180	1.0000	1.0000	0.094860
450	20	201	1.0000	1.0000	0.779954
451	21	22	1.0000	1.0000	0.006283
452	21	26	1.0000	1.0000	0.036631
453	21	32	1.0000	1.0000	0.011703
454	21	42	1.0000	1.0000	0.005059
455	21	52	1.0000	1.0000	0.012208
456	21	54	1.0000	1.0000	0.025602
457	21	63	1.0000	1.0000	0.004884
458	21	65	1.0000	1.0000	0.006951
459	21	75	1.0000	1.0000	0.003937
460	21	86	1.0000	1.0000	0.019375
461	21	90	1.0000	1.0000	0.014939
462	21	97	1.0000	1.0000	0.030831
463	21	100	1.0000	1.0000	0.020944
464	21	112	1.0000	1.0000	0.021503
465	21	136	1.0000	1.0000	0.010042
466	21	139	1.0000	1.0000	0.006081
467	21	146	1.0000	1.0000	0.015752
468	21	158	1.0000	1.0000	0.040079
469	21	163	1.0000	1.0000	0.005499

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
470	21	164	1.0000	1.0000	0.007755
471	21	171	1.0000	1.0000	0.022573
472	21	178	1.0000	1.0000	0.037454
473	21	180	1.0000	1.0000	0.090140
474	21	203	1.0000	1.0000	0.775234
475	22	26	1.0000	1.0000	0.030348
476	22	32	1.0000	1.0000	0.005420
477	22	53	1.0000	1.0000	0.007664
478	22	54	1.0000	1.0000	0.019319
479	22	65	1.0000	1.0000	0.000668
480	22	75	1.0000	1.0000	0.002346
481	22	87	1.0000	1.0000	0.051045
482	22	90	1.0000	1.0000	0.008656
483	22	100	1.0000	1.0000	0.014661
484	22	106	1.0000	1.0000	0.021898
485	22	112	1.0000	1.0000	0.015220
486	22	115	1.0000	1.0000	0.022590
487	22	132	1.0000	1.0000	0.028343
488	22	159	1.0000	1.0000	0.000283
489	22	167	1.0000	1.0000	0.005782
490	22	168	1.0000	1.0000	0.003224
491	22	169	1.0000	1.0000	0.014669
492	22	170	1.0000	1.0000	0.036847
493	22	171	1.0000	1.0000	0.016290
494	22	172	1.0000	1.0000	0.022800
495	22	179	1.0000	1.0000	0.047185
496	22	180	1.0000	1.0000	0.096423
497	22	187	1.0000	1.0000	0.016912
498	23	24	1.0000	1.0000	0.020520
499	23	25	1.0000	1.0000	0.021615
500	23	33	1.0000	1.0000	0.019208
501	23	39	1.0000	1.0000	0.009035
502	23	44	1.0000	1.0000	0.022626
503	23	49	1.0000	1.0000	0.001829
504	23	66	1.0000	1.0000	0.011114
505	23	69	1.0000	1.0000	0.002573

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
506	23	76	1.0000	1.0000	0.001338
507	23	83	1.0000	1.0000	0.001435
508	23	109	1.0000	1.0000	0.065013
509	23	137	1.0000	1.0000	0.108608
510	23	142	1.0000	1.0000	0.016482
511	23	147	1.0000	1.0000	0.010759
512	23	156	1.0000	1.0000	0.005996
513	23	163	1.0000	1.0000	0.002425
514	23	165	1.0000	1.0000	0.001080
515	23	167	1.0000	1.0000	0.008991
516	23	169	1.0000	1.0000	0.017878
517	23	173	1.0000	1.0000	0.014232
518	23	177	1.0000	1.0000	0.048212
519	23	181	1.0000	1.0000	0.050334
520	23	186	1.0000	1.0000	0.028565
521	23	190	1.0000	1.0000	0.032233
522	23	200	1.0000	1.0000	0.778308
523	24	25	1.0000	1.0000	0.001095
524	24	33	1.0000	1.0000	0.001312
525	24	40	1.0000	1.0000	0.005724
526	24	44	1.0000	1.0000	0.002106
527	24	50	1.0000	1.0000	0.012548
528	24	61	1.0000	1.0000	0.002719
529	24	66	1.0000	1.0000	0.009406
530	24	70	1.0000	1.0000	0.013685
531	24	76	1.0000	1.0000	0.019182
532	24	84	1.0000	1.0000	0.014691
533	24	96	1.0000	1.0000	0.002822
534	24	110	1.0000	1.0000	0.012870
535	24	135	1.0000	1.0000	0.011080
536	24	138	1.0000	1.0000	0.037019
537	24	144	1.0000	1.0000	0.002721
538	24	147	1.0000	1.0000	0.009761
539	24	157	1.0000	1.0000	0.002098
540	24	164	1.0000	1.0000	0.015839
541	24	165	1.0000	1.0000	0.021600

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
542	24	167	1.0000	1.0000	0.011529
543	24	170	1.0000	1.0000	0.019536
544	24	173	1.0000	1.0000	0.006288
545	24	181	1.0000	1.0000	0.070853
546	24	190	1.0000	1.0000	0.011713
547	24	201	1.0000	1.0000	0.798828
548	25	33	1.0000	1.0000	0.002407
549	25	41	1.0000	1.0000	0.002906
550	25	44	1.0000	1.0000	0.001011
551	25	51	1.0000	1.0000	0.017952
552	25	62	1.0000	1.0000	0.006144
553	25	66	1.0000	1.0000	0.010501
554	25	71	1.0000	1.0000	0.001845
555	25	76	1.0000	1.0000	0.020277
556	25	85	1.0000	1.0000	0.020432
557	25	111	1.0000	1.0000	0.010528
558	25	145	1.0000	1.0000	0.017423
559	25	147	1.0000	1.0000	0.010856
560	25	165	1.0000	1.0000	0.022696
561	25	167	1.0000	1.0000	0.012624
562	25	173	1.0000	1.0000	0.007384
563	25	181	1.0000	1.0000	0.071949
564	25	190	1.0000	1.0000	0.010618
565	25	202	1.0000	1.0000	0.799923
566	26	27	1.0000	1.0000	0.019891
567	26	28	1.0000	1.0000	0.000820
568	26	29	1.0000	1.0000	0.006070
569	26	30	1.0000	1.0000	0.026698
570	26	31	1.0000	1.0000	0.025546
571	26	32	1.0000	1.0000	0.024928
572	26	54	1.0000	1.0000	0.011029
573	26	65	1.0000	1.0000	0.029679
574	26	75	1.0000	1.0000	0.032694
575	26	90	1.0000	1.0000	0.021692
576	26	91	1.0000	1.0000	0.013358
577	26	100	1.0000	1.0000	0.015686

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
578	26	112	1.0000	1.0000	0.015128
579	26	120	1.0000	1.0000	0.001428
580	26	148	1.0000	1.0000	0.079129
581	26	180	1.0000	1.0000	0.126771
582	26	191	1.0000	1.0000	0.004585
583	27	28	1.0000	1.0000	0.020710
584	27	29	1.0000	1.0000	0.013821
585	27	30	1.0000	1.0000	0.046589
586	27	31	1.0000	1.0000	0.045437
587	27	34	1.0000	1.0000	0.036687
588	27	44	1.0000	1.0000	0.030822
589	27	45	1.0000	1.0000	0.049387
590	27	46	1.0000	1.0000	0.043331
591	27	47	1.0000	1.0000	0.054654
592	27	48	1.0000	1.0000	0.049121
593	27	49	1.0000	1.0000	0.051618
594	27	50	1.0000	1.0000	0.045475
595	27	51	1.0000	1.0000	0.049784
596	27	52	1.0000	1.0000	0.044313
597	27	53	1.0000	1.0000	0.042575
598	27	55	1.0000	1.0000	0.033751
599	27	67	1.0000	1.0000	0.054446
600	27	77	1.0000	1.0000	0.045170
601	27	91	1.0000	1.0000	0.033249
602	27	92	1.0000	1.0000	0.032969
603	27	101	1.0000	1.0000	0.020884
604	27	120	1.0000	1.0000	0.018463
605	27	148	1.0000	1.0000	0.099020
606	27	182	1.0000	1.0000	0.097903
607	27	191	1.0000	1.0000	0.024476
608	27	193	1.0000	1.0000	0.023196
609	28	29	1.0000	1.0000	0.006889
610	28	30	1.0000	1.0000	0.025879
611	28	31	1.0000	1.0000	0.024726
612	28	58	1.0000	1.0000	0.012332
613	28	68	1.0000	1.0000	0.027518

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
614	28	91	1.0000	1.0000	0.012538
615	28	94	1.0000	1.0000	0.019031
616	28	102	1.0000	1.0000	0.021068
617	28	112	1.0000	1.0000	0.014308
618	28	113	1.0000	1.0000	0.022114
619	28	114	1.0000	1.0000	0.018152
620	28	115	1.0000	1.0000	0.006938
621	28	116	1.0000	1.0000	0.000439
622	28	117	1.0000	1.0000	0.026564
623	28	120	1.0000	1.0000	0.002247
624	28	127	1.0000	1.0000	0.009090
625	28	148	1.0000	1.0000	0.078310
626	28	153	1.0000	1.0000	0.028089
627	28	191	1.0000	1.0000	0.003766
628	29	30	1.0000	1.0000	0.032768
629	29	31	1.0000	1.0000	0.031616
630	29	46	1.0000	1.0000	0.029510
631	29	59	1.0000	1.0000	0.026856
632	29	91	1.0000	1.0000	0.019428
633	29	95	1.0000	1.0000	0.021163
634	29	103	1.0000	1.0000	0.021285
635	29	120	1.0000	1.0000	0.004642
636	29	128	1.0000	1.0000	0.007034
637	29	134	1.0000	1.0000	0.034253
638	29	135	1.0000	1.0000	0.030187
639	29	136	1.0000	1.0000	0.032659
640	29	148	1.0000	1.0000	0.085199
641	29	174	1.0000	1.0000	0.015762
642	29	191	1.0000	1.0000	0.010655
643	29	198	1.0000	1.0000	0.182066
644	30	31	1.0000	1.0000	0.001152
645	30	72	1.0000	1.0000	0.052773
646	30	91	1.0000	1.0000	0.013340
647	30	98	1.0000	1.0000	0.001659
648	30	107	1.0000	1.0000	0.060534
649	30	116	1.0000	1.0000	0.025440

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
650	30	120	1.0000	1.0000	0.028126
651	30	140	1.0000	1.0000	0.004990
652	30	143	1.0000	1.0000	0.004677
653	30	148	1.0000	1.0000	0.052431
654	30	160	1.0000	1.0000	0.002711
655	30	172	1.0000	1.0000	0.019150
656	30	191	1.0000	1.0000	0.022113
657	31	43	1.0000	1.0000	0.050520
658	31	64	1.0000	1.0000	0.005385
659	31	73	1.0000	1.0000	0.009335
660	31	88	1.0000	1.0000	0.002286
661	31	91	1.0000	1.0000	0.012188
662	31	99	1.0000	1.0000	0.002087
663	31	108	1.0000	1.0000	0.052365
664	31	117	1.0000	1.0000	0.051291
665	31	120	1.0000	1.0000	0.026974
666	31	133	1.0000	1.0000	0.008657
667	31	148	1.0000	1.0000	0.053583
668	31	161	1.0000	1.0000	0.006643
669	31	173	1.0000	1.0000	0.006221
670	31	174	1.0000	1.0000	0.015854
671	31	175	1.0000	1.0000	0.011091
672	31	176	1.0000	1.0000	0.053704
673	31	177	1.0000	1.0000	0.056223
674	31	178	1.0000	1.0000	0.048538
675	31	179	1.0000	1.0000	0.051987
676	31	188	1.0000	1.0000	0.024543
677	31	191	1.0000	1.0000	0.020961
678	32	33	1.0000	1.0000	0.010579
679	32	34	1.0000	1.0000	0.008132
680	32	35	1.0000	1.0000	0.001531
681	32	36	1.0000	1.0000	0.008598
682	32	37	1.0000	1.0000	0.004416
683	32	38	1.0000	1.0000	0.001639
684	32	39	1.0000	1.0000	0.000406
685	32	40	1.0000	1.0000	0.006167

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
686	32	41	1.0000	1.0000	0.015892
687	32	42	1.0000	1.0000	0.006643
688	32	43	1.0000	1.0000	0.051138
689	32	54	1.0000	1.0000	0.013899
690	32	65	1.0000	1.0000	0.004751
691	32	75	1.0000	1.0000	0.007766
692	32	90	1.0000	1.0000	0.003236
693	32	100	1.0000	1.0000	0.009242
694	32	112	1.0000	1.0000	0.009800
695	32	121	1.0000	1.0000	0.022087
696	32	166	1.0000	1.0000	0.003677
697	32	180	1.0000	1.0000	0.101843
698	32	192	1.0000	1.0000	0.038222
699	33	34	1.0000	1.0000	0.002447
700	33	35	1.0000	1.0000	0.009048
701	33	36	1.0000	1.0000	0.001981
702	33	37	1.0000	1.0000	0.014995
703	33	38	1.0000	1.0000	0.008940
704	33	39	1.0000	1.0000	0.010173
705	33	40	1.0000	1.0000	0.004412
706	33	41	1.0000	1.0000	0.005314
707	33	42	1.0000	1.0000	0.017222
708	33	43	1.0000	1.0000	0.061716
709	33	44	1.0000	1.0000	0.003418
710	33	66	1.0000	1.0000	0.008094
711	33	76	1.0000	1.0000	0.017869
712	33	121	1.0000	1.0000	0.011508
713	33	147	1.0000	1.0000	0.008448
714	33	165	1.0000	1.0000	0.020288
715	33	166	1.0000	1.0000	0.014256
716	33	167	1.0000	1.0000	0.010217
717	33	173	1.0000	1.0000	0.004976
718	33	181	1.0000	1.0000	0.069541
719	33	190	1.0000	1.0000	0.013025
720	33	192	1.0000	1.0000	0.027643
721	34	35	1.0000	1.0000	0.006601

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
722	34	36	1.0000	1.0000	0.000466
723	34	37	1.0000	1.0000	0.012548
724	34	38	1.0000	1.0000	0.006493
725	34	39	1.0000	1.0000	0.007726
726	34	40	1.0000	1.0000	0.001965
727	34	41	1.0000	1.0000	0.007761
728	34	42	1.0000	1.0000	0.014775
729	34	43	1.0000	1.0000	0.059269
730	34	44	1.0000	1.0000	0.005865
731	34	45	1.0000	1.0000	0.012700
732	34	46	1.0000	1.0000	0.006644
733	34	47	1.0000	1.0000	0.017967
734	34	48	1.0000	1.0000	0.012434
735	34	49	1.0000	1.0000	0.014931
736	34	50	1.0000	1.0000	0.008788
737	34	51	1.0000	1.0000	0.013097
738	34	52	1.0000	1.0000	0.007626
739	34	53	1.0000	1.0000	0.005888
740	34	55	1.0000	1.0000	0.002936
741	34	67	1.0000	1.0000	0.017759
742	34	77	1.0000	1.0000	0.008483
743	34	92	1.0000	1.0000	0.003718
744	34	101	1.0000	1.0000	0.015803
745	34	121	1.0000	1.0000	0.013955
746	34	166	1.0000	1.0000	0.011809
747	34	182	1.0000	1.0000	0.061216
748	34	192	1.0000	1.0000	0.030090
749	34	193	1.0000	1.0000	0.013491
750	35	36	1.0000	1.0000	0.007067
751	35	37	1.0000	1.0000	0.005947
752	35	38	1.0000	1.0000	0.000108
753	35	39	1.0000	1.0000	0.001125
754	35	40	1.0000	1.0000	0.004636
755	35	41	1.0000	1.0000	0.014361
756	35	42	1.0000	1.0000	0.008174
757	35	43	1.0000	1.0000	0.052669

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
758	35	56	1.0000	1.0000	0.009781
759	35	90	1.0000	1.0000	0.001705
760	35	91	1.0000	1.0000	0.010039
761	35	92	1.0000	1.0000	0.010319
762	35	93	1.0000	1.0000	0.026294
763	35	94	1.0000	1.0000	0.003546
764	35	95	1.0000	1.0000	0.008304
765	35	96	1.0000	1.0000	0.007538
766	35	97	1.0000	1.0000	0.017598
767	35	98	1.0000	1.0000	0.001642
768	35	99	1.0000	1.0000	0.000062
769	35	121	1.0000	1.0000	0.020556
770	35	125	1.0000	1.0000	0.048915
771	35	150	1.0000	1.0000	0.005783
772	35	166	1.0000	1.0000	0.005208
773	35	192	1.0000	1.0000	0.036691
774	35	196	1.0000	1.0000	0.014505
775	36	37	1.0000	1.0000	0.013014
776	36	38	1.0000	1.0000	0.006959
777	36	39	1.0000	1.0000	0.008192
778	36	40	1.0000	1.0000	0.002430
779	36	41	1.0000	1.0000	0.007295
780	36	42	1.0000	1.0000	0.015241
781	36	43	1.0000	1.0000	0.059735
782	36	57	1.0000	1.0000	0.019925
783	36	79	1.0000	1.0000	0.015608
784	36	93	1.0000	1.0000	0.019227
785	36	100	1.0000	1.0000	0.000644
786	36	101	1.0000	1.0000	0.015338
787	36	102	1.0000	1.0000	0.005557
788	36	103	1.0000	1.0000	0.001115
789	36	104	1.0000	1.0000	0.005978
790	36	105	1.0000	1.0000	0.002317
791	36	106	1.0000	1.0000	0.007881
792	36	107	1.0000	1.0000	0.070901
793	36	108	1.0000	1.0000	0.061581

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
794	36	121	1.0000	1.0000	0.013489
795	36	126	1.0000	1.0000	0.016987
796	36	151	1.0000	1.0000	0.006405
797	36	166	1.0000	1.0000	0.012275
798	36	192	1.0000	1.0000	0.029625
799	36	197	1.0000	1.0000	0.010595
800	37	38	1.0000	1.0000	0.006055
801	37	39	1.0000	1.0000	0.004822
802	37	40	1.0000	1.0000	0.010584
803	37	41	1.0000	1.0000	0.020309
804	37	42	1.0000	1.0000	0.002227
805	37	43	1.0000	1.0000	0.046721
806	37	47	1.0000	1.0000	0.005419
807	37	81	1.0000	1.0000	0.008356
808	37	104	1.0000	1.0000	0.007036
809	37	113	1.0000	1.0000	0.006411
810	37	121	1.0000	1.0000	0.026503
811	37	129	1.0000	1.0000	0.029566
812	37	137	1.0000	1.0000	0.112820
813	37	138	1.0000	1.0000	0.020712
814	37	139	1.0000	1.0000	0.013367
815	37	140	1.0000	1.0000	0.007636
816	37	154	1.0000	1.0000	0.004330
817	37	166	1.0000	1.0000	0.000739
818	37	168	1.0000	1.0000	0.002221
819	37	175	1.0000	1.0000	0.014890
820	37	184	1.0000	1.0000	0.016824
821	37	192	1.0000	1.0000	0.042639
822	38	39	1.0000	1.0000	0.001233
823	38	40	1.0000	1.0000	0.004528
824	38	41	1.0000	1.0000	0.014254
825	38	42	1.0000	1.0000	0.008282
826	38	43	1.0000	1.0000	0.052776
827	38	48	1.0000	1.0000	0.005941
828	38	60	1.0000	1.0000	0.001925
829	38	82	1.0000	1.0000	0.008286

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
830	38	105	1.0000	1.0000	0.004642
831	38	114	1.0000	1.0000	0.004318
832	38	121	1.0000	1.0000	0.020448
833	38	130	1.0000	1.0000	0.023985
834	38	134	1.0000	1.0000	0.004894
835	38	144	1.0000	1.0000	0.012974
836	38	145	1.0000	1.0000	0.006076
837	38	146	1.0000	1.0000	0.002411
838	38	155	1.0000	1.0000	0.006312
839	38	166	1.0000	1.0000	0.005316
840	38	176	1.0000	1.0000	0.055960
841	38	192	1.0000	1.0000	0.036583
842	38	199	1.0000	1.0000	0.788575
843	39	40	1.0000	1.0000	0.005761
844	39	41	1.0000	1.0000	0.015486
845	39	42	1.0000	1.0000	0.007049
846	39	43	1.0000	1.0000	0.051544
847	39	49	1.0000	1.0000	0.007206
848	39	69	1.0000	1.0000	0.006462
849	39	83	1.0000	1.0000	0.010470
850	39	109	1.0000	1.0000	0.074048
851	39	121	1.0000	1.0000	0.021681
852	39	137	1.0000	1.0000	0.117643
853	39	142	1.0000	1.0000	0.007447
854	39	156	1.0000	1.0000	0.003039
855	39	163	1.0000	1.0000	0.006610
856	39	166	1.0000	1.0000	0.004083
857	39	169	1.0000	1.0000	0.008843
858	39	177	1.0000	1.0000	0.057247
859	39	186	1.0000	1.0000	0.019530
860	39	192	1.0000	1.0000	0.037816
861	39	200	1.0000	1.0000	0.787343
862	40	41	1.0000	1.0000	0.009725
863	40	42	1.0000	1.0000	0.012810
864	40	43	1.0000	1.0000	0.057305
865	40	50	1.0000	1.0000	0.006824

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
866	40	61	1.0000	1.0000	0.003005
867	40	70	1.0000	1.0000	0.007961
868	40	84	1.0000	1.0000	0.008967
869	40	96	1.0000	1.0000	0.002902
870	40	110	1.0000	1.0000	0.007147
871	40	121	1.0000	1.0000	0.015920
872	40	135	1.0000	1.0000	0.005356
873	40	138	1.0000	1.0000	0.031296
874	40	144	1.0000	1.0000	0.008445
875	40	157	1.0000	1.0000	0.003626
876	40	164	1.0000	1.0000	0.010115
877	40	166	1.0000	1.0000	0.009844
878	40	170	1.0000	1.0000	0.025260
879	40	192	1.0000	1.0000	0.032055
880	40	201	1.0000	1.0000	0.793104
881	41	42	1.0000	1.0000	0.022536
882	41	43	1.0000	1.0000	0.067030
883	41	51	1.0000	1.0000	0.020858
884	41	62	1.0000	1.0000	0.003237
885	41	71	1.0000	1.0000	0.004751
886	41	85	1.0000	1.0000	0.023338
887	41	111	1.0000	1.0000	0.013434
888	41	121	1.0000	1.0000	0.006194
889	41	145	1.0000	1.0000	0.020329
890	41	166	1.0000	1.0000	0.019570
891	41	192	1.0000	1.0000	0.022330
892	41	202	1.0000	1.0000	0.802829
893	42	43	1.0000	1.0000	0.044494
894	42	52	1.0000	1.0000	0.007149
895	42	63	1.0000	1.0000	0.000175
896	42	86	1.0000	1.0000	0.014316
897	42	97	1.0000	1.0000	0.025772
898	42	121	1.0000	1.0000	0.028730
899	42	136	1.0000	1.0000	0.004982
900	42	139	1.0000	1.0000	0.011140
901	42	146	1.0000	1.0000	0.010693

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
902	42	158	1.0000	1.0000	0.045138
903	42	163	1.0000	1.0000	0.000439
904	42	164	1.0000	1.0000	0.002696
905	42	166	1.0000	1.0000	0.002966
906	42	171	1.0000	1.0000	0.017514
907	42	178	1.0000	1.0000	0.042513
908	42	192	1.0000	1.0000	0.044865
909	42	203	1.0000	1.0000	0.780293
910	43	64	1.0000	1.0000	0.045135
911	43	73	1.0000	1.0000	0.041185
912	43	88	1.0000	1.0000	0.052806
913	43	99	1.0000	1.0000	0.052606
914	43	108	1.0000	1.0000	0.001846
915	43	117	1.0000	1.0000	0.101810
916	43	121	1.0000	1.0000	0.073224
917	43	133	1.0000	1.0000	0.041863
918	43	161	1.0000	1.0000	0.043877
919	43	166	1.0000	1.0000	0.047460
920	43	173	1.0000	1.0000	0.056740
921	43	174	1.0000	1.0000	0.066373
922	43	175	1.0000	1.0000	0.061611
923	43	176	1.0000	1.0000	0.003184
924	43	177	1.0000	1.0000	0.005703
925	43	178	1.0000	1.0000	0.001981
926	43	179	1.0000	1.0000	0.001467
927	43	188	1.0000	1.0000	0.075063
928	43	192	1.0000	1.0000	0.089360
929	44	45	1.0000	1.0000	0.018565
930	44	46	1.0000	1.0000	0.012509
931	44	47	1.0000	1.0000	0.023833
932	44	48	1.0000	1.0000	0.018300
933	44	49	1.0000	1.0000	0.020796
934	44	50	1.0000	1.0000	0.014653
935	44	51	1.0000	1.0000	0.018962
936	44	52	1.0000	1.0000	0.013491
937	44	53	1.0000	1.0000	0.011753

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
938	44	55	1.0000	1.0000	0.002929
939	44	66	1.0000	1.0000	0.011512
940	44	67	1.0000	1.0000	0.023624
941	44	76	1.0000	1.0000	0.021288
942	44	77	1.0000	1.0000	0.014348
943	44	92	1.0000	1.0000	0.002147
944	44	101	1.0000	1.0000	0.009938
945	44	147	1.0000	1.0000	0.011866
946	44	165	1.0000	1.0000	0.023706
947	44	167	1.0000	1.0000	0.013635
948	44	173	1.0000	1.0000	0.008394
949	44	181	1.0000	1.0000	0.072959
950	44	182	1.0000	1.0000	0.067081
951	44	190	1.0000	1.0000	0.009607
952	44	193	1.0000	1.0000	0.007626
953	45	46	1.0000	1.0000	0.006056
954	45	47	1.0000	1.0000	0.005268
955	45	48	1.0000	1.0000	0.000265
956	45	49	1.0000	1.0000	0.002232
957	45	50	1.0000	1.0000	0.003911
958	45	51	1.0000	1.0000	0.000397
959	45	52	1.0000	1.0000	0.005074
960	45	53	1.0000	1.0000	0.006812
961	45	55	1.0000	1.0000	0.015635
962	45	67	1.0000	1.0000	0.005060
963	45	77	1.0000	1.0000	0.004217
964	45	80	1.0000	1.0000	0.004120
965	45	92	1.0000	1.0000	0.016418
966	45	101	1.0000	1.0000	0.028503
967	45	109	1.0000	1.0000	0.069074
968	45	110	1.0000	1.0000	0.003588
969	45	111	1.0000	1.0000	0.007026
970	45	141	1.0000	1.0000	0.006998
971	45	152	1.0000	1.0000	0.005271
972	45	182	1.0000	1.0000	0.048517
973	45	183	1.0000	1.0000	0.027703

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
974	45	193	1.0000	1.0000	0.026191
975	46	47	1.0000	1.0000	0.011324
976	46	48	1.0000	1.0000	0.005791
977	46	49	1.0000	1.0000	0.008287
978	46	50	1.0000	1.0000	0.002144
979	46	51	1.0000	1.0000	0.006453
980	46	52	1.0000	1.0000	0.000982
981	46	53	1.0000	1.0000	0.000756
982	46	55	1.0000	1.0000	0.009580
983	46	59	1.0000	1.0000	0.002654
984	46	67	1.0000	1.0000	0.011115
985	46	77	1.0000	1.0000	0.001839
986	46	92	1.0000	1.0000	0.010362
987	46	95	1.0000	1.0000	0.008347
988	46	101	1.0000	1.0000	0.022447
989	46	103	1.0000	1.0000	0.008225
990	46	128	1.0000	1.0000	0.022476
991	46	134	1.0000	1.0000	0.004744
992	46	135	1.0000	1.0000	0.000677
993	46	136	1.0000	1.0000	0.003149
994	46	174	1.0000	1.0000	0.013748
995	46	182	1.0000	1.0000	0.054572
996	46	193	1.0000	1.0000	0.020135
997	46	198	1.0000	1.0000	0.211575
998	47	48	1.0000	1.0000	0.005533
999	47	49	1.0000	1.0000	0.003036
1000	47	50	1.0000	1.0000	0.009179
1001	47	51	1.0000	1.0000	0.004870
1002	47	52	1.0000	1.0000	0.010341
1003	47	53	1.0000	1.0000	0.012080
1004	47	55	1.0000	1.0000	0.020903
1005	47	67	1.0000	1.0000	0.000208
1006	47	77	1.0000	1.0000	0.009484
1007	47	81	1.0000	1.0000	0.002937
1008	47	92	1.0000	1.0000	0.021685
1009	47	101	1.0000	1.0000	0.033771

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1010	47	104	1.0000	1.0000	0.012455
1011	47	113	1.0000	1.0000	0.011830
1012	47	129	1.0000	1.0000	0.034985
1013	47	137	1.0000	1.0000	0.107401
1014	47	138	1.0000	1.0000	0.015293
1015	47	139	1.0000	1.0000	0.007948
1016	47	140	1.0000	1.0000	0.013055
1017	47	154	1.0000	1.0000	0.009749
1018	47	168	1.0000	1.0000	0.007640
1019	47	175	1.0000	1.0000	0.020309
1020	47	182	1.0000	1.0000	0.043249
1021	47	184	1.0000	1.0000	0.022243
1022	47	193	1.0000	1.0000	0.031458
1023	48	49	1.0000	1.0000	0.002497
1024	48	50	1.0000	1.0000	0.003646
1025	48	51	1.0000	1.0000	0.000663
1026	48	52	1.0000	1.0000	0.004808
1027	48	53	1.0000	1.0000	0.006547
1028	48	55	1.0000	1.0000	0.015370
1029	48	60	1.0000	1.0000	0.007866
1030	48	67	1.0000	1.0000	0.005325
1031	48	77	1.0000	1.0000	0.003952
1032	48	82	1.0000	1.0000	0.002345
1033	48	92	1.0000	1.0000	0.016152
1034	48	101	1.0000	1.0000	0.028238
1035	48	105	1.0000	1.0000	0.010583
1036	48	114	1.0000	1.0000	0.010260
1037	48	130	1.0000	1.0000	0.029926
1038	48	134	1.0000	1.0000	0.001047
1039	48	144	1.0000	1.0000	0.018915
1040	48	145	1.0000	1.0000	0.000134
1041	48	146	1.0000	1.0000	0.008352
1042	48	155	1.0000	1.0000	0.000371
1043	48	176	1.0000	1.0000	0.050019
1044	48	182	1.0000	1.0000	0.048782
1045	48	193	1.0000	1.0000	0.025925

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1046	48	199	1.0000	1.0000	0.782634
1047	49	50	1.0000	1.0000	0.006143
1048	49	51	1.0000	1.0000	0.001834
1049	49	52	1.0000	1.0000	0.007305
1050	49	53	1.0000	1.0000	0.009044
1051	49	55	1.0000	1.0000	0.017867
1052	49	67	1.0000	1.0000	0.002828
1053	49	69	1.0000	1.0000	0.000744
1054	49	77	1.0000	1.0000	0.006448
1055	49	83	1.0000	1.0000	0.003264
1056	49	92	1.0000	1.0000	0.018649
1057	49	101	1.0000	1.0000	0.030735
1058	49	109	1.0000	1.0000	0.066842
1059	49	137	1.0000	1.0000	0.110437
1060	49	142	1.0000	1.0000	0.014653
1061	49	156	1.0000	1.0000	0.004167
1062	49	163	1.0000	1.0000	0.000596
1063	49	169	1.0000	1.0000	0.016049
1064	49	177	1.0000	1.0000	0.050041
1065	49	182	1.0000	1.0000	0.046285
1066	49	186	1.0000	1.0000	0.026736
1067	49	193	1.0000	1.0000	0.028422
1068	49	200	1.0000	1.0000	0.780137
1069	50	51	1.0000	1.0000	0.004309
1070	50	52	1.0000	1.0000	0.001162
1071	50	53	1.0000	1.0000	0.002901
1072	50	55	1.0000	1.0000	0.011724
1073	50	61	1.0000	1.0000	0.009829
1074	50	67	1.0000	1.0000	0.008971
1075	50	70	1.0000	1.0000	0.001138
1076	50	77	1.0000	1.0000	0.000305
1077	50	84	1.0000	1.0000	0.002143
1078	50	92	1.0000	1.0000	0.012506
1079	50	96	1.0000	1.0000	0.009725
1080	50	101	1.0000	1.0000	0.024592
1081	50	110	1.0000	1.0000	0.000323

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1082	50	135	1.0000	1.0000	0.001467
1083	50	138	1.0000	1.0000	0.024472
1084	50	144	1.0000	1.0000	0.015269
1085	50	157	1.0000	1.0000	0.010450
1086	50	164	1.0000	1.0000	0.003291
1087	50	170	1.0000	1.0000	0.032084
1088	50	182	1.0000	1.0000	0.052428
1089	50	193	1.0000	1.0000	0.022279
1090	50	201	1.0000	1.0000	0.786280
1091	51	52	1.0000	1.0000	0.005471
1092	51	53	1.0000	1.0000	0.007209
1093	51	55	1.0000	1.0000	0.016033
1094	51	62	1.0000	1.0000	0.024095
1095	51	67	1.0000	1.0000	0.004662
1096	51	71	1.0000	1.0000	0.016107
1097	51	77	1.0000	1.0000	0.004614
1098	51	85	1.0000	1.0000	0.002480
1099	51	92	1.0000	1.0000	0.016815
1100	51	101	1.0000	1.0000	0.028901
1101	51	111	1.0000	1.0000	0.007423
1102	51	145	1.0000	1.0000	0.000528
1103	51	182	1.0000	1.0000	0.048119
1104	51	193	1.0000	1.0000	0.026588
1105	51	202	1.0000	1.0000	0.781971
1106	52	53	1.0000	1.0000	0.001738
1107	52	55	1.0000	1.0000	0.010562
1108	52	63	1.0000	1.0000	0.007324
1109	52	67	1.0000	1.0000	0.010133
1110	52	77	1.0000	1.0000	0.000857
1111	52	86	1.0000	1.0000	0.007167
1112	52	92	1.0000	1.0000	0.011344
1113	52	97	1.0000	1.0000	0.018623
1114	52	101	1.0000	1.0000	0.023430
1115	52	136	1.0000	1.0000	0.002167
1116	52	139	1.0000	1.0000	0.018289
1117	52	146	1.0000	1.0000	0.003544

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1118	52	158	1.0000	1.0000	0.052287
1119	52	163	1.0000	1.0000	0.006710
1120	52	164	1.0000	1.0000	0.004453
1121	52	171	1.0000	1.0000	0.010365
1122	52	178	1.0000	1.0000	0.049662
1123	52	182	1.0000	1.0000	0.053590
1124	52	193	1.0000	1.0000	0.021117
1125	52	203	1.0000	1.0000	0.787442
1126	53	55	1.0000	1.0000	0.008823
1127	53	67	1.0000	1.0000	0.011872
1128	53	77	1.0000	1.0000	0.002595
1129	53	87	1.0000	1.0000	0.058709
1130	53	92	1.0000	1.0000	0.009606
1131	53	101	1.0000	1.0000	0.021691
1132	53	106	1.0000	1.0000	0.014234
1133	53	115	1.0000	1.0000	0.014926
1134	53	132	1.0000	1.0000	0.020679
1135	53	159	1.0000	1.0000	0.007381
1136	53	167	1.0000	1.0000	0.001882
1137	53	168	1.0000	1.0000	0.004440
1138	53	169	1.0000	1.0000	0.007005
1139	53	170	1.0000	1.0000	0.029183
1140	53	171	1.0000	1.0000	0.008626
1141	53	172	1.0000	1.0000	0.015136
1142	53	179	1.0000	1.0000	0.054849
1143	53	182	1.0000	1.0000	0.055329
1144	53	187	1.0000	1.0000	0.009249
1145	53	193	1.0000	1.0000	0.019379
1146	54	55	1.0000	1.0000	0.002832
1147	54	56	1.0000	1.0000	0.002587
1148	54	57	1.0000	1.0000	0.014623
1149	54	58	1.0000	1.0000	0.002123
1150	54	59	1.0000	1.0000	0.009757
1151	54	60	1.0000	1.0000	0.010336
1152	54	61	1.0000	1.0000	0.004727
1153	54	62	1.0000	1.0000	0.005231

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1154	54	63	1.0000	1.0000	0.020717
1155	54	64	1.0000	1.0000	0.019902
1156	54	65	1.0000	1.0000	0.018650
1157	54	75	1.0000	1.0000	0.021665
1158	54	90	1.0000	1.0000	0.010663
1159	54	100	1.0000	1.0000	0.004657
1160	54	112	1.0000	1.0000	0.004099
1161	54	122	1.0000	1.0000	0.021217
1162	54	180	1.0000	1.0000	0.115742
1163	54	194	1.0000	1.0000	0.005711
1164	55	56	1.0000	1.0000	0.000244
1165	55	57	1.0000	1.0000	0.017455
1166	55	58	1.0000	1.0000	0.000709
1167	55	59	1.0000	1.0000	0.006926
1168	55	60	1.0000	1.0000	0.007504
1169	55	61	1.0000	1.0000	0.001895
1170	55	62	1.0000	1.0000	0.008062
1171	55	63	1.0000	1.0000	0.017886
1172	55	64	1.0000	1.0000	0.017070
1173	55	67	1.0000	1.0000	0.020695
1174	55	77	1.0000	1.0000	0.011419
1175	55	92	1.0000	1.0000	0.000782
1176	55	101	1.0000	1.0000	0.012868
1177	55	122	1.0000	1.0000	0.024049
1178	55	182	1.0000	1.0000	0.064152
1179	55	193	1.0000	1.0000	0.010555
1180	55	194	1.0000	1.0000	0.002879
1181	56	57	1.0000	1.0000	0.017210
1182	56	58	1.0000	1.0000	0.000464
1183	56	59	1.0000	1.0000	0.007170
1184	56	60	1.0000	1.0000	0.007748
1185	56	61	1.0000	1.0000	0.002140
1186	56	62	1.0000	1.0000	0.007818
1187	56	63	1.0000	1.0000	0.018130
1188	56	64	1.0000	1.0000	0.017315
1189	56	90	1.0000	1.0000	0.008076

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1190	56	91	1.0000	1.0000	0.000258
1191	56	92	1.0000	1.0000	0.000538
1192	56	93	1.0000	1.0000	0.016513
1193	56	94	1.0000	1.0000	0.006235
1194	56	95	1.0000	1.0000	0.001477
1195	56	96	1.0000	1.0000	0.002243
1196	56	97	1.0000	1.0000	0.007817
1197	56	98	1.0000	1.0000	0.011423
1198	56	99	1.0000	1.0000	0.009843
1199	56	122	1.0000	1.0000	0.023804
1200	56	125	1.0000	1.0000	0.039134
1201	56	150	1.0000	1.0000	0.015564
1202	56	194	1.0000	1.0000	0.003124
1203	56	196	1.0000	1.0000	0.004724
1204	57	58	1.0000	1.0000	0.016746
1205	57	59	1.0000	1.0000	0.024380
1206	57	60	1.0000	1.0000	0.024959
1207	57	61	1.0000	1.0000	0.019350
1208	57	62	1.0000	1.0000	0.009392
1209	57	63	1.0000	1.0000	0.035340
1210	57	64	1.0000	1.0000	0.034525
1211	57	79	1.0000	1.0000	0.035533
1212	57	93	1.0000	1.0000	0.000697
1213	57	100	1.0000	1.0000	0.019280
1214	57	101	1.0000	1.0000	0.004587
1215	57	102	1.0000	1.0000	0.025482
1216	57	103	1.0000	1.0000	0.018809
1217	57	104	1.0000	1.0000	0.025903
1218	57	105	1.0000	1.0000	0.022242
1219	57	106	1.0000	1.0000	0.012044
1220	57	107	1.0000	1.0000	0.090826
1221	57	108	1.0000	1.0000	0.081505
1222	57	122	1.0000	1.0000	0.006594
1223	57	126	1.0000	1.0000	0.002938
1224	57	151	1.0000	1.0000	0.026330
1225	57	194	1.0000	1.0000	0.020334

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1226	57	197	1.0000	1.0000	0.009330
1227	58	59	1.0000	1.0000	0.007635
1228	58	60	1.0000	1.0000	0.008213
1229	58	61	1.0000	1.0000	0.002604
1230	58	62	1.0000	1.0000	0.007353
1231	58	63	1.0000	1.0000	0.018595
1232	58	64	1.0000	1.0000	0.017779
1233	58	68	1.0000	1.0000	0.015186
1234	58	94	1.0000	1.0000	0.006699
1235	58	102	1.0000	1.0000	0.008736
1236	58	112	1.0000	1.0000	0.001976
1237	58	113	1.0000	1.0000	0.009782
1238	58	114	1.0000	1.0000	0.005819
1239	58	115	1.0000	1.0000	0.005394
1240	58	116	1.0000	1.0000	0.011894
1241	58	117	1.0000	1.0000	0.038896
1242	58	122	1.0000	1.0000	0.023340
1243	58	127	1.0000	1.0000	0.021423
1244	58	153	1.0000	1.0000	0.015757
1245	58	194	1.0000	1.0000	0.003588
1246	59	60	1.0000	1.0000	0.000578
1247	59	61	1.0000	1.0000	0.005031
1248	59	62	1.0000	1.0000	0.014988
1249	59	63	1.0000	1.0000	0.010960
1250	59	64	1.0000	1.0000	0.010144
1251	59	95	1.0000	1.0000	0.005693
1252	59	103	1.0000	1.0000	0.005571
1253	59	122	1.0000	1.0000	0.030975
1254	59	128	1.0000	1.0000	0.019822
1255	59	134	1.0000	1.0000	0.007397
1256	59	135	1.0000	1.0000	0.003331
1257	59	136	1.0000	1.0000	0.005803
1258	59	174	1.0000	1.0000	0.011094
1259	59	194	1.0000	1.0000	0.004047
1260	59	198	1.0000	1.0000	0.208922
1261	60	61	1.0000	1.0000	0.005609

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1262	60	62	1.0000	1.0000	0.015566
1263	60	63	1.0000	1.0000	0.010382
1264	60	64	1.0000	1.0000	0.009566
1265	60	82	1.0000	1.0000	0.010211
1266	60	105	1.0000	1.0000	0.002717
1267	60	114	1.0000	1.0000	0.002393
1268	60	122	1.0000	1.0000	0.031553
1269	60	130	1.0000	1.0000	0.022060
1270	60	134	1.0000	1.0000	0.006819
1271	60	144	1.0000	1.0000	0.011049
1272	60	145	1.0000	1.0000	0.008001
1273	60	146	1.0000	1.0000	0.000486
1274	60	155	1.0000	1.0000	0.008237
1275	60	176	1.0000	1.0000	0.057885
1276	60	194	1.0000	1.0000	0.004625
1277	60	199	1.0000	1.0000	0.790500
1278	61	62	1.0000	1.0000	0.009957
1279	61	63	1.0000	1.0000	0.015991
1280	61	64	1.0000	1.0000	0.015175
1281	61	70	1.0000	1.0000	0.010966
1282	61	84	1.0000	1.0000	0.011972
1283	61	96	1.0000	1.0000	0.000104
1284	61	110	1.0000	1.0000	0.010152
1285	61	122	1.0000	1.0000	0.025944
1286	61	135	1.0000	1.0000	0.008361
1287	61	138	1.0000	1.0000	0.034301
1288	61	144	1.0000	1.0000	0.005440
1289	61	157	1.0000	1.0000	0.000621
1290	61	164	1.0000	1.0000	0.013120
1291	61	170	1.0000	1.0000	0.022255
1292	61	194	1.0000	1.0000	0.000984
1293	61	201	1.0000	1.0000	0.796109
1294	62	63	1.0000	1.0000	0.025948
1295	62	64	1.0000	1.0000	0.025132
1296	62	71	1.0000	1.0000	0.007989
1297	62	85	1.0000	1.0000	0.026575

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1298	62	111	1.0000	1.0000	0.016672
1299	62	122	1.0000	1.0000	0.015987
1300	62	145	1.0000	1.0000	0.023567
1301	62	194	1.0000	1.0000	0.010941
1302	62	202	1.0000	1.0000	0.806066
1303	63	64	1.0000	1.0000	0.000816
1304	63	86	1.0000	1.0000	0.014491
1305	63	97	1.0000	1.0000	0.025947
1306	63	122	1.0000	1.0000	0.041935
1307	63	136	1.0000	1.0000	0.005157
1308	63	139	1.0000	1.0000	0.010965
1309	63	146	1.0000	1.0000	0.010868
1310	63	158	1.0000	1.0000	0.044963
1311	63	163	1.0000	1.0000	0.000614
1312	63	164	1.0000	1.0000	0.002871
1313	63	171	1.0000	1.0000	0.017689
1314	63	178	1.0000	1.0000	0.042338
1315	63	194	1.0000	1.0000	0.015007
1316	63	203	1.0000	1.0000	0.780118
1317	64	73	1.0000	1.0000	0.003950
1318	64	88	1.0000	1.0000	0.007671
1319	64	99	1.0000	1.0000	0.007471
1320	64	108	1.0000	1.0000	0.046981
1321	64	117	1.0000	1.0000	0.056675
1322	64	122	1.0000	1.0000	0.041119
1323	64	133	1.0000	1.0000	0.003272
1324	64	161	1.0000	1.0000	0.001258
1325	64	173	1.0000	1.0000	0.011605
1326	64	174	1.0000	1.0000	0.021238
1327	64	175	1.0000	1.0000	0.016476
1328	64	176	1.0000	1.0000	0.048319
1329	64	177	1.0000	1.0000	0.050838
1330	64	178	1.0000	1.0000	0.043154
1331	64	179	1.0000	1.0000	0.046602
1332	64	188	1.0000	1.0000	0.029928
1333	64	194	1.0000	1.0000	0.014191

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1334	65	66	1.0000	1.0000	0.007236
1335	65	67	1.0000	1.0000	0.004876
1336	65	68	1.0000	1.0000	0.001342
1337	65	69	1.0000	1.0000	0.001304
1338	65	70	1.0000	1.0000	0.002957
1339	65	71	1.0000	1.0000	0.015892
1340	65	72	1.0000	1.0000	0.049792
1341	65	73	1.0000	1.0000	0.005202
1342	65	74	1.0000	1.0000	0.004614
1343	65	75	1.0000	1.0000	0.003015
1344	65	78	1.0000	1.0000	0.054766
1345	65	90	1.0000	1.0000	0.007987
1346	65	100	1.0000	1.0000	0.013993
1347	65	112	1.0000	1.0000	0.014551
1348	65	123	1.0000	1.0000	0.036008
1349	65	149	1.0000	1.0000	0.006230
1350	65	180	1.0000	1.0000	0.097091
1351	65	195	1.0000	1.0000	0.018601
1352	66	67	1.0000	1.0000	0.012113
1353	66	68	1.0000	1.0000	0.005895
1354	66	69	1.0000	1.0000	0.008541
1355	66	70	1.0000	1.0000	0.004279
1356	66	71	1.0000	1.0000	0.008656
1357	66	72	1.0000	1.0000	0.057028
1358	66	73	1.0000	1.0000	0.012438
1359	66	74	1.0000	1.0000	0.011851
1360	66	76	1.0000	1.0000	0.009776
1361	66	78	1.0000	1.0000	0.062003
1362	66	123	1.0000	1.0000	0.028771
1363	66	147	1.0000	1.0000	0.000355
1364	66	149	1.0000	1.0000	0.001007
1365	66	165	1.0000	1.0000	0.012194
1366	66	167	1.0000	1.0000	0.002123
1367	66	173	1.0000	1.0000	0.003118
1368	66	181	1.0000	1.0000	0.061448
1369	66	190	1.0000	1.0000	0.021119

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1370	66	195	1.0000	1.0000	0.011365
1371	67	68	1.0000	1.0000	0.006218
1372	67	69	1.0000	1.0000	0.003572
1373	67	70	1.0000	1.0000	0.007833
1374	67	71	1.0000	1.0000	0.020769
1375	67	72	1.0000	1.0000	0.044916
1376	67	73	1.0000	1.0000	0.000325
1377	67	74	1.0000	1.0000	0.000262
1378	67	77	1.0000	1.0000	0.009276
1379	67	78	1.0000	1.0000	0.049890
1380	67	92	1.0000	1.0000	0.021477
1381	67	101	1.0000	1.0000	0.033563
1382	67	123	1.0000	1.0000	0.040884
1383	67	149	1.0000	1.0000	0.011106
1384	67	182	1.0000	1.0000	0.043457
1385	67	193	1.0000	1.0000	0.031250
1386	67	195	1.0000	1.0000	0.023477
1387	68	69	1.0000	1.0000	0.002646
1388	68	70	1.0000	1.0000	0.001615
1389	68	71	1.0000	1.0000	0.014551
1390	68	72	1.0000	1.0000	0.051134
1391	68	73	1.0000	1.0000	0.006543
1392	68	74	1.0000	1.0000	0.005956
1393	68	78	1.0000	1.0000	0.056108
1394	68	94	1.0000	1.0000	0.008487
1395	68	102	1.0000	1.0000	0.006450
1396	68	112	1.0000	1.0000	0.013210
1397	68	113	1.0000	1.0000	0.005404
1398	68	114	1.0000	1.0000	0.009366
1399	68	115	1.0000	1.0000	0.020580
1400	68	116	1.0000	1.0000	0.027079
1401	68	117	1.0000	1.0000	0.054082
1402	68	123	1.0000	1.0000	0.034666
1403	68	127	1.0000	1.0000	0.036608
1404	68	149	1.0000	1.0000	0.004888
1405	68	153	1.0000	1.0000	0.000571

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1406	68	195	1.0000	1.0000	0.017259
1407	69	70	1.0000	1.0000	0.004262
1408	69	71	1.0000	1.0000	0.017197
1409	69	72	1.0000	1.0000	0.048487
1410	69	73	1.0000	1.0000	0.003897
1411	69	74	1.0000	1.0000	0.003310
1412	69	78	1.0000	1.0000	0.053462
1413	69	83	1.0000	1.0000	0.004008
1414	69	109	1.0000	1.0000	0.067586
1415	69	123	1.0000	1.0000	0.037312
1416	69	137	1.0000	1.0000	0.111181
1417	69	142	1.0000	1.0000	0.013909
1418	69	149	1.0000	1.0000	0.007534
1419	69	156	1.0000	1.0000	0.003423
1420	69	163	1.0000	1.0000	0.000148
1421	69	169	1.0000	1.0000	0.015305
1422	69	177	1.0000	1.0000	0.050785
1423	69	186	1.0000	1.0000	0.025992
1424	69	195	1.0000	1.0000	0.019906
1425	69	200	1.0000	1.0000	0.780881
1426	70	71	1.0000	1.0000	0.012935
1427	70	72	1.0000	1.0000	0.052749
1428	70	73	1.0000	1.0000	0.008159
1429	70	74	1.0000	1.0000	0.007572
1430	70	78	1.0000	1.0000	0.057724
1431	70	84	1.0000	1.0000	0.001006
1432	70	96	1.0000	1.0000	0.010863
1433	70	110	1.0000	1.0000	0.000815
1434	70	123	1.0000	1.0000	0.033050
1435	70	135	1.0000	1.0000	0.002605
1436	70	138	1.0000	1.0000	0.023334
1437	70	144	1.0000	1.0000	0.016406
1438	70	149	1.0000	1.0000	0.003273
1439	70	157	1.0000	1.0000	0.011587
1440	70	164	1.0000	1.0000	0.002154
1441	70	170	1.0000	1.0000	0.033221

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1442	70	195	1.0000	1.0000	0.015644
1443	70	201	1.0000	1.0000	0.785143
1444	71	72	1.0000	1.0000	0.065684
1445	71	73	1.0000	1.0000	0.021094
1446	71	74	1.0000	1.0000	0.020507
1447	71	78	1.0000	1.0000	0.070659
1448	71	85	1.0000	1.0000	0.018587
1449	71	111	1.0000	1.0000	0.008683
1450	71	123	1.0000	1.0000	0.020115
1451	71	145	1.0000	1.0000	0.015578
1452	71	149	1.0000	1.0000	0.009663
1453	71	195	1.0000	1.0000	0.002709
1454	71	202	1.0000	1.0000	0.798078
1455	72	73	1.0000	1.0000	0.044590
1456	72	74	1.0000	1.0000	0.045177
1457	72	78	1.0000	1.0000	0.004974
1458	72	98	1.0000	1.0000	0.054432
1459	72	107	1.0000	1.0000	0.007761
1460	72	116	1.0000	1.0000	0.078213
1461	72	123	1.0000	1.0000	0.085799
1462	72	140	1.0000	1.0000	0.057763
1463	72	143	1.0000	1.0000	0.048096
1464	72	149	1.0000	1.0000	0.056022
1465	72	160	1.0000	1.0000	0.055484
1466	72	172	1.0000	1.0000	0.071923
1467	72	195	1.0000	1.0000	0.068393
1468	73	74	1.0000	1.0000	0.000587
1469	73	78	1.0000	1.0000	0.049565
1470	73	88	1.0000	1.0000	0.011621
1471	73	99	1.0000	1.0000	0.011422
1472	73	108	1.0000	1.0000	0.043030
1473	73	117	1.0000	1.0000	0.060626
1474	73	123	1.0000	1.0000	0.041209
1475	73	133	1.0000	1.0000	0.000678
1476	73	149	1.0000	1.0000	0.011431
1477	73	161	1.0000	1.0000	0.002692

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1478	73	173	1.0000	1.0000	0.015556
1479	73	174	1.0000	1.0000	0.025189
1480	73	175	1.0000	1.0000	0.020426
1481	73	176	1.0000	1.0000	0.044369
1482	73	177	1.0000	1.0000	0.046888
1483	73	178	1.0000	1.0000	0.039203
1484	73	179	1.0000	1.0000	0.042652
1485	73	188	1.0000	1.0000	0.033878
1486	73	195	1.0000	1.0000	0.023803
1487	74	78	1.0000	1.0000	0.050152
1488	74	89	1.0000	1.0000	0.036556
1489	74	123	1.0000	1.0000	0.040622
1490	74	149	1.0000	1.0000	0.010844
1491	74	162	1.0000	1.0000	0.015391
1492	74	180	1.0000	1.0000	0.092477
1493	74	181	1.0000	1.0000	0.049597
1494	74	182	1.0000	1.0000	0.043719
1495	74	183	1.0000	1.0000	0.022905
1496	74	184	1.0000	1.0000	0.021773
1497	74	185	1.0000	1.0000	0.047353
1498	74	186	1.0000	1.0000	0.029302
1499	74	187	1.0000	1.0000	0.020858
1500	74	188	1.0000	1.0000	0.033291
1501	74	195	1.0000	1.0000	0.023216
1502	75	76	1.0000	1.0000	0.000475
1503	75	77	1.0000	1.0000	0.007415
1504	75	78	1.0000	1.0000	0.051752
1505	75	79	1.0000	1.0000	0.000755
1506	75	80	1.0000	1.0000	0.007318
1507	75	81	1.0000	1.0000	0.005006
1508	75	82	1.0000	1.0000	0.001118
1509	75	83	1.0000	1.0000	0.002298
1510	75	84	1.0000	1.0000	0.004966
1511	75	85	1.0000	1.0000	0.000320
1512	75	86	1.0000	1.0000	0.015438
1513	75	87	1.0000	1.0000	0.048699

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1514	75	88	1.0000	1.0000	0.009434
1515	75	89	1.0000	1.0000	0.034956
1516	75	90	1.0000	1.0000	0.011002
1517	75	100	1.0000	1.0000	0.017008
1518	75	112	1.0000	1.0000	0.017566
1519	75	124	1.0000	1.0000	0.041261
1520	75	180	1.0000	1.0000	0.094077
1521	76	77	1.0000	1.0000	0.006939
1522	76	78	1.0000	1.0000	0.052227
1523	76	79	1.0000	1.0000	0.000280
1524	76	80	1.0000	1.0000	0.006843
1525	76	81	1.0000	1.0000	0.005482
1526	76	82	1.0000	1.0000	0.000643
1527	76	83	1.0000	1.0000	0.002773
1528	76	84	1.0000	1.0000	0.004491
1529	76	85	1.0000	1.0000	0.000155
1530	76	86	1.0000	1.0000	0.014963
1531	76	87	1.0000	1.0000	0.049174
1532	76	88	1.0000	1.0000	0.008959
1533	76	89	1.0000	1.0000	0.034481
1534	76	124	1.0000	1.0000	0.040786
1535	76	147	1.0000	1.0000	0.009421
1536	76	165	1.0000	1.0000	0.002419
1537	76	167	1.0000	1.0000	0.007653
1538	76	173	1.0000	1.0000	0.012893
1539	76	181	1.0000	1.0000	0.051672
1540	76	190	1.0000	1.0000	0.030895
1541	77	78	1.0000	1.0000	0.059166
1542	77	79	1.0000	1.0000	0.006660
1543	77	80	1.0000	1.0000	0.000097
1544	77	81	1.0000	1.0000	0.012421
1545	77	82	1.0000	1.0000	0.006296
1546	77	83	1.0000	1.0000	0.009712
1547	77	84	1.0000	1.0000	0.002448
1548	77	85	1.0000	1.0000	0.007094
1549	77	86	1.0000	1.0000	0.008024

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1550	77	87	1.0000	1.0000	0.056113
1551	77	88	1.0000	1.0000	0.002019
1552	77	89	1.0000	1.0000	0.027542
1553	77	92	1.0000	1.0000	0.012201
1554	77	101	1.0000	1.0000	0.024286
1555	77	124	1.0000	1.0000	0.033846
1556	77	182	1.0000	1.0000	0.052733
1557	77	193	1.0000	1.0000	0.021974
1558	78	79	1.0000	1.0000	0.052507
1559	78	80	1.0000	1.0000	0.059070
1560	78	81	1.0000	1.0000	0.046745
1561	78	82	1.0000	1.0000	0.052870
1562	78	83	1.0000	1.0000	0.049454
1563	78	84	1.0000	1.0000	0.056718
1564	78	85	1.0000	1.0000	0.052072
1565	78	86	1.0000	1.0000	0.067190
1566	78	87	1.0000	1.0000	0.003053
1567	78	88	1.0000	1.0000	0.061186
1568	78	89	1.0000	1.0000	0.086708
1569	78	123	1.0000	1.0000	0.090774
1570	78	124	1.0000	1.0000	0.093013
1571	78	149	1.0000	1.0000	0.060996
1572	78	195	1.0000	1.0000	0.073367
1573	79	80	1.0000	1.0000	0.006563
1574	79	81	1.0000	1.0000	0.005762
1575	79	82	1.0000	1.0000	0.000363
1576	79	83	1.0000	1.0000	0.003053
1577	79	84	1.0000	1.0000	0.004211
1578	79	85	1.0000	1.0000	0.000435
1579	79	86	1.0000	1.0000	0.014683
1580	79	87	1.0000	1.0000	0.049454
1581	79	88	1.0000	1.0000	0.008679
1582	79	89	1.0000	1.0000	0.034201
1583	79	93	1.0000	1.0000	0.034836
1584	79	100	1.0000	1.0000	0.016252
1585	79	101	1.0000	1.0000	0.030946

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1586	79	102	1.0000	1.0000	0.010051
1587	79	103	1.0000	1.0000	0.016723
1588	79	104	1.0000	1.0000	0.009630
1589	79	105	1.0000	1.0000	0.013291
1590	79	106	1.0000	1.0000	0.023489
1591	79	107	1.0000	1.0000	0.055293
1592	79	108	1.0000	1.0000	0.045973
1593	79	124	1.0000	1.0000	0.040506
1594	79	126	1.0000	1.0000	0.032595
1595	79	151	1.0000	1.0000	0.009203
1596	79	197	1.0000	1.0000	0.026203
1597	80	81	1.0000	1.0000	0.012325
1598	80	82	1.0000	1.0000	0.006200
1599	80	83	1.0000	1.0000	0.009616
1600	80	84	1.0000	1.0000	0.002352
1601	80	85	1.0000	1.0000	0.006998
1602	80	86	1.0000	1.0000	0.008120
1603	80	87	1.0000	1.0000	0.056017
1604	80	88	1.0000	1.0000	0.002116
1605	80	89	1.0000	1.0000	0.027638
1606	80	109	1.0000	1.0000	0.073194
1607	80	110	1.0000	1.0000	0.000532
1608	80	111	1.0000	1.0000	0.002906
1609	80	124	1.0000	1.0000	0.033943
1610	80	141	1.0000	1.0000	0.002877
1611	80	152	1.0000	1.0000	0.009391
1612	80	183	1.0000	1.0000	0.031823
1613	81	82	1.0000	1.0000	0.006125
1614	81	83	1.0000	1.0000	0.002709
1615	81	84	1.0000	1.0000	0.009973
1616	81	85	1.0000	1.0000	0.005327
1617	81	86	1.0000	1.0000	0.020445
1618	81	87	1.0000	1.0000	0.043692
1619	81	88	1.0000	1.0000	0.014441
1620	81	89	1.0000	1.0000	0.039963
1621	81	104	1.0000	1.0000	0.015391

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1622	81	113	1.0000	1.0000	0.014767
1623	81	124	1.0000	1.0000	0.046268
1624	81	129	1.0000	1.0000	0.037922
1625	81	137	1.0000	1.0000	0.104464
1626	81	138	1.0000	1.0000	0.012356
1627	81	139	1.0000	1.0000	0.005011
1628	81	140	1.0000	1.0000	0.015992
1629	81	154	1.0000	1.0000	0.012686
1630	81	168	1.0000	1.0000	0.010576
1631	81	175	1.0000	1.0000	0.023245
1632	81	184	1.0000	1.0000	0.025180
1633	82	83	1.0000	1.0000	0.003416
1634	82	84	1.0000	1.0000	0.003848
1635	82	85	1.0000	1.0000	0.000798
1636	82	86	1.0000	1.0000	0.014320
1637	82	87	1.0000	1.0000	0.049817
1638	82	88	1.0000	1.0000	0.008316
1639	82	89	1.0000	1.0000	0.033838
1640	82	105	1.0000	1.0000	0.012928
1641	82	114	1.0000	1.0000	0.012604
1642	82	124	1.0000	1.0000	0.040143
1643	82	130	1.0000	1.0000	0.032271
1644	82	134	1.0000	1.0000	0.003392
1645	82	144	1.0000	1.0000	0.021260
1646	82	145	1.0000	1.0000	0.002210
1647	82	146	1.0000	1.0000	0.010697
1648	82	155	1.0000	1.0000	0.001974
1649	82	176	1.0000	1.0000	0.047674
1650	82	199	1.0000	1.0000	0.780289
1651	83	84	1.0000	1.0000	0.007264
1652	83	85	1.0000	1.0000	0.002618
1653	83	86	1.0000	1.0000	0.017736
1654	83	87	1.0000	1.0000	0.046401
1655	83	88	1.0000	1.0000	0.011732
1656	83	89	1.0000	1.0000	0.037254
1657	83	109	1.0000	1.0000	0.063578

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1658	83	124	1.0000	1.0000	0.043559
1659	83	137	1.0000	1.0000	0.107173
1660	83	142	1.0000	1.0000	0.017917
1661	83	156	1.0000	1.0000	0.007431
1662	83	163	1.0000	1.0000	0.003860
1663	83	169	1.0000	1.0000	0.019313
1664	83	177	1.0000	1.0000	0.046777
1665	83	186	1.0000	1.0000	0.030000
1666	83	200	1.0000	1.0000	0.776873
1667	84	85	1.0000	1.0000	0.004646
1668	84	86	1.0000	1.0000	0.010472
1669	84	87	1.0000	1.0000	0.053665
1670	84	88	1.0000	1.0000	0.004468
1671	84	89	1.0000	1.0000	0.029990
1672	84	96	1.0000	1.0000	0.011868
1673	84	110	1.0000	1.0000	0.001820
1674	84	124	1.0000	1.0000	0.036295
1675	84	135	1.0000	1.0000	0.003611
1676	84	138	1.0000	1.0000	0.022329
1677	84	144	1.0000	1.0000	0.017412
1678	84	157	1.0000	1.0000	0.012593
1679	84	164	1.0000	1.0000	0.001148
1680	84	170	1.0000	1.0000	0.034227
1681	84	201	1.0000	1.0000	0.784137
1682	85	86	1.0000	1.0000	0.015118
1683	85	87	1.0000	1.0000	0.049019
1684	85	88	1.0000	1.0000	0.009114
1685	85	89	1.0000	1.0000	0.034636
1686	85	111	1.0000	1.0000	0.009903
1687	85	124	1.0000	1.0000	0.040941
1688	85	145	1.0000	1.0000	0.003008
1689	85	202	1.0000	1.0000	0.779491
1690	86	87	1.0000	1.0000	0.064137
1691	86	88	1.0000	1.0000	0.006004
1692	86	89	1.0000	1.0000	0.019518
1693	86	97	1.0000	1.0000	0.011456

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1694	86	124	1.0000	1.0000	0.025823
1695	86	136	1.0000	1.0000	0.009333
1696	86	139	1.0000	1.0000	0.025456
1697	86	146	1.0000	1.0000	0.003623
1698	86	158	1.0000	1.0000	0.059454
1699	86	163	1.0000	1.0000	0.013876
1700	86	164	1.0000	1.0000	0.011620
1701	86	171	1.0000	1.0000	0.003198
1702	86	178	1.0000	1.0000	0.056829
1703	86	203	1.0000	1.0000	0.794609
1704	87	88	1.0000	1.0000	0.058133
1705	87	89	1.0000	1.0000	0.083655
1706	87	106	1.0000	1.0000	0.072943
1707	87	115	1.0000	1.0000	0.073635
1708	87	124	1.0000	1.0000	0.089960
1709	87	132	1.0000	1.0000	0.079387
1710	87	159	1.0000	1.0000	0.051328
1711	87	167	1.0000	1.0000	0.056827
1712	87	168	1.0000	1.0000	0.054268
1713	87	169	1.0000	1.0000	0.065714
1714	87	170	1.0000	1.0000	0.087892
1715	87	171	1.0000	1.0000	0.067335
1716	87	172	1.0000	1.0000	0.073845
1717	87	179	1.0000	1.0000	0.003860
1718	87	187	1.0000	1.0000	0.067957
1719	88	89	1.0000	1.0000	0.025522
1720	88	99	1.0000	1.0000	0.000199
1721	88	108	1.0000	1.0000	0.054652
1722	88	117	1.0000	1.0000	0.049005
1723	88	124	1.0000	1.0000	0.031827
1724	88	133	1.0000	1.0000	0.010943
1725	88	161	1.0000	1.0000	0.008929
1726	88	173	1.0000	1.0000	0.003934
1727	88	174	1.0000	1.0000	0.013568
1728	88	175	1.0000	1.0000	0.008805
1729	88	176	1.0000	1.0000	0.055990

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1730	88	177	1.0000	1.0000	0.058509
1731	88	178	1.0000	1.0000	0.050825
1732	88	179	1.0000	1.0000	0.054273
1733	88	188	1.0000	1.0000	0.022257
1734	89	124	1.0000	1.0000	0.006305
1735	89	162	1.0000	1.0000	0.021165
1736	89	180	1.0000	1.0000	0.129033
1737	89	181	1.0000	1.0000	0.086153
1738	89	182	1.0000	1.0000	0.080275
1739	89	183	1.0000	1.0000	0.059461
1740	89	184	1.0000	1.0000	0.014783
1741	89	185	1.0000	1.0000	0.010797
1742	89	186	1.0000	1.0000	0.007254
1743	89	187	1.0000	1.0000	0.015698
1744	89	188	1.0000	1.0000	0.003265
1745	90	91	1.0000	1.0000	0.008334
1746	90	92	1.0000	1.0000	0.008614
1747	90	93	1.0000	1.0000	0.024589
1748	90	94	1.0000	1.0000	0.001841
1749	90	95	1.0000	1.0000	0.006599
1750	90	96	1.0000	1.0000	0.005833
1751	90	97	1.0000	1.0000	0.015892
1752	90	98	1.0000	1.0000	0.003347
1753	90	99	1.0000	1.0000	0.001767
1754	90	100	1.0000	1.0000	0.006006
1755	90	112	1.0000	1.0000	0.006564
1756	90	125	1.0000	1.0000	0.047210
1757	90	150	1.0000	1.0000	0.007488
1758	90	180	1.0000	1.0000	0.105079
1759	90	196	1.0000	1.0000	0.012800
1760	91	92	1.0000	1.0000	0.000280
1761	91	93	1.0000	1.0000	0.016255
1762	91	94	1.0000	1.0000	0.006493
1763	91	95	1.0000	1.0000	0.001735
1764	91	96	1.0000	1.0000	0.002501
1765	91	97	1.0000	1.0000	0.007558

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1766	91	98	1.0000	1.0000	0.011681
1767	91	99	1.0000	1.0000	0.010101
1768	91	120	1.0000	1.0000	0.014786
1769	91	125	1.0000	1.0000	0.038876
1770	91	148	1.0000	1.0000	0.065771
1771	91	150	1.0000	1.0000	0.015822
1772	91	191	1.0000	1.0000	0.008773
1773	91	196	1.0000	1.0000	0.004466
1774	92	93	1.0000	1.0000	0.015975
1775	92	94	1.0000	1.0000	0.006773
1776	92	95	1.0000	1.0000	0.002015
1777	92	96	1.0000	1.0000	0.002781
1778	92	97	1.0000	1.0000	0.007279
1779	92	98	1.0000	1.0000	0.011960
1780	92	99	1.0000	1.0000	0.010381
1781	92	101	1.0000	1.0000	0.012085
1782	92	125	1.0000	1.0000	0.038596
1783	92	150	1.0000	1.0000	0.016102
1784	92	182	1.0000	1.0000	0.064934
1785	92	193	1.0000	1.0000	0.009773
1786	92	196	1.0000	1.0000	0.004186
1787	93	94	1.0000	1.0000	0.022748
1788	93	95	1.0000	1.0000	0.017990
1789	93	96	1.0000	1.0000	0.018756
1790	93	97	1.0000	1.0000	0.008696
1791	93	98	1.0000	1.0000	0.027935
1792	93	99	1.0000	1.0000	0.026356
1793	93	100	1.0000	1.0000	0.018583
1794	93	101	1.0000	1.0000	0.003890
1795	93	102	1.0000	1.0000	0.024784
1796	93	103	1.0000	1.0000	0.018112
1797	93	104	1.0000	1.0000	0.025206
1798	93	105	1.0000	1.0000	0.021544
1799	93	106	1.0000	1.0000	0.011346
1800	93	107	1.0000	1.0000	0.090129
1801	93	108	1.0000	1.0000	0.080808

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1802	93	125	1.0000	1.0000	0.022621
1803	93	126	1.0000	1.0000	0.002240
1804	93	150	1.0000	1.0000	0.032077
1805	93	151	1.0000	1.0000	0.025633
1806	93	196	1.0000	1.0000	0.011789
1807	93	197	1.0000	1.0000	0.008633
1808	94	95	1.0000	1.0000	0.004758
1809	94	96	1.0000	1.0000	0.003992
1810	94	97	1.0000	1.0000	0.014051
1811	94	98	1.0000	1.0000	0.005188
1812	94	99	1.0000	1.0000	0.003608
1813	94	102	1.0000	1.0000	0.002037
1814	94	112	1.0000	1.0000	0.004723
1815	94	113	1.0000	1.0000	0.003083
1816	94	114	1.0000	1.0000	0.000880
1817	94	115	1.0000	1.0000	0.012093
1818	94	116	1.0000	1.0000	0.018593
1819	94	117	1.0000	1.0000	0.045596
1820	94	125	1.0000	1.0000	0.045369
1821	94	127	1.0000	1.0000	0.028122
1822	94	150	1.0000	1.0000	0.009329
1823	94	153	1.0000	1.0000	0.009058
1824	94	196	1.0000	1.0000	0.010959
1825	95	96	1.0000	1.0000	0.000766
1826	95	97	1.0000	1.0000	0.009294
1827	95	98	1.0000	1.0000	0.009945
1828	95	99	1.0000	1.0000	0.008366
1829	95	103	1.0000	1.0000	0.000122
1830	95	125	1.0000	1.0000	0.040611
1831	95	128	1.0000	1.0000	0.014129
1832	95	134	1.0000	1.0000	0.013090
1833	95	135	1.0000	1.0000	0.009024
1834	95	136	1.0000	1.0000	0.011496
1835	95	150	1.0000	1.0000	0.014087
1836	95	174	1.0000	1.0000	0.005401
1837	95	196	1.0000	1.0000	0.006201

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1838	95	198	1.0000	1.0000	0.203229
1839	96	97	1.0000	1.0000	0.010060
1840	96	98	1.0000	1.0000	0.009179
1841	96	99	1.0000	1.0000	0.007600
1842	96	110	1.0000	1.0000	0.010048
1843	96	125	1.0000	1.0000	0.041377
1844	96	135	1.0000	1.0000	0.008258
1845	96	138	1.0000	1.0000	0.034197
1846	96	144	1.0000	1.0000	0.005544
1847	96	150	1.0000	1.0000	0.013321
1848	96	157	1.0000	1.0000	0.000725
1849	96	164	1.0000	1.0000	0.013016
1850	96	170	1.0000	1.0000	0.022359
1851	96	196	1.0000	1.0000	0.006967
1852	96	201	1.0000	1.0000	0.796005
1853	97	98	1.0000	1.0000	0.019239
1854	97	99	1.0000	1.0000	0.017660
1855	97	125	1.0000	1.0000	0.031317
1856	97	136	1.0000	1.0000	0.020789
1857	97	139	1.0000	1.0000	0.036912
1858	97	146	1.0000	1.0000	0.015079
1859	97	150	1.0000	1.0000	0.023381
1860	97	158	1.0000	1.0000	0.070910
1861	97	163	1.0000	1.0000	0.025332
1862	97	164	1.0000	1.0000	0.023076
1863	97	171	1.0000	1.0000	0.008258
1864	97	178	1.0000	1.0000	0.068285
1865	97	196	1.0000	1.0000	0.003092
1866	97	203	1.0000	1.0000	0.806065
1867	98	99	1.0000	1.0000	0.001580
1868	98	107	1.0000	1.0000	0.062193
1869	98	116	1.0000	1.0000	0.023781
1870	98	125	1.0000	1.0000	0.050556
1871	98	140	1.0000	1.0000	0.003330
1872	98	143	1.0000	1.0000	0.006337
1873	98	150	1.0000	1.0000	0.004141

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1874	98	160	1.0000	1.0000	0.001052
1875	98	172	1.0000	1.0000	0.017491
1876	98	196	1.0000	1.0000	0.016147
1877	99	108	1.0000	1.0000	0.054452
1878	99	117	1.0000	1.0000	0.049204
1879	99	125	1.0000	1.0000	0.048977
1880	99	133	1.0000	1.0000	0.010743
1881	99	150	1.0000	1.0000	0.005721
1882	99	161	1.0000	1.0000	0.008730
1883	99	173	1.0000	1.0000	0.004134
1884	99	174	1.0000	1.0000	0.013767
1885	99	175	1.0000	1.0000	0.009004
1886	99	176	1.0000	1.0000	0.055790
1887	99	177	1.0000	1.0000	0.058309
1888	99	178	1.0000	1.0000	0.050625
1889	99	179	1.0000	1.0000	0.054074
1890	99	188	1.0000	1.0000	0.022456
1891	99	196	1.0000	1.0000	0.014567
1892	100	101	1.0000	1.0000	0.014693
1893	100	102	1.0000	1.0000	0.006201
1894	100	103	1.0000	1.0000	0.000471
1895	100	104	1.0000	1.0000	0.006623
1896	100	105	1.0000	1.0000	0.002961
1897	100	106	1.0000	1.0000	0.007237
1898	100	107	1.0000	1.0000	0.071546
1899	100	108	1.0000	1.0000	0.062225
1900	100	112	1.0000	1.0000	0.000558
1901	100	126	1.0000	1.0000	0.016343
1902	100	151	1.0000	1.0000	0.007050
1903	100	180	1.0000	1.0000	0.111084
1904	100	197	1.0000	1.0000	0.009951
1905	101	102	1.0000	1.0000	0.020895
1906	101	103	1.0000	1.0000	0.014223
1907	101	104	1.0000	1.0000	0.021316
1908	101	105	1.0000	1.0000	0.017655
1909	101	106	1.0000	1.0000	0.007457

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1910	101	107	1.0000	1.0000	0.086239
1911	101	108	1.0000	1.0000	0.076918
1912	101	126	1.0000	1.0000	0.001649
1913	101	151	1.0000	1.0000	0.021743
1914	101	182	1.0000	1.0000	0.077020
1915	101	193	1.0000	1.0000	0.002313
1916	101	197	1.0000	1.0000	0.004743
1917	102	103	1.0000	1.0000	0.006672
1918	102	104	1.0000	1.0000	0.000422
1919	102	105	1.0000	1.0000	0.003240
1920	102	106	1.0000	1.0000	0.013438
1921	102	107	1.0000	1.0000	0.065344
1922	102	108	1.0000	1.0000	0.056024
1923	102	112	1.0000	1.0000	0.006760
1924	102	113	1.0000	1.0000	0.001046
1925	102	114	1.0000	1.0000	0.002916
1926	102	115	1.0000	1.0000	0.014130
1927	102	116	1.0000	1.0000	0.020629
1928	102	117	1.0000	1.0000	0.047632
1929	102	126	1.0000	1.0000	0.022544
1930	102	127	1.0000	1.0000	0.030158
1931	102	151	1.0000	1.0000	0.000849
1932	102	153	1.0000	1.0000	0.007021
1933	102	197	1.0000	1.0000	0.016152
1934	103	104	1.0000	1.0000	0.007094
1935	103	105	1.0000	1.0000	0.003432
1936	103	106	1.0000	1.0000	0.006766
1937	103	107	1.0000	1.0000	0.072016
1938	103	108	1.0000	1.0000	0.062696
1939	103	126	1.0000	1.0000	0.015872
1940	103	128	1.0000	1.0000	0.014251
1941	103	134	1.0000	1.0000	0.012968
1942	103	135	1.0000	1.0000	0.008902
1943	103	136	1.0000	1.0000	0.011374
1944	103	151	1.0000	1.0000	0.007521
1945	103	174	1.0000	1.0000	0.005523

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1946	103	197	1.0000	1.0000	0.009480
1947	103	198	1.0000	1.0000	0.203351
1948	104	105	1.0000	1.0000	0.003661
1949	104	106	1.0000	1.0000	0.013859
1950	104	107	1.0000	1.0000	0.064923
1951	104	108	1.0000	1.0000	0.055602
1952	104	113	1.0000	1.0000	0.000625
1953	104	126	1.0000	1.0000	0.022965
1954	104	129	1.0000	1.0000	0.022531
1955	104	137	1.0000	1.0000	0.119856
1956	104	138	1.0000	1.0000	0.027748
1957	104	139	1.0000	1.0000	0.020403
1958	104	140	1.0000	1.0000	0.000601
1959	104	151	1.0000	1.0000	0.000427
1960	104	154	1.0000	1.0000	0.002705
1961	104	168	1.0000	1.0000	0.004815
1962	104	175	1.0000	1.0000	0.007854
1963	104	184	1.0000	1.0000	0.009788
1964	104	197	1.0000	1.0000	0.016573
1965	105	106	1.0000	1.0000	0.010198
1966	105	107	1.0000	1.0000	0.068584
1967	105	108	1.0000	1.0000	0.059264
1968	105	114	1.0000	1.0000	0.000323
1969	105	126	1.0000	1.0000	0.019304
1970	105	130	1.0000	1.0000	0.019343
1971	105	134	1.0000	1.0000	0.009536
1972	105	144	1.0000	1.0000	0.008332
1973	105	145	1.0000	1.0000	0.010717
1974	105	146	1.0000	1.0000	0.002231
1975	105	151	1.0000	1.0000	0.004088
1976	105	155	1.0000	1.0000	0.010954
1977	105	176	1.0000	1.0000	0.060602
1978	105	197	1.0000	1.0000	0.012912
1979	105	199	1.0000	1.0000	0.793217
1980	106	107	1.0000	1.0000	0.078782
1981	106	108	1.0000	1.0000	0.069462

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1982	106	115	1.0000	1.0000	0.000692
1983	106	126	1.0000	1.0000	0.009106
1984	106	132	1.0000	1.0000	0.006445
1985	106	151	1.0000	1.0000	0.014286
1986	106	159	1.0000	1.0000	0.021615
1987	106	167	1.0000	1.0000	0.016116
1988	106	168	1.0000	1.0000	0.018674
1989	106	169	1.0000	1.0000	0.007229
1990	106	170	1.0000	1.0000	0.014949
1991	106	171	1.0000	1.0000	0.005608
1992	106	172	1.0000	1.0000	0.000902
1993	106	179	1.0000	1.0000	0.069083
1994	106	187	1.0000	1.0000	0.004986
1995	106	197	1.0000	1.0000	0.002714
1996	107	108	1.0000	1.0000	0.009321
1997	107	116	1.0000	1.0000	0.085974
1998	107	126	1.0000	1.0000	0.087888
1999	107	140	1.0000	1.0000	0.065524
2000	107	143	1.0000	1.0000	0.055857
2001	107	151	1.0000	1.0000	0.064496
2002	107	160	1.0000	1.0000	0.063245
2003	107	172	1.0000	1.0000	0.079684
2004	107	197	1.0000	1.0000	0.081496
2005	108	117	1.0000	1.0000	0.103656
2006	108	126	1.0000	1.0000	0.078568
2007	108	133	1.0000	1.0000	0.043709
2008	108	151	1.0000	1.0000	0.055175
2009	108	161	1.0000	1.0000	0.045722
2010	108	173	1.0000	1.0000	0.058586
2011	108	174	1.0000	1.0000	0.068219
2012	108	175	1.0000	1.0000	0.063456
2013	108	176	1.0000	1.0000	0.001338
2014	108	177	1.0000	1.0000	0.003857
2015	108	178	1.0000	1.0000	0.003827
2016	108	179	1.0000	1.0000	0.000378
2017	108	188	1.0000	1.0000	0.076908

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2018	108	197	1.0000	1.0000	0.072176
2019	109	110	1.0000	1.0000	0.072662
2020	109	111	1.0000	1.0000	0.076100
2021	109	137	1.0000	1.0000	0.043595
2022	109	141	1.0000	1.0000	0.076072
2023	109	142	1.0000	1.0000	0.081495
2024	109	152	1.0000	1.0000	0.063803
2025	109	156	1.0000	1.0000	0.071009
2026	109	163	1.0000	1.0000	0.067438
2027	109	169	1.0000	1.0000	0.082891
2028	109	177	1.0000	1.0000	0.016801
2029	109	183	1.0000	1.0000	0.041371
2030	109	186	1.0000	1.0000	0.093578
2031	109	200	1.0000	1.0000	0.713295
2032	110	111	1.0000	1.0000	0.003437
2033	110	135	1.0000	1.0000	0.001790
2034	110	138	1.0000	1.0000	0.024149
2035	110	141	1.0000	1.0000	0.003409
2036	110	144	1.0000	1.0000	0.015592
2037	110	152	1.0000	1.0000	0.008860
2038	110	157	1.0000	1.0000	0.010773
2039	110	164	1.0000	1.0000	0.002968
2040	110	170	1.0000	1.0000	0.032407
2041	110	183	1.0000	1.0000	0.031291
2042	110	201	1.0000	1.0000	0.785957
2043	111	141	1.0000	1.0000	0.000028
2044	111	145	1.0000	1.0000	0.006895
2045	111	152	1.0000	1.0000	0.012297
2046	111	183	1.0000	1.0000	0.034729
2047	111	202	1.0000	1.0000	0.789395
2048	112	113	1.0000	1.0000	0.007806
2049	112	114	1.0000	1.0000	0.003843
2050	112	115	1.0000	1.0000	0.007370
2051	112	116	1.0000	1.0000	0.013870
2052	112	117	1.0000	1.0000	0.040873
2053	112	127	1.0000	1.0000	0.023399

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2054	112	153	1.0000	1.0000	0.013781
2055	112	180	1.0000	1.0000	0.111643
2056	113	114	1.0000	1.0000	0.003963
2057	113	115	1.0000	1.0000	0.015176
2058	113	116	1.0000	1.0000	0.021676
2059	113	117	1.0000	1.0000	0.048679
2060	113	127	1.0000	1.0000	0.031205
2061	113	129	1.0000	1.0000	0.023156
2062	113	137	1.0000	1.0000	0.119231
2063	113	138	1.0000	1.0000	0.027123
2064	113	139	1.0000	1.0000	0.019778
2065	113	140	1.0000	1.0000	0.001225
2066	113	153	1.0000	1.0000	0.005975
2067	113	154	1.0000	1.0000	0.002081
2068	113	168	1.0000	1.0000	0.004190
2069	113	175	1.0000	1.0000	0.008479
2070	113	184	1.0000	1.0000	0.010413
2071	114	115	1.0000	1.0000	0.011213
2072	114	116	1.0000	1.0000	0.017713
2073	114	117	1.0000	1.0000	0.044716
2074	114	127	1.0000	1.0000	0.027242
2075	114	130	1.0000	1.0000	0.019666
2076	114	134	1.0000	1.0000	0.009213
2077	114	144	1.0000	1.0000	0.008655
2078	114	145	1.0000	1.0000	0.010394
2079	114	146	1.0000	1.0000	0.001907
2080	114	153	1.0000	1.0000	0.009938
2081	114	155	1.0000	1.0000	0.010631
2082	114	176	1.0000	1.0000	0.060278
2083	114	199	1.0000	1.0000	0.792894
2084	115	116	1.0000	1.0000	0.006500
2085	115	117	1.0000	1.0000	0.033503
2086	115	127	1.0000	1.0000	0.016029
2087	115	132	1.0000	1.0000	0.005753
2088	115	153	1.0000	1.0000	0.021151
2089	115	159	1.0000	1.0000	0.022307

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2090	115	167	1.0000	1.0000	0.016808
2091	115	168	1.0000	1.0000	0.019366
2092	115	169	1.0000	1.0000	0.007921
2093	115	170	1.0000	1.0000	0.014257
2094	115	171	1.0000	1.0000	0.006300
2095	115	172	1.0000	1.0000	0.000210
2096	115	179	1.0000	1.0000	0.069775
2097	115	187	1.0000	1.0000	0.005678
2098	116	117	1.0000	1.0000	0.027003
2099	116	127	1.0000	1.0000	0.009529
2100	116	140	1.0000	1.0000	0.020450
2101	116	143	1.0000	1.0000	0.030117
2102	116	153	1.0000	1.0000	0.027651
2103	116	160	1.0000	1.0000	0.022729
2104	116	172	1.0000	1.0000	0.006290
2105	117	127	1.0000	1.0000	0.017474
2106	117	133	1.0000	1.0000	0.059947
2107	117	153	1.0000	1.0000	0.054653
2108	117	161	1.0000	1.0000	0.057934
2109	117	173	1.0000	1.0000	0.045070
2110	117	174	1.0000	1.0000	0.035437
2111	117	175	1.0000	1.0000	0.040200
2112	117	176	1.0000	1.0000	0.104994
2113	117	177	1.0000	1.0000	0.107513
2114	117	178	1.0000	1.0000	0.099829
2115	117	179	1.0000	1.0000	0.103278
2116	117	188	1.0000	1.0000	0.026748
2117	118	119	1.0000	1.0000	0.004653
2118	118	120	1.0000	1.0000	0.005211
2119	118	121	1.0000	1.0000	0.009480
2120	118	122	1.0000	1.0000	0.003549
2121	118	123	1.0000	1.0000	0.000311
2122	118	124	1.0000	1.0000	0.001928
2123	118	125	1.0000	1.0000	0.018879
2124	118	126	1.0000	1.0000	0.005983
2125	118	127	1.0000	1.0000	0.001632

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2126	118	128	1.0000	1.0000	0.007603
2127	118	129	1.0000	1.0000	0.006417
2128	118	130	1.0000	1.0000	0.005944
2129	118	131	1.0000	1.0000	0.014796
2130	118	132	1.0000	1.0000	0.008644
2131	118	133	1.0000	1.0000	0.040842
2132	119	120	1.0000	1.0000	0.009864
2133	119	121	1.0000	1.0000	0.014134
2134	119	122	1.0000	1.0000	0.001104
2135	119	123	1.0000	1.0000	0.004964
2136	119	124	1.0000	1.0000	0.002725
2137	119	125	1.0000	1.0000	0.014225
2138	119	126	1.0000	1.0000	0.010636
2139	119	127	1.0000	1.0000	0.003021
2140	119	128	1.0000	1.0000	0.012257
2141	119	129	1.0000	1.0000	0.011071
2142	119	130	1.0000	1.0000	0.010597
2143	119	131	1.0000	1.0000	0.019450
2144	119	132	1.0000	1.0000	0.013297
2145	119	133	1.0000	1.0000	0.045495
2146	119	189	1.0000	1.0000	0.021669
2147	120	121	1.0000	1.0000	0.004269
2148	120	122	1.0000	1.0000	0.008760
2149	120	123	1.0000	1.0000	0.004900
2150	120	124	1.0000	1.0000	0.007139
2151	120	125	1.0000	1.0000	0.024090
2152	120	126	1.0000	1.0000	0.000772
2153	120	127	1.0000	1.0000	0.006843
2154	120	128	1.0000	1.0000	0.002392
2155	120	129	1.0000	1.0000	0.001206
2156	120	130	1.0000	1.0000	0.000733
2157	120	131	1.0000	1.0000	0.009585
2158	120	132	1.0000	1.0000	0.003433
2159	120	133	1.0000	1.0000	0.035631
2160	120	148	1.0000	1.0000	0.080557
2161	120	191	1.0000	1.0000	0.006013

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2162	121	122	1.0000	1.0000	0.013030
2163	121	123	1.0000	1.0000	0.009170
2164	121	124	1.0000	1.0000	0.011408
2165	121	125	1.0000	1.0000	0.028359
2166	121	126	1.0000	1.0000	0.003498
2167	121	127	1.0000	1.0000	0.011112
2168	121	128	1.0000	1.0000	0.001877
2169	121	129	1.0000	1.0000	0.003063
2170	121	130	1.0000	1.0000	0.003537
2171	121	131	1.0000	1.0000	0.005316
2172	121	132	1.0000	1.0000	0.000836
2173	121	133	1.0000	1.0000	0.031361
2174	121	166	1.0000	1.0000	0.025764
2175	121	192	1.0000	1.0000	0.016135
2176	122	123	1.0000	1.0000	0.003860
2177	122	124	1.0000	1.0000	0.001621
2178	122	125	1.0000	1.0000	0.015329
2179	122	126	1.0000	1.0000	0.009532
2180	122	127	1.0000	1.0000	0.001917
2181	122	128	1.0000	1.0000	0.011153
2182	122	129	1.0000	1.0000	0.009967
2183	122	130	1.0000	1.0000	0.009493
2184	122	131	1.0000	1.0000	0.018346
2185	122	132	1.0000	1.0000	0.012193
2186	122	133	1.0000	1.0000	0.044391
2187	122	194	1.0000	1.0000	0.026928
2188	123	124	1.0000	1.0000	0.002239
2189	123	125	1.0000	1.0000	0.019190
2190	123	126	1.0000	1.0000	0.005672
2191	123	127	1.0000	1.0000	0.001943
2192	123	128	1.0000	1.0000	0.007293
2193	123	129	1.0000	1.0000	0.006107
2194	123	130	1.0000	1.0000	0.005633
2195	123	131	1.0000	1.0000	0.014486
2196	123	132	1.0000	1.0000	0.008333
2197	123	133	1.0000	1.0000	0.040531

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2198	123	149	1.0000	1.0000	0.029778
2199	123	195	1.0000	1.0000	0.017406
2200	124	125	1.0000	1.0000	0.016951
2201	124	126	1.0000	1.0000	0.007911
2202	124	127	1.0000	1.0000	0.000296
2203	124	128	1.0000	1.0000	0.009532
2204	124	129	1.0000	1.0000	0.008345
2205	124	130	1.0000	1.0000	0.007872
2206	124	131	1.0000	1.0000	0.016725
2207	124	132	1.0000	1.0000	0.010572
2208	124	133	1.0000	1.0000	0.042770
2209	125	126	1.0000	1.0000	0.024861
2210	125	127	1.0000	1.0000	0.017247
2211	125	128	1.0000	1.0000	0.026482
2212	125	129	1.0000	1.0000	0.025296
2213	125	130	1.0000	1.0000	0.024822
2214	125	131	1.0000	1.0000	0.033675
2215	125	132	1.0000	1.0000	0.027523
2216	125	133	1.0000	1.0000	0.059720
2217	125	150	1.0000	1.0000	0.054698
2218	125	196	1.0000	1.0000	0.034410
2219	126	127	1.0000	1.0000	0.007615
2220	126	128	1.0000	1.0000	0.001621
2221	126	129	1.0000	1.0000	0.000435
2222	126	130	1.0000	1.0000	0.000039
2223	126	131	1.0000	1.0000	0.008814
2224	126	132	1.0000	1.0000	0.002662
2225	126	133	1.0000	1.0000	0.034859
2226	126	151	1.0000	1.0000	0.023392
2227	126	197	1.0000	1.0000	0.006392
2228	127	128	1.0000	1.0000	0.009235
2229	127	129	1.0000	1.0000	0.008049
2230	127	130	1.0000	1.0000	0.007576
2231	127	131	1.0000	1.0000	0.016428
2232	127	132	1.0000	1.0000	0.010276
2233	127	133	1.0000	1.0000	0.042474

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2234	127	153	1.0000	1.0000	0.037180
2235	128	129	1.0000	1.0000	0.001186
2236	128	130	1.0000	1.0000	0.001660
2237	128	131	1.0000	1.0000	0.007193
2238	128	132	1.0000	1.0000	0.001041
2239	128	133	1.0000	1.0000	0.033238
2240	128	134	1.0000	1.0000	0.027219
2241	128	135	1.0000	1.0000	0.023153
2242	128	136	1.0000	1.0000	0.025625
2243	128	174	1.0000	1.0000	0.008728
2244	128	198	1.0000	1.0000	0.189100
2245	129	130	1.0000	1.0000	0.000474
2246	129	131	1.0000	1.0000	0.008379
2247	129	132	1.0000	1.0000	0.002227
2248	129	133	1.0000	1.0000	0.034424
2249	129	137	1.0000	1.0000	0.142386
2250	129	138	1.0000	1.0000	0.050278
2251	129	139	1.0000	1.0000	0.042933
2252	129	140	1.0000	1.0000	0.021930
2253	129	154	1.0000	1.0000	0.025236
2254	129	168	1.0000	1.0000	0.027346
2255	129	175	1.0000	1.0000	0.014677
2256	129	184	1.0000	1.0000	0.012742
2257	130	131	1.0000	1.0000	0.008853
2258	130	132	1.0000	1.0000	0.002700
2259	130	133	1.0000	1.0000	0.034898
2260	130	134	1.0000	1.0000	0.028879
2261	130	144	1.0000	1.0000	0.011011
2262	130	145	1.0000	1.0000	0.030060
2263	130	146	1.0000	1.0000	0.021574
2264	130	155	1.0000	1.0000	0.030297
2265	130	176	1.0000	1.0000	0.079945
2266	130	199	1.0000	1.0000	0.812560
2267	131	132	1.0000	1.0000	0.006152
2268	131	133	1.0000	1.0000	0.026045
2269	131	147	1.0000	1.0000	0.014640

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2270	131	148	1.0000	1.0000	0.070972
2271	131	149	1.0000	1.0000	0.015292
2272	131	150	1.0000	1.0000	0.021023
2273	131	151	1.0000	1.0000	0.014578
2274	131	152	1.0000	1.0000	0.026610
2275	131	153	1.0000	1.0000	0.020751
2276	131	154	1.0000	1.0000	0.016857
2277	131	155	1.0000	1.0000	0.021444
2278	131	156	1.0000	1.0000	0.019403
2279	131	157	1.0000	1.0000	0.006977
2280	131	158	1.0000	1.0000	0.068552
2281	131	159	1.0000	1.0000	0.021907
2282	131	160	1.0000	1.0000	0.015829
2283	131	161	1.0000	1.0000	0.024032
2284	131	162	1.0000	1.0000	0.010745
2285	132	133	1.0000	1.0000	0.032198
2286	132	159	1.0000	1.0000	0.028059
2287	132	167	1.0000	1.0000	0.022561
2288	132	168	1.0000	1.0000	0.025119
2289	132	169	1.0000	1.0000	0.013674
2290	132	170	1.0000	1.0000	0.008504
2291	132	171	1.0000	1.0000	0.012052
2292	132	172	1.0000	1.0000	0.005543
2293	132	179	1.0000	1.0000	0.075528
2294	132	187	1.0000	1.0000	0.011430
2295	133	161	1.0000	1.0000	0.002014
2296	133	173	1.0000	1.0000	0.014877
2297	133	174	1.0000	1.0000	0.024510
2298	133	175	1.0000	1.0000	0.019748
2299	133	176	1.0000	1.0000	0.045047
2300	133	177	1.0000	1.0000	0.047566
2301	133	178	1.0000	1.0000	0.039882
2302	133	179	1.0000	1.0000	0.043330
2303	133	188	1.0000	1.0000	0.033200
2304	134	135	1.0000	1.0000	0.004067
2305	134	136	1.0000	1.0000	0.001595

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2306	134	144	1.0000	1.0000	0.017868
2307	134	145	1.0000	1.0000	0.001181
2308	134	146	1.0000	1.0000	0.007305
2309	134	155	1.0000	1.0000	0.001418
2310	134	174	1.0000	1.0000	0.018492
2311	134	176	1.0000	1.0000	0.051066
2312	134	198	1.0000	1.0000	0.216319
2313	134	199	1.0000	1.0000	0.783681
2314	135	136	1.0000	1.0000	0.002472
2315	135	138	1.0000	1.0000	0.025939
2316	135	144	1.0000	1.0000	0.013801
2317	135	157	1.0000	1.0000	0.008982
2318	135	164	1.0000	1.0000	0.004759
2319	135	170	1.0000	1.0000	0.030616
2320	135	174	1.0000	1.0000	0.014425
2321	135	198	1.0000	1.0000	0.212252
2322	135	201	1.0000	1.0000	0.787748
2323	136	139	1.0000	1.0000	0.016123
2324	136	146	1.0000	1.0000	0.005710
2325	136	158	1.0000	1.0000	0.050121
2326	136	163	1.0000	1.0000	0.004543
2327	136	164	1.0000	1.0000	0.002287
2328	136	171	1.0000	1.0000	0.012531
2329	136	174	1.0000	1.0000	0.016897
2330	136	178	1.0000	1.0000	0.047495
2331	136	198	1.0000	1.0000	0.214724
2332	136	203	1.0000	1.0000	0.785276
2333	137	138	1.0000	1.0000	0.092108
2334	137	139	1.0000	1.0000	0.099453
2335	137	140	1.0000	1.0000	0.120456
2336	137	142	1.0000	1.0000	0.125090
2337	137	154	1.0000	1.0000	0.117150
2338	137	156	1.0000	1.0000	0.114604
2339	137	163	1.0000	1.0000	0.111033
2340	137	168	1.0000	1.0000	0.115041
2341	137	169	1.0000	1.0000	0.126486

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2342	137	175	1.0000	1.0000	0.127710
2343	137	177	1.0000	1.0000	0.060396
2344	137	184	1.0000	1.0000	0.129644
2345	137	186	1.0000	1.0000	0.137173
2346	137	200	1.0000	1.0000	0.669700
2347	138	139	1.0000	1.0000	0.007345
2348	138	140	1.0000	1.0000	0.028348
2349	138	144	1.0000	1.0000	0.039741
2350	138	154	1.0000	1.0000	0.025042
2351	138	157	1.0000	1.0000	0.034922
2352	138	164	1.0000	1.0000	0.021181
2353	138	168	1.0000	1.0000	0.022933
2354	138	170	1.0000	1.0000	0.056556
2355	138	175	1.0000	1.0000	0.035602
2356	138	184	1.0000	1.0000	0.037536
2357	138	201	1.0000	1.0000	0.761808
2358	139	140	1.0000	1.0000	0.021003
2359	139	146	1.0000	1.0000	0.021833
2360	139	154	1.0000	1.0000	0.017697
2361	139	158	1.0000	1.0000	0.033998
2362	139	163	1.0000	1.0000	0.011580
2363	139	164	1.0000	1.0000	0.013836
2364	139	168	1.0000	1.0000	0.015587
2365	139	171	1.0000	1.0000	0.028654
2366	139	175	1.0000	1.0000	0.028256
2367	139	178	1.0000	1.0000	0.031373
2368	139	184	1.0000	1.0000	0.030191
2369	139	203	1.0000	1.0000	0.769153
2370	140	143	1.0000	1.0000	0.009667
2371	140	154	1.0000	1.0000	0.003306
2372	140	160	1.0000	1.0000	0.002278
2373	140	168	1.0000	1.0000	0.005416
2374	140	172	1.0000	1.0000	0.014161
2375	140	175	1.0000	1.0000	0.007253
2376	140	184	1.0000	1.0000	0.009188
2377	141	142	1.0000	1.0000	0.005424

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2378	141	143	1.0000	1.0000	0.008877
2379	141	152	1.0000	1.0000	0.012269
2380	141	183	1.0000	1.0000	0.034700
2381	141	185	1.0000	1.0000	0.035558
2382	142	143	1.0000	1.0000	0.014301
2383	142	156	1.0000	1.0000	0.010486
2384	142	163	1.0000	1.0000	0.014057
2385	142	169	1.0000	1.0000	0.001396
2386	142	177	1.0000	1.0000	0.064694
2387	142	185	1.0000	1.0000	0.030134
2388	142	186	1.0000	1.0000	0.012083
2389	142	200	1.0000	1.0000	0.794790
2390	143	160	1.0000	1.0000	0.007389
2391	143	172	1.0000	1.0000	0.023828
2392	143	185	1.0000	1.0000	0.044435
2393	144	145	1.0000	1.0000	0.019049
2394	144	146	1.0000	1.0000	0.010563
2395	144	155	1.0000	1.0000	0.019286
2396	144	157	1.0000	1.0000	0.004819
2397	144	164	1.0000	1.0000	0.018560
2398	144	170	1.0000	1.0000	0.016815
2399	144	176	1.0000	1.0000	0.068934
2400	144	199	1.0000	1.0000	0.801549
2401	144	201	1.0000	1.0000	0.801549
2402	145	146	1.0000	1.0000	0.008487
2403	145	155	1.0000	1.0000	0.000237
2404	145	176	1.0000	1.0000	0.049884
2405	145	199	1.0000	1.0000	0.782500
2406	145	202	1.0000	1.0000	0.782500
2407	146	155	1.0000	1.0000	0.008723
2408	146	158	1.0000	1.0000	0.055831
2409	146	163	1.0000	1.0000	0.010253
2410	146	164	1.0000	1.0000	0.007997
2411	146	171	1.0000	1.0000	0.006821
2412	146	176	1.0000	1.0000	0.058371
2413	146	178	1.0000	1.0000	0.053206

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2414	146	199	1.0000	1.0000	0.790986
2415	146	203	1.0000	1.0000	0.790986
2416	147	148	1.0000	1.0000	0.056332
2417	147	149	1.0000	1.0000	0.000652
2418	147	150	1.0000	1.0000	0.006383
2419	147	151	1.0000	1.0000	0.000062
2420	147	152	1.0000	1.0000	0.011970
2421	147	153	1.0000	1.0000	0.006111
2422	147	154	1.0000	1.0000	0.002217
2423	147	155	1.0000	1.0000	0.006804
2424	147	156	1.0000	1.0000	0.004763
2425	147	157	1.0000	1.0000	0.007663
2426	147	158	1.0000	1.0000	0.053912
2427	147	159	1.0000	1.0000	0.007267
2428	147	160	1.0000	1.0000	0.001189
2429	147	161	1.0000	1.0000	0.009392
2430	147	162	1.0000	1.0000	0.003895
2431	147	165	1.0000	1.0000	0.011840
2432	147	167	1.0000	1.0000	0.001768
2433	147	173	1.0000	1.0000	0.003472
2434	147	181	1.0000	1.0000	0.061093
2435	147	190	1.0000	1.0000	0.021474
2436	148	149	1.0000	1.0000	0.055680
2437	148	150	1.0000	1.0000	0.049949
2438	148	151	1.0000	1.0000	0.056393
2439	148	152	1.0000	1.0000	0.044362
2440	148	153	1.0000	1.0000	0.050221
2441	148	154	1.0000	1.0000	0.054115
2442	148	155	1.0000	1.0000	0.049528
2443	148	156	1.0000	1.0000	0.051568
2444	148	157	1.0000	1.0000	0.063995
2445	148	158	1.0000	1.0000	0.002420
2446	148	159	1.0000	1.0000	0.049065
2447	148	160	1.0000	1.0000	0.055142
2448	148	161	1.0000	1.0000	0.046940
2449	148	162	1.0000	1.0000	0.060227

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2450	148	191	1.0000	1.0000	0.074544
2451	149	150	1.0000	1.0000	0.005731
2452	149	151	1.0000	1.0000	0.000714
2453	149	152	1.0000	1.0000	0.011318
2454	149	153	1.0000	1.0000	0.005459
2455	149	154	1.0000	1.0000	0.001565
2456	149	155	1.0000	1.0000	0.006152
2457	149	156	1.0000	1.0000	0.004111
2458	149	157	1.0000	1.0000	0.008315
2459	149	158	1.0000	1.0000	0.053260
2460	149	159	1.0000	1.0000	0.006615
2461	149	160	1.0000	1.0000	0.000537
2462	149	161	1.0000	1.0000	0.008740
2463	149	162	1.0000	1.0000	0.004547
2464	149	195	1.0000	1.0000	0.012371
2465	150	151	1.0000	1.0000	0.006444
2466	150	152	1.0000	1.0000	0.005587
2467	150	153	1.0000	1.0000	0.000272
2468	150	154	1.0000	1.0000	0.004166
2469	150	155	1.0000	1.0000	0.000422
2470	150	156	1.0000	1.0000	0.001619
2471	150	157	1.0000	1.0000	0.014046
2472	150	158	1.0000	1.0000	0.047529
2473	150	159	1.0000	1.0000	0.000884
2474	150	160	1.0000	1.0000	0.005193
2475	150	161	1.0000	1.0000	0.003009
2476	150	162	1.0000	1.0000	0.010278
2477	150	196	1.0000	1.0000	0.020288
2478	151	152	1.0000	1.0000	0.012031
2479	151	153	1.0000	1.0000	0.006173
2480	151	154	1.0000	1.0000	0.002278
2481	151	155	1.0000	1.0000	0.006866
2482	151	156	1.0000	1.0000	0.004825
2483	151	157	1.0000	1.0000	0.007601
2484	151	158	1.0000	1.0000	0.053974
2485	151	159	1.0000	1.0000	0.007329

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2486	151	160	1.0000	1.0000	0.001251
2487	151	161	1.0000	1.0000	0.009453
2488	151	162	1.0000	1.0000	0.003833
2489	151	197	1.0000	1.0000	0.017000
2490	152	153	1.0000	1.0000	0.005859
2491	152	154	1.0000	1.0000	0.009753
2492	152	155	1.0000	1.0000	0.005165
2493	152	156	1.0000	1.0000	0.007206
2494	152	157	1.0000	1.0000	0.019633
2495	152	158	1.0000	1.0000	0.041942
2496	152	159	1.0000	1.0000	0.004703
2497	152	160	1.0000	1.0000	0.010780
2498	152	161	1.0000	1.0000	0.002578
2499	152	162	1.0000	1.0000	0.015865
2500	152	183	1.0000	1.0000	0.022431
2501	153	154	1.0000	1.0000	0.003894
2502	153	155	1.0000	1.0000	0.000693
2503	153	156	1.0000	1.0000	0.001348
2504	153	157	1.0000	1.0000	0.013774
2505	153	158	1.0000	1.0000	0.047801
2506	153	159	1.0000	1.0000	0.001156
2507	153	160	1.0000	1.0000	0.004922
2508	153	161	1.0000	1.0000	0.003280
2509	153	162	1.0000	1.0000	0.010006
2510	154	155	1.0000	1.0000	0.004587
2511	154	156	1.0000	1.0000	0.002547
2512	154	157	1.0000	1.0000	0.009880
2513	154	158	1.0000	1.0000	0.051695
2514	154	159	1.0000	1.0000	0.005050
2515	154	160	1.0000	1.0000	0.001028
2516	154	161	1.0000	1.0000	0.007175
2517	154	162	1.0000	1.0000	0.006112
2518	154	168	1.0000	1.0000	0.002110
2519	154	175	1.0000	1.0000	0.010559
2520	154	184	1.0000	1.0000	0.012494
2521	155	156	1.0000	1.0000	0.002041

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2522	155	157	1.0000	1.0000	0.014467
2523	155	158	1.0000	1.0000	0.047108
2524	155	159	1.0000	1.0000	0.000463
2525	155	160	1.0000	1.0000	0.005615
2526	155	161	1.0000	1.0000	0.002587
2527	155	162	1.0000	1.0000	0.010699
2528	155	176	1.0000	1.0000	0.049648
2529	155	199	1.0000	1.0000	0.782263
2530	156	157	1.0000	1.0000	0.012426
2531	156	158	1.0000	1.0000	0.049149
2532	156	159	1.0000	1.0000	0.002504
2533	156	160	1.0000	1.0000	0.003574
2534	156	161	1.0000	1.0000	0.004628
2535	156	162	1.0000	1.0000	0.008658
2536	156	163	1.0000	1.0000	0.003571
2537	156	169	1.0000	1.0000	0.011882
2538	156	177	1.0000	1.0000	0.054208
2539	156	186	1.0000	1.0000	0.022569
2540	156	200	1.0000	1.0000	0.784304
2541	157	158	1.0000	1.0000	0.061575
2542	157	159	1.0000	1.0000	0.014930
2543	157	160	1.0000	1.0000	0.008852
2544	157	161	1.0000	1.0000	0.017054
2545	157	162	1.0000	1.0000	0.003768
2546	157	164	1.0000	1.0000	0.013741
2547	157	170	1.0000	1.0000	0.021634
2548	157	201	1.0000	1.0000	0.796730
2549	158	159	1.0000	1.0000	0.046645
2550	158	160	1.0000	1.0000	0.052723
2551	158	161	1.0000	1.0000	0.044520
2552	158	162	1.0000	1.0000	0.057807
2553	158	163	1.0000	1.0000	0.045578
2554	158	164	1.0000	1.0000	0.047834
2555	158	171	1.0000	1.0000	0.062652
2556	158	178	1.0000	1.0000	0.002625
2557	158	203	1.0000	1.0000	0.735155

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2558	159	160	1.0000	1.0000	0.006078
2559	159	161	1.0000	1.0000	0.002125
2560	159	162	1.0000	1.0000	0.011162
2561	159	167	1.0000	1.0000	0.005499
2562	159	168	1.0000	1.0000	0.002941
2563	159	169	1.0000	1.0000	0.014386
2564	159	170	1.0000	1.0000	0.036564
2565	159	171	1.0000	1.0000	0.016007
2566	159	172	1.0000	1.0000	0.022517
2567	159	179	1.0000	1.0000	0.047468
2568	159	187	1.0000	1.0000	0.016629
2569	160	161	1.0000	1.0000	0.008202
2570	160	162	1.0000	1.0000	0.005084
2571	160	172	1.0000	1.0000	0.016439
2572	161	162	1.0000	1.0000	0.013286
2573	161	173	1.0000	1.0000	0.012864
2574	161	174	1.0000	1.0000	0.022497
2575	161	175	1.0000	1.0000	0.017734
2576	161	176	1.0000	1.0000	0.047060
2577	161	177	1.0000	1.0000	0.049579
2578	161	178	1.0000	1.0000	0.041895
2579	161	179	1.0000	1.0000	0.045344
2580	161	188	1.0000	1.0000	0.031186
2581	162	180	1.0000	1.0000	0.107868
2582	162	181	1.0000	1.0000	0.064988
2583	162	182	1.0000	1.0000	0.059110
2584	162	183	1.0000	1.0000	0.038296
2585	162	184	1.0000	1.0000	0.006382
2586	162	185	1.0000	1.0000	0.031962
2587	162	186	1.0000	1.0000	0.013911
2588	162	187	1.0000	1.0000	0.005467
2589	162	188	1.0000	1.0000	0.017900
2590	163	164	1.0000	1.0000	0.002256
2591	163	169	1.0000	1.0000	0.015453
2592	163	171	1.0000	1.0000	0.017074
2593	163	177	1.0000	1.0000	0.050637

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2594	163	178	1.0000	1.0000	0.042952
2595	163	186	1.0000	1.0000	0.026140
2596	163	200	1.0000	1.0000	0.780733
2597	163	203	1.0000	1.0000	0.780733
2598	164	170	1.0000	1.0000	0.035375
2599	164	171	1.0000	1.0000	0.014818
2600	164	178	1.0000	1.0000	0.045209
2601	164	201	1.0000	1.0000	0.782989
2602	164	203	1.0000	1.0000	0.782989
2603	165	166	1.0000	1.0000	0.006032
2604	165	167	1.0000	1.0000	0.010071
2605	165	173	1.0000	1.0000	0.015312
2606	165	181	1.0000	1.0000	0.049253
2607	165	190	1.0000	1.0000	0.033313
2608	166	192	1.0000	1.0000	0.041899
2609	167	168	1.0000	1.0000	0.002558
2610	167	169	1.0000	1.0000	0.008887
2611	167	170	1.0000	1.0000	0.031065
2612	167	171	1.0000	1.0000	0.010508
2613	167	172	1.0000	1.0000	0.017018
2614	167	173	1.0000	1.0000	0.005241
2615	167	179	1.0000	1.0000	0.052967
2616	167	181	1.0000	1.0000	0.059325
2617	167	187	1.0000	1.0000	0.011131
2618	167	190	1.0000	1.0000	0.023242
2619	168	169	1.0000	1.0000	0.011445
2620	168	170	1.0000	1.0000	0.033623
2621	168	171	1.0000	1.0000	0.013066
2622	168	172	1.0000	1.0000	0.019576
2623	168	175	1.0000	1.0000	0.012669
2624	168	179	1.0000	1.0000	0.050409
2625	168	184	1.0000	1.0000	0.014603
2626	168	187	1.0000	1.0000	0.013689
2627	169	170	1.0000	1.0000	0.022178
2628	169	171	1.0000	1.0000	0.001621
2629	169	172	1.0000	1.0000	0.008131

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2630	169	177	1.0000	1.0000	0.066090
2631	169	179	1.0000	1.0000	0.061854
2632	169	186	1.0000	1.0000	0.010687
2633	169	187	1.0000	1.0000	0.002244
2634	169	200	1.0000	1.0000	0.796186
2635	170	171	1.0000	1.0000	0.020557
2636	170	172	1.0000	1.0000	0.014047
2637	170	179	1.0000	1.0000	0.084032
2638	170	187	1.0000	1.0000	0.019935
2639	170	201	1.0000	1.0000	0.818364
2640	171	172	1.0000	1.0000	0.006510
2641	171	178	1.0000	1.0000	0.060027
2642	171	179	1.0000	1.0000	0.063475
2643	171	187	1.0000	1.0000	0.000622
2644	171	203	1.0000	1.0000	0.797807
2645	172	179	1.0000	1.0000	0.069985
2646	172	187	1.0000	1.0000	0.005888
2647	173	174	1.0000	1.0000	0.009633
2648	173	175	1.0000	1.0000	0.004870
2649	173	176	1.0000	1.0000	0.059924
2650	173	177	1.0000	1.0000	0.062443
2651	173	178	1.0000	1.0000	0.054759
2652	173	179	1.0000	1.0000	0.058208
2653	173	181	1.0000	1.0000	0.064565
2654	173	188	1.0000	1.0000	0.018322
2655	173	190	1.0000	1.0000	0.018001
2656	174	175	1.0000	1.0000	0.004763
2657	174	176	1.0000	1.0000	0.069557
2658	174	177	1.0000	1.0000	0.072076
2659	174	178	1.0000	1.0000	0.064392
2660	174	179	1.0000	1.0000	0.067841
2661	174	188	1.0000	1.0000	0.008689
2662	174	198	1.0000	1.0000	0.197827
2663	175	176	1.0000	1.0000	0.064794
2664	175	177	1.0000	1.0000	0.067314
2665	175	178	1.0000	1.0000	0.059629

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2666	175	179	1.0000	1.0000	0.063078
2667	175	184	1.0000	1.0000	0.001934
2668	175	188	1.0000	1.0000	0.013452
2669	176	177	1.0000	1.0000	0.002519
2670	176	178	1.0000	1.0000	0.005165
2671	176	179	1.0000	1.0000	0.001717
2672	176	188	1.0000	1.0000	0.078247
2673	176	199	1.0000	1.0000	0.732615
2674	177	178	1.0000	1.0000	0.007684
2675	177	179	1.0000	1.0000	0.004236
2676	177	186	1.0000	1.0000	0.076777
2677	177	188	1.0000	1.0000	0.080766
2678	177	200	1.0000	1.0000	0.730096
2679	178	179	1.0000	1.0000	0.003449
2680	178	188	1.0000	1.0000	0.073081
2681	178	203	1.0000	1.0000	0.737780
2682	179	187	1.0000	1.0000	0.064098
2683	179	188	1.0000	1.0000	0.076530
2684	180	181	1.0000	1.0000	0.042880
2685	180	182	1.0000	1.0000	0.048758
2686	180	183	1.0000	1.0000	0.069572
2687	180	184	1.0000	1.0000	0.114250
2688	180	185	1.0000	1.0000	0.139830
2689	180	186	1.0000	1.0000	0.121779
2690	180	187	1.0000	1.0000	0.113335
2691	180	188	1.0000	1.0000	0.125768
2692	181	182	1.0000	1.0000	0.005878
2693	181	183	1.0000	1.0000	0.026692
2694	181	184	1.0000	1.0000	0.071370
2695	181	185	1.0000	1.0000	0.096950
2696	181	186	1.0000	1.0000	0.078899
2697	181	187	1.0000	1.0000	0.070455
2698	181	188	1.0000	1.0000	0.082888
2699	181	190	1.0000	1.0000	0.082566
2700	182	183	1.0000	1.0000	0.020814
2701	182	184	1.0000	1.0000	0.065492

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2702	182	185	1.0000	1.0000	0.091072
2703	182	186	1.0000	1.0000	0.073021
2704	182	187	1.0000	1.0000	0.064577
2705	182	188	1.0000	1.0000	0.077010
2706	182	193	1.0000	1.0000	0.074707
2707	183	184	1.0000	1.0000	0.044678
2708	183	185	1.0000	1.0000	0.070258
2709	183	186	1.0000	1.0000	0.052207
2710	183	187	1.0000	1.0000	0.043763
2711	183	188	1.0000	1.0000	0.056196
2712	184	185	1.0000	1.0000	0.025580
2713	184	186	1.0000	1.0000	0.007529
2714	184	187	1.0000	1.0000	0.000915
2715	184	188	1.0000	1.0000	0.011518
2716	185	186	1.0000	1.0000	0.018051
2717	185	187	1.0000	1.0000	0.026495
2718	185	188	1.0000	1.0000	0.014063
2719	186	187	1.0000	1.0000	0.008444
2720	186	188	1.0000	1.0000	0.003989
2721	186	200	1.0000	1.0000	0.806873
2722	187	188	1.0000	1.0000	0.012432
2723	189	190	1.0000	1.0000	0.009052
2724	189	191	1.0000	1.0000	0.005791
2725	189	192	1.0000	1.0000	0.023670
2726	189	193	1.0000	1.0000	0.007071
2727	189	194	1.0000	1.0000	0.006363
2728	189	195	1.0000	1.0000	0.000702
2729	189	196	1.0000	1.0000	0.001485
2730	189	197	1.0000	1.0000	0.004641
2731	189	198	1.0000	1.0000	0.198512
2732	189	199	1.0000	1.0000	0.801488
2733	189	200	1.0000	1.0000	0.801488
2734	189	201	1.0000	1.0000	0.801488
2735	189	202	1.0000	1.0000	0.801488
2736	189	203	1.0000	1.0000	0.801488
2737	190	191	1.0000	1.0000	0.003261

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2738	190	192	1.0000	1.0000	0.014618
2739	190	193	1.0000	1.0000	0.001981
2740	190	194	1.0000	1.0000	0.015415
2741	190	195	1.0000	1.0000	0.009754
2742	190	196	1.0000	1.0000	0.007568
2743	190	197	1.0000	1.0000	0.004412
2744	190	198	1.0000	1.0000	0.189459
2745	190	199	1.0000	1.0000	0.810541
2746	190	200	1.0000	1.0000	0.810541
2747	190	201	1.0000	1.0000	0.810541
2748	190	202	1.0000	1.0000	0.810541
2749	190	203	1.0000	1.0000	0.810541
2750	191	192	1.0000	1.0000	0.017879
2751	191	193	1.0000	1.0000	0.001280
2752	191	194	1.0000	1.0000	0.012154
2753	191	195	1.0000	1.0000	0.006493
2754	191	196	1.0000	1.0000	0.004307
2755	191	197	1.0000	1.0000	0.001151
2756	191	198	1.0000	1.0000	0.192721
2757	191	199	1.0000	1.0000	0.807279
2758	191	200	1.0000	1.0000	0.807279
2759	191	201	1.0000	1.0000	0.807279
2760	191	202	1.0000	1.0000	0.807279
2761	191	203	1.0000	1.0000	0.807279
2762	192	193	1.0000	1.0000	0.016599
2763	192	194	1.0000	1.0000	0.030034
2764	192	195	1.0000	1.0000	0.024372
2765	192	196	1.0000	1.0000	0.022186
2766	192	197	1.0000	1.0000	0.019030
2767	192	198	1.0000	1.0000	0.174841
2768	192	199	1.0000	1.0000	0.825159
2769	192	200	1.0000	1.0000	0.825159
2770	192	201	1.0000	1.0000	0.825159
2771	192	202	1.0000	1.0000	0.825159
2772	192	203	1.0000	1.0000	0.825159
2773	193	194	1.0000	1.0000	0.013434

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2774	193	195	1.0000	1.0000	0.007773
2775	193	196	1.0000	1.0000	0.005587
2776	193	197	1.0000	1.0000	0.002430
2777	193	198	1.0000	1.0000	0.191441
2778	193	199	1.0000	1.0000	0.808559
2779	193	200	1.0000	1.0000	0.808559
2780	193	201	1.0000	1.0000	0.808559
2781	193	202	1.0000	1.0000	0.808559
2782	193	203	1.0000	1.0000	0.808559
2783	194	195	1.0000	1.0000	0.005661
2784	194	196	1.0000	1.0000	0.007848
2785	194	197	1.0000	1.0000	0.011004
2786	194	198	1.0000	1.0000	0.204875
2787	194	199	1.0000	1.0000	0.795125
2788	194	200	1.0000	1.0000	0.795125
2789	194	201	1.0000	1.0000	0.795125
2790	194	202	1.0000	1.0000	0.795125
2791	194	203	1.0000	1.0000	0.795125
2792	195	196	1.0000	1.0000	0.002186
2793	195	197	1.0000	1.0000	0.005342
2794	195	198	1.0000	1.0000	0.199213
2795	195	199	1.0000	1.0000	0.800787
2796	195	200	1.0000	1.0000	0.800787
2797	195	201	1.0000	1.0000	0.800787
2798	195	202	1.0000	1.0000	0.800787
2799	195	203	1.0000	1.0000	0.800787
2800	196	197	1.0000	1.0000	0.003156
2801	196	198	1.0000	1.0000	0.197027
2802	196	199	1.0000	1.0000	0.802973
2803	196	200	1.0000	1.0000	0.802973
2804	196	201	1.0000	1.0000	0.802973
2805	196	202	1.0000	1.0000	0.802973
2806	196	203	1.0000	1.0000	0.802973
2807	197	198	1.0000	1.0000	0.193871
2808	197	199	1.0000	1.0000	0.806129
2809	197	200	1.0000	1.0000	0.806129

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2810	197	201	1.0000	1.0000	0.806129
2811	197	202	1.0000	1.0000	0.806129
2812	197	203	1.0000	1.0000	0.806129
2813	198	199	1.0000	1.0000	1.000000
2814	198	200	1.0000	1.0000	1.000000
2815	198	201	1.0000	1.0000	1.000000
2816	198	202	1.0000	1.0000	1.000000
2817	198	203	1.0000	1.0000	1.000000
2818	199	200	1.0000	1.0000	0.000000
2819	199	201	1.0000	1.0000	0.000000
2820	199	202	1.0000	1.0000	0.000000
2821	199	203	1.0000	1.0000	0.000000
2822	200	201	1.0000	1.0000	0.000000
2823	200	202	1.0000	1.0000	0.000000
2824	200	203	1.0000	1.0000	0.000000
2825	201	202	1.0000	1.0000	0.000000
2826	201	203	1.0000	1.0000	0.000000
2827	202	203	1.0000	1.0000	0.000000

4. Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ω
Calculated impedance R_eq	65.569945 Ω
Total current I	-3.156118e-06 A

Impedance for different k (resistance per segment) values

k (Ω/segment)	R_equivalent (Ω)
1	0.065570
10	0.655699
100	6.556994
1000	65.569945
10000	655.699447