EXPERIMENT #41

Timestamp: 20260330_160348 | Environment: Local

1. Experiment Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 × 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	146
Has percolation	✓ Yes
# Percolating paths	1
Nodes before pruning	146
Nodes after pruning	146
Edges before pruning	1449
Edges after pruning	1449

2. Network Visualizations




Fig. — 01 random lines N30




Fig. — 02 intersections N30




Fig. — 03 percolating paths before pruning N30




Fig. — 04 before after pruning N30

3. Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
0	0	27	1.0000	1.0000	0.008658
1	0	39	1.0000	1.0000	0.034427

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2	0	50	1.0000	1.0000	0.030221
3	0	85	1.0000	1.0000	0.007134
4	0	86	1.0000	1.0000	0.020391
5	0	87	1.0000	1.0000	0.028557
6	0	88	1.0000	1.0000	0.032290
7	0	89	1.0000	1.0000	0.037923
8	0	93	1.0000	1.0000	0.032177
9	0	103	1.0000	1.0000	0.056303
10	0	106	1.0000	1.0000	0.064663
11	0	111	1.0000	1.0000	0.025442
12	0	118	1.0000	1.0000	0.005216
13	0	134	1.0000	1.0000	0.084086
14	1	2	1.0000	1.0000	0.022506
15	1	3	1.0000	1.0000	0.005392
16	1	25	1.0000	1.0000	0.011379
17	1	32	1.0000	1.0000	0.008763
18	1	33	1.0000	1.0000	0.020941
19	1	36	1.0000	1.0000	0.017450
20	1	51	1.0000	1.0000	0.017006
21	1	60	1.0000	1.0000	0.011507
22	1	61	1.0000	1.0000	0.009317
23	1	73	1.0000	1.0000	0.004875
24	1	75	1.0000	1.0000	0.017513
25	1	82	1.0000	1.0000	0.010385
26	1	85	1.0000	1.0000	0.028810
27	1	90	1.0000	1.0000	0.017902
28	1	102	1.0000	1.0000	0.087890
29	1	112	1.0000	1.0000	0.025174
30	1	115	1.0000	1.0000	0.017422
31	1	126	1.0000	1.0000	0.000335
32	1	131	1.0000	1.0000	0.013556
33	1	132	1.0000	1.0000	0.013586
34	1	139	1.0000	1.0000	0.019556
35	2	3	1.0000	1.0000	0.017114
36	2	18	1.0000	1.0000	0.026246
37	2	25	1.0000	1.0000	0.011127

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
38	2	33	1.0000	1.0000	0.043447
39	2	51	1.0000	1.0000	0.005500
40	2	56	1.0000	1.0000	0.007720
41	2	60	1.0000	1.0000	0.034013
42	2	70	1.0000	1.0000	0.018915
43	2	73	1.0000	1.0000	0.027381
44	2	78	1.0000	1.0000	0.051383
45	2	87	1.0000	1.0000	0.015120
46	2	90	1.0000	1.0000	0.004604
47	2	98	1.0000	1.0000	0.049416
48	2	108	1.0000	1.0000	0.005144
49	2	112	1.0000	1.0000	0.002668
50	2	122	1.0000	1.0000	0.027131
51	2	129	1.0000	1.0000	0.027272
52	2	131	1.0000	1.0000	0.008950
53	2	145	1.0000	1.0000	0.781011
54	3	25	1.0000	1.0000	0.005987
55	3	33	1.0000	1.0000	0.026333
56	3	44	1.0000	1.0000	0.035363
57	3	51	1.0000	1.0000	0.011614
58	3	59	1.0000	1.0000	0.011539
59	3	60	1.0000	1.0000	0.016899
60	3	73	1.0000	1.0000	0.010267
61	3	80	1.0000	1.0000	0.013602
62	3	84	1.0000	1.0000	0.026972
63	3	89	1.0000	1.0000	0.007372
64	3	90	1.0000	1.0000	0.012510
65	3	97	1.0000	1.0000	0.010280
66	3	100	1.0000	1.0000	0.137131
67	3	112	1.0000	1.0000	0.019782
68	3	124	1.0000	1.0000	0.009409
69	3	130	1.0000	1.0000	0.008134
70	3	131	1.0000	1.0000	0.008164
71	3	137	1.0000	1.0000	0.030355
72	3	143	1.0000	1.0000	0.798125
73	4	5	1.0000	1.0000	0.006770

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
74	4	6	1.0000	1.0000	0.000626
75	4	7	1.0000	1.0000	0.002991
76	4	8	1.0000	1.0000	0.005069
77	4	9	1.0000	1.0000	0.006883
78	4	10	1.0000	1.0000	0.016126
79	4	20	1.0000	1.0000	0.035319
80	4	23	1.0000	1.0000	0.026397
81	4	34	1.0000	1.0000	0.000258
82	4	38	1.0000	1.0000	0.006151
83	4	45	1.0000	1.0000	0.007223
84	4	47	1.0000	1.0000	0.048467
85	4	53	1.0000	1.0000	0.045715
86	4	60	1.0000	1.0000	0.003342
87	4	61	1.0000	1.0000	0.005532
88	4	62	1.0000	1.0000	0.007191
89	4	63	1.0000	1.0000	0.008803
90	4	64	1.0000	1.0000	0.011478
91	4	65	1.0000	1.0000	0.085943
92	4	66	1.0000	1.0000	0.032615
93	4	67	1.0000	1.0000	0.062360
94	4	113	1.0000	1.0000	0.021346
95	4	117	1.0000	1.0000	0.100110
96	5	6	1.0000	1.0000	0.006143
97	5	7	1.0000	1.0000	0.003778
98	5	8	1.0000	1.0000	0.001700
99	5	9	1.0000	1.0000	0.000114
100	5	10	1.0000	1.0000	0.022896
101	5	12	1.0000	1.0000	0.007754
102	5	20	1.0000	1.0000	0.042089
103	5	26	1.0000	1.0000	0.034706
104	5	34	1.0000	1.0000	0.007027
105	5	45	1.0000	1.0000	0.013993
106	5	62	1.0000	1.0000	0.000421
107	5	73	1.0000	1.0000	0.003205
108	5	74	1.0000	1.0000	0.005762
109	5	75	1.0000	1.0000	0.025592

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
110	5	76	1.0000	1.0000	0.021547
111	5	77	1.0000	1.0000	0.010047
112	5	78	1.0000	1.0000	0.020798
113	5	79	1.0000	1.0000	0.000589
114	5	80	1.0000	1.0000	0.000130
115	5	91	1.0000	1.0000	0.026213
116	5	113	1.0000	1.0000	0.014576
117	6	7	1.0000	1.0000	0.002365
118	6	8	1.0000	1.0000	0.004443
119	6	9	1.0000	1.0000	0.006257
120	6	10	1.0000	1.0000	0.016753
121	6	13	1.0000	1.0000	0.006479
122	6	20	1.0000	1.0000	0.035945
123	6	34	1.0000	1.0000	0.000884
124	6	45	1.0000	1.0000	0.007849
125	6	63	1.0000	1.0000	0.008177
126	6	76	1.0000	1.0000	0.027690
127	6	81	1.0000	1.0000	0.010722
128	6	82	1.0000	1.0000	0.024608
129	6	83	1.0000	1.0000	0.042339
130	6	84	1.0000	1.0000	0.046587
131	6	92	1.0000	1.0000	0.016176
132	6	113	1.0000	1.0000	0.020719
133	6	127	1.0000	1.0000	0.017927
134	6	133	1.0000	1.0000	0.016300
135	6	140	1.0000	1.0000	0.048447
136	7	8	1.0000	1.0000	0.002078
137	7	9	1.0000	1.0000	0.003892
138	7	10	1.0000	1.0000	0.019118
139	7	14	1.0000	1.0000	0.007555
140	7	17	1.0000	1.0000	0.030865
141	7	20	1.0000	1.0000	0.038310
142	7	34	1.0000	1.0000	0.003249
143	7	45	1.0000	1.0000	0.010214
144	7	64	1.0000	1.0000	0.014469
145	7	69	1.0000	1.0000	0.203781

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
146	7	77	1.0000	1.0000	0.013825
147	7	83	1.0000	1.0000	0.039974
148	7	101	1.0000	1.0000	0.109936
149	7	102	1.0000	1.0000	0.099748
150	7	113	1.0000	1.0000	0.018354
151	7	128	1.0000	1.0000	0.008974
152	7	141	1.0000	1.0000	0.184625
153	8	9	1.0000	1.0000	0.001814
154	8	10	1.0000	1.0000	0.021196
155	8	15	1.0000	1.0000	0.007307
156	8	20	1.0000	1.0000	0.040388
157	8	29	1.0000	1.0000	0.001893
158	8	34	1.0000	1.0000	0.005327
159	8	45	1.0000	1.0000	0.012292
160	8	65	1.0000	1.0000	0.080873
161	8	71	1.0000	1.0000	0.011379
162	8	95	1.0000	1.0000	0.043033
163	8	113	1.0000	1.0000	0.016276
164	8	125	1.0000	1.0000	0.025592
165	8	126	1.0000	1.0000	0.010115
166	8	127	1.0000	1.0000	0.013484
167	8	128	1.0000	1.0000	0.006896
168	8	129	1.0000	1.0000	0.005014
169	8	130	1.0000	1.0000	0.023305
170	8	142	1.0000	1.0000	0.813297
171	9	10	1.0000	1.0000	0.023010
172	9	20	1.0000	1.0000	0.042202
173	9	34	1.0000	1.0000	0.007141
174	9	42	1.0000	1.0000	0.001974
175	9	45	1.0000	1.0000	0.014106
176	9	48	1.0000	1.0000	0.024910
177	9	57	1.0000	1.0000	0.004320
178	9	66	1.0000	1.0000	0.025732
179	9	96	1.0000	1.0000	0.037538
180	9	113	1.0000	1.0000	0.014462
181	9	131	1.0000	1.0000	0.021522

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
182	9	132	1.0000	1.0000	0.021552
183	9	133	1.0000	1.0000	0.010043
184	9	134	1.0000	1.0000	0.040177
185	9	135	1.0000	1.0000	0.016757
186	9	136	1.0000	1.0000	0.018717
187	9	137	1.0000	1.0000	0.016997
188	10	16	1.0000	1.0000	0.001825
189	10	20	1.0000	1.0000	0.019193
190	10	24	1.0000	1.0000	0.047002
191	10	30	1.0000	1.0000	0.058981
192	10	34	1.0000	1.0000	0.015869
193	10	45	1.0000	1.0000	0.008903
194	10	49	1.0000	1.0000	0.056288
195	10	67	1.0000	1.0000	0.078486
196	10	113	1.0000	1.0000	0.037472
197	10	138	1.0000	1.0000	0.009056
198	10	139	1.0000	1.0000	0.011420
199	10	140	1.0000	1.0000	0.065200
200	10	141	1.0000	1.0000	0.165507
201	10	142	1.0000	1.0000	0.834493
202	10	143	1.0000	1.0000	0.834493
203	11	12	1.0000	1.0000	0.032465
204	11	13	1.0000	1.0000	0.039884
205	11	14	1.0000	1.0000	0.036443
206	11	15	1.0000	1.0000	0.034613
207	11	16	1.0000	1.0000	0.061291
208	11	17	1.0000	1.0000	0.013133
209	11	18	1.0000	1.0000	0.016612
210	11	19	1.0000	1.0000	0.162265
211	11	68	1.0000	1.0000	0.014895
212	12	13	1.0000	1.0000	0.007419
213	12	14	1.0000	1.0000	0.003977
214	12	15	1.0000	1.0000	0.002148
215	12	16	1.0000	1.0000	0.028825
216	12	26	1.0000	1.0000	0.026952
217	12	62	1.0000	1.0000	0.007333

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
218	12	73	1.0000	1.0000	0.004549
219	12	74	1.0000	1.0000	0.001992
220	12	75	1.0000	1.0000	0.017838
221	12	76	1.0000	1.0000	0.013793
222	12	77	1.0000	1.0000	0.002293
223	12	78	1.0000	1.0000	0.028552
224	12	79	1.0000	1.0000	0.008343
225	12	80	1.0000	1.0000	0.007885
226	12	91	1.0000	1.0000	0.018459
227	13	14	1.0000	1.0000	0.003442
228	13	15	1.0000	1.0000	0.005271
229	13	16	1.0000	1.0000	0.021406
230	13	63	1.0000	1.0000	0.001698
231	13	76	1.0000	1.0000	0.021212
232	13	81	1.0000	1.0000	0.004243
233	13	82	1.0000	1.0000	0.018129
234	13	83	1.0000	1.0000	0.035860
235	13	84	1.0000	1.0000	0.040108
236	13	92	1.0000	1.0000	0.009697
237	13	127	1.0000	1.0000	0.011449
238	13	133	1.0000	1.0000	0.009821
239	13	140	1.0000	1.0000	0.041968
240	14	15	1.0000	1.0000	0.001829
241	14	16	1.0000	1.0000	0.024848
242	14	17	1.0000	1.0000	0.023309
243	14	64	1.0000	1.0000	0.022024
244	14	69	1.0000	1.0000	0.196225
245	14	77	1.0000	1.0000	0.006270
246	14	83	1.0000	1.0000	0.032419
247	14	101	1.0000	1.0000	0.102381
248	14	102	1.0000	1.0000	0.092193
249	14	128	1.0000	1.0000	0.001418
250	14	141	1.0000	1.0000	0.192181
251	15	16	1.0000	1.0000	0.026677
252	15	29	1.0000	1.0000	0.009200
253	15	65	1.0000	1.0000	0.073566

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
254	15	71	1.0000	1.0000	0.018686
255	15	95	1.0000	1.0000	0.035726
256	15	125	1.0000	1.0000	0.018285
257	15	126	1.0000	1.0000	0.002808
258	15	127	1.0000	1.0000	0.006177
259	15	128	1.0000	1.0000	0.000411
260	15	129	1.0000	1.0000	0.002293
261	15	130	1.0000	1.0000	0.015999
262	15	142	1.0000	1.0000	0.805990
263	16	24	1.0000	1.0000	0.045176
264	16	30	1.0000	1.0000	0.057156
265	16	49	1.0000	1.0000	0.054463
266	16	67	1.0000	1.0000	0.076661
267	16	138	1.0000	1.0000	0.007231
268	16	139	1.0000	1.0000	0.009595
269	16	140	1.0000	1.0000	0.063374
270	16	141	1.0000	1.0000	0.167333
271	16	142	1.0000	1.0000	0.832667
272	16	143	1.0000	1.0000	0.832667
273	17	18	1.0000	1.0000	0.029745
274	17	19	1.0000	1.0000	0.175398
275	17	64	1.0000	1.0000	0.045334
276	17	68	1.0000	1.0000	0.001762
277	17	69	1.0000	1.0000	0.172916
278	17	77	1.0000	1.0000	0.017039
279	17	83	1.0000	1.0000	0.009109
280	17	101	1.0000	1.0000	0.079071
281	17	102	1.0000	1.0000	0.068884
282	17	128	1.0000	1.0000	0.021891
283	17	141	1.0000	1.0000	0.215490
284	18	19	1.0000	1.0000	0.145654
285	18	56	1.0000	1.0000	0.033965
286	18	68	1.0000	1.0000	0.031507
287	18	70	1.0000	1.0000	0.045161
288	18	78	1.0000	1.0000	0.077629
289	18	87	1.0000	1.0000	0.041365

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
290	18	98	1.0000	1.0000	0.075662
291	18	108	1.0000	1.0000	0.031390
292	18	122	1.0000	1.0000	0.053377
293	18	129	1.0000	1.0000	0.053517
294	18	145	1.0000	1.0000	0.754765
295	19	68	1.0000	1.0000	0.177161
296	19	72	1.0000	1.0000	0.197398
297	19	144	1.0000	1.0000	0.609112
298	20	21	1.0000	1.0000	0.028637
299	20	22	1.0000	1.0000	0.039919
300	20	23	1.0000	1.0000	0.008922
301	20	24	1.0000	1.0000	0.066194
302	20	34	1.0000	1.0000	0.035061
303	20	35	1.0000	1.0000	0.051931
304	20	45	1.0000	1.0000	0.028096
305	20	113	1.0000	1.0000	0.056665
306	21	22	1.0000	1.0000	0.011282
307	21	23	1.0000	1.0000	0.037560
308	21	24	1.0000	1.0000	0.094832
309	21	32	1.0000	1.0000	0.070042
310	21	35	1.0000	1.0000	0.080569
311	21	46	1.0000	1.0000	0.026548
312	21	74	1.0000	1.0000	0.076488
313	21	81	1.0000	1.0000	0.075304
314	21	101	1.0000	1.0000	0.176884
315	21	125	1.0000	1.0000	0.094618
316	21	138	1.0000	1.0000	0.056886
317	22	23	1.0000	1.0000	0.048841
318	22	24	1.0000	1.0000	0.106113
319	22	35	1.0000	1.0000	0.091850
320	22	45	1.0000	1.0000	0.068015
321	22	46	1.0000	1.0000	0.037830
322	22	47	1.0000	1.0000	0.123705
323	22	48	1.0000	1.0000	0.107031
324	22	49	1.0000	1.0000	0.115400
325	23	24	1.0000	1.0000	0.057272

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
326	23	35	1.0000	1.0000	0.043009
327	23	38	1.0000	1.0000	0.032547
328	23	47	1.0000	1.0000	0.074864
329	23	53	1.0000	1.0000	0.072111
330	23	60	1.0000	1.0000	0.029739
331	23	61	1.0000	1.0000	0.031929
332	23	62	1.0000	1.0000	0.033587
333	23	63	1.0000	1.0000	0.035200
334	23	64	1.0000	1.0000	0.014919
335	23	65	1.0000	1.0000	0.112339
336	23	66	1.0000	1.0000	0.059011
337	23	67	1.0000	1.0000	0.088756
338	23	117	1.0000	1.0000	0.126506
339	24	30	1.0000	1.0000	0.011980
340	24	35	1.0000	1.0000	0.014263
341	24	49	1.0000	1.0000	0.009287
342	24	67	1.0000	1.0000	0.031484
343	24	138	1.0000	1.0000	0.037945
344	24	139	1.0000	1.0000	0.035582
345	24	140	1.0000	1.0000	0.018198
346	24	141	1.0000	1.0000	0.212509
347	24	142	1.0000	1.0000	0.787491
348	24	143	1.0000	1.0000	0.787491
349	25	26	1.0000	1.0000	0.015247
350	25	27	1.0000	1.0000	0.015906
351	25	28	1.0000	1.0000	0.001774
352	25	29	1.0000	1.0000	0.023052
353	25	30	1.0000	1.0000	0.016627
354	25	31	1.0000	1.0000	0.037904
355	25	33	1.0000	1.0000	0.032320
356	25	51	1.0000	1.0000	0.005627
357	25	52	1.0000	1.0000	0.015416
358	25	60	1.0000	1.0000	0.022886
359	25	73	1.0000	1.0000	0.016254
360	25	90	1.0000	1.0000	0.006523
361	25	104	1.0000	1.0000	0.084840

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
362	25	112	1.0000	1.0000	0.013795
363	25	114	1.0000	1.0000	0.014901
364	25	131	1.0000	1.0000	0.002177
365	26	27	1.0000	1.0000	0.000658
366	26	28	1.0000	1.0000	0.017022
367	26	29	1.0000	1.0000	0.038300
368	26	30	1.0000	1.0000	0.001379
369	26	31	1.0000	1.0000	0.053152
370	26	52	1.0000	1.0000	0.000169
371	26	62	1.0000	1.0000	0.034285
372	26	73	1.0000	1.0000	0.031501
373	26	74	1.0000	1.0000	0.028944
374	26	75	1.0000	1.0000	0.009114
375	26	76	1.0000	1.0000	0.013159
376	26	77	1.0000	1.0000	0.024659
377	26	78	1.0000	1.0000	0.055504
378	26	79	1.0000	1.0000	0.035295
379	26	80	1.0000	1.0000	0.034836
380	26	91	1.0000	1.0000	0.008493
381	26	104	1.0000	1.0000	0.069593
382	26	114	1.0000	1.0000	0.000346
383	27	28	1.0000	1.0000	0.017680
384	27	29	1.0000	1.0000	0.038958
385	27	30	1.0000	1.0000	0.000721
386	27	31	1.0000	1.0000	0.053810
387	27	39	1.0000	1.0000	0.025769
388	27	52	1.0000	1.0000	0.000490
389	27	85	1.0000	1.0000	0.001525
390	27	86	1.0000	1.0000	0.011733
391	27	87	1.0000	1.0000	0.019898
392	27	88	1.0000	1.0000	0.023632
393	27	89	1.0000	1.0000	0.029265
394	27	93	1.0000	1.0000	0.023518
395	27	104	1.0000	1.0000	0.068934
396	27	106	1.0000	1.0000	0.073321
397	27	114	1.0000	1.0000	0.001005

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
398	27	118	1.0000	1.0000	0.003442
399	27	134	1.0000	1.0000	0.075428
400	28	29	1.0000	1.0000	0.021278
401	28	30	1.0000	1.0000	0.018401
402	28	31	1.0000	1.0000	0.036130
403	28	41	1.0000	1.0000	0.008604
404	28	52	1.0000	1.0000	0.017190
405	28	55	1.0000	1.0000	0.017796
406	28	86	1.0000	1.0000	0.005947
407	28	94	1.0000	1.0000	0.004148
408	28	98	1.0000	1.0000	0.036515
409	28	99	1.0000	1.0000	0.015770
410	28	100	1.0000	1.0000	0.132918
411	28	104	1.0000	1.0000	0.086614
412	28	107	1.0000	1.0000	0.023667
413	28	114	1.0000	1.0000	0.016675
414	28	120	1.0000	1.0000	0.005667
415	28	135	1.0000	1.0000	0.034328
416	29	30	1.0000	1.0000	0.039679
417	29	31	1.0000	1.0000	0.014852
418	29	52	1.0000	1.0000	0.038468
419	29	65	1.0000	1.0000	0.082767
420	29	71	1.0000	1.0000	0.009485
421	29	95	1.0000	1.0000	0.044926
422	29	104	1.0000	1.0000	0.107892
423	29	114	1.0000	1.0000	0.037953
424	29	125	1.0000	1.0000	0.027486
425	29	126	1.0000	1.0000	0.012008
426	29	127	1.0000	1.0000	0.015377
427	29	128	1.0000	1.0000	0.008789
428	29	129	1.0000	1.0000	0.006908
429	29	130	1.0000	1.0000	0.025199
430	29	142	1.0000	1.0000	0.815190
431	30	31	1.0000	1.0000	0.054531
432	30	49	1.0000	1.0000	0.002693
433	30	52	1.0000	1.0000	0.001211

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
434	30	67	1.0000	1.0000	0.019505
435	30	104	1.0000	1.0000	0.068213
436	30	114	1.0000	1.0000	0.001726
437	30	138	1.0000	1.0000	0.049925
438	30	139	1.0000	1.0000	0.047562
439	30	140	1.0000	1.0000	0.006218
440	30	141	1.0000	1.0000	0.224489
441	30	142	1.0000	1.0000	0.775511
442	30	143	1.0000	1.0000	0.775511
443	31	43	1.0000	1.0000	0.010378
444	31	52	1.0000	1.0000	0.053320
445	31	58	1.0000	1.0000	0.016827
446	31	79	1.0000	1.0000	0.017857
447	31	88	1.0000	1.0000	0.030179
448	31	99	1.0000	1.0000	0.020361
449	31	104	1.0000	1.0000	0.122744
450	31	110	1.0000	1.0000	0.051925
451	31	114	1.0000	1.0000	0.052805
452	31	123	1.0000	1.0000	0.020018
453	31	136	1.0000	1.0000	0.000158
454	31	145	1.0000	1.0000	0.830042
455	32	36	1.0000	1.0000	0.008687
456	32	46	1.0000	1.0000	0.043494
457	32	61	1.0000	1.0000	0.000554
458	32	74	1.0000	1.0000	0.006446
459	32	75	1.0000	1.0000	0.026276
460	32	81	1.0000	1.0000	0.005262
461	32	82	1.0000	1.0000	0.019148
462	32	85	1.0000	1.0000	0.037573
463	32	101	1.0000	1.0000	0.106842
464	32	102	1.0000	1.0000	0.096654
465	32	115	1.0000	1.0000	0.026185
466	32	125	1.0000	1.0000	0.024576
467	32	126	1.0000	1.0000	0.009099
468	32	132	1.0000	1.0000	0.022349
469	32	138	1.0000	1.0000	0.013156

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
470	32	139	1.0000	1.0000	0.010792
471	33	34	1.0000	1.0000	0.005834
472	33	35	1.0000	1.0000	0.022704
473	33	36	1.0000	1.0000	0.003491
474	33	37	1.0000	1.0000	0.022928
475	33	38	1.0000	1.0000	0.012243
476	33	39	1.0000	1.0000	0.022457
477	33	40	1.0000	1.0000	0.009995
478	33	41	1.0000	1.0000	0.021942
479	33	42	1.0000	1.0000	0.011002
480	33	43	1.0000	1.0000	0.015962
481	33	44	1.0000	1.0000	0.009030
482	33	51	1.0000	1.0000	0.037947
483	33	60	1.0000	1.0000	0.009434
484	33	73	1.0000	1.0000	0.016067
485	33	90	1.0000	1.0000	0.038843
486	33	112	1.0000	1.0000	0.046115
487	33	131	1.0000	1.0000	0.034497
488	34	35	1.0000	1.0000	0.016870
489	34	36	1.0000	1.0000	0.002343
490	34	37	1.0000	1.0000	0.017093
491	34	38	1.0000	1.0000	0.006409
492	34	39	1.0000	1.0000	0.016623
493	34	40	1.0000	1.0000	0.004160
494	34	41	1.0000	1.0000	0.016107
495	34	42	1.0000	1.0000	0.005167
496	34	43	1.0000	1.0000	0.021797
497	34	44	1.0000	1.0000	0.014864
498	34	45	1.0000	1.0000	0.006965
499	34	113	1.0000	1.0000	0.021603
500	35	36	1.0000	1.0000	0.019213
501	35	37	1.0000	1.0000	0.000223
502	35	38	1.0000	1.0000	0.010462
503	35	39	1.0000	1.0000	0.000247
504	35	40	1.0000	1.0000	0.012710
505	35	41	1.0000	1.0000	0.000763

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
506	35	42	1.0000	1.0000	0.011703
507	35	43	1.0000	1.0000	0.038667
508	35	44	1.0000	1.0000	0.031734
509	36	37	1.0000	1.0000	0.019437
510	36	38	1.0000	1.0000	0.008752
511	36	39	1.0000	1.0000	0.018966
512	36	40	1.0000	1.0000	0.006504
513	36	41	1.0000	1.0000	0.018451
514	36	42	1.0000	1.0000	0.007511
515	36	43	1.0000	1.0000	0.019453
516	36	44	1.0000	1.0000	0.012521
517	36	61	1.0000	1.0000	0.008133
518	36	75	1.0000	1.0000	0.034963
519	36	82	1.0000	1.0000	0.027835
520	36	85	1.0000	1.0000	0.046260
521	36	102	1.0000	1.0000	0.105341
522	36	115	1.0000	1.0000	0.034872
523	36	126	1.0000	1.0000	0.017786
524	36	132	1.0000	1.0000	0.031036
525	36	139	1.0000	1.0000	0.002106
526	37	38	1.0000	1.0000	0.010685
527	37	39	1.0000	1.0000	0.000470
528	37	40	1.0000	1.0000	0.012933
529	37	41	1.0000	1.0000	0.000986
530	37	42	1.0000	1.0000	0.011926
531	37	43	1.0000	1.0000	0.038890
532	37	44	1.0000	1.0000	0.031957
533	37	50	1.0000	1.0000	0.003736
534	37	51	1.0000	1.0000	0.015020
535	37	52	1.0000	1.0000	0.024809
536	37	53	1.0000	1.0000	0.028879
537	37	54	1.0000	1.0000	0.010881
538	37	55	1.0000	1.0000	0.025414
539	37	56	1.0000	1.0000	0.012800
540	37	57	1.0000	1.0000	0.005632
541	37	58	1.0000	1.0000	0.011684

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
542	37	59	1.0000	1.0000	0.008133
543	37	105	1.0000	1.0000	0.099117
544	37	116	1.0000	1.0000	0.024833
545	38	39	1.0000	1.0000	0.010215
546	38	40	1.0000	1.0000	0.002248
547	38	41	1.0000	1.0000	0.009699
548	38	42	1.0000	1.0000	0.001241
549	38	43	1.0000	1.0000	0.028205
550	38	44	1.0000	1.0000	0.021273
551	38	47	1.0000	1.0000	0.042316
552	38	53	1.0000	1.0000	0.039564
553	38	60	1.0000	1.0000	0.002809
554	38	61	1.0000	1.0000	0.000619
555	38	62	1.0000	1.0000	0.001040
556	38	63	1.0000	1.0000	0.002652
557	38	64	1.0000	1.0000	0.017628
558	38	65	1.0000	1.0000	0.079792
559	38	66	1.0000	1.0000	0.026464
560	38	67	1.0000	1.0000	0.056209
561	38	117	1.0000	1.0000	0.093959
562	39	40	1.0000	1.0000	0.012463
563	39	41	1.0000	1.0000	0.000516
564	39	42	1.0000	1.0000	0.011456
565	39	43	1.0000	1.0000	0.038420
566	39	44	1.0000	1.0000	0.031487
567	39	85	1.0000	1.0000	0.027293
568	39	86	1.0000	1.0000	0.014036
569	39	87	1.0000	1.0000	0.005870
570	39	88	1.0000	1.0000	0.002137
571	39	89	1.0000	1.0000	0.003496
572	39	93	1.0000	1.0000	0.002251
573	39	106	1.0000	1.0000	0.099090
574	39	118	1.0000	1.0000	0.029211
575	39	134	1.0000	1.0000	0.049659
576	40	41	1.0000	1.0000	0.011947
577	40	42	1.0000	1.0000	0.001007

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
578	40	43	1.0000	1.0000	0.025957
579	40	44	1.0000	1.0000	0.019024
580	40	54	1.0000	1.0000	0.023814
581	40	90	1.0000	1.0000	0.028848
582	40	91	1.0000	1.0000	0.029080
583	40	92	1.0000	1.0000	0.012899
584	40	93	1.0000	1.0000	0.014713
585	40	94	1.0000	1.0000	0.016404
586	40	95	1.0000	1.0000	0.044200
587	40	96	1.0000	1.0000	0.040518
588	40	97	1.0000	1.0000	0.026618
589	40	119	1.0000	1.0000	0.038347
590	41	42	1.0000	1.0000	0.010940
591	41	43	1.0000	1.0000	0.037904
592	41	44	1.0000	1.0000	0.030971
593	41	55	1.0000	1.0000	0.026400
594	41	86	1.0000	1.0000	0.014552
595	41	94	1.0000	1.0000	0.004457
596	41	98	1.0000	1.0000	0.027910
597	41	99	1.0000	1.0000	0.007165
598	41	100	1.0000	1.0000	0.141523
599	41	107	1.0000	1.0000	0.032272
600	41	120	1.0000	1.0000	0.014271
601	41	135	1.0000	1.0000	0.025724
602	42	43	1.0000	1.0000	0.026964
603	42	44	1.0000	1.0000	0.020031
604	42	48	1.0000	1.0000	0.026883
605	42	57	1.0000	1.0000	0.006294
606	42	66	1.0000	1.0000	0.027705
607	42	96	1.0000	1.0000	0.039511
608	42	131	1.0000	1.0000	0.023495
609	42	132	1.0000	1.0000	0.023525
610	42	133	1.0000	1.0000	0.012016
611	42	134	1.0000	1.0000	0.038203
612	42	135	1.0000	1.0000	0.014784
613	42	136	1.0000	1.0000	0.016744

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
614	42	137	1.0000	1.0000	0.015023
615	43	44	1.0000	1.0000	0.006933
616	43	58	1.0000	1.0000	0.027206
617	43	79	1.0000	1.0000	0.028235
618	43	88	1.0000	1.0000	0.040557
619	43	99	1.0000	1.0000	0.030739
620	43	110	1.0000	1.0000	0.062303
621	43	123	1.0000	1.0000	0.030397
622	43	136	1.0000	1.0000	0.010220
623	43	145	1.0000	1.0000	0.840420
624	44	59	1.0000	1.0000	0.023824
625	44	80	1.0000	1.0000	0.021761
626	44	84	1.0000	1.0000	0.062335
627	44	89	1.0000	1.0000	0.027991
628	44	97	1.0000	1.0000	0.045643
629	44	100	1.0000	1.0000	0.172494
630	44	124	1.0000	1.0000	0.025953
631	44	130	1.0000	1.0000	0.043496
632	44	137	1.0000	1.0000	0.005008
633	44	143	1.0000	1.0000	0.833488
634	45	46	1.0000	1.0000	0.030185
635	45	47	1.0000	1.0000	0.055690
636	45	48	1.0000	1.0000	0.039016
637	45	49	1.0000	1.0000	0.047385
638	45	113	1.0000	1.0000	0.028569
639	46	47	1.0000	1.0000	0.085875
640	46	48	1.0000	1.0000	0.069201
641	46	49	1.0000	1.0000	0.077570
642	46	74	1.0000	1.0000	0.049940
643	46	81	1.0000	1.0000	0.048756
644	46	101	1.0000	1.0000	0.150335
645	46	125	1.0000	1.0000	0.068070
646	46	138	1.0000	1.0000	0.030338
647	47	48	1.0000	1.0000	0.016674
648	47	49	1.0000	1.0000	0.008305
649	47	53	1.0000	1.0000	0.002752

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
650	47	60	1.0000	1.0000	0.045125
651	47	61	1.0000	1.0000	0.042935
652	47	62	1.0000	1.0000	0.041276
653	47	63	1.0000	1.0000	0.039664
654	47	64	1.0000	1.0000	0.059944
655	47	65	1.0000	1.0000	0.037476
656	47	66	1.0000	1.0000	0.015852
657	47	67	1.0000	1.0000	0.013893
658	47	117	1.0000	1.0000	0.051643
659	48	49	1.0000	1.0000	0.008369
660	48	57	1.0000	1.0000	0.020589
661	48	66	1.0000	1.0000	0.000822
662	48	96	1.0000	1.0000	0.012628
663	48	131	1.0000	1.0000	0.003388
664	48	132	1.0000	1.0000	0.003358
665	48	133	1.0000	1.0000	0.014867
666	48	134	1.0000	1.0000	0.065086
667	48	135	1.0000	1.0000	0.041667
668	48	136	1.0000	1.0000	0.043627
669	48	137	1.0000	1.0000	0.041906
670	49	67	1.0000	1.0000	0.022198
671	49	138	1.0000	1.0000	0.047232
672	49	139	1.0000	1.0000	0.044868
673	49	140	1.0000	1.0000	0.008911
674	49	141	1.0000	1.0000	0.221796
675	49	142	1.0000	1.0000	0.778204
676	49	143	1.0000	1.0000	0.778204
677	50	51	1.0000	1.0000	0.011284
678	50	52	1.0000	1.0000	0.021073
679	50	53	1.0000	1.0000	0.025143
680	50	54	1.0000	1.0000	0.007145
681	50	55	1.0000	1.0000	0.021678
682	50	56	1.0000	1.0000	0.009064
683	50	57	1.0000	1.0000	0.009368
684	50	58	1.0000	1.0000	0.015420
685	50	59	1.0000	1.0000	0.011869

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
686	50	103	1.0000	1.0000	0.086524
687	50	105	1.0000	1.0000	0.095382
688	50	111	1.0000	1.0000	0.004779
689	50	116	1.0000	1.0000	0.021097
690	51	52	1.0000	1.0000	0.009789
691	51	53	1.0000	1.0000	0.013860
692	51	54	1.0000	1.0000	0.004139
693	51	55	1.0000	1.0000	0.010395
694	51	56	1.0000	1.0000	0.002220
695	51	57	1.0000	1.0000	0.020652
696	51	58	1.0000	1.0000	0.026704
697	51	59	1.0000	1.0000	0.023153
698	51	60	1.0000	1.0000	0.028513
699	51	73	1.0000	1.0000	0.021881
700	51	90	1.0000	1.0000	0.000896
701	51	105	1.0000	1.0000	0.084098
702	51	112	1.0000	1.0000	0.008168
703	51	116	1.0000	1.0000	0.009813
704	51	131	1.0000	1.0000	0.003450
705	52	53	1.0000	1.0000	0.004071
706	52	54	1.0000	1.0000	0.013928
707	52	55	1.0000	1.0000	0.000606
708	52	56	1.0000	1.0000	0.012009
709	52	57	1.0000	1.0000	0.030441
710	52	58	1.0000	1.0000	0.036493
711	52	59	1.0000	1.0000	0.032942
712	52	104	1.0000	1.0000	0.069424
713	52	105	1.0000	1.0000	0.074309
714	52	114	1.0000	1.0000	0.000515
715	52	116	1.0000	1.0000	0.000024
716	53	54	1.0000	1.0000	0.017998
717	53	55	1.0000	1.0000	0.003465
718	53	56	1.0000	1.0000	0.016079
719	53	57	1.0000	1.0000	0.034511
720	53	58	1.0000	1.0000	0.040564
721	53	59	1.0000	1.0000	0.037013

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
722	53	60	1.0000	1.0000	0.042373
723	53	61	1.0000	1.0000	0.040183
724	53	62	1.0000	1.0000	0.038524
725	53	63	1.0000	1.0000	0.036912
726	53	64	1.0000	1.0000	0.057192
727	53	65	1.0000	1.0000	0.040228
728	53	66	1.0000	1.0000	0.013100
729	53	67	1.0000	1.0000	0.016645
730	53	105	1.0000	1.0000	0.070238
731	53	116	1.0000	1.0000	0.004046
732	53	117	1.0000	1.0000	0.054395
733	54	55	1.0000	1.0000	0.014534
734	54	56	1.0000	1.0000	0.001919
735	54	57	1.0000	1.0000	0.016513
736	54	58	1.0000	1.0000	0.022565
737	54	59	1.0000	1.0000	0.019014
738	54	90	1.0000	1.0000	0.005034
739	54	91	1.0000	1.0000	0.005266
740	54	92	1.0000	1.0000	0.010914
741	54	93	1.0000	1.0000	0.009100
742	54	94	1.0000	1.0000	0.007410
743	54	95	1.0000	1.0000	0.020386
744	54	96	1.0000	1.0000	0.016705
745	54	97	1.0000	1.0000	0.002805
746	54	105	1.0000	1.0000	0.088237
747	54	116	1.0000	1.0000	0.013952
748	54	119	1.0000	1.0000	0.014534
749	55	56	1.0000	1.0000	0.012614
750	55	57	1.0000	1.0000	0.031046
751	55	58	1.0000	1.0000	0.037099
752	55	59	1.0000	1.0000	0.033548
753	55	86	1.0000	1.0000	0.011849
754	55	94	1.0000	1.0000	0.021944
755	55	98	1.0000	1.0000	0.054311
756	55	99	1.0000	1.0000	0.033566
757	55	100	1.0000	1.0000	0.115122

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
758	55	105	1.0000	1.0000	0.073703
759	55	107	1.0000	1.0000	0.005872
760	55	116	1.0000	1.0000	0.000581
761	55	120	1.0000	1.0000	0.012129
762	55	135	1.0000	1.0000	0.052124
763	56	57	1.0000	1.0000	0.018432
764	56	58	1.0000	1.0000	0.024484
765	56	59	1.0000	1.0000	0.020933
766	56	70	1.0000	1.0000	0.011196
767	56	78	1.0000	1.0000	0.043664
768	56	87	1.0000	1.0000	0.007400
769	56	98	1.0000	1.0000	0.041696
770	56	105	1.0000	1.0000	0.086317
771	56	108	1.0000	1.0000	0.002576
772	56	116	1.0000	1.0000	0.012033
773	56	122	1.0000	1.0000	0.019412
774	56	129	1.0000	1.0000	0.019552
775	56	145	1.0000	1.0000	0.788731
776	57	58	1.0000	1.0000	0.006052
777	57	59	1.0000	1.0000	0.002501
778	57	66	1.0000	1.0000	0.021411
779	57	96	1.0000	1.0000	0.033218
780	57	105	1.0000	1.0000	0.104749
781	57	116	1.0000	1.0000	0.030465
782	57	131	1.0000	1.0000	0.017201
783	57	132	1.0000	1.0000	0.017231
784	57	133	1.0000	1.0000	0.005722
785	57	134	1.0000	1.0000	0.044497
786	57	135	1.0000	1.0000	0.021078
787	57	136	1.0000	1.0000	0.023037
788	57	137	1.0000	1.0000	0.021317
789	58	59	1.0000	1.0000	0.003551
790	58	79	1.0000	1.0000	0.001029
791	58	88	1.0000	1.0000	0.013351
792	58	99	1.0000	1.0000	0.003533
793	58	105	1.0000	1.0000	0.110802

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
794	58	110	1.0000	1.0000	0.035097
795	58	116	1.0000	1.0000	0.036517
796	58	123	1.0000	1.0000	0.003191
797	58	136	1.0000	1.0000	0.016985
798	58	145	1.0000	1.0000	0.813215
799	59	80	1.0000	1.0000	0.002063
800	59	84	1.0000	1.0000	0.038511
801	59	89	1.0000	1.0000	0.004167
802	59	97	1.0000	1.0000	0.021819
803	59	100	1.0000	1.0000	0.148670
804	59	105	1.0000	1.0000	0.107251
805	59	116	1.0000	1.0000	0.032966
806	59	124	1.0000	1.0000	0.002130
807	59	130	1.0000	1.0000	0.019672
808	59	137	1.0000	1.0000	0.018816
809	59	143	1.0000	1.0000	0.809664
810	60	61	1.0000	1.0000	0.002190
811	60	62	1.0000	1.0000	0.003849
812	60	63	1.0000	1.0000	0.005461
813	60	64	1.0000	1.0000	0.014820
814	60	65	1.0000	1.0000	0.082601
815	60	66	1.0000	1.0000	0.029273
816	60	67	1.0000	1.0000	0.059018
817	60	73	1.0000	1.0000	0.006632
818	60	90	1.0000	1.0000	0.029409
819	60	112	1.0000	1.0000	0.036681
820	60	117	1.0000	1.0000	0.096768
821	60	131	1.0000	1.0000	0.025063
822	61	62	1.0000	1.0000	0.001659
823	61	63	1.0000	1.0000	0.003271
824	61	64	1.0000	1.0000	0.017010
825	61	65	1.0000	1.0000	0.080411
826	61	66	1.0000	1.0000	0.027083
827	61	67	1.0000	1.0000	0.056828
828	61	75	1.0000	1.0000	0.026830
829	61	82	1.0000	1.0000	0.019702

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
830	61	85	1.0000	1.0000	0.038127
831	61	102	1.0000	1.0000	0.097208
832	61	115	1.0000	1.0000	0.026739
833	61	117	1.0000	1.0000	0.094578
834	61	126	1.0000	1.0000	0.009652
835	61	132	1.0000	1.0000	0.022903
836	61	139	1.0000	1.0000	0.010239
837	62	63	1.0000	1.0000	0.001612
838	62	64	1.0000	1.0000	0.018668
839	62	65	1.0000	1.0000	0.078752
840	62	66	1.0000	1.0000	0.025424
841	62	67	1.0000	1.0000	0.055169
842	62	73	1.0000	1.0000	0.002784
843	62	74	1.0000	1.0000	0.005341
844	62	75	1.0000	1.0000	0.025171
845	62	76	1.0000	1.0000	0.021126
846	62	77	1.0000	1.0000	0.009626
847	62	78	1.0000	1.0000	0.021219
848	62	79	1.0000	1.0000	0.001010
849	62	80	1.0000	1.0000	0.000552
850	62	91	1.0000	1.0000	0.025792
851	62	117	1.0000	1.0000	0.092919
852	63	64	1.0000	1.0000	0.020281
853	63	65	1.0000	1.0000	0.077139
854	63	66	1.0000	1.0000	0.023812
855	63	67	1.0000	1.0000	0.053556
856	63	76	1.0000	1.0000	0.019513
857	63	81	1.0000	1.0000	0.002545
858	63	82	1.0000	1.0000	0.016431
859	63	83	1.0000	1.0000	0.034162
860	63	84	1.0000	1.0000	0.038410
861	63	92	1.0000	1.0000	0.007999
862	63	117	1.0000	1.0000	0.091306
863	63	127	1.0000	1.0000	0.009750
864	63	133	1.0000	1.0000	0.008123
865	63	140	1.0000	1.0000	0.040270

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
866	64	65	1.0000	1.0000	0.097420
867	64	66	1.0000	1.0000	0.044092
868	64	67	1.0000	1.0000	0.073837
869	64	69	1.0000	1.0000	0.218250
870	64	77	1.0000	1.0000	0.028294
871	64	83	1.0000	1.0000	0.054443
872	64	101	1.0000	1.0000	0.124405
873	64	102	1.0000	1.0000	0.114217
874	64	117	1.0000	1.0000	0.111587
875	64	128	1.0000	1.0000	0.023443
876	64	141	1.0000	1.0000	0.170156
877	65	66	1.0000	1.0000	0.053328
878	65	67	1.0000	1.0000	0.023583
879	65	71	1.0000	1.0000	0.092252
880	65	95	1.0000	1.0000	0.037840
881	65	117	1.0000	1.0000	0.014167
882	65	125	1.0000	1.0000	0.055281
883	65	126	1.0000	1.0000	0.070758
884	65	127	1.0000	1.0000	0.067389
885	65	128	1.0000	1.0000	0.073978
886	65	129	1.0000	1.0000	0.075859
887	65	130	1.0000	1.0000	0.057568
888	65	142	1.0000	1.0000	0.732423
889	66	67	1.0000	1.0000	0.029745
890	66	96	1.0000	1.0000	0.011806
891	66	117	1.0000	1.0000	0.067495
892	66	131	1.0000	1.0000	0.004210
893	66	132	1.0000	1.0000	0.004180
894	66	133	1.0000	1.0000	0.015689
895	66	134	1.0000	1.0000	0.065909
896	66	135	1.0000	1.0000	0.042489
897	66	136	1.0000	1.0000	0.044449
898	66	137	1.0000	1.0000	0.042728
899	67	117	1.0000	1.0000	0.037750
900	67	138	1.0000	1.0000	0.069430
901	67	139	1.0000	1.0000	0.067066

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
902	67	140	1.0000	1.0000	0.013287
903	67	141	1.0000	1.0000	0.243994
904	67	142	1.0000	1.0000	0.756006
905	67	143	1.0000	1.0000	0.756006
906	68	69	1.0000	1.0000	0.174678
907	68	70	1.0000	1.0000	0.013654
908	68	71	1.0000	1.0000	0.038403
909	68	72	1.0000	1.0000	0.020238
910	69	70	1.0000	1.0000	0.188332
911	69	71	1.0000	1.0000	0.213081
912	69	72	1.0000	1.0000	0.194916
913	69	77	1.0000	1.0000	0.189955
914	69	83	1.0000	1.0000	0.163807
915	69	101	1.0000	1.0000	0.093844
916	69	102	1.0000	1.0000	0.104032
917	69	128	1.0000	1.0000	0.194807
918	69	141	1.0000	1.0000	0.388406
919	70	71	1.0000	1.0000	0.024749
920	70	72	1.0000	1.0000	0.006584
921	70	78	1.0000	1.0000	0.032468
922	70	87	1.0000	1.0000	0.003796
923	70	98	1.0000	1.0000	0.030501
924	70	108	1.0000	1.0000	0.013771
925	70	122	1.0000	1.0000	0.008216
926	70	129	1.0000	1.0000	0.008356
927	70	145	1.0000	1.0000	0.799926
928	71	72	1.0000	1.0000	0.018165
929	71	95	1.0000	1.0000	0.054412
930	71	125	1.0000	1.0000	0.036971
931	71	126	1.0000	1.0000	0.021494
932	71	127	1.0000	1.0000	0.024863
933	71	128	1.0000	1.0000	0.018274
934	71	129	1.0000	1.0000	0.016393
935	71	130	1.0000	1.0000	0.034684
936	71	142	1.0000	1.0000	0.824675
937	72	144	1.0000	1.0000	0.806510

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
938	73	74	1.0000	1.0000	0.002557
939	73	75	1.0000	1.0000	0.022387
940	73	76	1.0000	1.0000	0.018342
941	73	77	1.0000	1.0000	0.006842
942	73	78	1.0000	1.0000	0.024003
943	73	79	1.0000	1.0000	0.003794
944	73	80	1.0000	1.0000	0.003335
945	73	90	1.0000	1.0000	0.022776
946	73	91	1.0000	1.0000	0.023008
947	73	112	1.0000	1.0000	0.030048
948	73	131	1.0000	1.0000	0.018430
949	74	75	1.0000	1.0000	0.019830
950	74	76	1.0000	1.0000	0.015784
951	74	77	1.0000	1.0000	0.004285
952	74	78	1.0000	1.0000	0.026560
953	74	79	1.0000	1.0000	0.006351
954	74	80	1.0000	1.0000	0.005893
955	74	81	1.0000	1.0000	0.001184
956	74	91	1.0000	1.0000	0.020451
957	74	101	1.0000	1.0000	0.100396
958	74	125	1.0000	1.0000	0.018130
959	74	138	1.0000	1.0000	0.019602
960	75	76	1.0000	1.0000	0.004045
961	75	77	1.0000	1.0000	0.015545
962	75	78	1.0000	1.0000	0.046390
963	75	79	1.0000	1.0000	0.026181
964	75	80	1.0000	1.0000	0.025723
965	75	82	1.0000	1.0000	0.007128
966	75	85	1.0000	1.0000	0.011297
967	75	91	1.0000	1.0000	0.000621
968	75	102	1.0000	1.0000	0.070378
969	75	115	1.0000	1.0000	0.000091
970	75	126	1.0000	1.0000	0.017177
971	75	132	1.0000	1.0000	0.003927
972	75	139	1.0000	1.0000	0.037069
973	76	77	1.0000	1.0000	0.011500

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
974	76	78	1.0000	1.0000	0.042345
975	76	79	1.0000	1.0000	0.022136
976	76	80	1.0000	1.0000	0.021677
977	76	81	1.0000	1.0000	0.016968
978	76	82	1.0000	1.0000	0.003083
979	76	83	1.0000	1.0000	0.014649
980	76	84	1.0000	1.0000	0.018896
981	76	91	1.0000	1.0000	0.004666
982	76	92	1.0000	1.0000	0.011514
983	76	127	1.0000	1.0000	0.009763
984	76	133	1.0000	1.0000	0.011391
985	76	140	1.0000	1.0000	0.020757
986	77	78	1.0000	1.0000	0.030845
987	77	79	1.0000	1.0000	0.010636
988	77	80	1.0000	1.0000	0.010177
989	77	83	1.0000	1.0000	0.026149
990	77	91	1.0000	1.0000	0.016166
991	77	101	1.0000	1.0000	0.096111
992	77	102	1.0000	1.0000	0.085923
993	77	128	1.0000	1.0000	0.004852
994	77	141	1.0000	1.0000	0.198451
995	78	79	1.0000	1.0000	0.020209
996	78	80	1.0000	1.0000	0.020667
997	78	87	1.0000	1.0000	0.036264
998	78	91	1.0000	1.0000	0.047011
999	78	98	1.0000	1.0000	0.001967
1000	78	108	1.0000	1.0000	0.046239
1001	78	122	1.0000	1.0000	0.024252
1002	78	129	1.0000	1.0000	0.024112
1003	78	145	1.0000	1.0000	0.832394
1004	79	80	1.0000	1.0000	0.000459
1005	79	88	1.0000	1.0000	0.012322
1006	79	91	1.0000	1.0000	0.026802
1007	79	99	1.0000	1.0000	0.002504
1008	79	110	1.0000	1.0000	0.034068
1009	79	123	1.0000	1.0000	0.002162

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1010	79	136	1.0000	1.0000	0.018015
1011	79	145	1.0000	1.0000	0.812185
1012	80	84	1.0000	1.0000	0.040574
1013	80	89	1.0000	1.0000	0.006230
1014	80	91	1.0000	1.0000	0.026343
1015	80	97	1.0000	1.0000	0.023882
1016	80	100	1.0000	1.0000	0.150733
1017	80	124	1.0000	1.0000	0.004192
1018	80	130	1.0000	1.0000	0.021735
1019	80	137	1.0000	1.0000	0.016753
1020	80	143	1.0000	1.0000	0.811727
1021	81	82	1.0000	1.0000	0.013886
1022	81	83	1.0000	1.0000	0.031617
1023	81	84	1.0000	1.0000	0.035865
1024	81	92	1.0000	1.0000	0.005454
1025	81	101	1.0000	1.0000	0.101580
1026	81	125	1.0000	1.0000	0.019314
1027	81	127	1.0000	1.0000	0.007205
1028	81	133	1.0000	1.0000	0.005578
1029	81	138	1.0000	1.0000	0.018418
1030	81	140	1.0000	1.0000	0.037725
1031	82	83	1.0000	1.0000	0.017731
1032	82	84	1.0000	1.0000	0.021979
1033	82	85	1.0000	1.0000	0.018425
1034	82	92	1.0000	1.0000	0.008432
1035	82	102	1.0000	1.0000	0.077506
1036	82	115	1.0000	1.0000	0.007037
1037	82	126	1.0000	1.0000	0.010049
1038	82	127	1.0000	1.0000	0.006680
1039	82	132	1.0000	1.0000	0.003201
1040	82	133	1.0000	1.0000	0.008308
1041	82	139	1.0000	1.0000	0.029941
1042	82	140	1.0000	1.0000	0.023839
1043	83	84	1.0000	1.0000	0.004248
1044	83	92	1.0000	1.0000	0.026163
1045	83	101	1.0000	1.0000	0.069962

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1046	83	102	1.0000	1.0000	0.059774
1047	83	127	1.0000	1.0000	0.024412
1048	83	128	1.0000	1.0000	0.031000
1049	83	133	1.0000	1.0000	0.026040
1050	83	140	1.0000	1.0000	0.006108
1051	83	141	1.0000	1.0000	0.224599
1052	84	89	1.0000	1.0000	0.034344
1053	84	92	1.0000	1.0000	0.030411
1054	84	97	1.0000	1.0000	0.016692
1055	84	100	1.0000	1.0000	0.110159
1056	84	124	1.0000	1.0000	0.036381
1057	84	127	1.0000	1.0000	0.028659
1058	84	130	1.0000	1.0000	0.018838
1059	84	133	1.0000	1.0000	0.030287
1060	84	137	1.0000	1.0000	0.057326
1061	84	140	1.0000	1.0000	0.001860
1062	84	143	1.0000	1.0000	0.771153
1063	85	86	1.0000	1.0000	0.013257
1064	85	87	1.0000	1.0000	0.021423
1065	85	88	1.0000	1.0000	0.025156
1066	85	89	1.0000	1.0000	0.030789
1067	85	93	1.0000	1.0000	0.025043
1068	85	102	1.0000	1.0000	0.059081
1069	85	106	1.0000	1.0000	0.071797
1070	85	115	1.0000	1.0000	0.011388
1071	85	118	1.0000	1.0000	0.001918
1072	85	126	1.0000	1.0000	0.028474
1073	85	132	1.0000	1.0000	0.015224
1074	85	134	1.0000	1.0000	0.076952
1075	85	139	1.0000	1.0000	0.048365
1076	86	87	1.0000	1.0000	0.008166
1077	86	88	1.0000	1.0000	0.011899
1078	86	89	1.0000	1.0000	0.017532
1079	86	93	1.0000	1.0000	0.011785
1080	86	94	1.0000	1.0000	0.010095
1081	86	98	1.0000	1.0000	0.042462

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1082	86	99	1.0000	1.0000	0.021717
1083	86	100	1.0000	1.0000	0.126971
1084	86	106	1.0000	1.0000	0.085054
1085	86	107	1.0000	1.0000	0.017720
1086	86	118	1.0000	1.0000	0.015175
1087	86	120	1.0000	1.0000	0.000281
1088	86	134	1.0000	1.0000	0.063695
1089	86	135	1.0000	1.0000	0.040275
1090	87	88	1.0000	1.0000	0.003733
1091	87	89	1.0000	1.0000	0.009367
1092	87	93	1.0000	1.0000	0.003620
1093	87	98	1.0000	1.0000	0.034297
1094	87	106	1.0000	1.0000	0.093220
1095	87	108	1.0000	1.0000	0.009975
1096	87	118	1.0000	1.0000	0.023341
1097	87	122	1.0000	1.0000	0.012012
1098	87	129	1.0000	1.0000	0.012152
1099	87	134	1.0000	1.0000	0.055529
1100	87	145	1.0000	1.0000	0.796130
1101	88	89	1.0000	1.0000	0.005633
1102	88	93	1.0000	1.0000	0.000114
1103	88	99	1.0000	1.0000	0.009818
1104	88	106	1.0000	1.0000	0.096953
1105	88	110	1.0000	1.0000	0.021746
1106	88	118	1.0000	1.0000	0.027074
1107	88	123	1.0000	1.0000	0.010160
1108	88	134	1.0000	1.0000	0.051796
1109	88	136	1.0000	1.0000	0.030336
1110	88	145	1.0000	1.0000	0.799864
1111	89	93	1.0000	1.0000	0.005747
1112	89	97	1.0000	1.0000	0.017652
1113	89	100	1.0000	1.0000	0.144503
1114	89	106	1.0000	1.0000	0.102586
1115	89	118	1.0000	1.0000	0.032707
1116	89	124	1.0000	1.0000	0.002037
1117	89	130	1.0000	1.0000	0.015506

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1118	89	134	1.0000	1.0000	0.046163
1119	89	137	1.0000	1.0000	0.022983
1120	89	143	1.0000	1.0000	0.805497
1121	90	91	1.0000	1.0000	0.000232
1122	90	92	1.0000	1.0000	0.015949
1123	90	93	1.0000	1.0000	0.014135
1124	90	94	1.0000	1.0000	0.012444
1125	90	95	1.0000	1.0000	0.015351
1126	90	96	1.0000	1.0000	0.011670
1127	90	97	1.0000	1.0000	0.002230
1128	90	112	1.0000	1.0000	0.007272
1129	90	119	1.0000	1.0000	0.009499
1130	90	131	1.0000	1.0000	0.004346
1131	91	92	1.0000	1.0000	0.016181
1132	91	93	1.0000	1.0000	0.014367
1133	91	94	1.0000	1.0000	0.012676
1134	91	95	1.0000	1.0000	0.015120
1135	91	96	1.0000	1.0000	0.011438
1136	91	97	1.0000	1.0000	0.002462
1137	91	119	1.0000	1.0000	0.009267
1138	92	93	1.0000	1.0000	0.001814
1139	92	94	1.0000	1.0000	0.003504
1140	92	95	1.0000	1.0000	0.031300
1141	92	96	1.0000	1.0000	0.027619
1142	92	97	1.0000	1.0000	0.013719
1143	92	119	1.0000	1.0000	0.025448
1144	92	127	1.0000	1.0000	0.001751
1145	92	133	1.0000	1.0000	0.000124
1146	92	140	1.0000	1.0000	0.032271
1147	93	94	1.0000	1.0000	0.001690
1148	93	95	1.0000	1.0000	0.029486
1149	93	96	1.0000	1.0000	0.025805
1150	93	97	1.0000	1.0000	0.011905
1151	93	106	1.0000	1.0000	0.096839
1152	93	118	1.0000	1.0000	0.026960
1153	93	119	1.0000	1.0000	0.023634

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1154	93	134	1.0000	1.0000	0.051910
1155	94	95	1.0000	1.0000	0.027796
1156	94	96	1.0000	1.0000	0.024115
1157	94	97	1.0000	1.0000	0.010215
1158	94	98	1.0000	1.0000	0.032367
1159	94	99	1.0000	1.0000	0.011622
1160	94	100	1.0000	1.0000	0.137066
1161	94	107	1.0000	1.0000	0.027815
1162	94	119	1.0000	1.0000	0.021944
1163	94	120	1.0000	1.0000	0.009814
1164	94	135	1.0000	1.0000	0.030180
1165	95	96	1.0000	1.0000	0.003681
1166	95	97	1.0000	1.0000	0.017581
1167	95	119	1.0000	1.0000	0.005852
1168	95	125	1.0000	1.0000	0.017441
1169	95	126	1.0000	1.0000	0.032918
1170	95	127	1.0000	1.0000	0.029549
1171	95	128	1.0000	1.0000	0.036137
1172	95	129	1.0000	1.0000	0.038019
1173	95	130	1.0000	1.0000	0.019728
1174	95	142	1.0000	1.0000	0.770264
1175	96	97	1.0000	1.0000	0.013900
1176	96	119	1.0000	1.0000	0.002171
1177	96	131	1.0000	1.0000	0.016016
1178	96	132	1.0000	1.0000	0.015986
1179	96	133	1.0000	1.0000	0.027495
1180	96	134	1.0000	1.0000	0.077715
1181	96	135	1.0000	1.0000	0.054295
1182	96	136	1.0000	1.0000	0.056255
1183	96	137	1.0000	1.0000	0.054534
1184	97	100	1.0000	1.0000	0.126851
1185	97	119	1.0000	1.0000	0.011729
1186	97	124	1.0000	1.0000	0.019689
1187	97	130	1.0000	1.0000	0.002146
1188	97	137	1.0000	1.0000	0.040634
1189	97	143	1.0000	1.0000	0.787845

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1190	98	99	1.0000	1.0000	0.020745
1191	98	100	1.0000	1.0000	0.169433
1192	98	107	1.0000	1.0000	0.060182
1193	98	108	1.0000	1.0000	0.044272
1194	98	120	1.0000	1.0000	0.042182
1195	98	122	1.0000	1.0000	0.022285
1196	98	129	1.0000	1.0000	0.022144
1197	98	135	1.0000	1.0000	0.002187
1198	98	145	1.0000	1.0000	0.830427
1199	99	100	1.0000	1.0000	0.148688
1200	99	107	1.0000	1.0000	0.039437
1201	99	110	1.0000	1.0000	0.031564
1202	99	120	1.0000	1.0000	0.021436
1203	99	123	1.0000	1.0000	0.000342
1204	99	135	1.0000	1.0000	0.018558
1205	99	136	1.0000	1.0000	0.020518
1206	99	145	1.0000	1.0000	0.809682
1207	100	107	1.0000	1.0000	0.109251
1208	100	120	1.0000	1.0000	0.127252
1209	100	124	1.0000	1.0000	0.146541
1210	100	130	1.0000	1.0000	0.128998
1211	100	135	1.0000	1.0000	0.167246
1212	100	137	1.0000	1.0000	0.167486
1213	100	143	1.0000	1.0000	0.660994
1214	101	102	1.0000	1.0000	0.010188
1215	101	125	1.0000	1.0000	0.082266
1216	101	128	1.0000	1.0000	0.100962
1217	101	138	1.0000	1.0000	0.119998
1218	101	141	1.0000	1.0000	0.294561
1219	102	115	1.0000	1.0000	0.070469
1220	102	126	1.0000	1.0000	0.087555
1221	102	128	1.0000	1.0000	0.090774
1222	102	132	1.0000	1.0000	0.074305
1223	102	139	1.0000	1.0000	0.107446
1224	102	141	1.0000	1.0000	0.284373
1225	103	104	1.0000	1.0000	0.003972

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1226	103	105	1.0000	1.0000	0.008857
1227	103	106	1.0000	1.0000	0.008359
1228	103	107	1.0000	1.0000	0.058974
1229	103	108	1.0000	1.0000	0.074885
1230	103	109	1.0000	1.0000	0.086088
1231	103	110	1.0000	1.0000	0.066847
1232	103	111	1.0000	1.0000	0.081745
1233	103	121	1.0000	1.0000	0.115348
1234	104	105	1.0000	1.0000	0.004885
1235	104	106	1.0000	1.0000	0.004387
1236	104	107	1.0000	1.0000	0.062947
1237	104	108	1.0000	1.0000	0.078857
1238	104	109	1.0000	1.0000	0.090061
1239	104	110	1.0000	1.0000	0.070820
1240	104	114	1.0000	1.0000	0.069939
1241	104	121	1.0000	1.0000	0.119321
1242	105	106	1.0000	1.0000	0.000498
1243	105	107	1.0000	1.0000	0.067832
1244	105	108	1.0000	1.0000	0.083742
1245	105	109	1.0000	1.0000	0.094945
1246	105	110	1.0000	1.0000	0.075704
1247	105	116	1.0000	1.0000	0.074285
1248	105	121	1.0000	1.0000	0.124206
1249	106	107	1.0000	1.0000	0.067334
1250	106	108	1.0000	1.0000	0.083244
1251	106	109	1.0000	1.0000	0.094448
1252	106	110	1.0000	1.0000	0.075207
1253	106	118	1.0000	1.0000	0.069879
1254	106	121	1.0000	1.0000	0.123708
1255	106	134	1.0000	1.0000	0.148749
1256	107	108	1.0000	1.0000	0.015910
1257	107	109	1.0000	1.0000	0.027114
1258	107	110	1.0000	1.0000	0.007873
1259	107	120	1.0000	1.0000	0.018001
1260	107	121	1.0000	1.0000	0.056374
1261	107	135	1.0000	1.0000	0.057995

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1262	108	109	1.0000	1.0000	0.011203
1263	108	110	1.0000	1.0000	0.008038
1264	108	121	1.0000	1.0000	0.040464
1265	108	122	1.0000	1.0000	0.021987
1266	108	129	1.0000	1.0000	0.022127
1267	108	145	1.0000	1.0000	0.786155
1268	109	110	1.0000	1.0000	0.019241
1269	109	121	1.0000	1.0000	0.029260
1270	109	144	1.0000	1.0000	0.797359
1271	110	121	1.0000	1.0000	0.048501
1272	110	123	1.0000	1.0000	0.031906
1273	110	136	1.0000	1.0000	0.052083
1274	110	145	1.0000	1.0000	0.778117
1275	111	112	1.0000	1.0000	0.014672
1276	111	113	1.0000	1.0000	0.004005
1277	111	114	1.0000	1.0000	0.015778
1278	111	115	1.0000	1.0000	0.006920
1279	111	116	1.0000	1.0000	0.016318
1280	111	117	1.0000	1.0000	0.074759
1281	111	118	1.0000	1.0000	0.020225
1282	111	119	1.0000	1.0000	0.016899
1283	111	120	1.0000	1.0000	0.004770
1284	111	121	1.0000	1.0000	0.033603
1285	111	122	1.0000	1.0000	0.015127
1286	111	123	1.0000	1.0000	0.017009
1287	111	124	1.0000	1.0000	0.014519
1288	112	113	1.0000	1.0000	0.018677
1289	112	114	1.0000	1.0000	0.001106
1290	112	115	1.0000	1.0000	0.007752
1291	112	116	1.0000	1.0000	0.001646
1292	112	117	1.0000	1.0000	0.060087
1293	112	118	1.0000	1.0000	0.005553
1294	112	119	1.0000	1.0000	0.002227
1295	112	120	1.0000	1.0000	0.009902
1296	112	121	1.0000	1.0000	0.048275
1297	112	122	1.0000	1.0000	0.029799

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1298	112	123	1.0000	1.0000	0.031681
1299	112	124	1.0000	1.0000	0.029191
1300	112	131	1.0000	1.0000	0.011618
1301	113	114	1.0000	1.0000	0.019784
1302	113	115	1.0000	1.0000	0.010925
1303	113	116	1.0000	1.0000	0.020323
1304	113	117	1.0000	1.0000	0.078764
1305	113	118	1.0000	1.0000	0.024231
1306	113	119	1.0000	1.0000	0.020904
1307	113	120	1.0000	1.0000	0.008775
1308	113	121	1.0000	1.0000	0.029598
1309	113	122	1.0000	1.0000	0.011122
1310	113	123	1.0000	1.0000	0.013003
1311	113	124	1.0000	1.0000	0.010514
1312	114	115	1.0000	1.0000	0.008858
1313	114	116	1.0000	1.0000	0.000539
1314	114	117	1.0000	1.0000	0.058980
1315	114	118	1.0000	1.0000	0.004447
1316	114	119	1.0000	1.0000	0.001121
1317	114	120	1.0000	1.0000	0.011009
1318	114	121	1.0000	1.0000	0.049382
1319	114	122	1.0000	1.0000	0.030905
1320	114	123	1.0000	1.0000	0.032787
1321	114	124	1.0000	1.0000	0.030297
1322	115	116	1.0000	1.0000	0.009397
1323	115	117	1.0000	1.0000	0.067839
1324	115	118	1.0000	1.0000	0.013305
1325	115	119	1.0000	1.0000	0.009979
1326	115	120	1.0000	1.0000	0.002150
1327	115	121	1.0000	1.0000	0.040524
1328	115	122	1.0000	1.0000	0.022047
1329	115	123	1.0000	1.0000	0.023929
1330	115	124	1.0000	1.0000	0.021439
1331	115	126	1.0000	1.0000	0.017087
1332	115	132	1.0000	1.0000	0.003836
1333	115	139	1.0000	1.0000	0.036978

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1334	116	117	1.0000	1.0000	0.058441
1335	116	118	1.0000	1.0000	0.003908
1336	116	119	1.0000	1.0000	0.000581
1337	116	120	1.0000	1.0000	0.011548
1338	116	121	1.0000	1.0000	0.049921
1339	116	122	1.0000	1.0000	0.031445
1340	116	123	1.0000	1.0000	0.033326
1341	116	124	1.0000	1.0000	0.030837
1342	117	118	1.0000	1.0000	0.054533
1343	117	119	1.0000	1.0000	0.057860
1344	117	120	1.0000	1.0000	0.069989
1345	117	121	1.0000	1.0000	0.108362
1346	117	122	1.0000	1.0000	0.089886
1347	117	123	1.0000	1.0000	0.091767
1348	117	124	1.0000	1.0000	0.089278
1349	118	119	1.0000	1.0000	0.003326
1350	118	120	1.0000	1.0000	0.015456
1351	118	121	1.0000	1.0000	0.053829
1352	118	122	1.0000	1.0000	0.035352
1353	118	123	1.0000	1.0000	0.037234
1354	118	124	1.0000	1.0000	0.034744
1355	118	134	1.0000	1.0000	0.078870
1356	119	120	1.0000	1.0000	0.012129
1357	119	121	1.0000	1.0000	0.050502
1358	119	122	1.0000	1.0000	0.032026
1359	119	123	1.0000	1.0000	0.033908
1360	119	124	1.0000	1.0000	0.031418
1361	120	121	1.0000	1.0000	0.038373
1362	120	122	1.0000	1.0000	0.019897
1363	120	123	1.0000	1.0000	0.021778
1364	120	124	1.0000	1.0000	0.019289
1365	120	135	1.0000	1.0000	0.039995
1366	121	122	1.0000	1.0000	0.018476
1367	121	123	1.0000	1.0000	0.016595
1368	121	124	1.0000	1.0000	0.019084
1369	122	123	1.0000	1.0000	0.001882

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1370	122	124	1.0000	1.0000	0.000608
1371	122	129	1.0000	1.0000	0.000140
1372	122	145	1.0000	1.0000	0.808142
1373	123	124	1.0000	1.0000	0.002489
1374	123	136	1.0000	1.0000	0.020176
1375	123	145	1.0000	1.0000	0.810024
1376	124	130	1.0000	1.0000	0.017543
1377	124	137	1.0000	1.0000	0.020945
1378	124	143	1.0000	1.0000	0.807534
1379	125	126	1.0000	1.0000	0.015477
1380	125	127	1.0000	1.0000	0.012108
1381	125	128	1.0000	1.0000	0.018697
1382	125	129	1.0000	1.0000	0.020578
1383	125	130	1.0000	1.0000	0.002287
1384	125	138	1.0000	1.0000	0.037732
1385	125	142	1.0000	1.0000	0.787704
1386	126	127	1.0000	1.0000	0.003369
1387	126	128	1.0000	1.0000	0.003219
1388	126	129	1.0000	1.0000	0.005101
1389	126	130	1.0000	1.0000	0.013190
1390	126	132	1.0000	1.0000	0.013251
1391	126	139	1.0000	1.0000	0.019891
1392	126	142	1.0000	1.0000	0.803182
1393	127	128	1.0000	1.0000	0.006588
1394	127	129	1.0000	1.0000	0.008470
1395	127	130	1.0000	1.0000	0.009821
1396	127	133	1.0000	1.0000	0.001628
1397	127	140	1.0000	1.0000	0.030520
1398	127	142	1.0000	1.0000	0.799813
1399	128	129	1.0000	1.0000	0.001882
1400	128	130	1.0000	1.0000	0.016410
1401	128	141	1.0000	1.0000	0.193599
1402	128	142	1.0000	1.0000	0.806401
1403	129	130	1.0000	1.0000	0.018291
1404	129	142	1.0000	1.0000	0.808283
1405	129	145	1.0000	1.0000	0.808283

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1406	130	137	1.0000	1.0000	0.038488
1407	130	142	1.0000	1.0000	0.789991
1408	130	143	1.0000	1.0000	0.789991
1409	131	132	1.0000	1.0000	0.000030
1410	131	133	1.0000	1.0000	0.011479
1411	131	134	1.0000	1.0000	0.061699
1412	131	135	1.0000	1.0000	0.038279
1413	131	136	1.0000	1.0000	0.040239
1414	131	137	1.0000	1.0000	0.038518
1415	132	133	1.0000	1.0000	0.011509
1416	132	134	1.0000	1.0000	0.061729
1417	132	135	1.0000	1.0000	0.038309
1418	132	136	1.0000	1.0000	0.040269
1419	132	137	1.0000	1.0000	0.038548
1420	132	139	1.0000	1.0000	0.033142
1421	133	134	1.0000	1.0000	0.050219
1422	133	135	1.0000	1.0000	0.026800
1423	133	136	1.0000	1.0000	0.028760
1424	133	137	1.0000	1.0000	0.027039
1425	133	140	1.0000	1.0000	0.032147
1426	134	135	1.0000	1.0000	0.023420
1427	134	136	1.0000	1.0000	0.021460
1428	134	137	1.0000	1.0000	0.023180
1429	135	136	1.0000	1.0000	0.001960
1430	135	137	1.0000	1.0000	0.000239
1431	136	137	1.0000	1.0000	0.001720
1432	136	145	1.0000	1.0000	0.830200
1433	137	143	1.0000	1.0000	0.828480
1434	138	139	1.0000	1.0000	0.002364
1435	138	140	1.0000	1.0000	0.056143
1436	138	141	1.0000	1.0000	0.174564
1437	138	142	1.0000	1.0000	0.825436
1438	138	143	1.0000	1.0000	0.825436
1439	139	140	1.0000	1.0000	0.053780
1440	139	141	1.0000	1.0000	0.176927
1441	139	142	1.0000	1.0000	0.823073

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1442	139	143	1.0000	1.0000	0.823073
1443	140	141	1.0000	1.0000	0.230707
1444	140	142	1.0000	1.0000	0.769293
1445	140	143	1.0000	1.0000	0.769293
1446	141	142	1.0000	1.0000	1.000000
1447	141	143	1.0000	1.0000	1.000000
1448	142	143	1.0000	1.0000	0.000000

4. Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ω
Calculated impedance R_eq	146.093895 Ω
Total current I	2.363593e-06 A

Impedance for different k (resistance per segment) values

k (Ω/segment)	R_equivalent (Ω)
1	0.146094
10	1.460939
100	14.609389
1000	146.093895
10000	1460.938949