EXPERIMENT #48

Timestamp: 20260330_161705 | Environment: Local

1. Experiment Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	141
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	141
Nodes after pruning	141
Edges before pruning	1343
Edges after pruning	1343

2. Network Visualizations




Fig. -- 01 random lines N30




Fig. -- 02 intersections N30




Fig. -- 03 percolating paths before pruning N30




Fig. -- 04 before after pruning N30

3. Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	0	1	1.0000	1.0000	0.019952
1	0	2	1.0000	1.0000	0.024375

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	0	3	1.0000	1.0000	0.000000
3	0	4	1.0000	1.0000	0.016364
4	0	5	1.0000	1.0000	0.030302
5	0	6	1.0000	1.0000	0.030916
6	0	7	1.0000	1.0000	0.080635
7	0	8	1.0000	1.0000	0.030302
8	0	10	1.0000	1.0000	0.006728
9	0	33	1.0000	1.0000	0.001970
10	0	34	1.0000	1.0000	0.011814
11	0	35	1.0000	1.0000	0.018980
12	0	36	1.0000	1.0000	0.000972
13	0	37	1.0000	1.0000	0.072187
14	0	38	1.0000	1.0000	0.072812
15	0	39	1.0000	1.0000	0.000525
16	0	40	1.0000	1.0000	0.023546
17	0	41	1.0000	1.0000	0.002021
18	0	42	1.0000	1.0000	0.021289
19	1	2	1.0000	1.0000	0.004423
20	1	3	1.0000	1.0000	0.019952
21	1	4	1.0000	1.0000	0.003587
22	1	5	1.0000	1.0000	0.010350
23	1	6	1.0000	1.0000	0.010965
24	1	7	1.0000	1.0000	0.060683
25	1	8	1.0000	1.0000	0.010350
26	1	12	1.0000	1.0000	0.010334
27	1	24	1.0000	1.0000	0.012280
28	1	45	1.0000	1.0000	0.006039
29	1	61	1.0000	1.0000	0.048544
30	1	69	1.0000	1.0000	0.001968
31	1	70	1.0000	1.0000	0.005717
32	1	71	1.0000	1.0000	0.023735
33	1	72	1.0000	1.0000	0.007268
34	1	73	1.0000	1.0000	0.031623
35	1	74	1.0000	1.0000	0.011005
36	2	3	1.0000	1.0000	0.024375
37	2	4	1.0000	1.0000	0.008010

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
38	2	5	1.0000	1.0000	0.005927
39	2	6	1.0000	1.0000	0.006541
40	2	7	1.0000	1.0000	0.056260
41	2	8	1.0000	1.0000	0.005927
42	2	14	1.0000	1.0000	0.012653
43	2	81	1.0000	1.0000	0.020133
44	2	96	1.0000	1.0000	0.008462
45	2	108	1.0000	1.0000	0.030855
46	2	109	1.0000	1.0000	0.097187
47	2	110	1.0000	1.0000	0.100695
48	2	111	1.0000	1.0000	0.109595
49	3	4	1.0000	1.0000	0.016364
50	3	5	1.0000	1.0000	0.030302
51	3	6	1.0000	1.0000	0.030916
52	3	7	1.0000	1.0000	0.080635
53	3	8	1.0000	1.0000	0.030302
54	3	16	1.0000	1.0000	0.006728
55	3	49	1.0000	1.0000	0.001970
56	3	77	1.0000	1.0000	0.016302
57	3	91	1.0000	1.0000	0.021647
58	3	97	1.0000	1.0000	0.014913
59	3	104	1.0000	1.0000	0.083224
60	3	112	1.0000	1.0000	0.000525
61	3	115	1.0000	1.0000	0.002905
62	3	123	1.0000	1.0000	0.021289
63	3	125	1.0000	1.0000	0.124027
64	3	126	1.0000	1.0000	0.004401
65	4	5	1.0000	1.0000	0.013937
66	4	6	1.0000	1.0000	0.014552
67	4	7	1.0000	1.0000	0.064271
68	4	8	1.0000	1.0000	0.013937
69	4	17	1.0000	1.0000	0.008057
70	4	29	1.0000	1.0000	0.009824
71	4	41	1.0000	1.0000	0.018385
72	4	51	1.0000	1.0000	0.004435
73	4	63	1.0000	1.0000	0.037679

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
74	4	67	1.0000	1.0000	0.007799
75	4	74	1.0000	1.0000	0.007418
76	4	78	1.0000	1.0000	0.087997
77	4	99	1.0000	1.0000	0.059633
78	4	116	1.0000	1.0000	0.004922
79	4	125	1.0000	1.0000	0.107662
80	4	127	1.0000	1.0000	0.018643
81	4	129	1.0000	1.0000	0.020379
82	4	130	1.0000	1.0000	0.077089
83	4	131	1.0000	1.0000	0.020582
84	5	6	1.0000	1.0000	0.000615
85	5	7	1.0000	1.0000	0.050333
86	5	8	1.0000	1.0000	0.000000
87	5	83	1.0000	1.0000	0.022767
88	5	117	1.0000	1.0000	0.029650
89	5	132	1.0000	1.0000	0.054620
90	5	133	1.0000	1.0000	0.057468
91	5	134	1.0000	1.0000	0.057359
92	6	7	1.0000	1.0000	0.049719
93	6	8	1.0000	1.0000	0.000615
94	6	31	1.0000	1.0000	0.011288
95	6	85	1.0000	1.0000	0.052237
96	6	109	1.0000	1.0000	0.103728
97	6	119	1.0000	1.0000	0.010924
98	6	132	1.0000	1.0000	0.055235
99	6	137	1.0000	1.0000	0.700700
100	6	138	1.0000	1.0000	0.299300
101	7	8	1.0000	1.0000	0.050333
102	7	19	1.0000	1.0000	0.019630
103	7	32	1.0000	1.0000	0.028165
104	7	64	1.0000	1.0000	0.043168
105	7	86	1.0000	1.0000	0.076393
106	7	101	1.0000	1.0000	0.152822
107	7	110	1.0000	1.0000	0.156955
108	7	120	1.0000	1.0000	0.104181
109	7	133	1.0000	1.0000	0.107802

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
110	7	137	1.0000	1.0000	0.750418
111	7	139	1.0000	1.0000	0.249582
112	7	140	1.0000	1.0000	0.249582
113	8	88	1.0000	1.0000	0.053146
114	8	122	1.0000	1.0000	0.032322
115	8	134	1.0000	1.0000	0.057359
116	8	138	1.0000	1.0000	0.299915
117	8	140	1.0000	1.0000	0.299915
118	9	10	1.0000	1.0000	0.009086
119	9	11	1.0000	1.0000	0.006762
120	9	12	1.0000	1.0000	0.007260
121	9	13	1.0000	1.0000	0.009167
122	9	14	1.0000	1.0000	0.009364
123	9	15	1.0000	1.0000	0.007393
124	9	16	1.0000	1.0000	0.009086
125	9	17	1.0000	1.0000	0.005949
126	9	18	1.0000	1.0000	0.011753
127	9	19	1.0000	1.0000	0.058647
128	9	20	1.0000	1.0000	0.009788
129	9	21	1.0000	1.0000	0.012512
130	9	22	1.0000	1.0000	0.004983
131	9	23	1.0000	1.0000	0.019971
132	9	24	1.0000	1.0000	0.005313
133	9	25	1.0000	1.0000	0.003311
134	9	26	1.0000	1.0000	0.013923
135	9	27	1.0000	1.0000	0.005857
136	9	28	1.0000	1.0000	0.017113
137	9	29	1.0000	1.0000	0.004182
138	10	11	1.0000	1.0000	0.015849
139	10	12	1.0000	1.0000	0.016346
140	10	13	1.0000	1.0000	0.000080
141	10	14	1.0000	1.0000	0.018450
142	10	15	1.0000	1.0000	0.016480
143	10	16	1.0000	1.0000	0.000000
144	10	17	1.0000	1.0000	0.015035
145	10	18	1.0000	1.0000	0.002666

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
146	10	19	1.0000	1.0000	0.067733
147	10	20	1.0000	1.0000	0.000701
148	10	21	1.0000	1.0000	0.003425
149	10	33	1.0000	1.0000	0.004758
150	10	34	1.0000	1.0000	0.005086
151	10	35	1.0000	1.0000	0.012252
152	10	36	1.0000	1.0000	0.005756
153	10	37	1.0000	1.0000	0.065459
154	10	38	1.0000	1.0000	0.066084
155	10	39	1.0000	1.0000	0.006203
156	10	40	1.0000	1.0000	0.016818
157	10	41	1.0000	1.0000	0.004707
158	10	42	1.0000	1.0000	0.014561
159	11	12	1.0000	1.0000	0.000497
160	11	13	1.0000	1.0000	0.015929
161	11	14	1.0000	1.0000	0.002602
162	11	15	1.0000	1.0000	0.000631
163	11	16	1.0000	1.0000	0.015849
164	11	17	1.0000	1.0000	0.000814
165	11	18	1.0000	1.0000	0.018515
166	11	19	1.0000	1.0000	0.051884
167	11	20	1.0000	1.0000	0.016550
168	11	21	1.0000	1.0000	0.019274
169	11	22	1.0000	1.0000	0.001779
170	11	33	1.0000	1.0000	0.011091
171	11	43	1.0000	1.0000	0.050324
172	11	44	1.0000	1.0000	0.018888
173	11	45	1.0000	1.0000	0.004791
174	11	46	1.0000	1.0000	0.001022
175	11	47	1.0000	1.0000	0.007258
176	11	48	1.0000	1.0000	0.004205
177	11	49	1.0000	1.0000	0.011091
178	11	50	1.0000	1.0000	0.015657
179	11	51	1.0000	1.0000	0.002809
180	11	52	1.0000	1.0000	0.013655
181	11	53	1.0000	1.0000	0.011366

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
182	12	13	1.0000	1.0000	0.016426
183	12	14	1.0000	1.0000	0.002104
184	12	15	1.0000	1.0000	0.000134
185	12	16	1.0000	1.0000	0.016346
186	12	17	1.0000	1.0000	0.001311
187	12	18	1.0000	1.0000	0.019012
188	12	19	1.0000	1.0000	0.051387
189	12	20	1.0000	1.0000	0.017047
190	12	21	1.0000	1.0000	0.019771
191	12	24	1.0000	1.0000	0.001946
192	12	45	1.0000	1.0000	0.004294
193	12	61	1.0000	1.0000	0.058877
194	12	69	1.0000	1.0000	0.008366
195	12	70	1.0000	1.0000	0.004617
196	12	71	1.0000	1.0000	0.013401
197	12	72	1.0000	1.0000	0.003066
198	12	73	1.0000	1.0000	0.021290
199	12	74	1.0000	1.0000	0.000672
200	13	14	1.0000	1.0000	0.018531
201	13	15	1.0000	1.0000	0.016560
202	13	16	1.0000	1.0000	0.000080
203	13	17	1.0000	1.0000	0.015116
204	13	18	1.0000	1.0000	0.002586
205	13	19	1.0000	1.0000	0.067814
206	13	20	1.0000	1.0000	0.000621
207	13	21	1.0000	1.0000	0.003345
208	13	26	1.0000	1.0000	0.004756
209	13	35	1.0000	1.0000	0.012172
210	13	70	1.0000	1.0000	0.021043
211	13	75	1.0000	1.0000	0.005006
212	13	79	1.0000	1.0000	0.008490
213	13	89	1.0000	1.0000	0.012172
214	13	90	1.0000	1.0000	0.010612
215	13	91	1.0000	1.0000	0.014838
216	13	92	1.0000	1.0000	0.013938
217	13	93	1.0000	1.0000	0.016662

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
218	13	94	1.0000	1.0000	0.028641
219	13	95	1.0000	1.0000	0.005837
220	14	15	1.0000	1.0000	0.001971
221	14	16	1.0000	1.0000	0.018450
222	14	17	1.0000	1.0000	0.003415
223	14	18	1.0000	1.0000	0.021117
224	14	19	1.0000	1.0000	0.049283
225	14	20	1.0000	1.0000	0.019152
226	14	21	1.0000	1.0000	0.021876
227	14	81	1.0000	1.0000	0.007481
228	14	96	1.0000	1.0000	0.021115
229	14	108	1.0000	1.0000	0.018202
230	14	109	1.0000	1.0000	0.084534
231	14	110	1.0000	1.0000	0.088042
232	14	111	1.0000	1.0000	0.096943
233	15	16	1.0000	1.0000	0.016480
234	15	17	1.0000	1.0000	0.001444
235	15	18	1.0000	1.0000	0.019146
236	15	19	1.0000	1.0000	0.051254
237	15	20	1.0000	1.0000	0.017181
238	15	21	1.0000	1.0000	0.019905
239	15	27	1.0000	1.0000	0.001536
240	15	30	1.0000	1.0000	0.010757
241	15	39	1.0000	1.0000	0.010276
242	15	48	1.0000	1.0000	0.003574
243	15	72	1.0000	1.0000	0.002932
244	15	76	1.0000	1.0000	0.002551
245	15	108	1.0000	1.0000	0.016232
246	15	115	1.0000	1.0000	0.012657
247	15	116	1.0000	1.0000	0.011535
248	15	117	1.0000	1.0000	0.050200
249	15	118	1.0000	1.0000	0.012829
250	15	119	1.0000	1.0000	0.010241
251	15	120	1.0000	1.0000	0.033297
252	15	121	1.0000	1.0000	0.036062
253	15	122	1.0000	1.0000	0.011772

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
254	16	17	1.0000	1.0000	0.015035
255	16	18	1.0000	1.0000	0.002666
256	16	19	1.0000	1.0000	0.067733
257	16	20	1.0000	1.0000	0.000701
258	16	21	1.0000	1.0000	0.003425
259	16	49	1.0000	1.0000	0.004758
260	16	77	1.0000	1.0000	0.009573
261	16	91	1.0000	1.0000	0.014918
262	16	97	1.0000	1.0000	0.021641
263	16	104	1.0000	1.0000	0.076496
264	16	112	1.0000	1.0000	0.006203
265	16	115	1.0000	1.0000	0.003823
266	16	123	1.0000	1.0000	0.014561
267	16	125	1.0000	1.0000	0.130755
268	16	126	1.0000	1.0000	0.002327
269	17	18	1.0000	1.0000	0.017701
270	17	19	1.0000	1.0000	0.052698
271	17	20	1.0000	1.0000	0.015736
272	17	21	1.0000	1.0000	0.018460
273	17	29	1.0000	1.0000	0.001767
274	17	41	1.0000	1.0000	0.010328
275	17	51	1.0000	1.0000	0.003622
276	17	63	1.0000	1.0000	0.045736
277	17	67	1.0000	1.0000	0.000258
278	17	74	1.0000	1.0000	0.000639
279	17	78	1.0000	1.0000	0.079940
280	17	99	1.0000	1.0000	0.067691
281	17	116	1.0000	1.0000	0.012980
282	17	125	1.0000	1.0000	0.115719
283	17	127	1.0000	1.0000	0.010586
284	17	129	1.0000	1.0000	0.028437
285	17	130	1.0000	1.0000	0.085147
286	17	131	1.0000	1.0000	0.028640
287	18	19	1.0000	1.0000	0.070399
288	18	20	1.0000	1.0000	0.001965
289	18	21	1.0000	1.0000	0.000759

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
290	18	52	1.0000	1.0000	0.004860
291	18	57	1.0000	1.0000	0.020529
292	18	84	1.0000	1.0000	0.066391
293	18	93	1.0000	1.0000	0.014077
294	18	100	1.0000	1.0000	0.080086
295	18	105	1.0000	1.0000	0.026048
296	18	113	1.0000	1.0000	0.021720
297	18	118	1.0000	1.0000	0.006317
298	18	129	1.0000	1.0000	0.046138
299	18	135	1.0000	1.0000	0.046138
300	18	136	1.0000	1.0000	0.102848
301	19	20	1.0000	1.0000	0.068434
302	19	21	1.0000	1.0000	0.071159
303	19	32	1.0000	1.0000	0.047795
304	19	64	1.0000	1.0000	0.023538
305	19	86	1.0000	1.0000	0.056764
306	19	101	1.0000	1.0000	0.133193
307	19	110	1.0000	1.0000	0.137325
308	19	120	1.0000	1.0000	0.084551
309	19	133	1.0000	1.0000	0.088172
310	19	137	1.0000	1.0000	0.730789
311	19	139	1.0000	1.0000	0.269211
312	19	140	1.0000	1.0000	0.269211
313	20	21	1.0000	1.0000	0.002724
314	20	42	1.0000	1.0000	0.013860
315	20	53	1.0000	1.0000	0.005184
316	20	58	1.0000	1.0000	0.022251
317	20	94	1.0000	1.0000	0.029262
318	20	106	1.0000	1.0000	0.037070
319	20	124	1.0000	1.0000	0.029711
320	20	126	1.0000	1.0000	0.003028
321	20	130	1.0000	1.0000	0.100883
322	20	135	1.0000	1.0000	0.044173
323	21	59	1.0000	1.0000	0.023212
324	21	87	1.0000	1.0000	0.059154
325	21	95	1.0000	1.0000	0.009182

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
326	21	107	1.0000	1.0000	0.092254
327	21	111	1.0000	1.0000	0.075067
328	21	114	1.0000	1.0000	0.030146
329	21	121	1.0000	1.0000	0.016157
330	21	131	1.0000	1.0000	0.047100
331	21	136	1.0000	1.0000	0.103607
332	22	23	1.0000	1.0000	0.024955
333	22	24	1.0000	1.0000	0.000330
334	22	25	1.0000	1.0000	0.008295
335	22	26	1.0000	1.0000	0.018906
336	22	27	1.0000	1.0000	0.000874
337	22	28	1.0000	1.0000	0.022097
338	22	29	1.0000	1.0000	0.000801
339	22	33	1.0000	1.0000	0.009312
340	22	43	1.0000	1.0000	0.052103
341	22	44	1.0000	1.0000	0.020667
342	22	45	1.0000	1.0000	0.006570
343	22	46	1.0000	1.0000	0.000757
344	22	47	1.0000	1.0000	0.009037
345	22	48	1.0000	1.0000	0.005984
346	22	49	1.0000	1.0000	0.009312
347	22	50	1.0000	1.0000	0.017436
348	22	51	1.0000	1.0000	0.004588
349	22	52	1.0000	1.0000	0.011876
350	22	53	1.0000	1.0000	0.009587
351	23	24	1.0000	1.0000	0.025284
352	23	25	1.0000	1.0000	0.016660
353	23	26	1.0000	1.0000	0.006048
354	23	27	1.0000	1.0000	0.025829
355	23	28	1.0000	1.0000	0.002858
356	23	29	1.0000	1.0000	0.024153
357	23	54	1.0000	1.0000	0.005644
358	23	55	1.0000	1.0000	0.083789
359	23	56	1.0000	1.0000	0.016195
360	23	57	1.0000	1.0000	0.012311
361	23	58	1.0000	1.0000	0.012067

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
362	23	59	1.0000	1.0000	0.015753
363	24	25	1.0000	1.0000	0.008624
364	24	26	1.0000	1.0000	0.019236
365	24	27	1.0000	1.0000	0.000544
366	24	28	1.0000	1.0000	0.022426
367	24	29	1.0000	1.0000	0.001131
368	24	45	1.0000	1.0000	0.006241
369	24	61	1.0000	1.0000	0.060824
370	24	69	1.0000	1.0000	0.010312
371	24	70	1.0000	1.0000	0.006563
372	24	71	1.0000	1.0000	0.011455
373	24	72	1.0000	1.0000	0.005012
374	24	73	1.0000	1.0000	0.019343
375	24	74	1.0000	1.0000	0.001275
376	25	26	1.0000	1.0000	0.010612
377	25	27	1.0000	1.0000	0.009169
378	25	28	1.0000	1.0000	0.013802
379	25	29	1.0000	1.0000	0.007493
380	25	34	1.0000	1.0000	0.010861
381	25	46	1.0000	1.0000	0.009052
382	25	69	1.0000	1.0000	0.018936
383	25	75	1.0000	1.0000	0.010861
384	25	76	1.0000	1.0000	0.008154
385	25	77	1.0000	1.0000	0.015349
386	25	78	1.0000	1.0000	0.070680
387	26	27	1.0000	1.0000	0.019780
388	26	28	1.0000	1.0000	0.003190
389	26	29	1.0000	1.0000	0.018105
390	26	35	1.0000	1.0000	0.007416
391	26	70	1.0000	1.0000	0.025799
392	26	75	1.0000	1.0000	0.000250
393	26	79	1.0000	1.0000	0.013247
394	26	89	1.0000	1.0000	0.007416
395	26	90	1.0000	1.0000	0.015368
396	26	91	1.0000	1.0000	0.010082
397	26	92	1.0000	1.0000	0.009182

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
398	26	93	1.0000	1.0000	0.011906
399	26	94	1.0000	1.0000	0.033398
400	26	95	1.0000	1.0000	0.010593
401	27	28	1.0000	1.0000	0.022971
402	27	29	1.0000	1.0000	0.001676
403	27	30	1.0000	1.0000	0.012293
404	27	39	1.0000	1.0000	0.008741
405	27	48	1.0000	1.0000	0.005110
406	27	72	1.0000	1.0000	0.004468
407	27	76	1.0000	1.0000	0.001015
408	27	108	1.0000	1.0000	0.014696
409	27	115	1.0000	1.0000	0.011121
410	27	116	1.0000	1.0000	0.013071
411	27	117	1.0000	1.0000	0.051736
412	27	118	1.0000	1.0000	0.011293
413	27	119	1.0000	1.0000	0.011777
414	27	120	1.0000	1.0000	0.031762
415	27	121	1.0000	1.0000	0.034526
416	27	122	1.0000	1.0000	0.010237
417	28	29	1.0000	1.0000	0.021295
418	28	40	1.0000	1.0000	0.008791
419	28	56	1.0000	1.0000	0.019053
420	28	73	1.0000	1.0000	0.003083
421	28	90	1.0000	1.0000	0.018558
422	28	103	1.0000	1.0000	0.065172
423	28	123	1.0000	1.0000	0.006534
424	28	124	1.0000	1.0000	0.037036
425	29	41	1.0000	1.0000	0.008561
426	29	51	1.0000	1.0000	0.005389
427	29	63	1.0000	1.0000	0.047503
428	29	67	1.0000	1.0000	0.002025
429	29	74	1.0000	1.0000	0.002406
430	29	78	1.0000	1.0000	0.078173
431	29	99	1.0000	1.0000	0.069458
432	29	116	1.0000	1.0000	0.014747
433	29	125	1.0000	1.0000	0.117486

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
434	29	127	1.0000	1.0000	0.008819
435	29	129	1.0000	1.0000	0.030203
436	29	130	1.0000	1.0000	0.086914
437	29	131	1.0000	1.0000	0.030406
438	30	31	1.0000	1.0000	0.021695
439	30	32	1.0000	1.0000	0.088291
440	30	39	1.0000	1.0000	0.021033
441	30	48	1.0000	1.0000	0.007183
442	30	72	1.0000	1.0000	0.007825
443	30	76	1.0000	1.0000	0.013308
444	30	108	1.0000	1.0000	0.026989
445	30	115	1.0000	1.0000	0.023414
446	30	116	1.0000	1.0000	0.000778
447	30	117	1.0000	1.0000	0.039443
448	30	118	1.0000	1.0000	0.023586
449	30	119	1.0000	1.0000	0.000516
450	30	120	1.0000	1.0000	0.044055
451	30	121	1.0000	1.0000	0.046819
452	30	122	1.0000	1.0000	0.022529
453	31	32	1.0000	1.0000	0.066596
454	31	85	1.0000	1.0000	0.063525
455	31	109	1.0000	1.0000	0.115016
456	31	119	1.0000	1.0000	0.022212
457	31	132	1.0000	1.0000	0.066523
458	31	137	1.0000	1.0000	0.711987
459	31	138	1.0000	1.0000	0.288013
460	32	64	1.0000	1.0000	0.071333
461	32	86	1.0000	1.0000	0.104558
462	32	101	1.0000	1.0000	0.180987
463	32	110	1.0000	1.0000	0.185120
464	32	120	1.0000	1.0000	0.132346
465	32	133	1.0000	1.0000	0.135967
466	32	137	1.0000	1.0000	0.778583
467	32	139	1.0000	1.0000	0.221417
468	32	140	1.0000	1.0000	0.221417
469	33	34	1.0000	1.0000	0.009844

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
470	33	35	1.0000	1.0000	0.017010
471	33	36	1.0000	1.0000	0.000998
472	33	37	1.0000	1.0000	0.070217
473	33	38	1.0000	1.0000	0.070842
474	33	39	1.0000	1.0000	0.001446
475	33	40	1.0000	1.0000	0.021576
476	33	41	1.0000	1.0000	0.000050
477	33	42	1.0000	1.0000	0.019319
478	33	43	1.0000	1.0000	0.061415
479	33	44	1.0000	1.0000	0.029979
480	33	45	1.0000	1.0000	0.015882
481	33	46	1.0000	1.0000	0.010069
482	33	47	1.0000	1.0000	0.018349
483	33	48	1.0000	1.0000	0.015296
484	33	49	1.0000	1.0000	0.000000
485	33	50	1.0000	1.0000	0.026748
486	33	51	1.0000	1.0000	0.013900
487	33	52	1.0000	1.0000	0.002564
488	33	53	1.0000	1.0000	0.000275
489	34	35	1.0000	1.0000	0.007166
490	34	36	1.0000	1.0000	0.010842
491	34	37	1.0000	1.0000	0.060373
492	34	38	1.0000	1.0000	0.060998
493	34	39	1.0000	1.0000	0.011290
494	34	40	1.0000	1.0000	0.011732
495	34	41	1.0000	1.0000	0.009794
496	34	42	1.0000	1.0000	0.009475
497	34	46	1.0000	1.0000	0.019913
498	34	69	1.0000	1.0000	0.029798
499	34	75	1.0000	1.0000	0.000000
500	34	76	1.0000	1.0000	0.019015
501	34	77	1.0000	1.0000	0.004487
502	34	78	1.0000	1.0000	0.059819
503	35	36	1.0000	1.0000	0.018009
504	35	37	1.0000	1.0000	0.053207
505	35	38	1.0000	1.0000	0.053831

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
506	35	39	1.0000	1.0000	0.018456
507	35	40	1.0000	1.0000	0.004566
508	35	41	1.0000	1.0000	0.016960
509	35	42	1.0000	1.0000	0.002309
510	35	70	1.0000	1.0000	0.033215
511	35	75	1.0000	1.0000	0.007166
512	35	79	1.0000	1.0000	0.020662
513	35	89	1.0000	1.0000	0.000000
514	35	90	1.0000	1.0000	0.022784
515	35	91	1.0000	1.0000	0.002666
516	35	92	1.0000	1.0000	0.001767
517	35	93	1.0000	1.0000	0.004491
518	35	94	1.0000	1.0000	0.040813
519	35	95	1.0000	1.0000	0.018009
520	36	37	1.0000	1.0000	0.071216
521	36	38	1.0000	1.0000	0.071840
522	36	39	1.0000	1.0000	0.000447
523	36	40	1.0000	1.0000	0.022574
524	36	41	1.0000	1.0000	0.001049
525	36	42	1.0000	1.0000	0.020317
526	36	47	1.0000	1.0000	0.017350
527	36	66	1.0000	1.0000	0.142847
528	36	71	1.0000	1.0000	0.002812
529	36	96	1.0000	1.0000	0.033809
530	36	97	1.0000	1.0000	0.015884
531	36	98	1.0000	1.0000	0.003030
532	36	99	1.0000	1.0000	0.076970
533	36	100	1.0000	1.0000	0.088508
534	36	101	1.0000	1.0000	0.071216
535	37	38	1.0000	1.0000	0.000624
536	37	39	1.0000	1.0000	0.071663
537	37	40	1.0000	1.0000	0.048641
538	37	41	1.0000	1.0000	0.070167
539	37	42	1.0000	1.0000	0.050898
540	37	80	1.0000	1.0000	0.000043
541	37	89	1.0000	1.0000	0.053207

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
542	37	102	1.0000	1.0000	0.003174
543	37	103	1.0000	1.0000	0.007739
544	37	104	1.0000	1.0000	0.011037
545	37	105	1.0000	1.0000	0.088841
546	37	106	1.0000	1.0000	0.101829
547	37	107	1.0000	1.0000	0.154288
548	38	39	1.0000	1.0000	0.072287
549	38	40	1.0000	1.0000	0.049266
550	38	41	1.0000	1.0000	0.070791
551	38	42	1.0000	1.0000	0.051523
552	38	55	1.0000	1.0000	0.028590
553	38	82	1.0000	1.0000	0.053287
554	38	102	1.0000	1.0000	0.002550
555	38	112	1.0000	1.0000	0.072287
556	38	113	1.0000	1.0000	0.085137
557	38	114	1.0000	1.0000	0.092804
558	39	40	1.0000	1.0000	0.023021
559	39	41	1.0000	1.0000	0.001496
560	39	42	1.0000	1.0000	0.020764
561	39	48	1.0000	1.0000	0.013850
562	39	72	1.0000	1.0000	0.013208
563	39	76	1.0000	1.0000	0.007726
564	39	108	1.0000	1.0000	0.005955
565	39	115	1.0000	1.0000	0.002380
566	39	116	1.0000	1.0000	0.021812
567	39	117	1.0000	1.0000	0.060476
568	39	118	1.0000	1.0000	0.002553
569	39	119	1.0000	1.0000	0.020517
570	39	120	1.0000	1.0000	0.023021
571	39	121	1.0000	1.0000	0.025786
572	39	122	1.0000	1.0000	0.001496
573	40	41	1.0000	1.0000	0.021525
574	40	42	1.0000	1.0000	0.002257
575	40	56	1.0000	1.0000	0.010262
576	40	73	1.0000	1.0000	0.011874
577	40	90	1.0000	1.0000	0.027349

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
578	40	103	1.0000	1.0000	0.056381
579	40	123	1.0000	1.0000	0.002257
580	40	124	1.0000	1.0000	0.045827
581	41	42	1.0000	1.0000	0.019268
582	41	51	1.0000	1.0000	0.013950
583	41	63	1.0000	1.0000	0.056064
584	41	67	1.0000	1.0000	0.010586
585	41	74	1.0000	1.0000	0.010967
586	41	78	1.0000	1.0000	0.069612
587	41	99	1.0000	1.0000	0.078019
588	41	116	1.0000	1.0000	0.023308
589	41	125	1.0000	1.0000	0.126047
590	41	127	1.0000	1.0000	0.000258
591	41	129	1.0000	1.0000	0.038764
592	41	130	1.0000	1.0000	0.095475
593	41	131	1.0000	1.0000	0.038967
594	42	53	1.0000	1.0000	0.019043
595	42	58	1.0000	1.0000	0.008391
596	42	94	1.0000	1.0000	0.043122
597	42	106	1.0000	1.0000	0.050930
598	42	124	1.0000	1.0000	0.043571
599	42	126	1.0000	1.0000	0.016888
600	42	130	1.0000	1.0000	0.114743
601	42	135	1.0000	1.0000	0.058033
602	43	44	1.0000	1.0000	0.031437
603	43	45	1.0000	1.0000	0.045533
604	43	46	1.0000	1.0000	0.051346
605	43	47	1.0000	1.0000	0.043067
606	43	48	1.0000	1.0000	0.046119
607	43	49	1.0000	1.0000	0.061415
608	43	50	1.0000	1.0000	0.034668
609	43	51	1.0000	1.0000	0.047516
610	43	52	1.0000	1.0000	0.063979
611	43	53	1.0000	1.0000	0.061691
612	43	60	1.0000	1.0000	0.058661
613	43	61	1.0000	1.0000	0.009050

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
614	43	62	1.0000	1.0000	0.046759
615	43	63	1.0000	1.0000	0.005402
616	43	64	1.0000	1.0000	0.021978
617	43	65	1.0000	1.0000	0.034359
618	44	45	1.0000	1.0000	0.014096
619	44	46	1.0000	1.0000	0.019910
620	44	47	1.0000	1.0000	0.011630
621	44	48	1.0000	1.0000	0.014683
622	44	49	1.0000	1.0000	0.029979
623	44	50	1.0000	1.0000	0.003231
624	44	51	1.0000	1.0000	0.016079
625	44	52	1.0000	1.0000	0.032542
626	44	53	1.0000	1.0000	0.030254
627	44	60	1.0000	1.0000	0.090097
628	44	66	1.0000	1.0000	0.113867
629	44	67	1.0000	1.0000	0.019443
630	44	68	1.0000	1.0000	0.031153
631	45	46	1.0000	1.0000	0.005813
632	45	47	1.0000	1.0000	0.002466
633	45	48	1.0000	1.0000	0.000587
634	45	49	1.0000	1.0000	0.015882
635	45	50	1.0000	1.0000	0.010865
636	45	51	1.0000	1.0000	0.001983
637	45	52	1.0000	1.0000	0.018446
638	45	53	1.0000	1.0000	0.016158
639	45	61	1.0000	1.0000	0.054583
640	45	69	1.0000	1.0000	0.004071
641	45	70	1.0000	1.0000	0.000323
642	45	71	1.0000	1.0000	0.017696
643	45	72	1.0000	1.0000	0.001229
644	45	73	1.0000	1.0000	0.025584
645	45	74	1.0000	1.0000	0.004966
646	46	47	1.0000	1.0000	0.008280
647	46	48	1.0000	1.0000	0.005227
648	46	49	1.0000	1.0000	0.010069
649	46	50	1.0000	1.0000	0.016679

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
650	46	51	1.0000	1.0000	0.003830
651	46	52	1.0000	1.0000	0.012633
652	46	53	1.0000	1.0000	0.010345
653	46	69	1.0000	1.0000	0.009884
654	46	75	1.0000	1.0000	0.019913
655	46	76	1.0000	1.0000	0.000898
656	46	77	1.0000	1.0000	0.024400
657	46	78	1.0000	1.0000	0.079732
658	47	48	1.0000	1.0000	0.003053
659	47	49	1.0000	1.0000	0.018349
660	47	50	1.0000	1.0000	0.008399
661	47	51	1.0000	1.0000	0.004449
662	47	52	1.0000	1.0000	0.020912
663	47	53	1.0000	1.0000	0.018624
664	47	66	1.0000	1.0000	0.125497
665	47	71	1.0000	1.0000	0.020162
666	47	96	1.0000	1.0000	0.016459
667	47	97	1.0000	1.0000	0.001466
668	47	98	1.0000	1.0000	0.020380
669	47	99	1.0000	1.0000	0.059619
670	47	100	1.0000	1.0000	0.105859
671	47	101	1.0000	1.0000	0.088566
672	48	49	1.0000	1.0000	0.015296
673	48	50	1.0000	1.0000	0.011452
674	48	51	1.0000	1.0000	0.001396
675	48	52	1.0000	1.0000	0.017860
676	48	53	1.0000	1.0000	0.015571
677	48	72	1.0000	1.0000	0.000642
678	48	76	1.0000	1.0000	0.006125
679	48	108	1.0000	1.0000	0.019806
680	48	115	1.0000	1.0000	0.016231
681	48	116	1.0000	1.0000	0.007961
682	48	117	1.0000	1.0000	0.046626
683	48	118	1.0000	1.0000	0.016403
684	48	119	1.0000	1.0000	0.006667
685	48	120	1.0000	1.0000	0.036872

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
686	48	121	1.0000	1.0000	0.039636
687	48	122	1.0000	1.0000	0.015346
688	49	50	1.0000	1.0000	0.026748
689	49	51	1.0000	1.0000	0.013900
690	49	52	1.0000	1.0000	0.002564
691	49	53	1.0000	1.0000	0.000275
692	49	77	1.0000	1.0000	0.014331
693	49	91	1.0000	1.0000	0.019676
694	49	97	1.0000	1.0000	0.016883
695	49	104	1.0000	1.0000	0.081254
696	49	112	1.0000	1.0000	0.001446
697	49	115	1.0000	1.0000	0.000935
698	49	123	1.0000	1.0000	0.019319
699	49	125	1.0000	1.0000	0.125997
700	49	126	1.0000	1.0000	0.002431
701	50	51	1.0000	1.0000	0.012848
702	50	52	1.0000	1.0000	0.029311
703	50	53	1.0000	1.0000	0.027023
704	50	62	1.0000	1.0000	0.081427
705	50	92	1.0000	1.0000	0.045524
706	50	98	1.0000	1.0000	0.028779
707	50	127	1.0000	1.0000	0.027056
708	50	128	1.0000	1.0000	0.029466
709	51	52	1.0000	1.0000	0.016463
710	51	53	1.0000	1.0000	0.014175
711	51	63	1.0000	1.0000	0.042114
712	51	67	1.0000	1.0000	0.003364
713	51	74	1.0000	1.0000	0.002983
714	51	78	1.0000	1.0000	0.083563
715	51	99	1.0000	1.0000	0.064068
716	51	116	1.0000	1.0000	0.009357
717	51	125	1.0000	1.0000	0.112097
718	51	127	1.0000	1.0000	0.014208
719	51	129	1.0000	1.0000	0.024814
720	51	130	1.0000	1.0000	0.081524
721	51	131	1.0000	1.0000	0.025017

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
722	52	53	1.0000	1.0000	0.002288
723	52	57	1.0000	1.0000	0.025390
724	52	84	1.0000	1.0000	0.061530
725	52	93	1.0000	1.0000	0.018937
726	52	100	1.0000	1.0000	0.084946
727	52	105	1.0000	1.0000	0.021187
728	52	113	1.0000	1.0000	0.016859
729	52	118	1.0000	1.0000	0.001456
730	52	129	1.0000	1.0000	0.041277
731	52	135	1.0000	1.0000	0.041277
732	52	136	1.0000	1.0000	0.097988
733	53	58	1.0000	1.0000	0.027435
734	53	94	1.0000	1.0000	0.024079
735	53	106	1.0000	1.0000	0.031887
736	53	124	1.0000	1.0000	0.024527
737	53	126	1.0000	1.0000	0.002155
738	53	130	1.0000	1.0000	0.095700
739	53	135	1.0000	1.0000	0.038989
740	54	55	1.0000	1.0000	0.078145
741	54	56	1.0000	1.0000	0.010552
742	54	57	1.0000	1.0000	0.006667
743	54	58	1.0000	1.0000	0.006424
744	54	59	1.0000	1.0000	0.010109
745	54	79	1.0000	1.0000	0.024939
746	54	80	1.0000	1.0000	0.048974
747	54	81	1.0000	1.0000	0.027498
748	54	82	1.0000	1.0000	0.003732
749	54	83	1.0000	1.0000	0.030791
750	54	84	1.0000	1.0000	0.080253
751	54	85	1.0000	1.0000	0.001936
752	54	86	1.0000	1.0000	0.027498
753	54	87	1.0000	1.0000	0.046050
754	54	88	1.0000	1.0000	0.000412
755	55	56	1.0000	1.0000	0.067594
756	55	57	1.0000	1.0000	0.071479
757	55	58	1.0000	1.0000	0.071722

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
758	55	59	1.0000	1.0000	0.068036
759	55	82	1.0000	1.0000	0.081877
760	55	102	1.0000	1.0000	0.026041
761	55	112	1.0000	1.0000	0.100877
762	55	113	1.0000	1.0000	0.113728
763	55	114	1.0000	1.0000	0.121395
764	56	57	1.0000	1.0000	0.003885
765	56	58	1.0000	1.0000	0.004128
766	56	59	1.0000	1.0000	0.000442
767	56	73	1.0000	1.0000	0.022136
768	56	90	1.0000	1.0000	0.037612
769	56	103	1.0000	1.0000	0.046118
770	56	123	1.0000	1.0000	0.012519
771	56	124	1.0000	1.0000	0.056090
772	57	58	1.0000	1.0000	0.000243
773	57	59	1.0000	1.0000	0.003442
774	57	84	1.0000	1.0000	0.086920
775	57	93	1.0000	1.0000	0.006452
776	57	100	1.0000	1.0000	0.059557
777	57	105	1.0000	1.0000	0.046577
778	57	113	1.0000	1.0000	0.042249
779	57	118	1.0000	1.0000	0.026846
780	57	129	1.0000	1.0000	0.066667
781	57	135	1.0000	1.0000	0.066667
782	57	136	1.0000	1.0000	0.123377
783	58	59	1.0000	1.0000	0.003686
784	58	94	1.0000	1.0000	0.051513
785	58	106	1.0000	1.0000	0.059321
786	58	124	1.0000	1.0000	0.051962
787	58	126	1.0000	1.0000	0.025279
788	58	130	1.0000	1.0000	0.123134
789	58	135	1.0000	1.0000	0.066424
790	59	87	1.0000	1.0000	0.035941
791	59	95	1.0000	1.0000	0.032394
792	59	107	1.0000	1.0000	0.115467
793	59	111	1.0000	1.0000	0.051855

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
794	59	114	1.0000	1.0000	0.053358
795	59	121	1.0000	1.0000	0.007055
796	59	131	1.0000	1.0000	0.070312
797	59	136	1.0000	1.0000	0.126820
798	60	61	1.0000	1.0000	0.049611
799	60	62	1.0000	1.0000	0.011901
800	60	63	1.0000	1.0000	0.064063
801	60	64	1.0000	1.0000	0.080639
802	60	65	1.0000	1.0000	0.093020
803	60	66	1.0000	1.0000	0.023770
804	60	67	1.0000	1.0000	0.109540
805	60	68	1.0000	1.0000	0.121251
806	61	62	1.0000	1.0000	0.037709
807	61	63	1.0000	1.0000	0.014452
808	61	64	1.0000	1.0000	0.031028
809	61	65	1.0000	1.0000	0.043409
810	61	69	1.0000	1.0000	0.050512
811	61	70	1.0000	1.0000	0.054260
812	61	71	1.0000	1.0000	0.072279
813	61	72	1.0000	1.0000	0.055812
814	61	73	1.0000	1.0000	0.080167
815	61	74	1.0000	1.0000	0.059549
816	62	63	1.0000	1.0000	0.052161
817	62	64	1.0000	1.0000	0.068737
818	62	65	1.0000	1.0000	0.081118
819	62	92	1.0000	1.0000	0.126951
820	62	98	1.0000	1.0000	0.110206
821	62	127	1.0000	1.0000	0.108483
822	62	128	1.0000	1.0000	0.110893
823	63	64	1.0000	1.0000	0.016576
824	63	65	1.0000	1.0000	0.028957
825	63	67	1.0000	1.0000	0.045478
826	63	74	1.0000	1.0000	0.045097
827	63	78	1.0000	1.0000	0.125676
828	63	99	1.0000	1.0000	0.021955
829	63	116	1.0000	1.0000	0.032756

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
830	63	125	1.0000	1.0000	0.069983
831	63	127	1.0000	1.0000	0.056322
832	63	129	1.0000	1.0000	0.017299
833	63	130	1.0000	1.0000	0.039411
834	63	131	1.0000	1.0000	0.017096
835	64	65	1.0000	1.0000	0.012381
836	64	86	1.0000	1.0000	0.033225
837	64	101	1.0000	1.0000	0.109655
838	64	110	1.0000	1.0000	0.113787
839	64	120	1.0000	1.0000	0.061013
840	64	133	1.0000	1.0000	0.064634
841	64	137	1.0000	1.0000	0.707251
842	64	139	1.0000	1.0000	0.292749
843	64	140	1.0000	1.0000	0.292749
844	65	68	1.0000	1.0000	0.028231
845	65	128	1.0000	1.0000	0.029775
846	65	139	1.0000	1.0000	0.305131
847	66	67	1.0000	1.0000	0.133310
848	66	68	1.0000	1.0000	0.145020
849	66	71	1.0000	1.0000	0.145659
850	66	96	1.0000	1.0000	0.109038
851	66	97	1.0000	1.0000	0.126963
852	66	98	1.0000	1.0000	0.145877
853	66	99	1.0000	1.0000	0.065877
854	66	100	1.0000	1.0000	0.231356
855	66	101	1.0000	1.0000	0.214063
856	67	68	1.0000	1.0000	0.011710
857	67	74	1.0000	1.0000	0.000381
858	67	78	1.0000	1.0000	0.080199
859	67	99	1.0000	1.0000	0.067432
860	67	116	1.0000	1.0000	0.012721
861	67	125	1.0000	1.0000	0.115461
862	67	127	1.0000	1.0000	0.010844
863	67	129	1.0000	1.0000	0.028178
864	67	130	1.0000	1.0000	0.084888
865	67	131	1.0000	1.0000	0.028381

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
866	68	128	1.0000	1.0000	0.001544
867	68	139	1.0000	1.0000	0.333362
868	69	70	1.0000	1.0000	0.003749
869	69	71	1.0000	1.0000	0.021767
870	69	72	1.0000	1.0000	0.005300
871	69	73	1.0000	1.0000	0.029655
872	69	74	1.0000	1.0000	0.009037
873	69	75	1.0000	1.0000	0.029798
874	69	76	1.0000	1.0000	0.010782
875	69	77	1.0000	1.0000	0.034285
876	69	78	1.0000	1.0000	0.089617
877	70	71	1.0000	1.0000	0.018018
878	70	72	1.0000	1.0000	0.001551
879	70	73	1.0000	1.0000	0.025907
880	70	74	1.0000	1.0000	0.005289
881	70	75	1.0000	1.0000	0.026049
882	70	79	1.0000	1.0000	0.012553
883	70	89	1.0000	1.0000	0.033215
884	70	90	1.0000	1.0000	0.010431
885	70	91	1.0000	1.0000	0.035881
886	70	92	1.0000	1.0000	0.034982
887	70	93	1.0000	1.0000	0.037706
888	70	94	1.0000	1.0000	0.007598
889	70	95	1.0000	1.0000	0.015207
890	71	72	1.0000	1.0000	0.016467
891	71	73	1.0000	1.0000	0.007888
892	71	74	1.0000	1.0000	0.012730
893	71	96	1.0000	1.0000	0.036621
894	71	97	1.0000	1.0000	0.018696
895	71	98	1.0000	1.0000	0.000218
896	71	99	1.0000	1.0000	0.079781
897	71	100	1.0000	1.0000	0.085697
898	71	101	1.0000	1.0000	0.068404
899	72	73	1.0000	1.0000	0.024355
900	72	74	1.0000	1.0000	0.003737
901	72	76	1.0000	1.0000	0.005482

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
902	72	108	1.0000	1.0000	0.019163
903	72	115	1.0000	1.0000	0.015589
904	72	116	1.0000	1.0000	0.008603
905	72	117	1.0000	1.0000	0.047268
906	72	118	1.0000	1.0000	0.015761
907	72	119	1.0000	1.0000	0.007309
908	72	120	1.0000	1.0000	0.036229
909	72	121	1.0000	1.0000	0.038994
910	72	122	1.0000	1.0000	0.014704
911	73	74	1.0000	1.0000	0.020618
912	73	90	1.0000	1.0000	0.015475
913	73	103	1.0000	1.0000	0.068255
914	73	123	1.0000	1.0000	0.009617
915	73	124	1.0000	1.0000	0.033953
916	74	78	1.0000	1.0000	0.080579
917	74	99	1.0000	1.0000	0.067052
918	74	116	1.0000	1.0000	0.012341
919	74	125	1.0000	1.0000	0.115080
920	74	127	1.0000	1.0000	0.011225
921	74	129	1.0000	1.0000	0.027797
922	74	130	1.0000	1.0000	0.084508
923	74	131	1.0000	1.0000	0.028000
924	75	76	1.0000	1.0000	0.019015
925	75	77	1.0000	1.0000	0.004487
926	75	78	1.0000	1.0000	0.059819
927	75	79	1.0000	1.0000	0.013496
928	75	89	1.0000	1.0000	0.007166
929	75	90	1.0000	1.0000	0.015618
930	75	91	1.0000	1.0000	0.009832
931	75	92	1.0000	1.0000	0.008933
932	75	93	1.0000	1.0000	0.011657
933	75	94	1.0000	1.0000	0.033647
934	75	95	1.0000	1.0000	0.010842
935	76	77	1.0000	1.0000	0.023502
936	76	78	1.0000	1.0000	0.078834
937	76	108	1.0000	1.0000	0.013681

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
938	76	115	1.0000	1.0000	0.010106
939	76	116	1.0000	1.0000	0.014086
940	76	117	1.0000	1.0000	0.052751
941	76	118	1.0000	1.0000	0.010278
942	76	119	1.0000	1.0000	0.012791
943	76	120	1.0000	1.0000	0.030747
944	76	121	1.0000	1.0000	0.033511
945	76	122	1.0000	1.0000	0.009222
946	77	78	1.0000	1.0000	0.055332
947	77	91	1.0000	1.0000	0.005345
948	77	97	1.0000	1.0000	0.031214
949	77	104	1.0000	1.0000	0.066923
950	77	112	1.0000	1.0000	0.015777
951	77	115	1.0000	1.0000	0.013396
952	77	123	1.0000	1.0000	0.004988
953	77	125	1.0000	1.0000	0.140328
954	77	126	1.0000	1.0000	0.011900
955	78	99	1.0000	1.0000	0.147631
956	78	116	1.0000	1.0000	0.092920
957	78	125	1.0000	1.0000	0.195660
958	78	127	1.0000	1.0000	0.069354
959	78	129	1.0000	1.0000	0.108377
960	78	130	1.0000	1.0000	0.165087
961	78	131	1.0000	1.0000	0.108580
962	79	80	1.0000	1.0000	0.073913
963	79	81	1.0000	1.0000	0.002560
964	79	82	1.0000	1.0000	0.021207
965	79	83	1.0000	1.0000	0.005853
966	79	84	1.0000	1.0000	0.055315
967	79	85	1.0000	1.0000	0.023003
968	79	86	1.0000	1.0000	0.002560
969	79	87	1.0000	1.0000	0.070989
970	79	88	1.0000	1.0000	0.024527
971	79	89	1.0000	1.0000	0.020662
972	79	90	1.0000	1.0000	0.002122
973	79	91	1.0000	1.0000	0.023328

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
974	79	92	1.0000	1.0000	0.022429
975	79	93	1.0000	1.0000	0.025153
976	79	94	1.0000	1.0000	0.020151
977	79	95	1.0000	1.0000	0.002654
978	80	81	1.0000	1.0000	0.076472
979	80	82	1.0000	1.0000	0.052706
980	80	83	1.0000	1.0000	0.079765
981	80	84	1.0000	1.0000	0.129227
982	80	85	1.0000	1.0000	0.050910
983	80	86	1.0000	1.0000	0.076472
984	80	87	1.0000	1.0000	0.002924
985	80	88	1.0000	1.0000	0.049386
986	80	89	1.0000	1.0000	0.053250
987	80	102	1.0000	1.0000	0.003131
988	80	103	1.0000	1.0000	0.007696
989	80	104	1.0000	1.0000	0.010994
990	80	105	1.0000	1.0000	0.088884
991	80	106	1.0000	1.0000	0.101872
992	80	107	1.0000	1.0000	0.154331
993	81	82	1.0000	1.0000	0.023766
994	81	83	1.0000	1.0000	0.003293
995	81	84	1.0000	1.0000	0.052755
996	81	85	1.0000	1.0000	0.025563
997	81	86	1.0000	1.0000	0.000000
998	81	87	1.0000	1.0000	0.073549
999	81	88	1.0000	1.0000	0.027086
1000	81	96	1.0000	1.0000	0.028596
1001	81	108	1.0000	1.0000	0.010722
1002	81	109	1.0000	1.0000	0.077054
1003	81	110	1.0000	1.0000	0.080562
1004	81	111	1.0000	1.0000	0.089462
1005	82	83	1.0000	1.0000	0.027059
1006	82	84	1.0000	1.0000	0.076521
1007	82	85	1.0000	1.0000	0.001796
1008	82	86	1.0000	1.0000	0.023766
1009	82	87	1.0000	1.0000	0.049782

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1010	82	88	1.0000	1.0000	0.003320
1011	82	102	1.0000	1.0000	0.055837
1012	82	112	1.0000	1.0000	0.019000
1013	82	113	1.0000	1.0000	0.031850
1014	82	114	1.0000	1.0000	0.039517
1015	83	84	1.0000	1.0000	0.049462
1016	83	85	1.0000	1.0000	0.028856
1017	83	86	1.0000	1.0000	0.003293
1018	83	87	1.0000	1.0000	0.076842
1019	83	88	1.0000	1.0000	0.030379
1020	83	117	1.0000	1.0000	0.052417
1021	83	132	1.0000	1.0000	0.031853
1022	83	133	1.0000	1.0000	0.034701
1023	83	134	1.0000	1.0000	0.080126
1024	84	85	1.0000	1.0000	0.078317
1025	84	86	1.0000	1.0000	0.052755
1026	84	87	1.0000	1.0000	0.126303
1027	84	88	1.0000	1.0000	0.079841
1028	84	93	1.0000	1.0000	0.080467
1029	84	100	1.0000	1.0000	0.146477
1030	84	105	1.0000	1.0000	0.040343
1031	84	113	1.0000	1.0000	0.044671
1032	84	118	1.0000	1.0000	0.060074
1033	84	129	1.0000	1.0000	0.020253
1034	84	135	1.0000	1.0000	0.020253
1035	84	136	1.0000	1.0000	0.036457
1036	85	86	1.0000	1.0000	0.025563
1037	85	87	1.0000	1.0000	0.047986
1038	85	88	1.0000	1.0000	0.001524
1039	85	109	1.0000	1.0000	0.051491
1040	85	119	1.0000	1.0000	0.041313
1041	85	132	1.0000	1.0000	0.002998
1042	85	137	1.0000	1.0000	0.648462
1043	85	138	1.0000	1.0000	0.351538
1044	86	87	1.0000	1.0000	0.073549
1045	86	88	1.0000	1.0000	0.027086

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1046	86	101	1.0000	1.0000	0.076429
1047	86	110	1.0000	1.0000	0.080562
1048	86	120	1.0000	1.0000	0.027788
1049	86	133	1.0000	1.0000	0.031408
1050	86	137	1.0000	1.0000	0.674025
1051	86	139	1.0000	1.0000	0.325975
1052	86	140	1.0000	1.0000	0.325975
1053	87	88	1.0000	1.0000	0.046462
1054	87	95	1.0000	1.0000	0.068335
1055	87	107	1.0000	1.0000	0.151408
1056	87	111	1.0000	1.0000	0.015913
1057	87	114	1.0000	1.0000	0.089299
1058	87	121	1.0000	1.0000	0.042997
1059	87	131	1.0000	1.0000	0.106254
1060	87	136	1.0000	1.0000	0.162761
1061	88	122	1.0000	1.0000	0.020824
1062	88	134	1.0000	1.0000	0.110506
1063	88	138	1.0000	1.0000	0.353061
1064	88	140	1.0000	1.0000	0.353061
1065	89	90	1.0000	1.0000	0.022784
1066	89	91	1.0000	1.0000	0.002666
1067	89	92	1.0000	1.0000	0.001767
1068	89	93	1.0000	1.0000	0.004491
1069	89	94	1.0000	1.0000	0.040813
1070	89	95	1.0000	1.0000	0.018009
1071	89	102	1.0000	1.0000	0.056381
1072	89	103	1.0000	1.0000	0.060946
1073	89	104	1.0000	1.0000	0.064244
1074	89	105	1.0000	1.0000	0.035634
1075	89	106	1.0000	1.0000	0.048622
1076	89	107	1.0000	1.0000	0.101081
1077	90	91	1.0000	1.0000	0.025450
1078	90	92	1.0000	1.0000	0.024550
1079	90	93	1.0000	1.0000	0.027274
1080	90	94	1.0000	1.0000	0.018029
1081	90	95	1.0000	1.0000	0.004775

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1082	90	103	1.0000	1.0000	0.083730
1083	90	123	1.0000	1.0000	0.025093
1084	90	124	1.0000	1.0000	0.018478
1085	91	92	1.0000	1.0000	0.000900
1086	91	93	1.0000	1.0000	0.001825
1087	91	94	1.0000	1.0000	0.043479
1088	91	95	1.0000	1.0000	0.020675
1089	91	97	1.0000	1.0000	0.036559
1090	91	104	1.0000	1.0000	0.061578
1091	91	112	1.0000	1.0000	0.021122
1092	91	115	1.0000	1.0000	0.018741
1093	91	123	1.0000	1.0000	0.000357
1094	91	125	1.0000	1.0000	0.145673
1095	91	126	1.0000	1.0000	0.017245
1096	92	93	1.0000	1.0000	0.002724
1097	92	94	1.0000	1.0000	0.042580
1098	92	95	1.0000	1.0000	0.019775
1099	92	98	1.0000	1.0000	0.016745
1100	92	127	1.0000	1.0000	0.018468
1101	92	128	1.0000	1.0000	0.016058
1102	93	94	1.0000	1.0000	0.045304
1103	93	95	1.0000	1.0000	0.022499
1104	93	100	1.0000	1.0000	0.066009
1105	93	105	1.0000	1.0000	0.040124
1106	93	113	1.0000	1.0000	0.035797
1107	93	118	1.0000	1.0000	0.020393
1108	93	129	1.0000	1.0000	0.060215
1109	93	135	1.0000	1.0000	0.060215
1110	93	136	1.0000	1.0000	0.116925
1111	94	95	1.0000	1.0000	0.022805
1112	94	106	1.0000	1.0000	0.007808
1113	94	124	1.0000	1.0000	0.000449
1114	94	126	1.0000	1.0000	0.026234
1115	94	130	1.0000	1.0000	0.071621
1116	94	135	1.0000	1.0000	0.014911
1117	95	107	1.0000	1.0000	0.083073

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1118	95	111	1.0000	1.0000	0.084249
1119	95	114	1.0000	1.0000	0.020964
1120	95	121	1.0000	1.0000	0.025339
1121	95	131	1.0000	1.0000	0.037918
1122	95	136	1.0000	1.0000	0.094426
1123	96	97	1.0000	1.0000	0.017925
1124	96	98	1.0000	1.0000	0.036839
1125	96	99	1.0000	1.0000	0.043161
1126	96	100	1.0000	1.0000	0.122317
1127	96	101	1.0000	1.0000	0.105025
1128	96	108	1.0000	1.0000	0.039317
1129	96	109	1.0000	1.0000	0.105649
1130	96	110	1.0000	1.0000	0.109157
1131	96	111	1.0000	1.0000	0.118058
1132	97	98	1.0000	1.0000	0.018914
1133	97	99	1.0000	1.0000	0.061085
1134	97	100	1.0000	1.0000	0.104393
1135	97	101	1.0000	1.0000	0.087100
1136	97	104	1.0000	1.0000	0.098137
1137	97	112	1.0000	1.0000	0.015437
1138	97	115	1.0000	1.0000	0.017818
1139	97	123	1.0000	1.0000	0.036202
1140	97	125	1.0000	1.0000	0.109114
1141	97	126	1.0000	1.0000	0.019314
1142	98	99	1.0000	1.0000	0.079999
1143	98	100	1.0000	1.0000	0.085479
1144	98	101	1.0000	1.0000	0.068186
1145	98	127	1.0000	1.0000	0.001723
1146	98	128	1.0000	1.0000	0.000687
1147	99	100	1.0000	1.0000	0.165478
1148	99	101	1.0000	1.0000	0.148185
1149	99	116	1.0000	1.0000	0.054711
1150	99	125	1.0000	1.0000	0.048029
1151	99	127	1.0000	1.0000	0.078277
1152	99	129	1.0000	1.0000	0.039254
1153	99	130	1.0000	1.0000	0.017456

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1154	99	131	1.0000	1.0000	0.039051
1155	100	101	1.0000	1.0000	0.017293
1156	100	105	1.0000	1.0000	0.106134
1157	100	113	1.0000	1.0000	0.101806
1158	100	118	1.0000	1.0000	0.086403
1159	100	129	1.0000	1.0000	0.126224
1160	100	135	1.0000	1.0000	0.126224
1161	100	136	1.0000	1.0000	0.182934
1162	101	110	1.0000	1.0000	0.004132
1163	101	120	1.0000	1.0000	0.048641
1164	101	133	1.0000	1.0000	0.045021
1165	101	137	1.0000	1.0000	0.597596
1166	101	139	1.0000	1.0000	0.402404
1167	101	140	1.0000	1.0000	0.402404
1168	102	103	1.0000	1.0000	0.004565
1169	102	104	1.0000	1.0000	0.007863
1170	102	105	1.0000	1.0000	0.092015
1171	102	106	1.0000	1.0000	0.105002
1172	102	107	1.0000	1.0000	0.157462
1173	102	112	1.0000	1.0000	0.074837
1174	102	113	1.0000	1.0000	0.087687
1175	102	114	1.0000	1.0000	0.095354
1176	103	104	1.0000	1.0000	0.003298
1177	103	105	1.0000	1.0000	0.096580
1178	103	106	1.0000	1.0000	0.109568
1179	103	107	1.0000	1.0000	0.162027
1180	103	123	1.0000	1.0000	0.058638
1181	103	124	1.0000	1.0000	0.102208
1182	104	105	1.0000	1.0000	0.099878
1183	104	106	1.0000	1.0000	0.112865
1184	104	107	1.0000	1.0000	0.165325
1185	104	112	1.0000	1.0000	0.082699
1186	104	115	1.0000	1.0000	0.080319
1187	104	123	1.0000	1.0000	0.061935
1188	104	125	1.0000	1.0000	0.207251
1189	104	126	1.0000	1.0000	0.078823

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1190	105	106	1.0000	1.0000	0.012988
1191	105	107	1.0000	1.0000	0.065447
1192	105	113	1.0000	1.0000	0.004328
1193	105	118	1.0000	1.0000	0.019731
1194	105	129	1.0000	1.0000	0.020090
1195	105	135	1.0000	1.0000	0.020090
1196	105	136	1.0000	1.0000	0.076800
1197	106	107	1.0000	1.0000	0.052460
1198	106	124	1.0000	1.0000	0.007360
1199	106	126	1.0000	1.0000	0.034042
1200	106	130	1.0000	1.0000	0.063813
1201	106	135	1.0000	1.0000	0.007103
1202	107	111	1.0000	1.0000	0.167321
1203	107	114	1.0000	1.0000	0.062108
1204	107	121	1.0000	1.0000	0.108411
1205	107	131	1.0000	1.0000	0.045154
1206	107	136	1.0000	1.0000	0.011353
1207	108	109	1.0000	1.0000	0.066332
1208	108	110	1.0000	1.0000	0.069840
1209	108	111	1.0000	1.0000	0.078740
1210	108	115	1.0000	1.0000	0.003575
1211	108	116	1.0000	1.0000	0.027767
1212	108	117	1.0000	1.0000	0.066432
1213	108	118	1.0000	1.0000	0.003403
1214	108	119	1.0000	1.0000	0.026472
1215	108	120	1.0000	1.0000	0.017066
1216	108	121	1.0000	1.0000	0.019830
1217	108	122	1.0000	1.0000	0.004459
1218	109	110	1.0000	1.0000	0.003508
1219	109	111	1.0000	1.0000	0.012409
1220	109	119	1.0000	1.0000	0.092804
1221	109	132	1.0000	1.0000	0.048493
1222	109	137	1.0000	1.0000	0.596972
1223	109	138	1.0000	1.0000	0.403028
1224	110	111	1.0000	1.0000	0.008901
1225	110	120	1.0000	1.0000	0.052774

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1226	110	133	1.0000	1.0000	0.049153
1227	110	137	1.0000	1.0000	0.593464
1228	110	139	1.0000	1.0000	0.406536
1229	110	140	1.0000	1.0000	0.406536
1230	111	114	1.0000	1.0000	0.105213
1231	111	121	1.0000	1.0000	0.058910
1232	111	131	1.0000	1.0000	0.122167
1233	111	136	1.0000	1.0000	0.178674
1234	112	113	1.0000	1.0000	0.012850
1235	112	114	1.0000	1.0000	0.020517
1236	112	115	1.0000	1.0000	0.002380
1237	112	123	1.0000	1.0000	0.020764
1238	112	125	1.0000	1.0000	0.124551
1239	112	126	1.0000	1.0000	0.003876
1240	113	114	1.0000	1.0000	0.007667
1241	113	118	1.0000	1.0000	0.015403
1242	113	129	1.0000	1.0000	0.024418
1243	113	135	1.0000	1.0000	0.024418
1244	113	136	1.0000	1.0000	0.081128
1245	114	121	1.0000	1.0000	0.046303
1246	114	131	1.0000	1.0000	0.016954
1247	114	136	1.0000	1.0000	0.073461
1248	115	116	1.0000	1.0000	0.024192
1249	115	117	1.0000	1.0000	0.062857
1250	115	118	1.0000	1.0000	0.000172
1251	115	119	1.0000	1.0000	0.022898
1252	115	120	1.0000	1.0000	0.020641
1253	115	121	1.0000	1.0000	0.023405
1254	115	122	1.0000	1.0000	0.000884
1255	115	123	1.0000	1.0000	0.018384
1256	115	125	1.0000	1.0000	0.126932
1257	115	126	1.0000	1.0000	0.001496
1258	116	117	1.0000	1.0000	0.038665
1259	116	118	1.0000	1.0000	0.024364
1260	116	119	1.0000	1.0000	0.001294
1261	116	120	1.0000	1.0000	0.044833

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1262	116	121	1.0000	1.0000	0.047597
1263	116	122	1.0000	1.0000	0.023308
1264	116	125	1.0000	1.0000	0.102740
1265	116	127	1.0000	1.0000	0.023566
1266	116	129	1.0000	1.0000	0.015457
1267	116	130	1.0000	1.0000	0.072167
1268	116	131	1.0000	1.0000	0.015660
1269	117	118	1.0000	1.0000	0.063029
1270	117	119	1.0000	1.0000	0.039959
1271	117	120	1.0000	1.0000	0.083497
1272	117	121	1.0000	1.0000	0.086262
1273	117	122	1.0000	1.0000	0.061972
1274	117	132	1.0000	1.0000	0.084270
1275	117	133	1.0000	1.0000	0.087118
1276	117	134	1.0000	1.0000	0.027710
1277	118	119	1.0000	1.0000	0.023070
1278	118	120	1.0000	1.0000	0.020468
1279	118	121	1.0000	1.0000	0.023233
1280	118	122	1.0000	1.0000	0.001057
1281	118	129	1.0000	1.0000	0.039821
1282	118	135	1.0000	1.0000	0.039821
1283	118	136	1.0000	1.0000	0.096531
1284	119	120	1.0000	1.0000	0.043538
1285	119	121	1.0000	1.0000	0.046303
1286	119	122	1.0000	1.0000	0.022013
1287	119	132	1.0000	1.0000	0.044311
1288	119	137	1.0000	1.0000	0.689776
1289	119	138	1.0000	1.0000	0.310224
1290	120	121	1.0000	1.0000	0.002765
1291	120	122	1.0000	1.0000	0.021525
1292	120	133	1.0000	1.0000	0.003621
1293	120	137	1.0000	1.0000	0.646237
1294	120	139	1.0000	1.0000	0.353763
1295	120	140	1.0000	1.0000	0.353763
1296	121	122	1.0000	1.0000	0.024290
1297	121	131	1.0000	1.0000	0.063257

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1298	121	136	1.0000	1.0000	0.119764
1299	122	134	1.0000	1.0000	0.089682
1300	122	138	1.0000	1.0000	0.332237
1301	122	140	1.0000	1.0000	0.332237
1302	123	124	1.0000	1.0000	0.043571
1303	123	125	1.0000	1.0000	0.145316
1304	123	126	1.0000	1.0000	0.016888
1305	124	126	1.0000	1.0000	0.026683
1306	124	130	1.0000	1.0000	0.071172
1307	124	135	1.0000	1.0000	0.014462
1308	125	126	1.0000	1.0000	0.128428
1309	125	127	1.0000	1.0000	0.126305
1310	125	129	1.0000	1.0000	0.087283
1311	125	130	1.0000	1.0000	0.030573
1312	125	131	1.0000	1.0000	0.087080
1313	126	130	1.0000	1.0000	0.097855
1314	126	135	1.0000	1.0000	0.041145
1315	127	128	1.0000	1.0000	0.002410
1316	127	129	1.0000	1.0000	0.039023
1317	127	130	1.0000	1.0000	0.095733
1318	127	131	1.0000	1.0000	0.039226
1319	128	139	1.0000	1.0000	0.334905
1320	129	130	1.0000	1.0000	0.056710
1321	129	131	1.0000	1.0000	0.000203
1322	129	135	1.0000	1.0000	0.000000
1323	129	136	1.0000	1.0000	0.056710
1324	130	131	1.0000	1.0000	0.056507
1325	130	135	1.0000	1.0000	0.056710
1326	131	136	1.0000	1.0000	0.056507
1327	132	133	1.0000	1.0000	0.002848
1328	132	134	1.0000	1.0000	0.111980
1329	132	137	1.0000	1.0000	0.645465
1330	132	138	1.0000	1.0000	0.354535
1331	133	134	1.0000	1.0000	0.114828
1332	133	137	1.0000	1.0000	0.642617
1333	133	139	1.0000	1.0000	0.357383

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1334	133	140	1.0000	1.0000	0.357383
1335	134	138	1.0000	1.0000	0.242556
1336	134	140	1.0000	1.0000	0.242556
1337	135	136	1.0000	1.0000	0.056710
1338	137	138	1.0000	1.0000	1.000000
1339	137	139	1.0000	1.0000	1.000000
1340	137	140	1.0000	1.0000	1.000000
1341	138	140	1.0000	1.0000	0.000000
1342	139	140	1.0000	1.0000	0.000000

4. Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	120.731197 Ohm
Total current I	5.671014e-05 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	0.120731
10	1.207312
100	12.073120
1000	120.731197
10000	1207.311975