



# Week 2 Study Guide

## *Lung & Large Intestine Channels*

LU (11 pts) + LI (20 pts) = 31 Points

### This Week Covers:

- Quiz 1 Answer Review — all 6 questions with explanations
- Circadian Clock (Zi Wu Liu Zhu) — all 12 meridians
- Lung Meridian of Hand-Taiyin (LU1–LU11) with CAM Figure
- Large Intestine Meridian of Hand-Yangming (LI1–LI20) with CAM Figure
- LI Crossing Points — all 4 (Du14, Du26, ST4, SI12)
- Zang-Fu LU–LI Interior–Exterior Paired Relationship
- Dr. Zhang's Clinical Pearls — direct from lecture
- LU vs LI Quick Reference — side-by-side comparison
- ST & SP Preview — what Quiz 2 will test
- 30-Question MCQ Quiz with Full Answer Key

### QUIZ 2 (July 22, next class) covers: LU & LI channels

ST & SP will be TAUGHT next week — preview in this guide's final section.

MOA: LU pp.76-98 | LI pp.100-127 (LI4 confirmed p.103)

## Human Body Energy Clock (Zi Wu Liu Zhu)

Flow of Qi in Timed Order – Diagnostic, Not Treatment

Each of the 12 primary meridians has a 2-hour peak period. The cycle order matches the anterior/posterior/middle circuits exactly.

Clinical use: sleep disturbance at a specific hour may indicate dysfunction in that meridian. All meridians always work — only the PEAK shifts.

| Meridian           | Peak Hours | Elem  | Clinical Note                                     |
|--------------------|------------|-------|---------------------------------------------------|
| LU Lung            | 3–5 AM     | Metal | Respiratory. Wake 3–5 AM with cough = suspect LU. |
| LI Large Intestine | 5–7 AM     | Metal | Elimination. Best time for bowel movement.        |
| ST Stomach         | 7–9 AM     | Earth | Digestion. Eat largest meal in morning.           |
| SP Spleen          | 9–11 AM    | Earth | Transformation. Peak mental focus time.           |
| HT Heart           | 11–1 PM    | Fire  | Cardiovascular. Midday rest beneficial.           |
| SI Small Intestine | 1–3 PM     | Fire  | Nutrient absorption.                              |
| BL Bladder         | 3–5 PM     | Water | Fluid metabolism; good study time.                |
| KI Kidney          | 5–7 PM     | Water | Ancestral essence; vitality.                      |
| PC Pericardium     | 7–9 PM     | Fire  | Emotional heart; wind down.                       |
| SJ Triple Burner   | 9–11 PM    | Fire  | Thermoregulation; prepare for sleep.              |
| GB Gallbladder     | 11 PM–1 AM | Wood  | Asleep by 11 PM to support GB.                    |
| LR Liver           | 1–3 AM     | Wood  | Detox/blood. Wake 1–3 AM = LR/emotional.          |

## Dr. Zhang's Clinical Examples:

Wake at 3–5 AM with respiratory symptoms > suspect Lung meridian dysfunction

Wake at 1–3 AM regularly > suspect Liver meridian dysfunction (emotional, stress, hormonal)

*This theory aids DIAGNOSIS — scheduling 3 AM clinic appointments is impractical!*

## Human Body Energy Clock (Zi Wu Liu Zhu)

Flow of Qi in Timed Order – Diagnostic, Not Treatment

always work · only the PEAK shifts.

| Meridian           | Peak Hours | Elem  | Clinical Note                                     |
|--------------------|------------|-------|---------------------------------------------------|
| LU Lung            | 3–5 AM     | Metal | Respiratory. Wake 3–5 AM with cough = suspect LU. |
| LI Large Intestine | 5–7 AM     | Metal | Elimination. Best time for bowel movement.        |
| ST Stomach         | 7–9 AM     | Earth | Digestion. Eat largest meal in morning.           |
| SP Spleen          | 9–11 AM    | Earth | Transformation. Peak mental focus time.           |
| HT Heart           | 11–1 PM    | Fire  | Cardiovascular. Midday rest beneficial.           |
| SI Small Intestine | 1–3 PM     | Fire  | Nutrient absorption.                              |
| BL Bladder         | 3–5 PM     | Water | Fluid metabolism; good study time.                |
| KI Kidney          | 5–7 PM     | Water | Ancestral essence; vitality.                      |
| PC Pericardium     | 7–9 PM     | Fire  | Emotional heart; wind down.                       |
| SJ Triple Burner   | 9–11 PM    | Fire  | Thermoregulation; prepare for sleep.              |
| GB Gallbladder     | 11 PM–1 AM | Wood  | Asleep by 11 PM to support GB.                    |
| LR Liver           | 1–3 AM     | Wood  | Detox/blood. Wake 1–3 AM = LR/emotional.          |

## Dr. Zhang's Clinical Examples:

Wake at 3–5 AM with respiratory symptoms &gt; suspect Lung meridian dysfunction

Wake at 1–3 AM regularly &gt; suspect Liver meridian dysfunction (emotional, stress, hormonal)

*This theory aids DIAGNOSIS – scheduling 3 AM clinic appointments is impractical!*

## Lung Meridian of Hand-Taiyin (LU)


Yin | Metal | 3–5 AM | 11 Points

Pertaining Lung Connecting Large Intestine Back-Shu BL13 Front-Mu LU1 Zhongfu Yuan-Source LU9 Luo LU7 He-Sea LU5 Clock 3–5 AM

Lung Channel

73

## THE LUNG CHANNEL OF HAND TAIYIN



The Lung primary channel

## THE LUNG PRIMARY CHANNEL

- originates in the middle jiao, in the region of the Stomach,
- descends to connect with the Large Intestine,
- returns upwards to pass the cardiac orifice of the Stomach and traverses the diaphragm,
- penetrates the Lung,
- ascends to the throat region,
- passes obliquely downwards towards Zhongfu LU-1 where the channel emerges,
- ascends one rib space to Yunmen LU-2 in the centre of the hollow of the delto-pectoral triangle,
- descends along the antero-lateral aspect of the upper arm, lateral to the Heart and Pericardium channels, to the cubital fossa of the elbow at Chize LU-5,
- passes along the antero-lateral aspect of the forearm towards the styloid process of the radius,

- follows the lateral border of the radial artery to the wrist at Taiyuan LU-9,
- traverses the thenar eminence to terminate at the radial side of the thumbnail at Shaoshang LU-11.
- a branch separates from the main channel at Lieque LU-7, at the styloid process, and travels directly to the radial side of the tip of the index finger, where it links with the Large Intestine channel at Shangyang L.I.-1.

The Lung primary channel connects with the following zangfu: Stomach, Large Intestine, Lung.

The Lung primary channel meets with other channels at the following points: None.

## Internal Running Course

- 1 Originates in the MIDDLE JIAO (middle burner / Zhongjiao)
- 2 Descends to connect with LARGE INTESTINE (connecting organ)
- 3 Returns upward through upper orifice of STOMACH
- 4 Passes through the DIAPHRAGM
- 5 Enters and pertains to the LUNG (pertaining organ)
- 6 Travels transversally from lung system, emerges below clavicle → LU1
- 7 Descends medial upper arm, passing IN FRONT of HT and PC meridians

## Branch:

From LU7 (wrist) — runs to radial side of index finger (LI1) — connects to LI

## Functions (MOA)

Governs Qi and controls respiration  
Dominates skin & body hair (exterior/Wei Qi)

Regulates water passages (promotes sweating)

Opens into nose; manifests in skin


Back-Shu: BL13 Feishu | Front-Mu: LU1 Zhongfu

| Pt  | Chinese | Location & Notes                                            |
|-----|---------|-------------------------------------------------------------|
| LU1 | Zhongfu | Below clavicle, 6 cun from midline — STARTING PT (Front-Mu) |
| LU2 | Yunmen  | Depression below clavicle, 6 cun lateral to midline         |
| LU3 | Tianfu  | Medial upper arm, 3 cun below axillary crease               |
| LU4 | Xiabai  | Medial upper arm, 4 cun below axillary crease               |
| LU5 | Chize   | Cubital crease, radial to biceps tendon — HE-SEA            |
| LU6 | Kongzui | 7 cun above LU9 — XI-CLEFT                                  |
| LU7 | Lieque  | 1.5 cun above wrist — LUO / CONFLUENT / COMMAND             |
| LU8 | Jingqu  | 1 cun above LU9, lateral to radial artery — JING-RIVER      |

MOA — Internal Running Course (dotted = internal pathway)

## Lung Meridian of Hand-Taiyin (LU) — External Running Course & CAM Figure

| External Running Course (Surface Pathway) |                  |                                                                         |
|-------------------------------------------|------------------|-------------------------------------------------------------------------|
| Pt                                        | Chinese          | Location & Notes                                                        |
| LU1                                       | <i>Zhongfu</i>   | Below clavicle, 6 cun from midline — STARTING PT (Front-Mu)             |
| LU2                                       | <i>Yunmen</i>    | Depression below clavicle, 6 cun lateral to midline                     |
| LU3                                       | <i>Tianfu</i>    | Medial upper arm, 3 cun below axillary crease                           |
| LU4                                       | <i>Xiabai</i>    | Medial upper arm, 4 cun below axillary crease                           |
| LU5                                       | <i>Chize</i>     | Cubital crease, radial to biceps tendon — HE-SEA                        |
| LU6                                       | <i>Kongzui</i>   | 7 cun above LU9 — XI-CLEFT                                              |
| LU7                                       | <i>Lieque</i>    | 1.5 cun above wrist crease, styloid process — LUO / CONFLUENT / COMMAND |
| LU8                                       | <i>Jingqu</i>    | 1 cun above LU9, lateral to radial artery — JING-RIVER                  |
| LU9                                       | <i>Taiyuan</i>   | Wrist crease, radial to radial artery — SHU-STREAM / YUAN-SOURCE        |
| LU10                                      | <i>Yuji</i>      | Midpoint 1st metacarpal, red/white skin — YING-SPRING                   |
| LU11                                      | <i>Shaoshang</i> | Radial nail corner of thumb, 0.1 cun — JING-WELL — LAST PT              |



CAM Col. Fig. 1 — Lung Meridian

## LU — Syndromes, Special Points & Five-Shu

### A. External Course Symptoms

- Fever & sensitivity to cold
- Nasal congestion, headache
- Pain in chest, clavicle, shoulder, back
- Chills & pain along arm
- Thumb / thenar pain
- Throat pain (LU11 very effective)

### B. Internal Organ (LU + LI)

- Coughing, asthma
- Shortness of breath
- Fullness in chest
- Dry throat, sore throat
- Digestive disorders (via LI pair)
- Sleep disturbance 3–5 AM

### High-Yield LU Points

| Pt    | Chinese          | Category               | Key Indications                                        |
|-------|------------------|------------------------|--------------------------------------------------------|
| *LU1  | <i>Zhongfu</i>   | Front-Mu               | Cough, chest pain, fullness; shoulder/chest local      |
| LU5   | Chize            | He-Sea                 | Clears heat, descends Qi; cough, asthma, hemoptysis    |
| LU6   | Kongzui          | Xi-Cleft               | Acute: coughing blood, febrile disease, loss of voice  |
| *LU7  | <i>Lieque</i>    | Luo+Confluent+Command  | #1 for exterior wind; opens Ren Mai; head/neck command |
| LU8   | Jingqu           | Jing-River (Metal pt)  | Cough, asthma — Metal within Metal                     |
| *LU9  | <i>Taiyuan</i>   | Shu-Stream+Yuan-Source | Tonifies LU Qi & Yin; hui-meeting of vessels (pulse!)  |
| LU10  | Yuji             | Ying-Spring            | Sore throat, hoarse voice, febrile disease             |
| *LU11 | <i>Shaoshang</i> | Jing-Well              | Sore throat, tonsillitis, LOC; bleed for heat          |

### Five-Shu (Antique) Points — LU


| Shu Point   | Element | Pt   | Chinese          | Clinical Use                                     |
|-------------|---------|------|------------------|--------------------------------------------------|
| Jing-Well   | Wood    | LU11 | <i>Shaoshang</i> | Acute throat, tonsillitis, loss of consciousness |
| Ying-Spring | Fire    | LU10 | Yuji             | Sore throat, hoarse voice, fever                 |
| Shu-Stream  | Earth   | LU9  | <i>Taiyuan</i>   | Yuan-source; tonifies LU; hui-meeting of vessels |
| Jing-River  | Metal   | LU8  | <i>Jingqu</i>    | Cough, asthma — Metal within Metal element       |
| He-Sea      | Water   | LU5  | Chize            | Descends Qi; phlegm-heat; cough, asthma          |

FORBIDDEN IN PREGNANCY — LU7 is cited in some texts; LI4 is the major forbidden point for this channel pair.

## Large Intestine Meridian of Hand-Yangming (LI)

Yang | Metal | 5-7 AM | 20 Points

Pertaining Large Intestine Connecting Lung Back-Shu BL25 Front-Mu ST25 Tianshu Yuan-Source LI4 Luo LI6 He-Sea LI11 Clock 5-7 AM



MOA — Internal Running Course (dotted = internal pathway)

## Internal Running Course

- 1 Starts at LI1 (Shangyang), radial tip of index finger
- 2 Runs radially up index finger, through interspace of 1st & 2nd metacarpals (LI4)
- 3 Dips between extensor tendons -> LI5, continues along forearm to elbow
- 4 Ascends upper arm to shoulder (LI15 Jianyu) -> behind acromion
- 5 To C7 level, meets Du14 (GV14) [CROSSING PT #1]
- 6 Descends into supraclavicular fossa, connects LUNG internally, through diaphragm -> LARGE INTESTINE
- 7 Branch from fossa: up neck (LI17-18), through cheek, lower gums, crosses Du26 -> LI20 (opposite nose)

## Functions &amp; Channel Characteristics (MOA)

Governs reception &amp; transformation of food residue

Absorbs fluids; excretes waste via elimination

Exterior-interior pair with Lung; supports Lung Qi descent

LI4 = Command of Face/Mouth — FORBIDDEN IN PREGNANCY

LI20 crosses to OPPOSITE nostril (exam-critical)

Back-Shu: BL25 Dachangshu | Front-Mu: ST25 Tianshu

## Key Points Preview


| Pt   | Name      | Notes                                                |
|------|-----------|------------------------------------------------------|
| LI1  | Shangyang | Jing-Well — channel start                            |
| LI4  | Hegu      | Yuan-Source, Command Face/Mouth; FORBIDDEN pregnancy |
| LI11 | Quchi     | He-Sea; clears heat, skin, BP                        |
| LI20 | Yingxiang | Ending pt; lateral nostril; meets ST meridian        |

## Large Intestine Meridian of Hand-Yangming (LI) — External Course &amp; CAM Figure

Pertaining Large Intestine   Connecting Lung   Back-Shu BL25   Front-Mu ST25 Tianshu   Yuan-Source LI4   Luo LI6   He-Sea LI11   Clock 5–7 AM

## External Running Course (Surface Pathway)

| Pt   | Chinese          | Location & Notes                                         |
|------|------------------|----------------------------------------------------------|
| LI1  | <i>Shangyang</i> | Radial tip of index finger — STARTING PT (Jing-Well)     |
| LI2  | Erjian           | Radial side index finger, distal to MCP joint            |
| LI3  | Sanjian          | Radial side index finger, proximal to MCP joint          |
| LI4  | <i>Hegu</i>      | 1st & 2nd metacarpal web — YUAN / COMMAND FACE/MOUTH     |
| LI5  | Yangxi           | Anatomical snuffbox — JING-RIVER                         |
| LI6  | Pianli           | 3 cun above LI5 — LUO-CONNECTING                         |
| LI7  | Wenliu           | 5 cun above LI5 — XI-CLEFT                               |
| LI8  | Xialian          | 4 cun below LI11                                         |
| LI9  | Shanglian        | 3 cun below LI11                                         |
| LI10 | Shousanli        | 2 cun below LI11                                         |
| LI11 | <i>Quchi</i>     | Lateral elbow crease — HE-SEA; clears heat, skin, BP     |
| LI12 | Zhouliao         | Proximal-lateral to LI11, near humerus                   |
| LI13 | Shouwuli         | 3 cun above LI11                                         |
| LI14 | Binao            | Lower deltoid border, 7 cun above LI11                   |
| LI15 | <i>Jianyu</i>    | Ant. acromion depression — shoulder / Yang Qiao crossing |
| LI16 | Jugu             | Junction clavicle & scapular spine; continues to C7/Du14 |
| LI17 | Tianding         | 1 cun below LI18, posterior SCM border                   |
| LI18 | <i>Futu</i>      | Lateral to Adams apple -- WINDOW OF HEAVEN               |
| LI19 | Heliao           | 0.5 cun lateral to GV26, below lateral nostril           |
| LI20 | <i>Yingxiang</i> | Nasolabial groove — ENDING PT; meets ST meridian         |



CAM Col. Fig. 2 — Large Intestine Meridian

## LI — Crossing Points, Syndromes & Special Points

### The 4 Crossing Points of the LI Meridian

Definition (Dr. Zhang): "A specific acupoint at the convergence or crossing of two or more meridians. Can treat conditions of multiple meridians simultaneously."

#### Du14 **Dazhui** (GV14)

Location: Below C7 spinous process, at shoulder level.

Clinical: All 3 hand-yang + foot-yang meridians converge here. Clears heat, releases exterior, immune function.

#### Du26 **Shuigou** (GV26)

Location: Upper third of philtrum (between nose and upper lip).

Clinical: LI CROSSES MIDLINE HERE: left branch goes right, right goes left. Emergency resuscitation point.

#### ST4 **Dicang** (ST4)

Location: Lateral to corner of mouth, directly below the pupil.

Clinical: Treats LI and ST symptoms simultaneously. Facial paralysis, mouth deviation, drooling.

#### SI12 **Bingfeng** (SI12)

Location: Center of suprascapular fossa, directly above SI11. Arm raised to locate (depression appears).

Clinical: LI+SI overlap region. Shoulder and scapular pain, difficulty raising arm.

### Dr. Zhang's Crossing Rule (exam-likely):

LI crosses to the OPPOSITE side at Du26 and ends at LI20 on the OPPOSITE nostril.

THEREFORE: Left-sided nasal congestion > needle RIGHT LI points. (Dr. Zhang asked this interactively.)

#### A. External Course

- Parched mouth and thirst
- Sore throat, nosebleed
- Toothache (LOWER teeth and gums)
- Red and painful eyes
- Neck swelling
- Arm, shoulder, scapula pain
- Motor impairment of fingers

#### B. Internal Organ (LI)

- Abdominal pain
- Intestinal noises (borborygmus)
- Loose stool or diarrhea
- Constipation
- Shortness of breath (via LU pair)
- Belching

## LI — High-Yield Points, Five-Shu & Clinical Notes

LOWER teeth and gums = LI channel (LI4, LI channel runs through LOWER gums)

UPPER teeth and gums = Stomach channel (ST).

Dr. Zhang: 'Please highlight here — lower teeth = LI, upper teeth = ST.'

NEURAL TOOTHACHE: LI4 especially effective for nerve-related tooth pain.

Many PubMed studies (20-13 years ago) confirm immediate effect.

### High-Yield LI Points (A) = Dr. Zhang emphasis

| Pt    | Chinese          | Category                  | Key Indications (lower teeth = LI)                               |
|-------|------------------|---------------------------|------------------------------------------------------------------|
| *LI1  | <i>Shangyang</i> | Jing-Well                 | Sore throat, febrile disease, LOC; last resort bleed             |
| LI2   | Erjian           | Ying-Spring               | Toothache (lower), sore throat, blurred vision, fever            |
| LI3   | Sanjian          | Shu-Stream                | Toothache (lower), tinnitus, abdominal fullness                  |
| *LI4  | <i>Hegu</i>      | Yuan-Source + Command (A) | NEURAL toothache; face/mouth; (A) FORBIDDEN PREGNANCY            |
| LI5   | Yangxi           | Jing-River                | Wrist pain, toothache, sore throat, tinnitus                     |
| LI6   | Pianli           | Luo-Connecting            | Ear/eye disorders, facial swelling, arm weakness                 |
| LI7   | Wenliu           | Xi-Cleft                  | Acute: throat, facial swelling, borborygmus, arm pain            |
| *LI11 | <i>Quchi</i>     | He-Sea (A)                | Clears heat/toxins; skin; hypertension; immune                   |
| LI15  | Jianyu           | Crossing (Yang Qiao+LI)   | Shoulder pain, hemiplegia, upper limb bi                         |
| *LI20 | <i>Yingxiang</i> | Crossing (ST+LI) (A)      | Nasal congestion, nosebleed, loss of smell; ENDS on OPPOSITE n.. |

### Five-Shu (Antique) Points — LI | Jing-Well | Ying-Spring | Shu-Stream | Jing-River | He-Sea

| Shu Point   | Element | Pt   | Chinese          | Clinical Use                                                  |
|-------------|---------|------|------------------|---------------------------------------------------------------|
| Jing-Well   | Metal   | LI1  | <i>Shangyang</i> | Throat, fever, LOC; channel origin point                      |
| Ying-Spring | Water   | LI2  | <i>Erjian</i>    | Toothache (lower), throat, fever; heat in channel             |
| Shu-Stream  | Wood    | LI3  | <i>Sanjian</i>   | Toothache, tinnitus, abdominal fullness; heaviness            |
| Jing-River  | Fire    | LI5  | <i>Yangxi</i>    | Wrist pain, toothache; LI Qi pouring abundantly               |
| He-Sea      | Earth   | LI11 | <i>Quchi</i>     | Clears heat; skin; hypertension; immune; master of anti-inf.. |

FORBIDDEN IN PREGNANCY: LI4 (Hegu) — STRICTLY CONTRAINDICATED. Strong descending action. Also:

SP6 (3-yin meeting), BL60, BL67.

# Zang-Fu LU-LI Interior-Exterior Paired Relationship

Yin-Yang pairing | Why knowing both organs matters clinically

## ZANG Lung (LU)

- Solid Yin organ
- Stores essence, governs qi
- Controls breathing & skin/pores
- Opens to nose; emotion = grief
- Metal element | 3-5 AM peak
- 11 points (LU1-LU11)

## FU Large Intestine (LI)

- Hollow Yang organ
- Processes & eliminates waste
- Transmits & transforms
- Opens to nose (via LI20 crossing)
- Metal element | 5-7 AM peak
- 20 points (LI1-LI20)

### Externally-Internally Related via Meridians

#### Clinical Applications of the LU-LI Pair

##### LU points for LI conditions

Constipation that does not resolve with standard treatment: add LU points to boost qi movement.

*Clinical reasoning: LU governs qi; LI depends on qi for proper elimination.*

##### LI points for LU conditions

Stubborn cough from cold/wind: add LI points (LI4, LI11) to release the exterior and descend lung qi.

*Clinical reasoning: LI is the paired Fu organ; stimulating it supports LU Qi descent.*

##### Interior-Exterior Logic

This paired treatment logic applies to ALL 6 Zang-Fu pairs, not just LU-LI.

*Key principle: knowing BOTH the pertaining organ AND the connecting organ enables deeper treatment.*

##### Key Takeaways (Dr. Zhang):

1. Zang organs (solid) store essence — Fu organs (hollow) transform & eliminate waste
2. Smaller point numbers = proximal to trunk; larger = distal extremity (number rule)
3. The direction of qi flow NEVER reverses — one direction only along any meridian
4. LU and LI are in the same Anterior Circuit and share the Metal element

**LU11 – Immediate Throat Relief**

Dr. Zhang: 'If someone has throat pain, we can use LU11 and relieve the pain immediately. I always do acupuncture on myself and I know its effect.'

**LI4 – Neural Toothache (Lower Teeth Specifically)**

Dr. Zhang: 'Many studies on PubMed indicate LI4 treats lower toothache immediately.'

LI channel passes through lower gums. Upper teeth/gums = Stomach meridian. Know the distinction for Quiz 2.

**Crossing Rule – Opposite-Side Treatment for Nose**

LI crosses midline at Du26. For LEFT nasal congestion > needle RIGHT LI points.

Dr. Zhang asked this interactively. 'Because it ends at the opposite nose.' Prime exam material.

**Number Rule – Direction NEVER Reverses**

'Smaller point numbers = closer to trunk; larger = distal. The flow of qi along a meridian NEVER reverses. One direction only.'

Use the point number sequence to memorize direction without needing to memorize which end is which.

**Circadian Clock – Diagnostic, NOT Treatment Timing**

'It is very hard to schedule patients at 3 AM. This clock helps with DIAGNOSIS.'

Wake 3–5 AM = LU. Wake 1–3 AM = LR (emotional, stress, hormonal issues). All meridians always work.

**Paired Meridians – Both-Way Clinical Logic**

'For constipation not resolved normally, add LU points. For stubborn cough, choose LI points. This applies to ALL pairs.'

Why? LU governs qi movement; LI depends on qi. They are connected via meridians, not just theory.

**Crossing Points – One Point, Multiple Meridians**

'A crossing point can treat conditions of two or more meridians simultaneously. Greatest clinical advantage.'

LI has 4: Du14, Du26, ST4, SI12. One needle – you are treating LI and the other meridian at once.

**Lower vs Upper Teeth: Meridian Specificity**

Lower teeth/gums = Large Intestine (LI4, LI channel). Upper teeth/gums = Stomach (ST channel).

Dr. Zhang specifically emphasized this distinction. Very likely to appear on Quiz 2.

## LU vs LI — Quick Reference Comparison

| LU   Lung (Hand Taiyin) |                                   | LI   Large Intestine (Hand Yangming) |  |
|-------------------------|-----------------------------------|--------------------------------------|--|
| Yin/Yang:               | Yin (medial side)                 | Yang (lateral side)                  |  |
| Element:                | Metal                             | Metal                                |  |
| Circuit:                | Anterior (Chest→Hand→Head→Foot)   | Anterior                             |  |
| Clock:                  | 3–5 AM                            | 5–7 AM                               |  |
| Points:                 | 11 (LU1–LU11)                     | 20 (LI1–LI20)                        |  |
| Start:                  | LU1 Zhongfu (below clavicle)      | LI1 Shangyang (index finger tip)     |  |
| End:                    | LU11 Shaoshang (radial thumb tip) | LI20 Yingxiang (lateral nostril)     |  |
| Branch:                 | LU7 → LI1 (to LI meridian)        | Du26 crossover → LI20 opposite nose  |  |
| Pertaining:             | Lung                              | Large Intestine                      |  |
| Connecting:             | Large Intestine                   | Lung                                 |  |
| Back-Shu:               | BL13                              | BL25                                 |  |
| Front-Mu:               | LU1 (Zhongfu)                     | ST25 (Tianshu)                       |  |
| Yuan-Source:            | LU9 Taiyuan                       | LI4 Hegu                             |  |
| Luo:                    | LU7 Lieque                        | LI6 Pianli                           |  |
| Xi-Cleft:               | LU6 Kongzui                       | LI7 Wenliu                           |  |
| He-Sea:                 | LU5 Chize                         | LI11 Quchi                           |  |
| Confluent:              | LU7 (opens Ren Mai)               | —                                    |  |
| Command:                | LU7 (head/neck)                   | LI4 (face/mouth)                     |  |
| Hui-Meeting:            | LU9 (vessels/mai)                 | —                                    |  |
| Forbidden Preg:         | LU7 (minor/some texts)            | LI4 (HIGH PRIORITY)                  |  |
| Crossing Pts:           | None                              | 4: Du14, Du26, ST4, SI12             |  |
| Ext Symptoms:           | Fever, nasal, shoulder, arm       | Thirst, toothache, neck, arm         |  |
| Int Symptoms:           | Cough, SOB, chest, throat         | Abd pain, borborygmus, stool         |  |
| Organ Function:         | Governs qi & respiration          | Transmits & transforms waste         |  |

## Week 2 Practice Quiz — Questions 1–10 (of 30)

Circle the best answer. Covers LU & LI – same scope as Quiz 2.

- |                                                                                                                              |                                             |
|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| <p><b>1</b> Direction of qi in the 3 hand-YIN meridians?</p> <p>A. Foot to chest<br/>C. Hand to head</p>                     | <p>B. Chest to hand<br/>D. Head to foot</p> |
| <p><b>2</b> Which element does the Lung meridian belong to?</p> <p>A. Water<br/>C. Metal</p>                                 | <p>B. Earth<br/>D. Fire</p>                 |
| <p><b>3</b> The CONNECTING organ of the Lung meridian is:</p> <p>A. Spleen<br/>C. Large Intestine</p>                        | <p>B. Stomach<br/>D. Heart</p>              |
| <p><b>4</b> LU internal course originates from:</p> <p>A. The lung<br/>C. The middle jiao</p>                                | <p>B. The diaphragm<br/>D. The clavicle</p> |
| <p><b>5</b> First acupoint of the Lung meridian?</p> <p>A. LU11<br/>C. LU7</p>                                               | <p>B. LU9<br/>D. LU1</p>                    |
| <p><b>6</b> LU7 (Lieque) holds which special categories?</p> <p>A. Yuan-source + He-Sea<br/>C. Luo + Confluent + Command</p> | <p>B. Xi-Cleft + Luo<br/>D. Jing-River</p>  |
| <p><b>7</b> LU9 (Taiyuan) is the hui-meeting point for which tissue?</p> <p>A. Bones<br/>C. Sinews</p>                       | <p>B. Vessels/blood<br/>D. Marrow</p>       |
| <p><b>8</b> Peak qi activity of the Lung meridian is:</p> <p>A. 5–7 AM<br/>C. 3–5 AM</p>                                     | <p>B. 1–3 AM<br/>D. 11 PM–1 AM</p>          |
| <p><b>9</b> Waking at 1–3 AM regularly suggests dysfunction in:</p> <p>A. Lung<br/>C. Liver</p>                              | <p>B. Bladder<br/>D. Heart</p>              |
| <p><b>10</b> Which LU point is the Xi-Cleft?</p> <p>A. LU5<br/>C. LU7</p>                                                    | <p>B. LU6<br/>D. LU8</p>                    |

## Week 2 Practice Quiz — Questions 11–20 (of 30)

Circle the best answer. Covers LU & LI — same scope as Quiz 2.

- |                                                                                                                                               |                                                                               |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| <p><b>11</b> Direction of qi in the Large Intestine meridian?</p> <p>A. Chest to hand<br/>C. Foot to chest</p>                                | <p>B. Head to foot<br/>D. Hand to head</p>                                    |
| <p><b>12</b> How many acupoints does the Large Intestine meridian have?</p> <p>A. 11<br/>C. 20</p>                                            | <p>B. 16<br/>D. 24</p>                                                        |
| <p><b>13</b> LI4 (Hegu) is located at:</p> <p>A. Radial side of index finger<br/>C. Interspace of 1st &amp; 2nd metacarpals</p>               | <p>B. Elbow crease<br/>D. Lateral forearm</p>                                 |
| <p><b>14</b> Which statement about LI4 (Hegu) is TRUE?</p> <p>A. Safe in pregnancy<br/>C. Forbidden in pregnancy + command for face/mouth</p> | <p>B. Command for abdomen<br/>D. Luo-connecting point</p>                     |
| <p><b>15</b> LI20 (Yingxiang) is located:</p> <p>A. Below the pupil<br/>C. Corner of the mouth</p>                                            | <p>B. Lateral to the nostril<br/>D. Upper philtrum</p>                        |
| <p><b>16</b> The LI channel crosses to the opposite side at:</p> <p>A. LI20<br/>C. The philtrum (Du26)</p>                                    | <p>B. LI15<br/>D. LI4</p>                                                     |
| <p><b>17</b> LEFT nasal congestion — according to Dr. Zhang, needle which side?</p> <p>A. Left side LI points<br/>C. Right side LI points</p> | <p>B. Both sides equally<br/>D. Either side</p>                               |
| <p><b>18</b> Which is a crossing point of the LI meridian?</p> <p>A. SP6<br/>C. ST4 (Dicang)</p>                                              | <p>B. GB20<br/>D. LR3</p>                                                     |
| <p><b>19</b> LI11 (Quchi) is He-Sea of LI. Its primary clinical action is:</p> <p>A. Tonifies kidney yang<br/>C. Opens Ren Mai</p>            | <p>B. Clears heat, skin disease, hypertension<br/>D. Treats low back pain</p> |
| <p><b>20</b> The branch of the LU meridian that connects to LI starts at:</p> <p>A. LU1<br/>C. LU7</p>                                        | <p>B. LU5<br/>D. LU11</p>                                                     |

## Week 2 Practice Quiz — Questions 21–30 (of 30)

Circle the best answer. Covers LU & LI — same scope as Quiz 2.

- |                                                                                                                                                                                                          |                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <p><b>21</b> Which is a correct example of interior-exterior paired treatment?</p> <p>A. Use ST for lung conditions<br/>C. Use LI for liver conditions</p>                                               | <p>B. Use LU points to boost qi for constipation<br/>D. Use HT for stomach issues</p>       |
| <p><b>22</b> The 3 naming features of any meridian are:</p> <p>A. Element, color, taste<br/>C. Direction, depth, organ</p>                                                                               | <p>B. Hand/foot, yin/yang, zang/fu<br/>D. Qi, blood, fluids</p>                             |
| <p><b>23</b> LU channel belongs to the ZANG category. What does Zang mean?</p> <p>A. Hollow organ that transforms<br/>C. Curious organ</p>                                                               | <p>B. Solid organ that stores essence<br/>D. Extra organ</p>                                |
| <p><b>24</b> Which crossing point of LI is also a point on the Governor Vessel (Du Mai)?</p> <p>A. ST4 (Dicang)<br/>C. SI12 (Bingfeng)</p>                                                               | <p>B. Du14 (Dazhui)<br/>D. LI20</p>                                                         |
| <p><b>25</b> LU5 (Chize) is located at the:</p> <p>A. Wrist crease<br/>C. Cubital crease, radial to biceps tendon</p>                                                                                    | <p>B. Midpoint of forearm<br/>D. Thenar eminence</p>                                        |
| <p><b>26</b> Which LI point is at the SHOULDER (highest point)?</p> <p>A. LI11<br/>C. LI16</p>                                                                                                           | <p>B. LI15 Jianyu<br/>D. LI14</p>                                                           |
| <p><b>27</b> The LI has how many crossing points total?</p> <p>A. 1<br/>C. 3</p>                                                                                                                         | <p>B. 2<br/>D. 4</p>                                                                        |
| <p><b>28</b> LU9 (Taiyuan) is also the Yuan-source point. Location:</p> <p>A. 1 cun above wrist crease<br/>C. Wrist crease, radial to radial artery</p>                                                  | <p>B. Midpoint of forearm<br/>D. Thenar eminence midpoint</p>                               |
| <p><b>29</b> Which statement about the circadian clock is TRUE according to Dr. Zhang?</p> <p>A. It is used for treatment timing<br/>C. It is primarily used for diagnosis, not scheduling treatment</p> | <p>B. Only LU and LR are clinically relevant<br/>D. Each meridian is active for 3 hours</p> |
| <p><b>30</b> According to Dr. Zhang, qi along a meridian:</p> <p>A. Can reverse under pathology<br/>C. Never reverses — always one direction</p>                                                         | <p>B. Flows bidirectionally<br/>D. Depends on time of day</p>                               |

## Week 2 Quiz — Answer Key

- 1 **B** **Direction of qi in the 3 hand-YIN meridians?**  
Chest to hand — hand yin meridians always flow from chest outward to fingertips.
- 2 **C** **Which element does the Lung meridian belong to?**  
LU = Metal element. Paired with LI, also Metal. They share the same element.
- 3 **C** **The CONNECTING organ of the Lung meridian is:**  
Connecting organ = paired organ via yin-yang interior-exterior relationship.
- 4 **C** **LU internal course originates from:**  
Originates in middle jiao, descends to LI, ascends through stomach then diaphragm.
- 5 **D** **First acupoint of the Lung meridian?**  
LU1 (Zhongfu) — below clavicle. Starting point of the external pathway.
- 6 **C** **LU7 (Lieque) holds which special categories?**  
LU7 = Luo-connecting + Confluent (opens Ren Mai) + Command (for head/neck).
- 7 **B** **LU9 (Taiyuan) is the hui-meeting point for which tissue?**  
LU9 = hui-meeting of vessels (mai). Associated with radial pulse palpation site.
- 8 **C** **Peak qi activity of the Lung meridian is:**  
LU peak = 3–5 AM. Waking with respiratory symptoms at this hour = suspect LU dysfunction.
- 9 **C** **Waking at 1–3 AM regularly suggests dysfunction in:**  
1–3 AM = Liver meridian peak. Often associated with emotional issues, stress, hormones.
- 10 **B** **Which LU point is the Xi-Cleft?**  
LU6 (Kongzui) = Xi-Cleft. Used for acute/painful conditions: hemoptysis, acute throat.
- 11 **D** **Direction of qi in the Large Intestine meridian?**  
LI = hand yang meridian. Yang meridians of hand flow Hand --> Head.
- 12 **C** **How many acupoints does the Large Intestine meridian have?**  
LI has 20 points: LI1 (Shangyang) to LI20 (Yingxiang).
- 13 **C** **LI4 (Hegu) is located at:**  
LI4 = dorsal hand, web space between 1st and 2nd metacarpal bones.
- 14 **C** **Which statement about LI4 (Hegu) is TRUE?**  
LI4 = command for face/mouth/head. STRICTLY FORBIDDEN in pregnancy.
- 15 **B** **LI20 (Yingxiang) is located:**  
LI20 = lateral nasolabial groove, beside the nostril.

## Week 2 Quiz — Answer Key (continued)

- 16 **C** The LI channel crosses to the opposite side at:  
LI crosses midline at the philtrum (Du26/Shuigou). Left branch goes right, right goes left.
- 17 **C** LEFT nasal congestion — according to Dr. Zhang, needle which side?  
Because LI crosses to OPPOSITE side, left nasal congestion = needle RIGHT LI points.
- 18 **C** Which is a crossing point of the LI meridian?  
ST4 (Dicang) is one of LI's 4 crossing points, at corner of mouth below the pupil.
- 19 **B** LI11 (Quchi) is He-Sea of LI. Its primary clinical action is:  
LI11 = clears heat/fire toxins, treats skin conditions, lowers blood pressure.
- 20 **C** The branch of the LU meridian that connects to LI starts at:  
From LU7 at the wrist, a branch runs to the radial side of the index finger (LI1).
- 21 **B** Which is a correct example of interior-exterior paired treatment?  
Dr. Zhang: 'For constipation not resolved normally, add LU points to boost qi movement.'
- 22 **B** The 3 naming features of any meridian are:  
Three features: (1) Hand or Foot, (2) Yin or Yang, (3) Zang or Fu organ.
- 23 **B** LU channel belongs to the ZANG category. What does Zang mean?  
Zang = solid organs that store essence. LI = Fu organ (hollow, processes/eliminates).
- 24 **B** Which crossing point of LI is also a point on the Governor Vessel (Du Mai)?  
Du14 (Dazhui) at C7. LI passes through it on the way from shoulder to supraclavicular fossa.
- 25 **C** LU5 (Chize) is located at the:  
LU5 = He-Sea of LU, at the elbow crease, radial side of biceps brachii tendon.
- 26 **B** Which LI point is at the SHOULDER (highest point)?  
LI15 (Jianyu) = depression anterior to acromion, at highest point of shoulder.
- 27 **D** The LI has how many crossing points total?  
4 crossing points: Du14, Du26, ST4 (Dicang), SI12 (Bingfeng).
- 28 **C** LU9 (Taiyuan) is also the Yuan-source point. Location:  
LU9 is at the wrist crease on the radial side — same location where pulse is palpated.
- 29 **C** Which statement about the circadian clock is TRUE according to Dr. Zhang?  
Dr. Zhang: 'It is very hard to give patients treatment at 3 AM. This theory helps with DIAGNOSIS.'
- 30 **C** According to Dr. Zhang, qi along a meridian:  
Dr. Zhang: 'The flow never goes back. One direction only. Smaller number = closer to trunk.'