



Week 2 Study Guide

Lung & Large Intestine Channels

LU (11 pts) + LI (20 pts) = 31 Points

This Week Covers:

- Quiz 1 Answer Review — all 6 questions with explanations
- Circadian Clock (Zi Wu Liu Zhu) — all 12 meridians
- Lung Meridian of Hand-Taiyin (LU1–LU11) with CAM Figure
- Large Intestine Meridian of Hand-Yangming (LI1–LI20) with CAM Figure
- LI Crossing Points — all 4 (Du14, Du26, ST4, SI12)
- Zang-Fu LU–LI Interior–Exterior Paired Relationship
- Dr. Zhang's Clinical Pearls — direct from lecture
- LU vs LI Quick Reference — side-by-side comparison
- ST & SP Preview — what Quiz 2 will test
- 30-Question MCQ Quiz with Full Answer Key

QUIZ 2 (July 22, next class) covers: LU & LI channels

ST & SP will be TAUGHT next week — preview in this guide's final section.

MOA: LU pp.76-98 | LI pp.100-127 (LI4 confirmed p.103)

Quiz 1 Review

All 6 questions with answers and explanations

Q1 Direction of qi in 3 hand-YIN meridians?**B — Chest to Hand***Hand yin meridians always flow from the chest outward to the fingertips.***Q2** How many PRIMARY meridians?**A — 12 (3 hand-yin + 3 hand-yang + 3 foot-yin + 3 foot-yang)***Plus 8 extraordinary vessels, 12 divergents, 15 luo-collaterals.***Q3** Three characteristics of meridian NOMENCLATURE?**(1) Hand or Foot (2) Yin or Yang (3) Zang or Fu organ***Name encodes: location (hand/foot), surface (medial/lateral), organ (zang/fu).***Q4** Where do hand-yin and hand-yang meridians INTERSECT?**At the fingers / hand tips***Yin arrives at hand; yang departs hand heading toward head.***Q5** Distribution of hand-yang on limbs?**Anterior = Yangming | Posterior = Taiyang | Middle = Shaoyang***Same positional rule applies to foot-yang on the leg.***BONUS** Direction of qi in 3 foot-YANG meridians?**D — Head to Foot (NOTE: this answer was incorrectly marked in the quiz platform — Dr. Zhang said she will correct scores)***Foot yin completes the loop: Foot --> Chest/Abdomen.*

Human Body Energy Clock (Zi Wu Liu Zhu)

Flow of Qi in Timed Order – Diagnostic, Not Treatment

Each of the 12 primary meridians has a 2-hour peak period. The cycle order matches the anterior/posterior/middle circuits exactly.

Clinical use: sleep disturbance at a specific hour may indicate dysfunction in that meridian. All meridians always work = only the PEAK shifts.

Meridian	Peak Hours	Elem	Clinical Note
LU Lung	3–5 AM	Metal	Respiratory. Wake 3-5 AM with cough = suspect LU.
LI Large Intestine	5–7 AM	Metal	Elimination. Best time for bowel movement.
ST Stomach	7–9 AM	Earth	Digestion. Eat largest meal in morning.
SP Spleen	9–11 AM	Earth	Transformation. Peak mental focus time.
HT Heart	11–1 PM	Fire	Cardiovascular. Midday rest beneficial.
SI Small Intestine	1–3 PM	Fire	Nutrient absorption.
BL Bladder	3–5 PM	Water	Fluid metabolism; good study time.
KI Kidney	5–7 PM	Water	Ancestral essence; vitality.
PC Pericardium	7–9 PM	Fire	Emotional heart; wind down.
SJ Triple Burner	9–11 PM	Fire	Thermoregulation; prepare for sleep.
GB Gallbladder	11 PM–1 AM	Wood	Asleep by 11 PM to support GB.
LR Liver	1–3 AM	Wood	Detox/blood. Wake 1-3 AM = LR/emotional.

Dr. Zhang's Clinical Examples:

Wake at 3–5 AM with respiratory symptoms > suspect Lung meridian dysfunction

Wake at 1–3 AM regularly > suspect Liver meridian dysfunction (emotional, stress, hormonal)

This theory aids DIAGNOSIS – scheduling 3 AM clinic appointments is impractical!

Lung Meridian of Hand-Taiyin (LU)


Yin | Metal | 3–5 AM | 11 Points

Pertaining Lung Connecting Large Intestine Back-Shu BL13 Front-Mu LU1 Zhongfu Yuan-Source LU9 Luo LU7 He-Sea LU5 Clock 3–5 AM

Lung Channel

73

THE LUNG CHANNEL OF HAND TAIYIN



The Lung primary channel

THE LUNG PRIMARY CHANNEL

- originates in the middle jiao, in the region of the Stomach,
- descends to connect with the Large Intestine,
- returns upwards to pass the cardiac orifice of the Stomach and traverses the diaphragm,
- penetrates the Lung,
- ascends to the throat region,
- passes obliquely downwards towards Zhongfu LU-1 where the channel emerges,
- ascends one rib space to Yunmen LU-2 in the centre of the hollow of the delto-pectoral triangle,
- descends along the antero-lateral aspect of the upper arm, lateral to the Heart and Pericardium channels, to the cubital fossa of the elbow at Chize LU-5,
- passes along the antero-lateral aspect of the forearm towards the styloid process of the radius,

- follows the lateral border of the radial artery to the wrist at Taiyuan LU-9,
- traverses the thenar eminence to terminate at the radial side of the thumbnail at Shaoshang LU-11.
- a branch separates from the main channel at Lieque LU-7, at the styloid process, and travels directly to the radial side of the tip of the index finger, where it links with the Large Intestine channel at Shangyang L.I.-1.

The Lung primary channel connects with the following zangfu: Stomach, Large Intestine, Lung.

The Lung primary channel meets with other channels at the following points: None.

Internal Running Course

- 1 Originates in the MIDDLE JIAO (middle burner / Zhongjiao)
- 2 Descends to connect with LARGE INTESTINE (connecting organ)
- 3 Returns upward through upper orifice of STOMACH
- 4 Passes through the DIAPHRAGM
- 5 Enters and pertains to the LUNG (pertaining organ)
- 6 Travels transversally from lung system, emerges below clavicle -> LU1
- 7 Descends medial upper arm, passing IN FRONT of HT and PC meridians

Branch:

From LU7 (wrist) — runs to radial side of index finger (LI1) — connects to LI

Functions (MOA)

Governs Qi and controls respiration
Dominates skin & body hair (exterior/Wei Qi)

Regulates water passages (promotes sweating)

Opens into nose; manifests in skin


Back-Shu: BL13 Feishu | Front-Mu: LU1 Zhongfu

Pt	Chinese	Location & Notes
LU1	Zhongfu	Below clavicle, 6 cun from midline — STARTING PT (Front-Mu)
LU2	Yunmen	Depression below clavicle, 6 cun lateral to midline
LU3	Tianfu	Medial upper arm, 3 cun below axillary crease
LU4	Xiabai	Medial upper arm, 4 cun below axillary crease
LU5	Chize	Cubital crease, radial to biceps tendon — HE-SEA
LU6	Kongzui	7 cun above LU9 — XI-CLEFT
LU7	Lieque	1.5 cun above wrist — LUO / CONFLUENT / COMMAND
LU8	Jingqu	1 cun above LU9, lateral to radial artery — JING-RIVER

MOA — Internal Running Course (dotted = internal pathway)

Lung Meridian of Hand-Taiyin (LU) — External Running Course & CAM Figure

External Running Course (Surface Pathway)		
Pt	Chinese	Location & Notes
LU1	<i>Zhongfu</i>	Below clavicle, 6 cun from midline — STARTING PT (Front-Mu)
LU2	<i>Yunmen</i>	Depression below clavicle, 6 cun lateral to midline
LU3	<i>Tianfu</i>	Medial upper arm, 3 cun below axillary crease
LU4	<i>Xiabai</i>	Medial upper arm, 4 cun below axillary crease
LU5	<i>Chize</i>	Cubital crease, radial to biceps tendon — HE-SEA
LU6	<i>Kongzui</i>	7 cun above LU9 — XI-CLEFT
LU7	<i>Lieque</i>	1.5 cun above wrist crease, styloid process — LUO / CONFLUENT / COMMAND
LU8	<i>Jingqu</i>	1 cun above LU9, lateral to radial artery — JING-RIVER
LU9	<i>Taiyuan</i>	Wrist crease, radial to radial artery — SHU-STREAM / YUAN-SOURCE
LU10	<i>Yuji</i>	Midpoint 1st metacarpal, red/white skin — YING-SPRING
LU11	<i>Shaoshang</i>	Radial nail corner of thumb, 0.1 cun — JING-WELL — LAST PT



CAM Col. Fig. 1 — Lung Meridian

LU — Syndromes, Special Points & Five-Shu

A. External Course Symptoms

- Fever & sensitivity to cold
- Nasal congestion, headache
- Pain in chest, clavicle, shoulder, back
- Chills & pain along arm
- Thumb / thenar pain
- Throat pain (LU11 very effective)

B. Internal Organ (LU + LI)

- Coughing, asthma
- Shortness of breath
- Fullness in chest
- Dry throat, sore throat
- Digestive disorders (via LI pair)
- Sleep disturbance 3–5 AM

High-Yield LU Points

Pt	Chinese	Category	Key Indications
*LU1	<i>Zhongfu</i>	Front-Mu	Cough, chest pain, fullness; shoulder/chest local
LU5	Chize	He-Sea	Clears heat, descends Qi; cough, asthma, hemoptysis
LU6	Kongzui	Xi-Cleft	Acute: coughing blood, febrile disease, loss of voice
*LU7	<i>Lieque</i>	Luo+Confluent+Command	#1 for exterior wind; opens Ren Mai; head/neck command
LU8	Jingqu	Jing-River (Metal pt)	Cough, asthma — Metal within Metal
*LU9	<i>Taiyuan</i>	Shu-Stream+Yuan-Source	Tonifies LU Qi & Yin; hui-meeting of vessels (pulse!)
LU10	Yuji	Ying-Spring	Sore throat, hoarse voice, febrile disease
*LU11	<i>Shaoshang</i>	Jing-Well	Sore throat, tonsillitis, LOC; bleed for heat

Five-Shu (Antique) Points — LU


Shu Point	Element	Pt	Chinese	Clinical Use
Jing-Well	Wood	LU11	<i>Shaoshang</i>	Acute throat, tonsillitis, loss of consciousness
Ying-Spring	Fire	LU10	Yuji	Sore throat, hoarse voice, fever
Shu-Stream	Earth	LU9	<i>Taiyuan</i>	Yuan-source; tonifies LU; hui-meeting of vessels
Jing-River	Metal	LU8	<i>Jingqu</i>	Cough, asthma — Metal within Metal element
He-Sea	Water	LU5	Chize	Descends Qi; phlegm-heat; cough, asthma

FORBIDDEN IN PREGNANCY — LU7 is cited in some texts; LI4 is the major forbidden point for this channel pair.

Large Intestine Meridian of Hand-Yangming (LI)

Yang | Metal | 5-7 AM | 20 Points

Pertaining Large Intestine Connecting Lung Back-Shu BL25 Front-Mu ST25 Tianshu Yuan-Source LI4 Luo LI6 He-Sea LI11 Clock 5-7 AM



MOA — Internal Running Course (dotted = internal pathway)

Internal Running Course

- 1 Starts at LI1 (Shangyang), radial tip of index finger
- 2 Runs radially up index finger, through interspace of 1st & 2nd metacarpals (LI4)
- 3 Dips between extensor tendons -> LI5, continues along forearm to elbow
- 4 Ascends upper arm to shoulder (LI15 Jianyu) -> behind acromion
- 5 To C7 level, meets Du14 (GV14) [CROSSING PT #1]
- 6 Descends into supraclavicular fossa, connects LUNG internally, through diaphragm -> LARGE INTESTINE
- 7 Branch from fossa: up neck (LI17-18), through cheek, lower gums, crosses Du26 -> LI20 (opposite nose)

Functions & Channel Characteristics (MOA)

Governs reception & transformation of food residue

Absorbs fluids; excretes waste via elimination

Exterior-interior pair with Lung; supports Lung Qi descent

LI4 = Command of Face/Mouth — FORBIDDEN IN PREGNANCY

LI20 crosses to OPPOSITE nostril (exam-critical)

Back-Shu: BL25 Dachangshu | Front-Mu: ST25 Tianshu

Key Points Preview


Pt	Name	Notes
LI1	Shangyang	Jing-Well — channel start
LI4	Hegu	Yuan-Source, Command Face/Mouth; FORBIDDEN pregnancy
LI11	Quchi	He-Sea; clears heat, skin, BP
LI20	Yingxiang	Ending pt; lateral nostril; meets ST meridian

Large Intestine Meridian of Hand-Yangming (LI) — External Course & CAM Figure

Pertaining Large Intestine Connecting Lung Back-Shu BL25 Front-Mu ST25 Tianshu Yuan-Source LI4 Luo LI6 He-Sea LI11 Clock 5–7 AM

External Running Course (Surface Pathway)

Pt	Chinese	Location & Notes
LI1	<i>Shangyang</i>	Radial tip of index finger — STARTING PT (Jing-Well)
LI2	Erjian	Radial side index finger, distal to MCP joint
LI3	Sanjian	Radial side index finger, proximal to MCP joint
LI4	<i>Hegu</i>	1st & 2nd metacarpal web — YUAN / COMMAND FACE/MOUTH
LI5	Yangxi	Anatomical snuffbox — JING-RIVER
LI6	Pianli	3 cun above LI5 — LUO-CONNECTING
LI7	Wenliu	5 cun above LI5 — XI-CLEFT
LI8	Xialian	4 cun below LI11
LI9	Shanglian	3 cun below LI11
LI10	Shousanli	2 cun below LI11
LI11	<i>Quchi</i>	Lateral elbow crease — HE-SEA; clears heat, skin, BP
LI12	Zhouliao	Proximal-lateral to LI11, near humerus
LI13	Shouwuli	3 cun above LI11
LI14	Binao	Lower deltoid border, 7 cun above LI11
LI15	<i>Jianyu</i>	Ant. acromion depression — shoulder / Yang Qiao crossing
LI16	Jugu	Junction clavicle & scapular spine; continues to C7/Du14
LI17	Tianding	1 cun below LI18, posterior SCM border
LI18	<i>Futu</i>	Lateral to Adams apple -- WINDOW OF HEAVEN
LI19	Heliao	0.5 cun lateral to GV26, below lateral nostril
LI20	<i>Yingxiang</i>	Nasolabial groove — ENDING PT; meets ST meridian



CAM Col. Fig. 2 — Large Intestine Meridian

LI — Crossing Points, Syndromes & Special Points

The 4 Crossing Points of the LI Meridian

Definition (Dr. Zhang): "A specific acupoint at the convergence or crossing of two or more meridians. Can treat conditions of multiple meridians simultaneously."

Du14 **Dazhui** (GV14)

Location: Below C7 spinous process, at shoulder level.

Clinical: All 3 hand-yang + foot-yang meridians converge here. Clears heat, releases exterior, immune function.

Du26 **Shuigou** (GV26)

Location: Upper third of philtrum (between nose and upper lip).

Clinical: LI CROSSES MIDLINE HERE: left branch goes right, right goes left. Emergency resuscitation point.

ST4 **Dicang** (ST4)

Location: Lateral to corner of mouth, directly below the pupil.

Clinical: Treats LI and ST symptoms simultaneously. Facial paralysis, mouth deviation, drooling.

SI12 **Bingfeng** (SI12)

Location: Center of suprascapular fossa, directly above SI11. Arm raised to locate (depression appears).

Clinical: LI+SI overlap region. Shoulder and scapular pain, difficulty raising arm.

Dr. Zhang's Crossing Rule (exam-likely):

LI crosses to the OPPOSITE side at Du26 and ends at LI20 on the OPPOSITE nostril.

THEREFORE: Left-sided nasal congestion > needle RIGHT LI points. (Dr. Zhang asked this interactively.)

A. External Course

- Parched mouth and thirst
- Sore throat, nosebleed
- Toothache (LOWER teeth and gums)
- Red and painful eyes
- Neck swelling
- Arm, shoulder, scapula pain
- Motor impairment of fingers

B. Internal Organ (LI)

- Abdominal pain
- Intestinal noises (borborygmus)
- Loose stool or diarrhea
- Constipation
- Shortness of breath (via LU pair)
- Belching

LI — High-Yield Points, Five-Shu & Clinical Notes

LOWER teeth and gums = LI channel (LI4, LI channel runs through LOWER gums)

UPPER teeth and gums = Stomach channel (ST).

Dr. Zhang: 'Please highlight here — lower teeth = LI, upper teeth = ST.'

NEURAL TOOTHACHE: LI4 especially effective for nerve-related tooth pain.

Many PubMed studies (20-13 years ago) confirm immediate effect.

High-Yield LI Points (A) = Dr. Zhang emphasis

Pt	Chinese	Category	Key Indications (lower teeth = LI)
*LI1	<i>Shangyang</i>	Jing-Well	Sore throat, febrile disease, LOC; last resort bleed
LI2	Erjian	Ying-Spring	Toothache (lower), sore throat, blurred vision, fever
LI3	Sanjian	Shu-Stream	Toothache (lower), tinnitus, abdominal fullness
*LI4	<i>Hegu</i>	Yuan-Source + Command (A)	NEURAL toothache; face/mouth; (A) FORBIDDEN PREGNANCY
LI5	Yangxi	Jing-River	Wrist pain, toothache, sore throat, tinnitus
LI6	Pianli	Luo-Connecting	Ear/eye disorders, facial swelling, arm weakness
LI7	Wenliu	Xi-Cleft	Acute: throat, facial swelling, borborygmus, arm pain
*LI11	<i>Quchi</i>	He-Sea (A)	Clears heat/toxins; skin; hypertension; immune
LI15	Jianyu	Crossing (Yang Qiao+LI)	Shoulder pain, hemiplegia, upper limb bi
*LI20	<i>Yingxiang</i>	Crossing (ST+LI) (A)	Nasal congestion, nosebleed, loss of smell; ENDS on OPPOSITE n..

Five-Shu (Antique) Points — LI | Jing-Well | Ying-Spring | Shu-Stream | Jing-River | He-Sea

Shu Point	Element	Pt	Chinese	Clinical Use
Jing-Well	Metal	LI1	<i>Shangyang</i>	Throat, fever, LOC; channel origin point
Ying-Spring	Water	LI2	<i>Erjian</i>	Toothache (lower), throat, fever; heat in channel
Shu-Stream	Wood	LI3	<i>Sanjian</i>	Toothache, tinnitus, abdominal fullness; heaviness
Jing-River	Fire	LI5	<i>Yangxi</i>	Wrist pain, toothache; LI Qi pouring abundantly
He-Sea	Earth	LI11	<i>Quchi</i>	Clears heat; skin; hypertension; immune; master of anti-inf..

FORBIDDEN IN PREGNANCY: LI4 (Hegu) — STRICTLY CONTRAINDICATED. Strong descending action. Also:

SP6 (3-yin meeting), BL60, BL67.

Zang-Fu LU-LI Interior-Exterior Paired Relationship

Yin-Yang pairing | Why knowing both organs matters clinically

ZANG Lung (LU)

- Solid Yin organ
- Stores essence, governs qi
- Controls breathing & skin/pores
- Opens to nose; emotion = grief
- Metal element | 3-5 AM peak
- 11 points (LU1-LU11)

FU Large Intestine (LI)

- Hollow Yang organ
- Processes & eliminates waste
- Transmits & transforms
- Opens to nose (via LI20 crossing)
- Metal element | 5-7 AM peak
- 20 points (LI1-LI20)

Externally-Internally Related via Meridians

Clinical Applications of the LU-LI Pair

LU points for LI conditions

Constipation that does not resolve with standard treatment: add LU points to boost qi movement.

Clinical reasoning: LU governs qi; LI depends on qi for proper elimination.

LI points for LU conditions

Stubborn cough from cold/wind: add LI points (LI4, LI11) to release the exterior and descend lung qi.

Clinical reasoning: LI is the paired Fu organ; stimulating it supports LU Qi descent.

Interior-Exterior Logic

This paired treatment logic applies to ALL 6 Zang-Fu pairs, not just LU-LI.

Key principle: knowing BOTH the pertaining organ AND the connecting organ enables deeper treatment.

Key Takeaways (Dr. Zhang):

1. Zang organs (solid) store essence — Fu organs (hollow) transform & eliminate waste
2. Smaller point numbers = proximal to trunk; larger = distal extremity (number rule)
3. The direction of qi flow NEVER reverses — one direction only along any meridian
4. LU and LI are in the same Anterior Circuit and share the Metal element

Dr. Zhang's Clinical Pearls

Direct statements from lecture – highest exam probability

LU11 – Immediate Throat Relief

Dr. Zhang: 'If someone has throat pain, we can use LU11 and relieve the pain immediately. I always do acupuncture on myself and I know its effect.'

LI4 – Neural Toothache (Lower Teeth Specifically)

Dr. Zhang: 'Many studies on PubMed indicate LI4 treats lower toothache immediately.'

LI channel passes through lower gums. Upper teeth/gums = Stomach meridian. Know the distinction for Quiz 2.

Crossing Rule – Opposite-Side Treatment for Nose

LI crosses midline at Du26. For LEFT nasal congestion > needle RIGHT LI points.

Dr. Zhang asked this interactively. 'Because it ends at the opposite nose.' Prime exam material.

Number Rule – Direction NEVER Reverses

'Smaller point numbers = closer to trunk; larger = distal. The flow of qi along a meridian NEVER reverses. One direction only.'

Use the point number sequence to memorize direction without needing to memorize which end is which.

Circadian Clock – Diagnostic, NOT Treatment Timing

'It is very hard to schedule patients at 3 AM. This clock helps with DIAGNOSIS.'

Wake 3–5 AM = LU. Wake 1–3 AM = LR (emotional, stress, hormonal issues). All meridians always work.

Paired Meridians – Both-Way Clinical Logic

'For constipation not resolved normally, add LU points. For stubborn cough, choose LI points. This applies to ALL pairs.'

Why? LU governs qi movement; LI depends on qi. They are connected via meridians, not just theory.

Crossing Points – One Point, Multiple Meridians

'A crossing point can treat conditions of two or more meridians simultaneously. Greatest clinical advantage.'

LI has 4: Du14, Du26, ST4, SI12. One needle – you are treating LI and the other meridian at once.

Lower vs Upper Teeth: Meridian Specificity

Lower teeth/gums = Large Intestine (LI4, LI channel). Upper teeth/gums = Stomach (ST channel).

Dr. Zhang specifically emphasized this distinction. Very likely to appear on Quiz 2.

LU vs LI — Quick Reference Comparison

LU Lung (Hand Taiyin)		LI Large Intestine (Hand Yangming)
Yin/Yang:	Yin (medial side)	Yang (lateral side)
Element:	Metal	Metal
Circuit:	Anterior (Chest→Hand→Head→Foot)	Anterior
Clock:	3–5 AM	5–7 AM
Points:	11 (LU1–LU11)	20 (LI1–LI20)
Start:	LU1 Zhongfu (below clavicle)	LI1 Shangyang (index finger tip)
End:	LU11 Shaoshang (radial thumb tip)	LI20 Yingxiang (lateral nostril)
Branch:	LU7 → LI1 (to LI meridian)	Du26 crossover → LI20 opposite nose
Pertaining:	Lung	Large Intestine
Connecting:	Large Intestine	Lung
Back-Shu:	BL13	BL25
Front-Mu:	LU1 (Zhongfu)	ST25 (Tianshu)
Yuan-Source:	LU9 Taiyuan	LI4 Hegu
Luo:	LU7 Lieque	LI6 Pianli
Xi-Cleft:	LU6 Kongzui	LI7 Wenliu
He-Sea:	LU5 Chize	LI11 Quchi
Confluent:	LU7 (opens Ren Mai)	—
Command:	LU7 (head/neck)	LI4 (face/mouth)
Hui-Meeting:	LU9 (vessels/mai)	—
Forbidden Preg:	LU7 (minor/some texts)	LI4 (HIGH PRIORITY)
Crossing Pts:	None	4: Du14, Du26, ST4, SI12
Ext Symptoms:	Fever, nasal, shoulder, arm	Thirst, toothache, neck, arm
Int Symptoms:	Cough, SOB, chest, throat	Abd pain, borborygmus, stool
Organ Function:	Governs qi & respiration	Transmits & transforms waste

Week 2 Practice Quiz — Questions 1–10 (of 30)

Circle the best answer. Covers LU & LI – same scope as Quiz 2.

- | | |
|--|---|
| <p>1 Direction of qi in the 3 hand-YIN meridians?</p> <p>A. Foot to chest
C. Hand to head</p> | <p>B. Chest to hand
D. Head to foot</p> |
| <p>2 Which element does the Lung meridian belong to?</p> <p>A. Water
C. Metal</p> | <p>B. Earth
D. Fire</p> |
| <p>3 The CONNECTING organ of the Lung meridian is:</p> <p>A. Spleen
C. Large Intestine</p> | <p>B. Stomach
D. Heart</p> |
| <p>4 LU internal course originates from:</p> <p>A. The lung
C. The middle jiao</p> | <p>B. The diaphragm
D. The clavicle</p> |
| <p>5 First acupoint of the Lung meridian?</p> <p>A. LU11
C. LU7</p> | <p>B. LU9
D. LU1</p> |
| <p>6 LU7 (Lieque) holds which special categories?</p> <p>A. Yuan-source + He-Sea
C. Luo + Confluent + Command</p> | <p>B. Xi-Cleft + Luo
D. Jing-River</p> |
| <p>7 LU9 (Taiyuan) is the hui-meeting point for which tissue?</p> <p>A. Bones
C. Sinews</p> | <p>B. Vessels/blood
D. Marrow</p> |
| <p>8 Peak qi activity of the Lung meridian is:</p> <p>A. 5–7 AM
C. 3–5 AM</p> | <p>B. 1–3 AM
D. 11 PM–1 AM</p> |
| <p>9 Waking at 1–3 AM regularly suggests dysfunction in:</p> <p>A. Lung
C. Liver</p> | <p>B. Bladder
D. Heart</p> |
| <p>10 Which LU point is the Xi-Cleft?</p> <p>A. LU5
C. LU7</p> | <p>B. LU6
D. LU8</p> |

Week 2 Practice Quiz — Questions 11–20 (of 30)

Circle the best answer. Covers LU & LI — same scope as Quiz 2.

- | | |
|---|---|
| <p>11 Direction of qi in the Large Intestine meridian?</p> <p>A. Chest to hand
C. Foot to chest</p> | <p>B. Head to foot
D. Hand to head</p> |
| <p>12 How many acupoints does the Large Intestine meridian have?</p> <p>A. 11
C. 20</p> | <p>B. 16
D. 24</p> |
| <p>13 LI4 (Hegu) is located at:</p> <p>A. Radial side of index finger
C. Interspace of 1st & 2nd metacarpals</p> | <p>B. Elbow crease
D. Lateral forearm</p> |
| <p>14 Which statement about LI4 (Hegu) is TRUE?</p> <p>A. Safe in pregnancy
C. Forbidden in pregnancy + command for face/mouth</p> | <p>B. Command for abdomen
D. Luo-connecting point</p> |
| <p>15 LI20 (Yingxiang) is located:</p> <p>A. Below the pupil
C. Corner of the mouth</p> | <p>B. Lateral to the nostril
D. Upper philtrum</p> |
| <p>16 The LI channel crosses to the opposite side at:</p> <p>A. LI20
C. The philtrum (Du26)</p> | <p>B. LI15
D. LI4</p> |
| <p>17 LEFT nasal congestion — according to Dr. Zhang, needle which side?</p> <p>A. Left side LI points
C. Right side LI points</p> | <p>B. Both sides equally
D. Either side</p> |
| <p>18 Which is a crossing point of the LI meridian?</p> <p>A. SP6
C. ST4 (Dicang)</p> | <p>B. GB20
D. LR3</p> |
| <p>19 LI11 (Quchi) is He-Sea of LI. Its primary clinical action is:</p> <p>A. Tonifies kidney yang
C. Opens Ren Mai</p> | <p>B. Clears heat, skin disease, hypertension
D. Treats low back pain</p> |
| <p>20 The branch of the LU meridian that connects to LI starts at:</p> <p>A. LU1
C. LU7</p> | <p>B. LU5
D. LU11</p> |

Week 2 Practice Quiz — Questions 21–30 (of 30)

Circle the best answer. Covers LU & LI — same scope as Quiz 2.

- | | |
|--|---|
| <p>21 Which is a correct example of interior-exterior paired treatment?</p> <p>A. Use ST for lung conditions
C. Use LI for liver conditions</p> | <p>B. Use LU points to boost qi for constipation
D. Use HT for stomach issues</p> |
| <p>22 The 3 naming features of any meridian are:</p> <p>A. Element, color, taste
C. Direction, depth, organ</p> | <p>B. Hand/foot, yin/yang, zang/fu
D. Qi, blood, fluids</p> |
| <p>23 LU channel belongs to the ZANG category. What does Zang mean?</p> <p>A. Hollow organ that transforms
C. Curious organ</p> | <p>B. Solid organ that stores essence
D. Extra organ</p> |
| <p>24 Which crossing point of LI is also a point on the Governor Vessel (Du Mai)?</p> <p>A. ST4 (Dicang)
C. SI12 (Bingfeng)</p> | <p>B. Du14 (Dazhui)
D. LI20</p> |
| <p>25 LU5 (Chize) is located at the:</p> <p>A. Wrist crease
C. Cubital crease, radial to biceps tendon</p> | <p>B. Midpoint of forearm
D. Thenar eminence</p> |
| <p>26 Which LI point is at the SHOULDER (highest point)?</p> <p>A. LI11
C. LI16</p> | <p>B. LI15 Jianyu
D. LI14</p> |
| <p>27 The LI has how many crossing points total?</p> <p>A. 1
C. 3</p> | <p>B. 2
D. 4</p> |
| <p>28 LU9 (Taiyuan) is also the Yuan-source point. Location:</p> <p>A. 1 cun above wrist crease
C. Wrist crease, radial to radial artery</p> | <p>B. Midpoint of forearm
D. Thenar eminence midpoint</p> |
| <p>29 Which statement about the circadian clock is TRUE according to Dr. Zhang?</p> <p>A. It is used for treatment timing
C. It is primarily used for diagnosis, not scheduling treatment</p> | <p>B. Only LU and LR are clinically relevant
D. Each meridian is active for 3 hours</p> |
| <p>30 According to Dr. Zhang, qi along a meridian:</p> <p>A. Can reverse under pathology
C. Never reverses — always one direction</p> | <p>B. Flows bidirectionally
D. Depends on time of day</p> |

Week 2 Quiz — Answer Key

- 1 **B** **Direction of qi in the 3 hand-YIN meridians?**
Chest to hand — hand yin meridians always flow from chest outward to fingertips.
- 2 **C** **Which element does the Lung meridian belong to?**
LU = Metal element. Paired with LI, also Metal. They share the same element.
- 3 **C** **The CONNECTING organ of the Lung meridian is:**
Connecting organ = paired organ via yin-yang interior-exterior relationship.
- 4 **C** **LU internal course originates from:**
Originates in middle jiao, descends to LI, ascends through stomach then diaphragm.
- 5 **D** **First acupoint of the Lung meridian?**
LU1 (Zhongfu) — below clavicle. Starting point of the external pathway.
- 6 **C** **LU7 (Lieque) holds which special categories?**
LU7 = Luo-connecting + Confluent (opens Ren Mai) + Command (for head/neck).
- 7 **B** **LU9 (Taiyuan) is the hui-meeting point for which tissue?**
LU9 = hui-meeting of vessels (mai). Associated with radial pulse palpation site.
- 8 **C** **Peak qi activity of the Lung meridian is:**
LU peak = 3–5 AM. Waking with respiratory symptoms at this hour = suspect LU dysfunction.
- 9 **C** **Waking at 1–3 AM regularly suggests dysfunction in:**
1–3 AM = Liver meridian peak. Often associated with emotional issues, stress, hormones.
- 10 **B** **Which LU point is the Xi-Cleft?**
LU6 (Kongzui) = Xi-Cleft. Used for acute/painful conditions: hemoptysis, acute throat.
- 11 **D** **Direction of qi in the Large Intestine meridian?**
LI = hand yang meridian. Yang meridians of hand flow Hand --> Head.
- 12 **C** **How many acupoints does the Large Intestine meridian have?**
LI has 20 points: LI1 (Shangyang) to LI20 (Yingxiang).
- 13 **C** **LI4 (Hegu) is located at:**
LI4 = dorsal hand, web space between 1st and 2nd metacarpal bones.
- 14 **C** **Which statement about LI4 (Hegu) is TRUE?**
LI4 = command for face/mouth/head. STRICTLY FORBIDDEN in pregnancy.
- 15 **B** **LI20 (Yingxiang) is located:**
LI20 = lateral nasolabial groove, beside the nostril.

Week 2 Quiz — Answer Key (continued)

- 16 **C** The LI channel crosses to the opposite side at:
LI crosses midline at the philtrum (Du26/Shuigou). Left branch goes right, right goes left.
- 17 **C** LEFT nasal congestion — according to Dr. Zhang, needle which side?
Because LI crosses to OPPOSITE side, left nasal congestion = needle RIGHT LI points.
- 18 **C** Which is a crossing point of the LI meridian?
ST4 (Dicang) is one of LI's 4 crossing points, at corner of mouth below the pupil.
- 19 **B** LI11 (Quchi) is He-Sea of LI. Its primary clinical action is:
LI11 = clears heat/fire toxins, treats skin conditions, lowers blood pressure.
- 20 **C** The branch of the LU meridian that connects to LI starts at:
From LU7 at the wrist, a branch runs to the radial side of the index finger (LI1).
- 21 **B** Which is a correct example of interior-exterior paired treatment?
Dr. Zhang: 'For constipation not resolved normally, add LU points to boost qi movement.'
- 22 **B** The 3 naming features of any meridian are:
Three features: (1) Hand or Foot, (2) Yin or Yang, (3) Zang or Fu organ.
- 23 **B** LU channel belongs to the ZANG category. What does Zang mean?
Zang = solid organs that store essence. LI = Fu organ (hollow, processes/eliminates).
- 24 **B** Which crossing point of LI is also a point on the Governor Vessel (Du Mai)?
Du14 (Dazhui) at C7. LI passes through it on the way from shoulder to supraclavicular fossa.
- 25 **C** LU5 (Chize) is located at the:
LU5 = He-Sea of LU, at the elbow crease, radial side of biceps brachii tendon.
- 26 **B** Which LI point is at the SHOULDER (highest point)?
LI15 (Jianyu) = depression anterior to acromion, at highest point of shoulder.
- 27 **D** The LI has how many crossing points total?
4 crossing points: Du14, Du26, ST4 (Dicang), SI12 (Bingfeng).
- 28 **C** LU9 (Taiyuan) is also the Yuan-source point. Location:
LU9 is at the wrist crease on the radial side — same location where pulse is palpated.
- 29 **C** Which statement about the circadian clock is TRUE according to Dr. Zhang?
Dr. Zhang: 'It is very hard to give patients treatment at 3 AM. This theory helps with DIAGNOSIS.'
- 30 **C** According to Dr. Zhang, qi along a meridian:
Dr. Zhang: 'The flow never goes back. One direction only. Smaller number = closer to trunk.'