

DECODER

1-9

# MASTER SPECIAL POINTS DECODER

*Every Special-Point Category, Cumulative, Tiered A/B/C*

Five Shu · Yuan · Luo · Back-Shu · Front-Mu · Xi-Cleft · He-Sea · Confluent · Command · Hui-Meeting

## TIER A

*Dr. Zhang's confirmed final-exam review  
emphasis -- know cold*

## TIER B

*Quiz-tested (Quiz 1-6) and/or high  
clinical yield -- know well*

## TIER C

*Classical/reference material -- lower  
priority per Dr. Zhang's Week 9  
statement*

*This is NOT the weekly Study Guide -- it is organized BY POINT CATEGORY, not by channel.*

Use it to cross-check: "what are ALL the Yuan-Source points?" instead of "what is LU's Yuan-Source?"

Every category is cross-referenced back to the per-channel ID cards in the Final Study Guide.

## SPECIAL POINT CATEGORY DEFINITIONS

*Read this page FIRST -- every table after assumes you know these terms*

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Five Shu (Transport) Points     | A set of 5 points on each of the 12 primary meridians, located distal to the elbows/knees, through which Qi is said to flow like water: Jing-Well (emerges) -> Ying-Spring (flows) -> Shu-Stream (pours) -> Jing-River (travels) -> He-Sea (enters). Each stage has a distinct clinical application (first aid, febrile disease, joint pain, externally-contracted disease, and Fu-organ disorders, respectively). |
| Yuan-Source Point               | The point where a channel's "Source Qi" (Yuan Qi) is most concentrated and accessible -- effectively the primary tonification/regulation point for that channel's associated organ. On Yin channels it coincides with the Shu-Stream point; on Yang channels it is a separate 6th point.                                                                                                                           |
| Luo-Connecting (Luo) Point      | The point where a small branch ("Luo-vessel") splits off from the main channel and runs to its internally-externally paired channel, physically linking the two. Used to treat either channel from one point, and clinically significant for chronic/deficiency patterns of the paired organ.                                                                                                                      |
| Back-Shu (Transport) Point      | One of 12 points on the Bladder channel's inner back line, each directly overlying/associated with a specific Zang-Fu organ. Back-Shu points are the most direct route to influence an organ's Qi from the body's posterior surface -- used heavily in both diagnosis (palpation tenderness) and treatment.                                                                                                        |
| Front-Mu (Alarm) Point          | A point on the chest or abdomen, on the front of the body, most closely associated with a specific Zang-Fu organ -- often located near that organ's physical location. Front-Mu points are especially useful for ACUTE organ disorders and, like Back-Shu points, are diagnostically tender on palpation.                                                                                                          |
| Xi-Cleft (Accumulation) Point   | A point where a channel's Qi and Blood pool or "accumulate" more deeply than usual. The go-to point category for ACUTE, often painful presentations of that channel's pathology -- acute pain, acute bleeding, or acute spasm -- distinct from the more chronic focus of He-Sea points.                                                                                                                            |
| He-Sea (Uniting) Point          | The point nearest the elbow or knee where a channel's Qi is said to converge/"enter" most fully, like a river reaching the sea. Classically used for disorders of the Six Fu (hollow) organs and for rebellious/reversed Qi (e.g., vomiting, diarrhea).                                                                                                                                                            |
| Lower He-Sea Point              | A special subset of He-Sea points specifically for the 6 Fu organs, located on the leg. Three Fu organs (ST, GB, BL) use their own He-Sea point; the other three (LI, SI, SJ) BORROW a point on a different Foot channel entirely -- a frequently-tested distinction.                                                                                                                                              |
| Confluent (Opening) Point       | One of 8 points on the 12 primary meridians that each "open" (activate) one of the 8 Extraordinary Vessels. Confluent points are the ONLY way to access an Extraordinary Vessel's function through needling, since the vessels themselves (except GV/CV) have no points of their own.                                                                                                                              |
| Command Point                   | One of a small classical set of points (the Four Command Points/Si Zong Xue) each said to "command" -- have outsized therapeutic reach over -- an entire body region (abdomen, back, face/mouth, head/nape), regardless of where the specific complaint is located within that region.                                                                                                                             |
| Hui-Meeting (Influential) Point | One of 8 points, each governing a broad tissue/substance category (Qi, Blood, Bone, Marrow, Sinew, Vessels, and the Zang or Fu organs as groups) rather than a single channel or organ -- used when a condition affects that category broadly, cutting across multiple channels.                                                                                                                                   |

### Crossing (Meeting) Point

A point where two or more channels physically intersect or run together for a stretch. A crossing point can be needed to influence every channel that passes through it, not just the channel it's numbered under -- explaining why some points (e.g. GV14, SP6) show up in multiple channels' pathology.

## FIVE SHU (TRANSPORT) POINTS -- 60-POINT MASTER TABLE

TIER A

A specific group of 5 points on each of the 12 primary meridians, situated distal to the elbows/knees: Jing-Well (“where it emerges”, tips of fingers/toes, first aid/resuscitation), Ying-Spring (“where it flows”, before MCP/MTP, febrile disease), Shu-Stream (“where it pours”, after MCP/MTP, heaviness & joint pain), Jing-River (“where it travels”, forearm/lower leg, externally-contracted disease), He-Sea (“where it enters”, near elbow/knee, disorders of the six Fu).

Split into two narrower tables so neither requires horizontal scrolling on a phone or tablet.

## Jing-Well -&gt; Ying-Spring -&gt; Shu-Stream

| Meridian             | Jing-Well      | Ying-Spring   | Shu-Stream   |
|----------------------|----------------|---------------|--------------|
| Lung (LU)            | LU11 Shaoshang | LU10 Yuji     | LU9 Taiyuan  |
| Large Intestine (LI) | LI1 Shangyang  | LI2 Erjian    | LI3 Sanjian  |
| Stomach (ST)         | ST45 Lidui     | ST44 Neiting  | ST43 Xianggu |
| Spleen (SP)          | SP1 Yinbai     | SP2 Dadu      | SP3 Taibai   |
| Heart (HT)           | HT9 Shaochong  | HT8 Shaofu    | HT7 Shenmen  |
| Small Intestine (SI) | SI1 Shaoze     | SI2 Qianqu    | SI3 Houxi    |
| Bladder (BL)         | BL67 Zhiyin    | BL66 Zutonggu | BL65 Shugu   |
| Kidney (KI)          | KI1 Yongquan   | KI2 Rangu     | KI3 Taixi    |
| Pericardium (PC)     | PC9 Zhongchong | PC8 Laogong   | PC7 Daling   |
| San Jiao (SJ)        | SJ1 Guanchong  | SJ2 Yemen     | SJ3 Zhongzhu |
| Gallbladder (GB)     | GB44 Zuqiaoyin | GB43 Xiashi   | GB41 Zulinqi |
| Liver (LR)           | LR1 Dadun      | LR2 Xingjian  | LR3 Taichong |

## Jing-River -&gt; He-Sea

| Meridian             | Jing-River    | He-Sea            |
|----------------------|---------------|-------------------|
| Lung (LU)            | LU8 Jingqu    | LU5 Chize         |
| Large Intestine (LI) | LI5 Yangxi    | LI11 Quchi        |
| Stomach (ST)         | ST41 Jiexi    | ST36 Zusanli      |
| Spleen (SP)          | SP5 Shangqiu  | SP9 Yinlingquan   |
| Heart (HT)           | HT4 Lingdao   | HT3 Shaohai       |
| Small Intestine (SI) | SI5 Yanggu    | SI8 Xiaohai       |
| Bladder (BL)         | BL60 Kunlun   | BL40 Weizhong     |
| Kidney (KI)          | KI7 Fuliu     | KI10 Yingu        |
| Pericardium (PC)     | PC5 Jianshi   | PC3 Quze          |
| San Jiao (SJ)        | SJ6 Zhigou    | SJ10 Tianjing     |
| Gallbladder (GB)     | GB38 Yangfu   | GB34 Yanglingquan |
| Liver (LR)           | LR4 Zhongfeng | LR8 Ququan        |

Yin meridians have NO separate Yuan-Source point -- the Shu-Stream point IS the Yuan point (e.g. Taiyuan LU9 is both Shu-Stream and Yuan for Lung; Taixi KI3 for Kidney). Yang meridians have a 6th, separate Yuan-Source point beyond the 5 Shu points (e.g. Chongyang ST42, Hegu LI4).

## YUAN-SOURCE POINTS -- ALL 12 MERIDIANS

TIER A

LU LU9 Taiyuan

LI LI4 Hegu -- FORBIDDEN in pregnancy

ST ST42 Chongyang

SP SP3 Taibai

HT HT7 Shenmen

SI SI4 Wangu

BL BL64 Jinggu

KI KI3 Taixi (also Shu-Stream -- dual role)

PC PC7 Daling

SJ SJ4 Yangchi

GB GB40 Qiuxu

LR LR3 Taichong

On YIN channels, the Yuan-Source point IS the Shu-Stream point (dual role, same point). On YANG channels, Yuan-Source is a separate 6th point beyond the 5 Shu points.

## LUO-CONNECTING POINTS -- ALL 15

TIER A

| Luo Point      | Connection                         | Note                                                 |
|----------------|------------------------------------|------------------------------------------------------|
| LU7 Lieque     | LU -> LI                           | also opens Ren Mai (Week 7)                          |
| LI6 Pianli     | LI -> LU                           | closest pairing around the wrist to LU7              |
| ST40 Fenglong  | ST -> SP                           | #1 phlegm point in TCM                               |
| SP4 Gongsun    | SP -> ST                           | also opens Chong Mai                                 |
| HT5 Tongli     | HT -> SI                           | 1 cun above wrist crease                             |
| SI7 Zhizheng   | SI -> HT                           | 5 cun above wrist                                    |
| BL58 Feiyang   | BL -> KI                           | 7 cun above external malleolus                       |
| KI4 Dazhong    | KI -> BL                           | posterior to internal malleolus                      |
| PC6 Neiguan    | PC -> SJ                           | also opens Yin Wei Mai                               |
| SJ5 Waiguan    | SJ -> PC                           | also opens Yang Wei Mai                              |
| GB37 Guangming | GB -> LR                           | 5 cun above external malleolus                       |
| LR5 Ligou      | LR -> GB                           | 5 cun above internal malleolus                       |
| CV15 Jiuwei    | Ren Mai collateral                 | spreads over the FRONT midline/abdomen               |
| GV1 Changqiang | Du Mai collateral                  | spreads over the BACK midline                        |
| SP21 Dabao     | Great (Major) Collateral of Spleen | covers the LATERAL chest -- why there are 15, not 12 |

Connecting (Luo) points of HAND meridians cluster around the WRIST. Connecting points of FOOT meridians cluster around the ANKLE/MALLEOLUS. CV/GV/SP-Great-Luo are the exceptions, covering front midline, back midline, and lateral chest respectively.

## BACK-SHU POINTS -- ORGAN TRANSPORT SERIES (BL13-BL28)

TIER A

| Point             | Organ Treated   |
|-------------------|-----------------|
| BL13 Feishu       | Lung            |
| BL14 Jueyinshu    | Pericardium     |
| BL15 Xinshu       | Heart           |
| BL18 Ganshu       | Liver           |
| BL19 Danshu       | Gallbladder     |
| BL20 Pishu        | Spleen          |
| BL21 Weishu       | Stomach         |
| BL22 Sanjiaoshu   | San Jiao        |
| BL23 Shenshu      | Kidney          |
| BL25 Dachangshu   | Large Intestine |
| BL27 Xiaochangshu | Small Intestine |
| BL28 Pangguangshu | Bladder         |

All 12 Back-Shu points sit on the Bladder channel's inner line, 1.5 cun lateral to the spine -- roughly in organ order top-to-bottom. BL20 (Spleen) and BL21 (Stomach) sit directly adjacent and are a classic confusable pair.

## FRONT-MU POINTS -- ALL 12 MERIDIANS

TIER A

|    |                               |    |                  |
|----|-------------------------------|----|------------------|
| LU | LU1 Zhongfu (own -- unusual)  | BL | CV3 Zhongji      |
| LI | ST25 Tianshu (on ST channel)  | KI | GB25 Jingmen     |
| ST | CV12 Zhongwan                 | PC | CV17 Danzhong    |
| SP | LR13 Zhangmen (on LR channel) | SJ | CV5 Shimen       |
| HT | CV14 Juque                    | GB | GB24 Riyue (own) |
| SI | CV4 Guanyuan                  | LR | LR14 Qimen (own) |

Front-Mu points are scattered across several channels (CV, ST, LR, GB) rather than clustered on one channel like Back-Shu -- the classic Front-Mu exam trap is assuming a point sits on its own channel (e.g. ST25 is Front-Mu of LARGE INTESTINE, not Stomach).

## XI-CLEFT POINTS -- ALL 12 MERIDIANS

TIER B

LU LU6 Kongzui  
 LI LI7 Wenliu  
 ST ST34 Liangqiu  
 SP SP8 Diji  
 HT HT6 Yinxi  
 SI SI6 Yanglao

BL BL63 Jinmen  
 KI KI5 Shuiquan  
 PC PC4 Ximen  
 SJ SJ7 Huizong  
 GB GB36 Waiqiu  
 LR LR6 Zhongdu

Xi-Cleft points are the go-to for ACUTE presentations of that channel's pathology (acute pain, acute bleeding, acute spasm) -- contrast with He-Sea points, used more for chronic/Fu-organ disorders.

## HE-SEA POINTS -- ALL 12 MERIDIANS

TIER B

LU LU5 Chize  
 LI LI11 Quchi  
 ST ST36 Zusanli  
 SP SP9 Yinlingquan  
 HT HT3 Shaohai  
 SI SI8 Xiaohai

BL BL40 Weizhong (Command, back)  
 KI KI10 Yingu  
 PC PC3 Quze  
 SJ SJ10 Tianjing  
 GB GB34 Yanglingquan (also Hui-Meeting Sinews)  
 LR LR8 Ququan

## LOWER HE-SEA POINTS -- THE 6 FU ORGANS


TIER B

| Point             | Fu Organ          | Use                                                       |
|-------------------|-------------------|-----------------------------------------------------------|
| ST37 Shangjuxu    | Large Intestine   | LI bowel disorders (diarrhea, appendicitis-type pain)     |
| ST39 Xiajuxu      | Small Intestine   | SI bowel disorders, lower abdominal pain                  |
| BL39 Weiyang      | San Jiao          | water metabolism, edema, lower back/leg pain              |
| ST36 Zusanli      | Stomach (own)     | master tonic, digestion, immunity                         |
| GB34 Yanglingquan | Gallbladder (own) | also Hui-Meeting of Sinews -- tendons, hypochondriac pain |
| BL40 Weizhong     | Bladder (own)     | also Command Point of the back                            |


The 6 Fu (hollow) organs each have a Lower He-Sea point on the leg. ST, GB, and BL simply use their own He-Sea point (already Fu channels). LI, SI, and SJ -- despite being Hand channels -- BORROW a Lower He-Sea point on a FOOT channel (ST or BL) instead of using a point on their own pathway. This is a classic exam trap: LI's and SI's Lower He-Sea points are NOT on the LI or SI channel at all.

## EIGHT CONFLUENT POINTS -- OPEN THE 8 EXTRAORDINARY VESSELS

TIER A



Spine pain, fever




eye

SI3 Houxi + BL62 Shenmai

Opens: Du Mai + Yang Qiao Mai

Use: posterior body, spine, neck, febrile disease

Classic combination for acute spinal rigidity and neck stiffness -- SI3 is also the Shu-Stream point of SI, giving it a dual mechanism for pain along the whole posterior line.




LU7 Lieque + KI6 Zhaohai


Opens: Ren Mai + Yin Qiao Mai

Use: throat, chest, lung, insomnia

LU7 is also LU's Luo-Connecting point; KI6 is the vessel's own confluent gateway. Together they treat throat-chest disorders with an insomnia/restlessness component -- classic for Yin-deficiency insomnia.



公孙穴




SP4 Gongsun + PC6 Neiguan

Opens: Chong Mai + Yin Wei Mai

Use: chest, heart, stomach -- MOST-used pairing in clinic

The single most clinically-used confluent pair. Both points are ALSO their own channel's Luo-Connecting point, so this combination doubles up on Luo + Confluent mechanisms simultaneously.





### GB41 Zulinqi + SJ5 Waiguan

Opens: Dai Mai + Yang Wei Mai

Use: lateral body, hypochondriac pain, exterior disorders

Both are Shaoyang-channel points (same-name channel rule), reinforcing the lateral-body, alternating-fever-and-chills clinical picture shared by Dai Mai and Yang Wei Mai.

## FOUR COMMAND POINTS (SI ZONG XUE)

TIER B

| Point         | Governs Region | Note                                                   |
|---------------|----------------|--------------------------------------------------------|
| ST36 Zusanli  | Abdomen        | the #1 tonic point in TCM; He-Sea + Lower He-Sea of ST |
| BL40 Weizhong | Back           | He-Sea of BL; "aspirin of acupuncture"                 |
| LU7 Lieque    | Head / Nape    | Luo of LU; also Confluent point opening Ren Mai        |
| LI4 Hegu      | Face / Mouth   | Yuan-Source of LI; FORBIDDEN in pregnancy              |

The Four Command Points (Si Zong Xue) -- a classical mnemonic distinct from, but often confused with, the 8 Confluent Points. "Command" points treat a whole body REGION; Confluent points open an Extraordinary Vessel. Some points (LU7, LI4) do double duty as both a Command point AND part of another special category -- always check whether a question is asking about regional command or vessel confluence.

## EIGHT HUI-MEETING (INFLUENTIAL) POINTS

TIER C

| Point                  | Governs             | Use                                                         |
|------------------------|---------------------|-------------------------------------------------------------|
| CV12 Zhongwan          | Fu (Hollow) Organs  | digestive disorders, all six Fu organs                      |
| LR13 Zhangmen          | Zang (Solid) Organs | organ-level disharmony, hypochondriac pain                  |
| CV17 Danzhong          | Qi                  | chest Qi stagnation, breathing, lactation                   |
| BL17 Geshu             | Blood               | all blood disorders -- bleeding, stasis, deficiency         |
| BL11 Dazhu             | Bone                | bone disorders, also a classic exterior-releasing point     |
| GB39 Xuanzhong (Juegu) | Marrow              | marrow, brain, spinal cord, also relates to bone marrow     |
| GB34 Yanglingquan      | Sinew (Tendon)      | tendons/ligaments, also He-Sea of GB and Lower He-Sea of GB |
| LU9 Taiyuan            | Vessels (Pulse)     | all pulse/vessel disorders, also Yuan-Source of LU          |

The 8 Hui-Meeting (Influential) Points are classical CAM/MOA reference material -- each governs a tissue/substance category rather than a single channel. Not explicitly confirmed as part of Dr. Zhang's live review, but standard course-textbook material worth recognizing (Tier C).

## CROSSING (MEETING) POINTS -- BY CHANNEL

TIER C

| Channel | Count | Note                                                                                      |
|---------|-------|-------------------------------------------------------------------------------------------|
| ST      | 11    | the MOST of any single primary channel -- LI20, BL1, GB3/4/6, SP1, GV24, GV26, CV12/13/24 |
| BL      | 14    | shared specifically with GV and Gallbladder, concentrated around the head                 |
| GB      | 12    | across 6 meridians (SJ, LR, PC, SI, ST, GV) -- confirmed against the 2026 slide deck      |
| SJ      | 10+   | shares crossing points with GB around head/ear/shoulder, plus GV14, SI12                  |
| SP      | 6     | abdomen/chest region -- CV3, CV4, CV10, GB24, LR14, LU1                                   |
| LR      | 6     | shared with CV (2) and SP (1) around the genital/abdomen region                           |
| SI / LI | few   | crosses GV14 and the cheek/eye/shoulder region                                            |
| HT / PC | 0     | the ONLY 2 primary channels with ZERO named crossing points -- classic paired trap        |

Per Dr. Zhang's Week 9 review, deep crossing-point memorization is lower priority than the pathway and special-point material above -- know the notable counts (ST=11 most, HT/PC=0) rather than every individual crossing point.

## CROSS-REFERENCE INDEX -- ONE RECORD PER CHANNEL

Every category, in narrow record format -- no horizontal scrolling

**LU -- Lung**

Yuan: LU9 Taiyuan · Luo: LU7 Lieque · Xi-Cleft: LU6 Kongzui · He-Sea: LU5 Chize · Back-Shu: BL13 Feishu · Front-Mu: LU1 Zhongfu (own -- unusual) · Confluent/Cmd: LU7 -- opens Ren Mai (paired w/ KI6)

**LI -- Large Intestine**

Yuan: LI4 Hegu -- FORBIDDEN in pregnancy · Luo: LI6 Pianli · Xi-Cleft: LI7 Wenliu · He-Sea: LI11 Quchi · Back-Shu: BL25 Dachangshu · Front-Mu: ST25 Tianshu (on ST channel) · Confluent/Cmd: LI4 -- face/mouth

**ST -- Stomach**

Yuan: ST42 Chongyang · Luo: ST40 Fenglong · Xi-Cleft: ST34 Liangqiu · He-Sea: ST36 Zusanli · Back-Shu: BL21 Weishu · Front-Mu: CV12 Zhongwan · Confluent/Cmd: ST36 -- abdomen; Lower He-Sea ST37 (LI) / ST39 (SI)

**SP -- Spleen**

Yuan: SP3 Taibai · Luo: SP4 Gongsun · Xi-Cleft: SP8 Diji · He-Sea: SP9 Yinlingquan · Back-Shu: BL20 Pishu · Front-Mu: LR13 Zhangmen (on LR channel) · Confluent/Cmd: SP4 -- opens Chong Mai (paired w/ PC6)

**HT -- Heart**

Yuan: HT7 Shenmen · Luo: HT5 Tongli · Xi-Cleft: HT6 Yinxi · He-Sea: HT3 Shaohai · Back-Shu: BL15 Xinshu · Front-Mu: CV14 Jueque · Confluent/Cmd: none

**SI -- Small Intestine**

Yuan: SI4 Wangu · Luo: SI7 Zhizheng · Xi-Cleft: SI6 Yanglao · He-Sea: SI8 Xiaohai · Back-Shu: BL27 Xiaochangshu · Front-Mu: CV4 Guanyuan · Confluent/Cmd: SI3 Houxi -- opens Du Mai (paired w/ BL62)

**BL -- Bladder**

Yuan: BL64 Jinggu · Luo: BL58 Feiyang · Xi-Cleft: BL63 Jinmen · He-Sea: BL40 Weizhong (Command, back) · Back-Shu: BL28 Pangguangshu (own) · Front-Mu: CV3 Zhongji · Confluent/Cmd: BL62 Shenmai -- opens Yang Qiao Mai (paired w/ SI3)

**KI -- Kidney**

Yuan: KI3 Taixi (also Shu-Stream -- dual role) · Luo: KI4 Dazhong · Xi-Cleft: KI5 Shuiquan · He-Sea: KI10 Yingu · Back-Shu: BL23 Shenshu · Front-Mu: GB25 Jingmen · Confluent/Cmd: KI6 Zhaohai -- opens Yin Qiao Mai (paired w/ LU7)

**PC -- Pericardium**

Yuan: PC7 Daling · Luo: PC6 Neiguan · Xi-Cleft: PC4 Ximen · He-Sea: PC3 Quze · Back-Shu: BL14 Jueyinshu · Front-Mu: CV17 Danzhong · Confluent/Cmd: PC6 -- opens Yin Wei Mai (paired w/ SP4) -- most-used confluent pairing in clinic

**SJ -- San Jiao / Triple Energizer**

Yuan: SJ4 Yangchi · Luo: SJ5 Waiguan · Xi-Cleft: SJ7 Huizong · He-Sea: SJ10 Tianjing · Back-Shu: BL22 Sanjiaoshu · Front-Mu: CV5 Shimen · Confluent/Cmd: SJ5 -- opens Yang Wei Mai (paired w/ GB41)

**GB -- Gallbladder**

Yuan: GB40 Qiu Xu · Luo: GB37 Guangming · Xi-Cleft: GB36 Waiqiu · He-Sea: GB34 Yanglingquan (also Hui-Meeting Sinews) · Back-Shu: BL19 Danshu · Front-Mu: GB24 Riyue (own) · Confluent/Cmd: GB41 Zulinqi -- opens Dai Mai (paired w/ SJ5)

**LR -- Liver**

Yuan: LR3 Taichong · Luo: LR5 Ligou · Xi-Cleft: LR6 Zhongdu · He-Sea: LR8 Ququan · Back-Shu: BL18 Ganshu · Front-Mu: LR14 Qimen (own) · Confluent/Cmd: none directly (LR13 is the SP Front-Mu; LR14 is LR's own Front-Mu)