

KI STUDY PACKET

Tomorrow Morning - Kidney + Cross-Channel Check

WHAT'S INSIDE (in order):

1. Study Guide - KI section + Clinical Pearls + Quiz 4 Fundamentals + BL vs KI comparison
2. Cram Sheet - KI card + Full Point Grid (BL+KI combined quick scan)
3. Special Points Decoder - KI entries
4. Master Comparison - Full Attribute Table (all 8 channels) + Cross-Week Trap Notes
5. Retrieval Drill - KI grid + Cross-Week Trap Drill (12 items) + Circadian/Command Point Drill
6. Retrieval Drill Answer Key - KI + traps + circadian
7. Quiz Kit - full 30-question practice quiz + answer key

HOW TO USE THIS PACKET:

Do the KI Retrieval Drill first, cold, while your recall is freshest. Then the Trap Drill and Circadian/Command Point Drill - these test BOTH channels together, which is why they belong this morning, after BL is already loaded from last night. The Master Comparison page adds connection traps (LI->ST, SP->HT, teeth, tongue) not covered elsewhere - skim it once. Finish with the Quiz Kit as a timed dry run if time allows before 9 AM.

WEEK 5

reMarkable Edition

Week 5 Study Guide

Bladder & Kidney Channels

BL (67 pts) + KI (27 pts) = 94 Points

This Week Covers:

- Bladder Meridian of Foot-Taiyang (BL1-BL67) with MOA + CAM figures
- BL 5 Branches — full detailed running course (longest channel in the body)
- BL 14 Crossing Points — the most of any channel
- Kidney Meridian of Foot-Shaoyin (KI1-KI27) with MOA + CAM figures
- KI 3 Branches — full detailed running course, ending at the Pericardium link
- KI 6 Crossing Points — abdomen and chest
- Full Back-Shu Series (BL13-BL28) — organ transport points
- Dr. Zhang's Clinical Pearls — direct from lecture
- BL vs KI Quick Reference — side-by-side comparison

QUIZ 4 (next class) covers: BL & KI channels.

BL & KI are taught this week; PC & SJ will be TAUGHT next week (Week 6).

MOA: BL pp.251-256 | KI pp.331-335


CAM: Col. Fig. 8-9 | Slides: Dr. Vivian Zhang, Week 5

The Kidney Meridian of Foot-Shaoyin

Yin | Water | 5 PM – 7 PM | 27 Points

Pertaining **Kidney**Connecting **Bladder**Back-Shu **BL23**Front-Mu **GB25 Jingmen**Yuan-Source **KI3**Luo **KI4**He-Sea **KI10**

Internal Running Course



MOA - KI Meridian (internal pathway)

- 1 Starts beneath the small toe, runs obliquely to the sole of the foot (KI1 Yongquan).
- 2 Emerges below the tuberosity of the navicular bone (KI2 Rangu), curves behind the medial malleolus (KI3-KI8).
- 3 Enters the heel, ascends the medial calf to the medial side of the popliteal fossa (KI9, KI10 Yingu).
- 4 Continues up the postero-medial thigh toward the vertebral column, threading the spine, where it enters the Kidney (its pertaining organ) and connects with the Bladder.
- 5 STRAIGHT PORTION: re-emerges from the Kidney, ascends through the Liver and diaphragm, enters the Lung, runs along the throat, and terminates at the root of the tongue.
- 6 BRANCH: springs from the Lung, joins the Heart, and runs into the chest to link with the Pericardium Meridian of Hand-Jueyin – the channel that opens Week 6.
- 7 Internal course also passes through the lower abdomen and chest (KI11-KI27), crossing the Ren Mai at CV3, CV4, CV7 and CV17 along the way.


Functions (MOA)

- Stores Essence (Jing); root of pre-natal/constitutional Qi
- Grasps Qi – anchors respiration; asthma when this fails
- Governs bone, marrow, and hearing
- ONLY channel reaching the tongue root via a re-emerging branch
- Front-Mu: GB25 Jingmen | Back-Shu: BL23 Shenshu

The Kidney Meridian (KI) - External Running Course & CAM Figures

Pertaining Kidney	Connecting Bladder	Back-Shu BL23	Front-Mu GB25 Jingmen	Yuan-Source KI3	Luo KI4	He-Sea KI10
--------------------------	---------------------------	----------------------	------------------------------	------------------------	----------------	--------------------

Pt	Chinese	Location & Notes
KI1	Yongquan	Sole of foot, depression when plantar-flexed - Jing-Well; first point
KI2	Rangu	Below tuberosity of navicular bone - Ying-Spring
KI3	Taixi	Depression between medial malleolus tip & Achilles tendon - Shu-Stream; Yuan-Source
KI4	Dazhong	0.5 cun posterior to KI3, medial calcaneus - Luo-connecting
KI5	Shuiquan	1 cun below KI3, antero-superior to calcaneal tuberosity - Xi-Cleft
KI6	Zhaohai	1 cun below tip of medial malleolus - Confluent - Yinqiao Mai
KI7	Fuliu	2 cun above KI3, anterior to Achilles tendon - Jing-River
KI8	Jiaoxin	2 cun above KI3, posterior to KI7 - Xi-Cleft of Yinqiao Mai
KI9	Zhubin	5 cun above KI3, medial gastrocnemius head - Xi-Cleft of Yinwei Mai
KI10	Yingu	Medial end of popliteal crease - He-Sea
KI11	Henggu	5 cun below navel, 0.5 cun lateral to midline
KI12	Dahe	4 cun below navel, 0.5 cun lateral to midline
KI13	Qixue	3 cun below navel, 0.5 cun lateral to midline
KI14	Siman	2 cun below navel, 0.5 cun lateral to midline
KI15	Zhongzhu	1 cun below navel, 0.5 cun lateral to midline
KI16	Huangshu	Level with navel, 0.5 cun lateral to midline
KI17	Shangqu	2 cun above navel, 0.5 cun lateral to midline
KI18	Shiguan	3 cun above navel, 0.5 cun lateral to midline
KI19	Yindu	4 cun above navel, 0.5 cun lateral to midline
KI20	Futonggu	5 cun above navel, 0.5 cun lateral to midline
KI21	Youmen	6 cun above navel, 0.5 cun lateral to midline
KI22	Bulang	5th ICS, 2 cun lateral to midline
KI23	Shenfeng	4th ICS, 2 cun lateral to midline
KI24	Lingxu	3rd ICS, 2 cun lateral to midline
KI25	Shencang	2nd ICS, 2 cun lateral to midline
KI26	Yuzhong	1st ICS, 2 cun lateral to midline
KI27	Shufu	Inferior border of clavicle, 2 cun lateral to midline - Last point



CAM Col. Fig. 9 - Kidney Meridian

KI - Crossing Points & Syndromes (Compact)

Dr. Zhang: "KI's 6 crossing points are mostly in the abdomen and chest (SP6, GV1, CV3, CV4, CV7, CV17) – this is why KI is so powerful for abdominal, reproductive, and chest conditions."

SP6 Sanyinjiao

SP6 / SP channel

Location: Medial leg, 3 cun above medial malleolus

Clinical:

KI's ascending pathway intersects the Spleen channel here – the same 3-Yin meeting point shared with SP and LR. Gynecological disorders, insomnia; FORBIDDEN IN PREGNANCY.

GV1 Changqiang

GV1 / Du Mai

Location: Tip of coccyx

Clinical:

KI's internal course meets the Governor Vessel at its origin point near the coccyx as it threads the spine toward the Kidney. Hemorrhoids, prolapse, lower back/sacral pain.

CV3 Zhongji

CV3 / Ren Mai

Location: Lower abdomen, 4 cun below navel

Clinical:

KI crosses the Ren Mai at CV3 – also the Front-Mu of the Bladder. Urinary retention, menstrual disorders, genital pain.

CV4 Guanyuan

CV4 / Ren Mai

Location: Lower abdomen, 3 cun below navel

Clinical:

A major Qi-tonification gate that KI's internal pathway passes through. Chronic deficiency, infertility, menstrual regulation.

CV7 Yinjiao

CV7 / Ren Mai

Location: Lower abdomen, 1 cun below navel

Clinical:

KI crosses the Ren Mai again at CV7 on its ascent through the abdomen. Abdominal pain, menstrual irregularity, umbilical discomfort.

CV17 Shanzhong

CV17 / Ren Mai

Location: Chest, midline at nipple level

Clinical:

KI's ascending branch reaches the chest near CV17 (the Sea of Qi / Front-Mu of Pericardium) before linking with the Pericardium channel. Chest oppression, cough, breast disorders.

A. External Course Symptoms

- Heel pain (Dr. Zhang's explicit clinical teaching point)
- Low back/knee weakness or pain along the medial leg
- Dry mouth, sore throat (pathway terminates at tongue root)
- Tongue-root numbness or stiffness (diagnostic sign)
- Cold sensation of soles, medial leg pain

B. Internal Organ (Kidney)

- Essence (Jing) deficiency – developmental, reproductive, aging concerns
- Kidney fails to grasp Qi – asthma, shortness of breath on exertion
- Poor bone/marrow, weak knees and lower back
- Tinnitus, deafness, hair loss/graying
- Night sweats, five-palm heat (Yin deficiency pattern)
- Edema, poor water metabolism

KI - High-Yield Points & Five-Shu

High-Yield Points

Pt	Chinese	Category	Key Indications
KI1	Yongquan	Jing-Well; first point	Resuscitation, calms spirit; used in hypertension
KI3	Taixi	Shu-Stream + Yuan-Source	Key tonic point for Kidney Yin AND Yang
KI4	Dazhong	Luo-connecting	Heel pain, weak lower back, apathy/low mood
KI6	Zhaohai	Confluent — Yinqiao Mai	Insomnia, sore throat, irregular menstruation
KI7	Fuliu	Jing-River	Tonifies Kidney Yang; edema; night sweats (pairs with HT6)
KI10	Yingu	He-Sea	Difficult urination, impotence, medial knee pain
KI16	Huangshu	Level with navel	Abdominal pain, constipation/diarrhea; near-navel landmark
KI27	Shufu	Last point	Cough, asthma, chest oppression — links functionally to PC channel

Five-Shu (Antique) Points - KI | Yin channel: Jing-Well = Wood

Shu Point	Element	Pt	Clinical Use
Jing-Well	Wood	KI1 Yongquan	Resuscitation, calms spirit, hypertension
Ying-Spring	Fire	KI2 Rangu	Sore throat, spontaneous sweating, diabetes-type thirst
Shu-Stream	Earth	KI3 Taixi	Yuan-source; master Kidney tonic, Yin AND Yang
Jing-River	Metal	KI7 Fuliu	Tonifies Kidney Yang; edema; night sweats
He-Sea	Water	KI10 Yingu	Difficult urination, impotence, medial knee pain

FORBIDDEN IN PREGNANCY (channels covered so far): SP6, LI4, BL60, BL67.

KI itself carries no individually forbidden point in the source material reviewed — flagged as not-yet-verified rather than assumed.

Dr. Zhang's Clinical Pearls - Direct from Lecture*Highest exam probability***BL is the Longest Meridian in the Body (67 pts)**

The running course has FIVE branches, two crossing the head and three running the back. Dr. Zhang narrated the pathway video and had students draw every branch. Know all 5: (1) inner canthus->vertex, (2) branch to temple, (3) straight portion vertex->bladder, (4) lumbar branch->popliteal fossa, (5) largest branch, posterior neck->little toe.

The Two Back Lines Run Simultaneously

Dr. Zhang, direct Q&A: a student asked whether the back line travels down, back up, and down again, or runs both lines at the same time. Answer: 'at the same time.' Do not draw it as one line doubling back — this is a common student error.

BL13-BL28: the Full Back-Shu Series

Every one of the twelve zang-fu organs has a dedicated Back-Shu (transport) point on the BL channel — BL13 Lung through BL28 Bladder. This is why BL functions as a 'bridge' channel: any organ system can be treated directly from the back.

BL60 Zusanli... no, Kunlun — the 'Aspirin of Acupuncture'

Dr. Zhang's nickname for BL60: broad-spectrum pain relief — headache, pain anywhere along the pathway, difficult labor. Command point logic parallel to ST36's role on the Stomach channel.

Heel Pain? Think Kidney First

Verbatim clinical teaching point from lecture: the KI pathway curves directly behind the medial malleolus and through the heel. This is called out explicitly as the first channel to consider for heel pain in clinic.

Only KI Connects to BOTH the Tongue Root and the Pericardium Channel

KI's straight portion re-emerges from the Kidney, ascends through Liver and diaphragm into the Lung, and terminates at the tongue root. A separate branch off the Lung links to the Pericardium channel — setting up Week 6.

BL & KI Pairing — Interior-Exterior Both Ways

BL descends (head to foot), KI ascends (foot to chest) — the same descending/ascending dynamic seen in ST/SP. Urinary and low-back conditions can be approached from either channel depending on whether the external pathway or the internal organ pattern dominates.

Posterior Circuit Complete: HT -> SI -> BL -> KI

After Week 5, the entire Posterior (Inner) Circuit is covered. Dr. Zhang's own closing framing: 'until now, we have learned the posterior circuit, and four meridians consist of the posterior circuit.' HT (chest->hand) -> SI (hand->head) -> BL (head->foot) -> KI (foot->chest).

BL Does NOT Connect to the Lung — Exam Trap

BL's only internal connection is to the Kidney. Do not confuse this with the Metal-element pathway or any Lung-adjacent function — this is a confirmed midterm-era trap note worth re-checking before Quiz 4.

Quiz 4 Fundamentals - Circuits & Nomenclature Review From Dr. Zhang's review slides

Distribution of the 12 Main Meridians

ON THE LIMBS:

Medial aspect: YIN meridians

Lateral aspect: YANG meridians

Posterior: Shaoyin (yin) / Taiyang (yang) <- BL/KI here

ON THE HEAD & TRUNK:

Posterior: Taiyang (BL)

BL = Taiyang = most posterior on trunk

Circulation of the 12 Meridians

c) Yang meridians of FOOT: head -> foot (BL)

d) Yin meridians of FOOT: foot -> chest (KI)

Qi flows one direction only - Dr. Zhang: 'it never goes back.'

This week completes the POSTERIOR circuit: HT -> SI -> BL -> KI

Circuit Connections - EXACTLY what links to what (exam trap)

- HT (Heart) -> connects to SI via the little-finger branch -> ulnar side of little finger (SI1)
- SI (Small Intestine) -> connects to BL, via the inner/outer eye canthus crossing points
- BL (Bladder) -> connects to KI at the foot branch -> lateral tip of the little toe (KI1 origin)
- KI (Kidney) -> connects to PC (Pericardium), NOT Lung -> via an internal branch through the chest

Dr. Zhang stressed: BL connects to KIDNEY (not Lung), KI connects to PERICARDIUM (not Lung either) – both trap answers point students toward Lung incorrectly.

Nomenclature

Meridian Name = 3 parts: (1) Hand or Foot, (2) Yin or Yang (Taiyin/Shaoyin/Jueyin, Yangming/Taiyang/Shaoyang), (3) Zang or Fu organ. e.g. "Bladder Meridian of Foot-Taiyang" / "Kidney Meridian of Foot-Shaoyin"

Meridian Clock - BL & KI peak times

BL (Bladder): 3-5 PM | KI (Kidney): 5-7 PM | Preceded by: SI 1-3 PM | Followed by: PC 7-9 PM

Full order: LU LI ST SP HT SI BL KI PC SJ GB LR - 24-hr cycle, 2 hrs each, Qi flows in sequence

*Dr. Zhang's homework rule: DRAW BOTH internal AND external pathways for every meridian.
"Some students only draw external - the internal pathway is also important."*

BL vs KI - Quick Reference Comparison

Attribute	BL Bladder (Foot Taiyang)	KI Kidney (Foot Shaoyin)
Yin / Yang	Yang (posterior)	Yin (posterior/medial)
Element	Water	Water
Circuit	Posterior — Head to Foot	Posterior — Foot to Chest
Clock	3–5 PM	5–7 PM
Points	67 (BL1–BL67)	27 (KI1–KI27)
Start	BL1 Jingming (inner canthus)	KI1 Yongquan (sole of foot)
End	BL67 Zhiyin (lateral little toe)	KI27 Shufu (below clavicle)
Branches	5 branches total	3 branches total
Pertaining	Bladder	Kidney
Connecting	Kidney	Bladder
Back-Shu	BL28 (of itself)	BL23
Front-Mu	CV3 Zhongji	GB25 Jingmen
Yuan-Source	BL64 Jinggu	KI3 Taixi
Luo	BL58 Feiyang	KI4 Dazhong
Xi-Cleft	BL63 Jinmen	KI5 Shuiquan
He-Sea	BL40 Weizhong	KI10 Yingu
Confluent Pt	BL62 (opens Yang Qiao Mai)	KI6 (opens Yin Qiao Mai)
Command Pt	BL40 (Back)	—
Crossing Pts	14 (mostly head/back — GV & GB)	6 (mostly abdomen/chest — SP, GV, CV)
Unique Feature	Longest channel; full Back-Shu series	Only channel to root of tongue via re-emerging branch
Ext Symptoms	Headache, neck/back/leg pain	Heel pain, dry mouth, sore throat
Int Symptoms	Urinary retention, dysuria	Essence deficiency, asthma, bone/marrow weakness
Qi Direction	Descends (head to foot)	Ascends (foot to chest)
Forbidden Preg.	BL60, BL67	—

The Kidney Meridian of Foot-Shaoyin

Yin | Water | 5 PM – 7 PM | 27 pts

PATHWAY — 3 branches

1st: KI1 Yongquan · Last: KI27 Shufu

1. Small toe -> kidney -> bladder (main pathway)
2. kidney (re-emerging) -> root of the tongue
3. lung -> Pericardium Meridian

SPECIAL POINTS

- Jing-Well: KI1 Yongquan
- Ying-Spring: KI2 Rangu
- Shu-Stream: KI3 Taixi
- Jing-River: KI7 Fuli
- He-Sea: KI10 Yingu
- Yuan-Source: KI3 Taixi
- Luo-Connecting: KI4 Dazhong
- Xi-Cleft: KI5 Shuiquan
- Front-Mu (of Kidney): GB25 Jingmen
- Back-Shu (of Kidney): BL23 Shenshu
- Confluent (opens Yinqiao Mai): KI6 Zhaohai

FUNCTION LOGIC

- Running-course function: Pathway curves behind the medial malleolus/heel -> heel pain (Dr. Zhang's explicit clinical cue). Terminates at the tongue root -> dry mouth, sore throat, tongue-root diagnostic signs.
- Internal-organ function: Kidney stores Essence (Jing) and grasps Qi (governs respiration at its root) — treats asthma-type presentations because the channel connects internally with the Lung. Also governs water metabolism, bone, marrow, and hearing.

TRAP NOTES

! CLINICAL TEACHING POINT (Dr. Zhang, verbatim emphasis): heel pain — think Kidney first. The channel curves directly behind the medial malleolus and through the heel, and this is called out explicitly as a common clinical presentation.

! KI intersects the Spleen channel at SP6 (Sanyinjiao) on the medial leg — a shared crossing point, not a KI-numbered point.

! Do not confuse KI3 (Taixi, Yuan-source AND Shu-stream — a dual role) with KI7 (Fuli, Jing-river). Both sit near the medial malleolus/Achilles tendon: KI3 is in the depression between the malleolus tip and the Achilles tendon; KI7 is 2 cun above KI3, anterior to the Achilles tendon.

! KI6 (Zhaohai) is the Confluent point opening the Yinqiao Mai (Yin Heel Vessel) — do not mix up with KI7, which is a Jing-river (five-transport) point with a different clinical profile.

CLINICAL PEARLS

- KI1 (Yongquan): Jing-Well; resuscitation, calms the spirit; used in hypertension.
- KI3 (Taixi): Yuan-source; the key tonic point for Kidney Yin AND Yang.
- KI6 (Zhaohai): Confluent (Yinqiao Mai); insomnia, sore throat, irregular menstruation.
- KI7 (Fuli): tonifies Kidney Yang; edema; night sweats (often paired with HT6).
- KI27 (Shufu): final point of the channel, inferior border of the clavicle — links functionally into the chest before the Pericardium channel begins.

COMMONLY CONFUSED

- BL60 vs BL62/BL63: BL60 Kunlun (Jing-River, mid-Achilles) sits above BL62 Shenmai (Confluent, directly below malleolus) and BL63 Jinmen (Xi-Cleft, anterior-inferior to BL62). All three cluster around the lateral ankle — map them from the malleolus outward.
- KI3 vs KI7: KI3 Taixi = Shu-Stream + Yuan-Source, in the malleolus/Achilles depression. KI7 Fuli = Jing-River, 2 cun proximal to KI3, anterior to the Achilles tendon.
- KI6 vs KI7: KI6 Zhaohai (Confluent, Yinqiao Mai, below the malleolus) is functionally distinct from KI7 Fuli (Jing-River, tonifies Yang) despite being nearby.

Full Point Grid — Quick Scan

BL — all 67 points

BL1	Jingming	BL13	Feishu	BL25	Dachangshu	BL37	Yinmen	BL49	Yishe	BL61	Pucan
BL2	Zanzhu	BL14	Jueyinshu	BL26	Guanyuanshu	BL38	Fuxi	BL50	Weicang	BL62	Shenmai
BL3	Meichong	BL15	Xinshu	BL27	Xiaochangshu	BL39	Weiyang	BL51	Huangmen	BL63	Jinmen
BL4	Quchai	BL16	Dushu	BL28	Panguangshu	BL40	Weizhong	BL52	Zhishi	BL64	Jinggu
BL5	Wuchu	BL17	Geshu	BL29	Zhonglvshu	BL41	Fufen	BL53	Baohuang	BL65	Shugu
BL6	Chengguang	BL18	Ganshu	BL30	Baihuanshu	BL42	Pohu	BL54	Zhibian	BL66	Zutonggu
BL7	Tongtian	BL19	Danshu	BL31	Shangliao	BL43	Gaohuang	BL55	Heyang	BL67	Zhiyin
BL8	Luoque	BL20	Pishu	BL32	Ciliao	BL44	Shentang	BL56	Chengjin		
BL9	Yuzhen	BL21	Weishu	BL33	Zhongliao	BL45	Yixi	BL57	Chengshan		
BL10	Tianzhu	BL22	Sanjiaoshu	BL34	Xialiao	BL46	Geguan	BL58	Feiyang		
BL11	Dazhu	BL23	Shenshu	BL35	Huiyang	BL47	Hunmen	BL59	Fuyang		
BL12	Fengmen	BL24	Qihai	BL36	Chengfu	BL48	Yanggang	BL60	Kunlun		

KI — all 27 points

KI1	Yongquan	KI6	Zhaohai	KI11	Henggu	KI16	Huangshu	KI21	Youmen	KI26	Yuzhong
KI2	Rangu	KI7	Fulu	KI12	Dahe	KI17	Shangqu	KI22	Bulang	KI27	Shufu
KI3	Taixi	KI8	Jiaoxin	KI13	Qixue	KI18	Shiguan	KI23	Shenfeng		
KI4	Dazhong	KI9	Zhubin	KI14	Siman	KI19	Yindu	KI24	Lingxu		
KI5	Shuiquan	KI10	Yingu	KI15	Zhongzhu	KI20	Futonggu	KI25	Shencang		

COURSE MILESTONE

Week 5 completes the Posterior Circuit (also called Inner Circuit on earlier slide versions): HT and SI (Week 4) plus BL and KI (this week) form the full four-channel posterior/inner circuit. Dr. Zhang's own framing at the end of Lecture 5: "until now, we have learned the posterior circuit, and four meridians consist of the posterior circuit."

5-TRANSPORT QUICK MAP

BL (Yang): Jing-Well=BL67(Metal) · Ying-Spring=BL66(Water) · Shu-Stream=BL65(Wood) · Jing-River=BL60(Fire) · He-Sea=BL40(Earth)
 KI (Yin): Jing-Well=KI1(Wood) · Ying-Spring=KI2(Fire) · Shu-Stream=KI3(Earth) · Jing-River=KI7(Metal) · He-Sea=KI10(Water)

BL vs KI — At a Glance

Circuit direction	Descends, head->foot	Ascends, foot->chest
Back-Shu	BL28 (of itself)	BL23
Front-Mu	CV3 Zhongji	GB25 Jingmen
Confluent	BL62 (Yang Qiao Mai)	KI6 (Yin Qiao Mai)
Command/unique	BL40 Command (back)	Only ch. to tongue root

The Kidney Meridian of Foot-Shaoyin — Special Points Decoded

Category	Point	WHY this point, specifically
Jing-Well	KI1 Yongquan	Resuscitation, calms spirit; used in hypertension
Ying-Spring	KI2 Rangu	See point-reference table in Study Guide for full indications.
Shu-Stream	KI3 Taixi	Key tonic point for Kidney Yin AND Yang
Jing-River	KI7 Fuliu	Tonifies Kidney Yang; edema; night sweats (pairs with HT6)
He-Sea	KI10 Yingu	Difficult urination, impotence, medial knee pain
Yuan-Source	KI3 Taixi	Key tonic point for Kidney Yin AND Yang
Luo-Connecting	KI4 Dazhong	Heel pain, weak lower back, apathy/low mood
Xi-Cleft	KI5 Shuiquan	See point-reference table in Study Guide for full indications.
Front-Mu (of Kidney)	GB25 Jingmen	See point-reference table in Study Guide for full indications.
Back-Shu (of Kidney)	BL23 Shenshu	See point-reference table in Study Guide for full indications.
Confluent (opens Yinqiao Mai)	KI6 Zhaohai	Insomnia, sore throat, irregular menstruation

Five-Transport Element Logic

KI is a Yin channel, so its Five-Transport sequence starts at Wood (Jing-Well) and cycles through the five elements toward its He-Sea point. Remember: Yin channels start at Wood; Yang channels start at Metal — this is why Yuan-Source always equals Shu-Stream on Yin channels but never on Yang channels (Yang channels have a SEPARATE, later Yuan-Source point).

Shu Point	Element	Pt	Clinical Use
Jing-Well	Wood	KI1 Yongquan	Resuscitation, calms spirit, hypertension
Ying-Spring	Fire	KI2 Rangu	Sore throat, spontaneous sweating, diabetes-type thirst
Shu-Stream	Earth	KI3 Taixi	Yuan-source; master Kidney tonic, Yin AND Yang
Jing-River	Metal	KI7 Fuliu	Tonifies Kidney Yang; edema; night sweats
He-Sea	Water	KI10 Yingu	Difficult urination, impotence, medial knee pain

Full Attribute Table — All 8 Channels

Attribute	LU	LI	ST	SP	HT	SI	BL	KI
Week	Wk2	Wk2	Wk3	Wk3	Wk4	Wk4	Wk5	Wk5
Yin/Yang	Yin	Yang	Yang	Yin	Yin	Yang	Yang	Yin
Element	Metal	Metal	Earth	Earth	Fire	Fire	Water	Water
Peak	3-5 AM	5-7 AM	7-9 AM	9-11 AM	11 AM-1 PM	1-3 PM	3-5 PM	5-7 PM
Points	11	20	45	21	9	19	67	27
First pt	LU1	LI1	ST1	SP1	HT1	SI1	BL1	KI1
Last pt	LU11	LI20	ST45	SP21	HT9	SI19	BL67	KI27
Pertains	Lung	Large Inte	Stomach	Spleen	Heart	Small Inte	Bladder	Kidney
Connects	Large Inte	Lung	Spleen	Stomach	Small Inte	Heart	Kidney	Bladder
Yuan-Src	LU9	LI4	ST42	SP3	HT7	SI4	BL64	KI3
Luo	LU7	LI6	ST40	SP4	HT5	SI7	BL58	KI4
Xi-Cleft	LU6	LI7	ST34	SP8	HT6	SI6	BL63	KI5
Front-Mu	LU1	ST25	CV12	LR13	CV14	CV4	CV3	GB25
Back-Shu	BL13	BL25	BL21	BL20	BL15	BL27	BL28	BL23
Confluent	LU7	—	—	SP4	—	SI3	BL62	KI6
Command	LU7	LI4	ST36	—	—	—	BL40	—

Circuits Mapped So Far

Anterior Circuit (Weeks 2-3)

LU -> LI -> ST -> SP — chest->hand->head->foot->chest

Posterior (Inner) Circuit (Weeks 4-5)

HT -> SI -> BL -> KI — chest->hand->head->foot->chest

Cross-Week Trap Notes & Forbidden-in-Pregnancy

Recurring Connection Traps

- ! LI connects to STOMACH (not Spleen) – LI's branch ends beside the nose (LI20) where ST begins.
- ! SP connects to HEART (not LI) – SP's internal branch goes stomach->diaphragm->heart, linking HT.
- ! BL connects to KIDNEY (not Lung) – confirmed exam trap; do not confuse with the Metal-element pathway.
- ! KI connects to PERICARDIUM (not Lung) – KI's branch from the Lung joins the Heart then links PC, opening Week 6.
- ! Only ST passes through the NIPPLE. Only SP spreads over the LOWER surface of the tongue. Only KI reaches the tongue ROOT via a re-emerging branch. These three 'only' facts are frequently confused with each other.
- ! UPPER teeth/gums = ST channel. LOWER teeth/gums = LI channel. Reversing these is a classic trap.
- ! SP is the ONLY channel with a distribution exception (crosses in front of LR above 8 cun from medial malleolus).
- ! Yuan-Source = Shu-Stream on every YIN channel (LU9, SP3, HT7, KI3) – never true on Yang channels.

Forbidden in Pregnancy – All Channels Taught So Far

LI4	Hegu	Command point face/mouth; strong descending/moving action
SP6	Sanyinjiao	3-Yin meeting point; strong descending/moving action on the uterus
BL60	Kunlun	Historically listed forbidden; strong distal action
BL67	Zhiyin	Used deliberately to correct fetal malposition/induce labor – forbidden otherwise

Confluent Points – Eight Extraordinary Vessels

LU7 Lieque	Ren Mai (Conception Vessel)	Paired with KI6
KI6 Zhaohai	Yin Qiao Mai (Yin Heel Vessel)	Paired with LU7
SI3 Houxi	Du Mai (Governing Vessel)	Paired with BL62
BL62 Shenmai	Yang Qiao Mai (Yang Heel Vessel)	Paired with SI3
SP4 Gongsun	Chong Mai (Penetrating Vessel)	Paired with PC6 (Week 6)
PC6 Neiguan	Yin Wei Mai (Yin Linking Vessel)	Week 6 – paired with SP4
SJ5 Waiguan	Yang Wei Mai (Yang Linking Vessel)	Week 6 – paired with GB41
GB41 Zuqinlin	Dai Mai (Belt Vessel)	Week 6 – paired with SJ5

KI RETRIEVAL DRILL

Week 5

All 27 points - write the point name from the code, cold

reMarkable Edition

KIDNEY MERIDIAN OF FOOT-SHAOYIN - KI1 to KI27

gold dot = flagged high-yield

KI1		•	KI15	
KI2			KI16	
KI3		•	KI17	
KI4		•	KI18	
KI5		•	KI19	
KI6		•	KI20	
KI7		•	KI21	
KI8			KI22	
KI9			KI23	
KI10			KI24	
KI11			KI25	
KI12			KI26	
KI13			KI27	•
KI14				

HIGH-YIELD KI - WHY EACH ONE MATTERS

- KI1 - Only point on sole of foot; Jing-Well
- KI3 - Yuan-source point (= Shu-Stream, per the Yin-channel rule)
- KI4 - Luo-Connecting point
- KI5 - Xi-Cleft point
- KI6 - Confluent point - opens Yin Qiao Mai
- KI7 - Jing-River point
- KI27 - Final point of channel, near clavicle

CROSS-WEEK TRAP DRILL

Week 5

Confluent points, forbidden pts, and connection traps spanning Weeks 1-5

reMarkable Edition

COMMONLY FLIPPED - ANSWER COLD

12 items, incl. Master Comparison

1. BL62 opens which Extraordinary Vessel?

Easily flipped with KI6 - both ankle-region Confluent pts

2. KI6 opens which Extraordinary Vessel?

Easily flipped with BL62 - both ankle-region Confluent pts

3. SI3 opens which Extraordinary Vessel?

Carried over from Wk4 - do not confuse with BL62/KI6 pairing

4. LU7 opens which Extraordinary Vessel?

Carried over from Wk2 - classic confluent-point set-up question

5. Which BL point is forbidden in pregnancy?

Cumulative list through Wk5 - one BL point qualifies (BL67 is used deliberately for malposition, not a blanket 'forbidden')

6. Which KI point is Yuan-source?

Yuan-source pattern: usually near the wrist/ankle crease

7. Which BL point is the command point for the back?

He-Sea of BL, also a command point - don't confuse with BL60

8. Name the 2 other forbidden-in-pregnancy points taught before Week 5.

From Wk2 (hand) and Wk3 (leg) channels - do not add GB21, GB hasn't been taught yet

9. BL connects internally to which organ?

Exam trap - do not confuse with the Metal-element pathway

10. KI connects internally to which organ?

Sets up Week 6 - KI's branch joins Heart then links Pericardium, NOT Lung

11. Which channel passes through the NIPPLE (the only one that does)?

One of three 'only' facts frequently confused with each other

12. Upper teeth/gums belong to which channel? Lower teeth/gums?

Classic reversal trap

CIRCADIAN CLOCK + COMMAND POINT DRILL

Week 5

Full 12-organ clock, cold - BL 3-5pm / KI 5-7pm highlighted

reMarkable Edition

12-ORGAN CIRCADIAN CLOCK - FILL IN THE TIME BLOCK

LU	LI	ST
SP	HT	SI
BL	KI	PC
SJ	GB	LR

COMMAND POINTS - FILL IN THE POINT FOR EACH REGION

4 Command Points, cumulative

Back:	Abdomen:
Face/Mouth:	Head/Nape:

CONFLUENT POINT PAIRS - EV OPENED, THROUGH WEEK 5

4 of 8 pairs known so far

LU7	(introduced Wk2)
SI3	(introduced Wk4)
BL62	(introduced Wk5)
KI6	(introduced Wk5)

CUMULATIVE FORBIDDEN-IN-PREGNANCY LIST

4 points through Week 5

Write all 4 points flagged forbidden-in-pregnancy so far, in any order:

ANSWER KEY - PART 2

Week 5

KI retrieval grid + Back-Shu organ order answers

reMarkable Edition

KIDNEY - ALL 27 ANSWERS

KI1	Yongquan
KI2	Rangu
KI3	Taixi
KI4	Dazhong
KI5	Shuiquan
KI6	Zhaohai
KI7	Fuliu
KI8	Jiaoxin
KI9	Zhubin
KI10	Yingu
KI11	Henggu
KI12	Dahe
KI13	Qixue
KI14	Siman
KI15	Zhongzhu
KI16	Huangshu
KI17	Shangqu
KI18	Shiguan
KI19	Yindu
KI20	Futonggu
KI21	Youmen
KI22	Bulang
KI23	Shenfeng
KI24	Lingxu
KI25	Shencang
KI26	Yuzhong
KI27	Shufu

BACK-SHU SPINAL ORDER - ANSWERS

BL13	Lung
BL14	Pericardium
BL15	Heart
BL16	Governing (Du) - EV
BL17	Diaphragm/Blood
BL18	Liver
BL19	Gallbladder
BL20	Spleen
BL21	Stomach
BL22	Triple Burner (SJ)
BL23	Kidney
BL24	Sea of Qi/Hai
BL25	Large Intestine
BL26	Guanyuan region
BL27	Small Intestine
BL28	Bladder

ANSWER KEY - PART 3

Week 5

Trap drill + circadian clock + forbidden-pregnancy answers

reMarkable Edition

TRAP DRILL ANSWERS

1. Yang Qiao Mai
2. Yin Qiao Mai
3. Du Mai
4. Ren Mai
5. BL60 (Kunlun)
6. KI3 (Taixi)
7. BL40 (Weizhong)
8. LI4, SP6
9. Kidney
10. Pericardium
11. ST (Stomach)
12. Upper = ST, Lower = LI

CIRCADIAN CLOCK ANSWERS

LU	3-5am	LI	5-7am	ST	7-9am
SP	9-11am	HT	11am-1pm	SI	1-3pm
BL	3-5pm	KI	5-7pm	PC	7-9pm
SJ	9-11pm	GB	11pm-1am	LR	1-3am

COMMAND POINTS - ANSWERS

Back:	BL40 (Weizhong)
Abdomen:	ST36 (Zusanli)
Face/Mouth:	LI4 (Hegu)
Head/Nape:	LU7 (Lieque) - shared w/ face per some sources

CONFLUENT POINT PAIRS - ANSWERS

LU7	Ren Mai
SI3	Du Mai
BL62	Yang Qiao Mai
KI6	Yin Qiao Mai

FORBIDDEN-IN-PREGNANCY - FULL CUMULATIVE LIST

LI4 SP6 BL60 BL67

WEEK 5

reMarkable Edition

Week 5 Quiz Kit

Bladder & Kidney Channels

Standalone practice quiz – pairs with the Week 5 Study Guide

This Kit Covers:

- 30-Question MCQ Quiz – 15 on Bladder, 15 on Kidney
- Covers pathway branches, crossing points, special points, clinical pearls,
- the Posterior Circuit milestone, and BL/KI trap notes
- Full Answer Key with explanations for every question

QUIZ 4 (next class) covers: BL & KI channels.

Study first from the Week 5 Study Guide, then self-test here before class.

Answer key begins after the final question block – no peeking until you've answered!

Week 5 Practice Quiz - Questions 1-10 (of 30)

Covers BL & KI

- 1 **Direction of Qi in the foot-YANG meridians (like BL)?**
 - A. Foot to chest
 - B. Chest to hand
 - C. Hand to head
 - D. Head to foot
- 2 **Which element do BL and KI both belong to?**
 - A. Earth
 - B. Fire
 - C. Water
 - D. Metal
- 3 **The CONNECTING organ of the Bladder meridian is:**
 - A. Heart
 - B. Lung
 - C. Kidney
 - D. Spleen
- 4 **BL meridian's first point is:**
 - A. BL10 Tianzhu
 - B. BL1 Jingming
 - C. BL40 Weizhong
 - D. GV20 Baihui
- 5 **Which statement is true of BL's two parallel back lines?**
 - A. They run sequentially, one after the other
 - B. They run simultaneously
 - C. Only one is a real channel
 - D. They never reconverge
- 6 **How many total cross-points does the BL meridian have?**
 - A. 6
 - B. 9
 - C. 11
 - D. 14
- 7 **BL40 (Weizhong) holds which special categories?**
 - A. Yuan-source + Xi-Cleft
 - B. He-Sea + Command (back)
 - C. Luo + Confluent
 - D. Jing-Well + Luo
- 8 **BL60 (Kunlun) is clinically known as:**
 - A. Sea of Blood
 - B. The 'aspirin of acupuncture'
 - C. Window of Heaven
 - D. #1 phlegm point
- 9 **Peak Qi activity of the Bladder meridian is:**
 - A. 9-11 AM
 - B. 5-7 PM
 - C. 3-5 PM
 - D. 11 AM-1 PM
- 10 **BL28 (Pangguangshu) is the Front-Mu of which organ?**
 - A. Bladder
 - B. Kidney
 - C. Large Intestine
 - D. Stomach

Week 5 Practice Quiz - Questions 11-20 (of 30)

Covers BL & KI

- 11** How many points make up the BL Back-Shu series?
- A. 8
B. 12
C. 16
D. None — BL has no Back-Shu series
- 12** Which point corrects fetal malposition with moxibustion?
- A. BL60
B. BL40
C. BL67
D. BL23
- 13** BL's largest branch reconverges with the lumbar branch at:
- A. BL54
B. BL40 (popliteal fossa)
C. BL60
D. GB30
- 14** Which GB point does BL's branch cross in the gluteal region?
- A. GB30 Huantiao
B. GB24 Riyue
C. GB15 Toulinqi
D. GB3 Shangguan
- 15** BL is described in lecture as functioning as a 'bridge' channel because:
- A. It has the most points of any channel
B. Its Back-Shu series treats every zang-fu organ
C. It opens the most extraordinary vessels
D. It is the only Yang channel
- 16** Direction of Qi in the Kidney meridian?
- A. Head to foot
B. Chest to hand
C. Foot to chest
D. Hand to head
- 17** How many acupoints does the Kidney meridian have?
- A. 21
B. 27
C. 45
D. 67
- 18** KI's straight portion terminates at:
- A. The eye
B. The root of the tongue
C. The ear
D. The nipple
- 19** Which point is BOTH Yuan-Source AND Shu-Stream on the KI channel?
- A. KI1
B. KI3
C. KI6
D. KI7
- 20** KI's branch from the Lung links with which next channel?
- A. Heart (HT)
B. Pericardium (PC)
C. San Jiao (SJ)
D. Liver (LR)

Week 5 Practice Quiz - Questions 21-30 (of 30)

Covers BL & KI

21 KI6 (Zhaohai) is the Confluent point opening which vessel?

- A. Chong Mai B. Du Mai
C. Yinqiao Mai D. Dai Mai

22 Per Dr. Zhang's explicit clinical teaching point, heel pain should make you think of:

- A. Bladder first
B. Kidney first
C. Spleen first
D. Liver first

23 KI intersects the Spleen channel at which point?

- A. SP4
B. SP6
C. SP9
D. SP10

24 Which point is the Confluent point of BL, opening the Yang Qiao Mai?

- A. BL60
B. BL62
C. BL63
D. BL64

25 KI's pathway curves behind which anatomical landmark?

- A. Lateral malleolus
B. Medial malleolus
C. Patella
D. Olecranon

26 Week 5 completes which course milestone?

- A. Anterior Circuit
B. Posterior (Inner) Circuit
C. Extraordinary Vessels
D. Five-Shu system

27 Which four channels make up the Posterior/Inner Circuit?

- A.** LU, LI, ST, SP
B. HT, SI, BL, KI
C. PC, SJ, GB, LR
D. LU, HT, KI, PC

28 KI27 (Shufu) is located at:

- A. Sole of the foot
B. Medial malleolus
C. Inferior border of the clavicle
D. Popliteal crease

29 Which point tonifies Kidney Yang and treats night sweats (often paired with HT6)?

- A. KI1 B. KI3
C. KI6 D. KI7

30 BL does NOT connect internally to which organ (common trap)?

- A. Kidney
B. Lung
C. Bladder
D. It has no internal connections

Week 5 Quiz - Answer Key (All 30 Questions)

- 1 **D** Direction of Qi in the foot-YANG meridians (like BL)?
Foot-yang meridians (like BL) always flow head to foot; yang moves externally/downward.
- 2 **C** Which element do BL and KI both belong to?
Both BL and KI = Water element, forming the Posterior Circuit's interior-exterior Water pair.
- 3 **C** The CONNECTING organ of the Bladder meridian is:
BL pertains to Bladder and connects to Kidney — its yin-yang interior-exterior partner.
- 4 **B** BL meridian's first point is:
BL1 Jingming, at the inner canthus, is the first point of the Bladder channel.
- 5 **B** Which statement is true of BL's two parallel back lines?
Confirmed in lecture Q&A: the two back lines run simultaneously, not as a sequential loop.
- 6 **D** How many total cross-points does the BL meridian have?
BL has 14 total cross-points, shared with the GV and GB channels, mostly around the head.
- 7 **B** BL40 (Weizhong) holds which special categories?
BL40 Weizhong is both the He-Sea point and the Command point for the back.
- 8 **B** BL60 (Kunlun) is clinically known as:
BL60 Kunlun is nicknamed the 'aspirin of acupuncture' for its broad pain-relief action.
- 9 **C** Peak Qi activity of the Bladder meridian is:
BL peak Qi time is 3-5 PM.
- 10 **A** BL28 (Pangguangshu) is the Front-Mu of which organ?
CV3 Zhongji is the Front-Mu of the Bladder, not a BL-numbered point itself.
- 11 **B** How many points make up the BL Back-Shu series?
BL13-BL28 form the full 12-point Back-Shu series, one for every zang-fu organ.
- 12 **C** Which point corrects fetal malposition with moxibustion?
BL67 Zhiyin corrects fetal malposition with moxibustion and assists labor induction.
- 13 **B** BL's largest branch reconverges with the lumbar branch at:
The lumbar branch (ending at BL40) and the largest posterior branch reconverge at BL40 in the popliteal fossa.
- 14 **A** Which GB point does BL's branch cross in the gluteal region?
BL's branch passes through GB30 Huantiao in the gluteal region en route down the thigh.
- 15 **B** BL is described in lecture as functioning as a 'bridge' channel because:
The Back-Shu series (BL13-BL28) lets BL treat every other organ system directly from the back.
- 16 **C** Direction of Qi in the Kidney meridian?
Foot-yin meridians (like KI) flow foot to chest.
- 17 **B** How many acupoints does the Kidney meridian have?
KI has 27 points, from KI1 Yongquan to KI27 Shufu.
- 18 **B** KI's straight portion terminates at:
KI's straight portion ascends through Liver/diaphragm/Lung and terminates at the root of the tongue.
- 19 **B** Which point is BOTH Yuan-Source AND Shu-Stream on the KI channel?
KI3 Taixi uniquely holds both the Shu-Stream and Yuan-Source designations.
- 20 **B** KI's branch from the Lung links with which next channel?
KI's branch from the Lung joins the Heart and links to the Pericardium channel, opening Week 6.
- 21 **C** KI6 (Zhaohai) is the Confluent point opening which vessel?
KI6 Zhaohai is the Confluent point opening the Yinqiao Mai (Yin Heel Vessel).
- 22 **B** Per Dr. Zhang's explicit clinical teaching point, heel pain should make you think of:
Dr. Zhang's explicit clinical teaching point: heel pain — think Kidney first.
- 23 **B** KI intersects the Spleen channel at which point?
KI crosses the Spleen channel at SP6 Sanyinjiao on the medial leg.
- 24 **B** Which point is the Confluent point of BL, opening the Yang Qiao Mai?
BL62 Shenmai is the Confluent point opening the Yang Qiao Mai.
- 25 **B** KI's pathway curves behind which anatomical landmark?
KI's pathway curves directly behind the medial malleolus before entering the heel.
- 26 **B** Week 5 completes which course milestone?
Week 5 (BL + KI) completes the Posterior Circuit, per Dr. Zhang's own closing framing.

Week 5 Quiz - Answer Key (continued)

- 27 B** Which four channels make up the Posterior/Inner Circuit?
The Posterior/Inner Circuit = HT + SI (Week 4) + BL + KI (Week 5), four channels total.
- 28 C** KI27 (Shufu) is located at:
KI27 Shufu, the final point, sits at the inferior border of the clavicle.
- 29 D** Which point tonifies Kidney Yang and treats night sweats (often paired with HT6)?
KI7 Fuli tonifies Kidney Yang and treats night sweats, often paired with HT6.
- 30 B** BL does NOT connect internally to which organ (common trap)?
Trap note: BL does NOT connect to the Lung — its internal connection is Kidney only.