

WEEK

4

Week 4 Study Guide

Heart & Small Intestine Channels

HT (9 pts) + SI (19 pts) = 28 Points

This Document Contains:

- Internal + external running course for HT & SI
 - Full point location table for all 28 points
- Syndromes & high-yield points per channel
- Dr. Zhang's Clinical Pearls, direct from lecture
- Quiz 4 Fundamentals + HT vs SI comparison table

Dr. Vivian Zhang, Ph.D. · Jon Centeno, D.AcHM Candidate · VUIM

Heart Meridian of Hand-Shaoyin (HT)

Yin · Fire · 11 AM-1 PM · 9 Points

Internal Running Course

- 1 Originates in the Heart, spreads to the 'Heart system' - the network of vessels linking heart to other organs
- 2 Descending branch: through the diaphragm, connects with the Small Intestine (CONNECTING organ) - no other organ is linked
- 3 Ascending branch: alongside the esophagus, connects with the 'eye system' - Dr. Zhang: "The eye is the window of the Heart"
- 4 Main pathway (straight portion): emerges from the heart system, ascends to the lung, emerges from the axilla - HT1 Jiquan, the first point
- 5 Descends along the medial aspect of the upper arm, on the POSTERIOR side - behind the Lung meridian, behind the Pericardium meridian (most posterior of the three)
- 6 Crosses the elbow and forearm on the ulnar/posterior side
- 7 Reaches the wrist, continues to the palm
- 8 Ends at the RADIAL side of the little finger tip - HT9 Shaochong, hands off to Small Intestine

Pertaining
Heart

Connecting
Small Intestine

Back-Shu
BL15


Front-Mu
CV14 Jique

Yuan-Source
HT7 (also Shu-Stream)

Luo
HT5 Tongli

He-Sea
HT3 Shaohai

Xi-Cleft
HT6 Yinxi



MOA – Heart Meridian (internal pathway)

Functions (per Dr. Zhang + MOA)

Governs the Blood and Blood vessels - treats palpitations, chest pain, blood pressure disorders, poor circulation

Houses the Mind (Shen) - Dr. Zhang: "Heart is the house of the mind." Treats insomnia, poor memory, anxiety, depression, mental-emotional disorders

Connects to the 'eye system' via its ascending internal branch - relevant for some eye disorders

ONLY the Heart channel has ZERO external crossing points - the most 'self-contained' primary channel

Heart Meridian (HT) — Full Point Location Table

Pt	Chinese	Location & Notes
HT1	Jiquan	In the centre of the axilla, medial to the axillary artery – first point; also used for stroke emergencies
HT2	Qingling	3 cun proximal to the medial end of the elbow crease, in the groove medial to biceps brachii
HT3	Shaohai	Midway between the medial end of the elbow crease and the medial epicondyle of the humerus, elbow flexed – HE-SEA
HT4	Lingdao	On the radial side of flexor carpi ulnaris tendon, 1.5 cun proximal to HT7 – JING-RIVER
HT5	Tongli	On the radial side of flexor carpi ulnaris tendon, 1 cun proximal to HT7 – LUO-CONNECTING
HT6	Yinxi	On the radial side of flexor carpi ulnaris tendon, 0.5 cun proximal to HT7 – XI-CLEFT
HT7	Shenmen	At the wrist crease, radial side of flexor carpi ulnaris tendon, at the proximal border of the pisiform bone – SHU-STREAM / YUAN-SOURCE
HT8	Shaofu	On the palm, between the 4th and 5th metacarpal bones, where the little fingertip rests in a closed fist – YING-SPRING
HT9	Shaochong	On the radial side of the little finger, 0.1 cun from the corner of the nail – JING-WELL, last point

CAM: HT color figure (AC300_CAM_HTSL.pdf, Deadman 3rd Ed.) · MOA anchor: HT1 = p.212

Special Points Summary

Jing-Well	Ying-Spring	Shu-Stream
HT9	HT8 clears heart fire	HT7 also Yuan-Source
Jing-River	He-Sea	Luo
HT4	HT3 clears heart fire, fear/arm pain	HT5
Xi-Cleft	Front-Mu	Back-Shu
HT6 night sweats, acute heart pain	CV14	BL15

HT — Syndromes & High-Yield Points

A. External Course Symptoms

Pain along the medial-posterior arm (HT's own pathway)
Palpitations felt along the running course
Pain/warmth in the palm along the pathway

B. Internal Organ (Heart)

Palpitations, disorders of Heart rhythm
Chest pain, blood pressure disorders (governs Blood/vessels)
Insomnia, poor memory, anxiety, depression (houses the Mind)
Dr. Zhang: emergency stroke presentation — HT9 as a first-aid point

High-Yield HT Points

Pt	Category	Key Indications
HT1	First point	Emergency point for stroke; axilla/chest disorders
HT7	Shu-Stream + Yuan	Calms Shen; #1 for anxiety, insomnia, palpitations
HT3	He-Sea	Clears heart fire; fear, arm pain along channel
HT6	Xi-Cleft	Night sweats, acute heart pain
HT9	Jing-Well, last point	Emergency: severe heart pain, revives consciousness
HT5	Luo-Connecting	Links to SI; disorders of both channels; speech disorders

Dr. Zhang: "Heart is the house of the mind." Points around the wrist (HT7 especially) treat mental-emotional disorders in clinic. This is exam-testable.

Small Intestine Meridian of Hand-Taiyang (SI)

Yang · Fire · 1-3 PM · 19 Points

Internal Running Course

- 1 Begins at the ulnar side of the little finger tip - SI1 Shaoze, where HT's branch terminates
- 2 Runs along the ulnar/posterior border of the hand and forearm, crosses the elbow (SI8 Xiaohai, He-Sea)
- 3 Ascends the posterior aspect of the upper arm, circles around the shoulder, zigzags across the scapula
- 4 Crosses GV14 Dazhui (meeting of all Yang channels), enters supraclavicular fossa
- 5 Descends internally, connects with the HEART (Dr. Zhang: 'no other organ is connected' besides HT), through diaphragm, PERTAINS Small Intestine
- 6 BRANCH: from the neck, ascends the cheek to the outer canthus, enters the ear at SI19 Tinggong - the LAST point
- 7 Second BRANCH: from the cheek, ascends to the inner canthus of the eye (crosses BL1 Jingming)
- 8 Also crosses GB14 near the forehead - two facial crossing points total

Pertaining

Small Intestine

Connecting

Heart

Back-Shu

BL27

Front-Mu

CV4 Guanyuan

Yuan-Source

SI4 Wangu

Luo


SI7 Zhizheng

Shu-Stream

SI3 (also Confluent)

Xi-Cleft

SI6 Yanglao



MOA – Small Intestine Meridian (internal pathway)

Functions (per Dr. Zhang + MOA)

Receives, transforms, and separates 'clear from turbid' (fluids/food) - the Fu organ function

Symptoms are based on TWO principles: (1) external course - numbness of mouth, cheek, throat, neck, upper arm; (2) internal organ - digestive disorders (constipation, lower abdominal distension) and, per Dr. Zhang, some mental disorders

Notably, despite connecting to the diaphragm and Stomach internally, very few SI points are indicated for digestive disorders directly - most SI points treat the external pathway (shoulder, neck, ear) instead

SI1 Shaoze is specifically noted for excess breast milk / lactation problems

Small Intestine Meridian (SI) — Full Point Location Table

Pt	Chinese	Location & Notes
SI1	Shaoze	Ulnar side of little finger, 0.1 cun from nail corner - JING-WELL, first point
SI2	Qianggu	Ulnar border of little finger, distal to MCP joint, red/white skin junction - YING-SPRING
SI3	Houxi	Ulnar side, proximal to 5th MCP joint, end of transverse crease, red/white skin junction (loose fist) - SHU-STREAM / CONFLUENT (Du Mai)
SI4	Wangu	Ulnar side of hand, between base of 5th metacarpal and triquetral bone - YUAN-SOURCE
SI5	Yanggu	Ulnar side of wrist, between styloid process of ulna and triquetral bone - JING-RIVER
SI6	Yanglao	Dorsal to head of ulna; palm on chest, in bony cleft radial to the styloid process - XI-CLEFT
SI7	Zhizheng	On line connecting SI5 and SI8, 5 cun proximal to SI5 - LUO-CONNECTING
SI8	Xiaohai	Between olecranon of ulna and medial epicondyle of humerus, elbow flexed - HE-SEA
SI9	Jianzhen	1 cun superior to posterior axillary crease, arm adducted
SI10	Naoshu	Directly above SI9, in depression inferior to the scapular spine
SI11	Tianzong	Center of the infrascapular fossa
SI12	Bingfeng	Center of the suprascapular fossa, directly above SI11, arm lifted
SI13	Quyuan	Medial end of suprascapular fossa, midway between SI10 and spinous process of T2
SI14	Jianwaishu	3 cun lateral to spinous process of T1, medial border of scapula
SI15	Jianzhongshu	2 cun lateral to spinous process of C7 (GV14 Dazhui) - crossing point
SI16	Tianchuang	Posterior to sternocleidomastoid, level with the laryngeal prominence
SI17	Tianrong	Posterior to angle of mandible, anterior to sternocleidomastoid
SI18	Quanliao	Directly below outer canthus, depression on lower border of zygoma
SI19	Tinggong	Anterior to tragus, posterior to condyloid process of mandible, mouth open - LAST point

CAM: SI color figure (SI_CAM.pdf, Deadman 3rd Ed.) · MOA anchor: SI1 = p.231

SI — Crossing Points (Detailed)

Dr. Zhang: SI crosses BL1 and GB14 on its facial branch. Unlike HT (zero crossing points), SI does connect externally with other channels near the face/eye.

BL1 Jingming

Inner canthus of eye

SI's facial branch ascends to the inner canthus and crosses the Bladder channel here. BL1 itself treats all eye disorders: redness, pain, myopia, night blindness. This is the same crossing point used by ST and GB elsewhere in the course - a genuinely 'busy' facial point.

GB14 Yangbai

Forehead, above midpupil

SI's ascending branch also reaches the forehead region, crossing the Gallbladder channel at GB14. Used for frontal headache, eye disorders, facial paralysis - a point taught more fully when GB is covered later in the course.

Why SI has so few crossing points compared to ST/LI

SI's pathway is dominated by shoulder/scapula points (SI9-SI15) that don't cross other channels - it's a channel that runs largely 'alone' along the posterior shoulder before reaching the two facial crossings near the eye/forehead at the very end of its course.

SI — Syndromes & High-Yield Points

A. External Course Symptoms

Numbness/pain of the mouth, cheek, throat, neck, upper arm
Shoulder and scapula pain along the pathway
Ear disorders (tinnitus, deafness) near SI19
Deviation/pain along the posterior arm

B. Internal Organ (Small Intestine)

Constipation, distension in the lower abdomen
Digestive disorders generally (though few SI points target these directly)
Some mental disorders, per Dr. Zhang's clinical note
SI1 specifically: excess breast milk / lactation problems

High-Yield SI Points

Pt	Category	Key Indications
SI3	Shu-Stream + Confluent	Opens Du Mai (pairs with BL62); spine, neck, febrile disease
SI4	Yuan-Source	Wrist/finger pain, febrile disease
SI8	He-Sea	Elbow/arm disorders; also regulates its coupled Heart organ
SI19	Last point, near ear	Tinnitus, deafness, ear disorders
SI1	Jing-Well, first point	Excess breast milk / lactation problems (Dr. Zhang's clinical example)
SI11	Scapula region	Shoulder/scapula pain, also treats Heart via coupling

Dr. Zhang's Clinical Pearls — Direct from Lecture

Highest exam probability

HT is the ONLY Channel with Zero Crossing Points

Confirmed unique feature - HT's entire pathway runs from chest to little finger without crossing another named channel point. Contrast directly with SI, which crosses BL1 and GB14.

“The Eye is the Window of the Heart”

Dr. Zhang's own phrase. HT's ascending internal branch connects to the 'eye system' - both HT and SI (per their internal branches) connect to the eye, which is why eye disorders can sometimes be treated via Heart-related points.

Heart's Two Main Functions

(1) Governs Blood and the Blood vessels - palpitations, chest pain, blood pressure, circulation. (2) Houses the Mind (Shen) - Dr. Zhang: 'Heart is the house of the mind.' Points near the wrist (especially HT7) are chosen clinically to treat mental-emotional disorders: insomnia, poor memory, anxiety, depression.

HT9 as an Emergency / Stroke Point

Dr. Zhang highlighted HT9 (and the Jing-Well category generally) for emergency presentations - severe heart pain, palpitations, and reviving consciousness, including stroke scenarios.

SI's Two Symptom Principles

Dr. Zhang: SI symptoms follow two tracks - (1) External course: numbness of mouth, cheek, throat, neck, upper arm. (2) Internal organ: digestive issues (constipation, lower abdominal distension) and, notably, some mental disorders as well.

SI Points Rarely Target Digestion Directly

Despite SI's internal pathway passing through the diaphragm and connecting to the Stomach on its way to the Small Intestine, very few SI points are actually indicated for digestive disorders - most of the channel's clinical use is for the shoulder, neck, and ear along its external course.

SI1 and Lactation

Dr. Zhang specifically noted SI1 (Shaoze) for excess/insufficient breast milk and lactation problems - a distinctive, specific clinical example worth remembering.

No Worries About the Midterm

Dr. Zhang, discussing the upcoming midterm: many questions will be reused directly from Quiz 1, 2, and 3 material. Review those quiz kits alongside this material.

Homework Reminder — Draw BOTH Pathways

Dr. Zhang repeated her standing instruction: draw both the internal AND external pathway for every meridian. 'Some students only draw external - the internal pathway is also important.'

Quiz 4 Fundamentals — Circuits & Cumulative Review

From Dr. Zhang's review slides

Posterior Circuit Opens This Week

HT and SI are the first two channels of the Posterior Circuit (also called Inner Circuit on earlier slide versions), which continues with BL and KI next week. Peak times run consecutively: HT 11-1PM, SI 1-3PM, BL 3-5PM, KI 5-7PM.

Circuit Hand-Offs — exam trap

SP (Spleen) -> connects to HT, NOT LI -> via internal branch to heart
HT (Heart) -> connects to SI at HT9 -> radial little finger (SI1)
SI (Small Intestine) -> connects to BL (next week) -> near the eye

Nomenclature Recap

Meridian Name = 3 parts: (1) Hand or Foot, (2) Yin or Yang, (3) Zang or Fu organ.
e.g. "Heart Meridian of Hand-Shaoyin" | "Small Intestine Meridian of Hand-Taiyang"

Meridian Clock — HT & SI in context

Preceded by: SP 9-11 AM | HT 11 AM-1 PM | SI 1-3 PM | Followed by: BL 3-5 PM
Full order: LU LI ST SP HT SI BL KI PC SJ GB LR - 24-hr cycle, 2 hrs each

Midterm reminder (Week 5): covers Weeks 1-4 cumulative. Dr. Zhang confirmed many questions will reuse Quiz 1-3 material directly - review those quiz kits, not just this Study Guide.

HT vs SI — Quick Reference Comparison

Attribute	HT Heart (Hand Shaoyin)	SI Small Intestine (Hand Taiyang)
Yin / Yang	Yin (postero-medial)	Yang (postero-lateral)
Element	Fire	Fire
Circuit	Posterior - Chest to Hand	Posterior - Hand to Head
Clock	11 AM-1 PM	1-3 PM
Points	9 (HT1-HT9)	19 (SI1-SI19)
Start	HT1 Jiquan (axilla)	SI1 Shaoze (little finger)
End	HT9 Shaochong (little finger)	SI19 Tinggong (near ear)
Pertaining	Heart	Small Intestine
Connecting	Small Intestine	Heart
Back-Shu	BL15	BL27
Front-Mu	CV14 Jique	CV4 Guanyuan
Yuan-Source	HT7 Shenmen	SI4 Wangu
Luo	HT5 Tongli	SI7 Zhizheng
Xi-Cleft	HT6 Yinxi	SI6 Yanglao
He-Sea	HT3 Shaohai	SI8 Xiaohai
Confluent Pt	—	SI3 (opens Du Mai)
Lower He-Sea	— (HT is Zang, not Fu)	ST39 (on the ST channel)
Crossing Pts	ZERO — only channel with none	2 (BL1, GB14)
Unique Feature	Only channel w/ 0 crossings	Connects to eye AND ear
Ext Symptoms	Pain along medial-posterior arm	Numbness mouth/cheek/throat/neck/arm
Int Symptoms	Palpitations, insomnia, anxiety	Constipation, lower abd. distension
Organ Function	Governs Blood; houses the Mind	Receives/transforms/separates fluids
Special Clinical Note	HT9 for emergency/stroke	SI1 for lactation problems