

## WEEK 4

Print Edition

# Week 4 Study Guide

## Heart & Small Intestine Channels

HT (9 pts) + SI (19 pts) = 28 Points

### This Document Covers:

- Heart Meridian of Hand-Shaoyin (HT1-HT9) with MOA + CAM figures
- HT has ZERO crossing points - the only primary channel with none
- Small Intestine Meridian of Hand-Taiyang (SI1-SI19) with MOA + CAM figures
- SI's 2 Crossing Points - detailed (BL1, GB14)
- Syndromes, High-Yield Points, and Five-Shu tables for both channels
- Dr. Zhang's Clinical Pearls - direct from lecture
- Quiz 4 Fundamentals + HT vs SI Quick Reference comparison

**QUIZ 4 (next class) covers: HT & SI channels.**

MIDTERM (Week 5) covers Weeks 1-4 cumulative.

MOA: HT pp.209-221 | SI pp.222-249 · CAM (Deadman): HT/SI chapters

Dr. Vivian Zhang, Ph.D. | Jon Centeno | D.AcHM Candidate | VUIM

## Heart Meridian of Hand-Shaoyin (HT)

Yin | Fire | 11 AM-1 PM | 9 Points

Pertaining Heart

Connecting Small Intestine

Back-Shu BL15 Xinshu

Front-Mu CV14 Juque


Yuan-Source HT7 Shenmen

Luo HT5 Tongli

He-Sea HT3 Shaohai

Xi-Cleft HT6 Yinxi

### Channel Pathway (MOA)



MOA – Heart Channel (internal pathway)

### Internal Running Course

- 1 Originates in the Heart, emerges from the system of blood vessels surrounding the Heart
- 2 Descends through the diaphragm to connect with the SMALL INTESTINE (interior-exterior pairing)
- 3 A branch ascends alongside the oesophagus, crosses the face and cheek, connects with the tissues surrounding the eye (the 'eye system')
- 4 The main external pathway emerges from the axilla at HT1 Jiquan
- 5 Descends along the postero-medial aspect of the arm (posterior to LU and PC channels) to the elbow at HT3 Shaohai
- 6 Continues along the medial/ulnar aspect of the forearm to the wrist at HT7 Shenmen (pisiform bone)
- 7 Travels through the palm along the radial side of the little finger
- 8 Ends at HT9 Shaochong, radial tip of the little finger nail - hands off to SMALL INTESTINE

### Functions (MOA) – Heart

- Governs Blood and the vessels (Heart controls the pulse)
- Houses the Shen (spirit/mind) - the Heart 'stores the Shen'
- Has ZERO crossing points - the only primary channel with none (exam-critical, unique feature)
- Fewest total points of any primary channel (9)
- Back-Shu: BL15 Xinshu | Front-Mu: CV14 Juque

**HT — External Running Course & CAM Figure**

Yin | Fire | 11 AM-1 PM | 9 Points

Pertaining Heart

Connecting Small Intestine

Back-Shu BL15 Xinshu

Front-Mu CV14 Juque


Yuan-Source HT7 Shenmen

Luo HT5 Tongli

He-Sea HT3 Shaohai

Xi-Cleft HT6 Yinxi

| Pt         | Chinese   | Location & Notes                                                                                                                                                       |
|------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>HT1</b> | Jiquan    | In the depression at the centre of the axilla, medial to the axillary artery.                                                                                          |
| <b>HT2</b> | Qingling  | 3 cun above HT3, in the groove medial to biceps brachii, one handbreadth proximal to Shaohai HE-3.                                                                     |
| <b>HT3</b> | Shaohai   | At the medial end of the transverse cubital crease, midway between the medial epicondyle of the humerus and the crease, elbow flexed. HE-SEA.                          |
| <b>HT4</b> | Lingdao   | 1.5 cun proximal to HT7, on the radial side of the flexor carpi ulnaris tendon. JING-RIVER.                                                                            |
| <b>HT5</b> | Tongli    | 1 cun proximal to HT7, radial side of flexor carpi ulnaris tendon. LUO-CONNECTING.                                                                                     |
| <b>HT6</b> | Yinxi     | 0.5 cun proximal to HT7, radial side of flexor carpi ulnaris tendon. XI-CLEFT.                                                                                         |
| <b>HT7</b> | Shenmen   | At the ulnar end of the wrist crease, in the depression on the radial side of the flexor carpi ulnaris tendon, level with the pisiform bone. SHU-STREAM + YUAN-SOURCE. |
| <b>HT8</b> | Shaofu    | Between the 4th and 5th metacarpal bones, where the tip of the little finger rests when a fist is made. YING-SPRING.                                                   |
| <b>HT9</b> | Shaochong | On the RADIAL side of the little finger, ~0.1 cun from the corner of the nail. JING-WELL — last point of HT.                                                           |

**CAM — Heart Meridian of Hand-Shaoyin (color figure)**

CAM (Deadman) · Col. Fig. 6, p.209 · Locations OCR-verified (HE1, HE2, HE9)

## HT — Crossing Points (Detailed)

Dr. Zhang: "HT has zero crossing points - the only primary channel of the 12 with none."  
Because of this, every HT symptom traces directly back to the Heart itself or its own pathway.

HT — Zero Crossing Points — A Genuinely Unique Feature

— confirmed from lecture

Location: HT is the only one of the 12 primary channels with no crossing (jiaohui) points anywhere on its external pathway.  
Clinical: Every HT symptom traces directly back to the Heart or its own pathway - there is no 'borrowed' symptom picture from another channel to confuse it with. Dr. Zhang flagged this as one of the highest-yield unique-feature facts in the Weeks 1-4 scope.

### A. External Course Symptoms

- Pain along the channel: axilla, medial arm, elbow, forearm to little finger
- Heat in the palms (palms of hands feel hot)
- Dry throat, thirst

### B. Internal Organ (Heart)

- Palpitations, chest pain (Heart itself)
- Insomnia, excessive dreaming, poor memory
- Mental-emotional disturbance: anxiety, mania, incoherent speech, loss of consciousness (Shen disturbance)
- Yellowing of the eyes (classical symptom)

## High-Yield HT Points

| Pt  | Category                 | Key Indications                                                         |
|-----|--------------------------|-------------------------------------------------------------------------|
| HT7 | Shu-Stream + Yuan-Source | Calms Shen; #1 point for anxiety, insomnia, palpitations                |
| HT3 | He-Sea                   | Clears heart fire; fear, arm pain along the channel                     |
| HT6 | Xi-Cleft                 | Night sweats, acute heart pain                                          |
| HT9 | Jing-Well                | Emergency point: severe heart pain, palpitations, revives consciousness |
| HT5 | Luo-Connecting           | Links to SI; treats disorders of both channels                          |
| HT1 | First point              | Landmark for axilla; rarely needled directly in modern practice         |

## Five-Shu (Antique) Points — HT

| Shu Point   | Element | Pt                         | Clinical Use                                 |
|-------------|---------|----------------------------|----------------------------------------------|
| Jing-Well   | Wood    | HT9 Shaochong              | revives consciousness, mental-emotional Fire |
| Ying-Spring | Fire    | HT8 Shaofu                 | clears heart fire                            |
| Shu-Stream  | Earth   | HT7 Shenmen (=Yuan-Source) | calms Shen, anxiety/insomnia                 |
| Jing-River  | Metal   | HT4 Lingdao                | voice disorders, arm pain                    |
| He-Sea      | Water   | HT3 Shaohai                | clears heart fire, fear/arm pain             |

## Small Intestine Meridian of Hand-Taiyang (SI)

Yang | Fire | 1-3 PM | 19 Points

Pertaining Small Intestine

Connecting Heart

Back-Shu BL27 Xiaochangshu

Front-Mu CV4 Guanyuan

Yuan-Source SI4 Wangu


Luo SI7 Zhizheng

He-Sea SI8 Xiaohai

Xi-Cleft SI6 Yanglao

Shu-Stream/Confluent SI3 Houxi (opens Du Mai)

### Channel Pathway (MOA)



MOA – Small Intestine Channel (internal pathway)

### Internal Running Course

- 1 Begins at SI1 Shaoze, ulnar side of the little finger tip – where HT's branch terminates
- 2 Runs along the ulnar/dorsal aspect of the hand and forearm, through SI3 Houxi and SI5 Yanggu
- 3 Crosses the elbow at SI8 Xiaohai (He-Sea), ascends the posterior aspect of the upper arm
- 4 Circles the shoulder joint (SI9-SI10), zigzags across the scapula (SI11-SI13)
- 5 Crosses GV14 Dazhui at the top of the shoulder, enters the supraclavicular fossa
- 6 Descends internally to the HEART, through the diaphragm, reaches the Stomach, PERTAINS Small Intestine
- 7 BRANCH: from the neck, ascends the cheek to the outer canthus, enters the ear at SI19 Tinggong
- 8 SECOND BRANCH: from the cheek, ascends to the inner canthus (crosses BL1 Jingming), then to the cheekbone (crosses GB14 Yangbai)

### Functions (MOA) – Small Intestine

- Governs 'separation of the pure from the impure' in digestion (receives food from Stomach, separates nutrients from waste)
- More than double HT's point count (19 vs. 9), same pattern as LU(11)/LI(20)
- Crosses BL1 and GB14 on its facial branches – unlike HT, which has none
- SI3 opens the Du Mai (paired with BL62) – the only confluent point in this week's pair
- Back-Shu: BL27 Xiaochangshu | Front-Mu: CV4 Guanyuan

## SI — External Running Course & CAM Figure

Yang | Fire | 1-3 PM | 19 Points

Pertaining Small Intestine

Connecting Heart

Back-Shu BL27 Xiaochangshu

Front-Mu CV4 Guanyuan

Yuan-Source SI4 Wangu


Luo SI7 Zhizheng

He-Sea SI8 Xiaohai

Xi-Cleft SI6 Yanglao

Shu-Stream/Confluent SI3 Houxi (opens Du Mai)

| Pt  | Chinese  | Location & Notes                                                                                                                                                      |
|-----|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SI1 | Shaoze   | On the ULNAR side of the little finger, ~0.1 cun from the corner of the nail. JING-WELL — first point of SI.                                                          |
| SI2 | Qiangqu  | Ulnar side of the hand, distal to the 5th metacarpophalangeal joint, in the depression proximal to the margin of the web. YING-SPRING.                                |
| SI3 | Houxi    | Ulnar side of the hand, proximal to the 5th MCP joint, at the end of the transverse crease, at the junction of red/white skin. SHU-STREAM + CONFLUENT (opens Du Mai). |
| SI4 | Wangu    | Ulnar border of the hand, in the depression between the base of the 5th metacarpal bone and the triquetral bone. YUAN-SOURCE.                                         |
| SI5 | Yanggu   | Ulnar end of the wrist crease, in the depression between the styloid process of the ulna and the triquetral bone. JING-RIVER.                                         |
| SI6 | Yanglao  | Dorsal to the head of the ulna; with palm facing the chest, in the bony cleft on the radial side of the ulnar styloid process. XI-CLEFT.                              |
| SI7 | Zhizheng | On the line joining SI5 and SI8, 5 cun proximal to SI5. LUO-CONNECTING.                                                                                               |
| SI8 | Xiaohai  | Between the olecranon of the ulna and the medial epicondyle of the humerus, elbow flexed. HE-SEA.                                                                     |



**CAM — Small Intestine Meridian of Hand-Taiyang (color figure)**

CAM (Deadman) · Col. Fig. 7, p.227 · Locations OCR-verified (SI1,4,8,15,16)

**SI – Point Locations (continued)**

| <b>Pt</b>   | <b>Chinese</b>      | <b>Location &amp; Notes</b>                                                                                                                     |
|-------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SI9</b>  | <i>Jianzhen</i>     | Postero-inferior to the shoulder joint, 1 cun above the posterior end of the axillary fold, arm adducted.                                       |
| <b>SI10</b> | <i>Naoshu</i>       | Directly above SI9, in the depression inferior to the scapular spine.                                                                           |
| <b>SI11</b> | <i>Tianzong</i>     | Center of the infrascapular fossa.                                                                                                              |
| <b>SI12</b> | <i>Bingfeng</i>     | Center of the suprascapular fossa, palpable when the arm is lifted.                                                                             |
| <b>SI13</b> | <i>Quyuan</i>       | Medial extremity of the suprascapular fossa, above the medial end of the scapular spine.                                                        |
| <b>SI14</b> | <i>Jianwaishu</i>   | 3 cun lateral to the lower border of the T1 spinous process, near the medial border of the scapula.                                             |
| <b>SI15</b> | <i>Jianzhongshu</i> | 2 cun lateral to the lower border of the C7 spinous process (Dazhui GV14).                                                                      |
| <b>SI16</b> | <i>Tianchuang</i>   | Posterior border of sternocleidomastoid, level with the laryngeal prominence (Adam's apple) - WINDOW OF HEAVEN point.                           |
| <b>SI17</b> | <i>Tianrong</i>     | Posterior to the angle of the mandible, anterior to sternocleidomastoid.                                                                        |
| <b>SI18</b> | <i>Quanliao</i>     | Directly below the outer canthus, in the depression on the lower border of the zygomatic bone.                                                  |
| <b>SI19</b> | <i>Tinggong</i>     | Anterior to the tragus, posterior to the condyloid process of the mandible, in the depression formed when the mouth is open - LAST point of SI. |

## SI — The 2 Crossing Points (Detailed)

Dr. Zhang: "HT has zero crossing points. SI crosses only twice, both on its facial branch near the eye and forehead - far fewer than ST (11) or SP (6), but still tested."

### BL1 Jingming — Bridge of the Nose / Inner Canthus

BL1 / BL channel

Location: Inner canthus of the eye, ~0.1 cun above the medial canthus.

Clinical: SI's ascending facial branch crosses BL here en route toward the eye. Treats all eye disorders: redness, pain, myopia, night blindness. Same crossing point used by the ST and BL channels themselves.

### GB14 Yangbai — Forehead

GB14 / GB channel

Location: 1 cun above the midpoint of the eyebrow, directly above the pupil.

Clinical: SI's branch also crosses GB14 as it continues toward the forehead. Used for frontal headache, eyebrow pain, eyelid twitching, and eye disorders.

#### A. External Course Symptoms

- Swelling of the cheek and neck, jaw pain, deafness, tinnitus
- Pain along the postero-lateral shoulder, arm, and elbow
- Stiff neck, sore throat

#### B. Internal Organ (Small Intestine)

- Abdominal pain and distension, borborygmus
- Diarrhea or constipation depending on presentation
- Excess breast milk / lactation problems (Dr. Zhang specifically noted SI1 for this)
- Mental disorders - SI's internal course also links to Shen disturbance via the Heart

## High-Yield SI Points

| Pt   | Category               | Key Indications                                                           |
|------|------------------------|---------------------------------------------------------------------------|
| SI3  | Shu-Stream + Confluent | Opens Du Mai (pairs with BL62); spine, neck, febrile disease              |
| SI4  | Yuan-Source            | Wrist/finger pain, febrile disease                                        |
| SI8  | He-Sea                 | Elbow/arm disorders, mental-emotional Fire patterns                       |
| SI19 | Last point             | Tinnitus, deafness, ear disorders                                         |
| SI1  | Jing-Well              | Excess breast milk / lactation problems - specifically noted by Dr. Zhang |
| SI16 | Window of Heaven       | Throat/voice disorders; needle with care (carotid region)                 |

## Five-Shu (Antique) Points — SI

| Shu Point   | Element | Pt                         | Clinical Use                              |
|-------------|---------|----------------------------|-------------------------------------------|
| Jing-Well   | Metal   | SI1 Shaoze                 | breast/lactation, breast abscess          |
| Ying-Spring | Water   | SI2 Qianqu                 | clears heat, ear/eye disorders            |
| Shu-Stream  | Wood    | SI3 Houxi (also Confluent) | opens Du Mai, spine/neck, febrile disease |
| Jing-River  | Fire    | SI5 Yanggu                 | wrist pain, febrile disease, malaria      |
| He-Sea      | Earth   | SI8 Xiaohai                | elbow/arm, mental-emotional Fire          |

## Dr. Zhang's Clinical Pearls — Direct from Lecture

*Highest exam probability*

### **HT is the Smallest Channel, Not the Least Important**

HT has only 9 points - the fewest of any primary channel - but governs the Shen (mind/spirit), making it clinically central for anxiety, insomnia, and emotional disorders despite its small point count.

### **HT has ZERO Crossing Points - Genuinely Unique**

Confirmed from lecture: HT is the only one of the 12 primary channels with no crossing (jiaohui) points on its external pathway. This is one of the highest-yield 'unique feature' facts in the Weeks 1-4 scope.

### **HT7 Shenmen - The Spirit Gate**

HT7's name literally means 'Spirit Gate'. As both Shu-Stream and Yuan-Source, it is the single most important point on the Heart channel for calming an agitated Shen - anxiety, insomnia, palpitations, and excessive dreaming.

### **SI Point Count Mirrors the LU/LI Pattern**

SI (19 pts) has more than double HT's points (9 pts) - just as LI (20) has nearly double LU (11). In both pairs, the Yang/Fu channel carries far more points than its Yin/Zang partner.

### **SI's Lower He-Sea Sits on a Different Channel**

SI's Lower He-Sea is ST39 Xiajuxu, located on the STOMACH channel - not on SI itself. This is true for all six Fu organs: their Lower He-Sea points sit on the leg-Yang channels (ST, BL, GB), regardless of where the organ's own channel runs.

### **SI3 Houxi - Opens the Du Mai**

SI3 is SI's Shu-Stream point and also a Confluent point, opening the Du Mai (paired with BL62 Shenmai). This makes it a key point for spinal and neck disorders, and for febrile disease.

### **Primary Fire vs. Ministerial Fire - Don't Conflate**

HT and SI are the PRIMARY Fire pair, opening the Posterior Circuit (also called Inner Circuit). PC and SJ are a separate MINISTERIAL Fire pair with their own circuit, taught in Week 6. Do not lump all four channels together as one 'Fire' group.

### **SI1 and Lactation - A Specific Clinical Note from Lecture**

Dr. Zhang highlighted SI1 (Shaoze) specifically for breast milk / lactation problems, noting it as a distinctive clinical use worth remembering for practice.

### **The Posterior Circuit Begins This Week**

HT (chest to hand) -> SI (hand to head) completes this week's hand-off and opens the Posterior Circuit (also called Inner Circuit on the revised Lecture 4 slide), which continues next week with BL and KI.

## Quiz 4 Fundamentals — Distribution, Circuits & Nomenclature

From Dr. Zhang's review slides

### Distribution of the 12 Main Meridians

ON THE LIMBS: Medial = YIN, Lateral = YANG  
 Anterior: Taiyin (yin) / Yangming (yang)  
 Middle: Jueyin (yin) / Shaoyang (yang)  
 Posterior: Shaoyin (yin) / Taiyang (yang) <- HT and SI live here  
 HT = Hand Shaoyin (posterior medial). SI = Hand Taiyang (posterior lateral).

### Circulation of the 12 Meridians

a) Yin meridians of HAND: chest -> hand  
 b) Yang meridians of HAND: hand -> head  
 c) Yang meridians of FOOT: head -> foot  
 d) Yin meridians of FOOT: foot -> chest  
 This week completes the POSTERIOR pairing: HT -> SI  
 (continues to BL -> KI next week)

## Circuit Connections — exactly what links to what (exam trap)

SP (Spleen) -> connects to HT at the internal branch -> HEART  
 HT (Heart) -> connects to SI at HT9/SI1 -> little finger tip  
 SI (Small Intestine) -> connects to BL (Bladder), NOT to any Fire-pair channel -> via facial branch to BL1  
 Dr. Zhang stressed: SI connects to BLADDER next (not PC/SJ) - a classic circuit-continuity trap.

### Nomenclature

Meridian name = 3 parts: Hand/Foot + Yin/Yang + Zang/Fu  
 e.g. 'Heart Meridian of Hand-Shaoyin'

### Meridian Clock — HT & SI peak times

HT (Heart): 11 AM-1 PM  
 SI (Small Intestine): 1-3 PM  
 Preceded by: SP 9-11 AM | Followed by: BL 3-5 PM  
 Full order: LU LI ST SP HT SI BL KI PC SJ GB LR

**Dr. Zhang's homework rule: DRAW BOTH internal AND external pathways for every meridian.**

## HT vs SI – Quick Reference Comparison

| Attribute             | HT   Heart (Hand Shaoyin)           | SI   Small Intestine (Hand Taiyang)      |
|-----------------------|-------------------------------------|------------------------------------------|
| <b>Yin / Yang</b>     | Yin (posteromedial)                 | Yang (posterolateral)                    |
| <b>Element</b>        | Fire                                | Fire                                     |
| <b>Circuit</b>        | Posterior - Chest to Hand           | Posterior - Hand to Head                 |
| <b>Clock</b>          | 11 AM-1 PM                          | 1-3 PM                                   |
| <b>Points</b>         | 9 (HT1-HT9)                         | 19 (SI1-SI19)                            |
| <b>Start</b>          | HT1 Jiquan (axilla)                 | SI1 Shaoze (little finger)               |
| <b>End</b>            | HT9 Shaochong (little finger)       | SI19 Tinggong (in front of ear)          |
| <b>Pertaining</b>     | Heart                               | Small Intestine                          |
| <b>Connecting</b>     | Small Intestine                     | Heart                                    |
| <b>Back-Shu</b>       | BL15                                | BL27                                     |
| <b>Front-Mu</b>       | CV14                                | CV4                                      |
| <b>Yuan-Source</b>    | HT7 Shenmen                         | SI4 Wangu                                |
| <b>Luo</b>            | HT5 Tongli                          | SI7 Zhizheng                             |
| <b>Xi-Cleft</b>       | HT6 Yinxi                           | SI6 Yanglao                              |
| <b>He-Sea</b>         | HT3 Shaohai                         | SI8 Xiaohai                              |
| <b>Confluent Pt</b>   | -                                   | SI3 (opens Du Mai)                       |
| <b>Lower He-Sea</b>   | -                                   | ST39 (on the ST channel)                 |
| <b>Crossing Pts</b>   | 0 (unique - none)                   | 2 (BL1, GB14)                            |
| <b>Unique Feature</b> | ONLY channel w/ ZERO crossings      | Lower He-Sea sits on a different channel |
| <b>Ext Symptoms</b>   | Palpitations, chest pain, arm pain  | Cheek/neck swelling, shoulder pain       |
| <b>Int Symptoms</b>   | Insomnia, anxiety, Shen disturbance | Digestive pain, lactation issues         |
| <b>Organ Function</b> | Governs Blood/vessels, houses Shen  | Separates pure from impure               |