

FINAL CRAM SHEET

Weeks 1-9 -- night-before density reference

30 Qs · Cumulative · Reuses Quiz Material · Quiz Ready

SCOPE

All 12 meridians
8 EVs, 15 Luo, 60 Five Shu

FORMAT

One glance per fact
Pairs with the Study Guide

PRIORITY

Zhang's exam focus
flagged throughout

WHAT DR. ZHANG SAID (VERBATIM-SOURCED)

30 questions total	Confirmed verbally in the Week 9 live class when a student asked directly: "how many questions we have in final exam" -> "30 questions."
Cumulative, reuses quiz material	Per Week 6: "the final exam mentions all the questions, including in the final examination, [are] concerns from each quiz, not new question." The final draws from Quiz 1-6 content directly -- review EVERY quiz you've taken, not just lecture notes.
No new content Week 9->10	Week 9 had no new quiz or homework -- it was 100% review. Week 10 is the final exam itself. Homework 5 must be submitted before the final or the grade cannot be entered.
Review = pathways, not divergent/collateral detail	Direct quote, Week 9: a student asked whether the final "will include the last week and this week's lecture regarding collaterals and divergent points" -- Dr. Zhang answered "No, no. In the review part, all the content included in the review part, we will not tell you about the divergent and collaterals." Muscle Regions and Cutaneous Regions were also not part of her review slides. Know the concepts, but they are LOW-YIELD for the final vs. primary pathways.
Her review slides emphasized	(1) All 12 primary meridian pathways -- start point, end point, direction, pertaining organ, connecting organ, and the region(s) each crosses (ear, nose, eye, genitals, tongue). (2) The three Circuits (Anterior/Outer, Posterior/Inner, Middle) and their sequence. (3) Five Shu (Transport) Points -- full master table, all 12 meridians. (4) Eight Confluent Points and their Extraordinary Vessel pairings. (5) The Eight Extraordinary Vessels themselves (started via their confluent points, e.g. "Yin Chao and Yang Chao [start] at BL62 and KI6").
Clinical evidence content is NOT exam material	The PCOS/PMOS acupuncture protocol, the JAMA urinary incontinence RCT, and the EMMA robotic-massage pilot data were presented as clinical context/enrichment, separate from "the review for the final examination" segment -- do not spend final-prep time memorizing these numbers.
"If you understand the slides, you can pass the final exam very easily."	Dr. Zhang's own closing framing of the Week 9 review lecture -- her review deck (not the raw transcript detail) is the single best final-prep source, supplemented by re-drilling each week's Quiz Kit.

MASTER PATHWAY TABLE

LU -- Lung
Class: Hand Taiyin · Y/Y: Yin · Dir: Chest -> Hand · Circuit: Outer / Anterior · Clock: 3-5 AM
LI -- Large Intestine
Class: Hand Yangming · Y/Y: Yang · Dir: Hand -> Head · Circuit: Outer / Anterior · Clock: 5-7 AM
ST -- Stomach
Class: Foot Yangming · Y/Y: Yang · Dir: Head -> Foot · Circuit: Outer / Anterior · Clock: 7-9 AM
SP -- Spleen
Class: Foot Taiyin · Y/Y: Yin · Dir: Foot -> Chest · Circuit: Outer / Anterior · Clock: 9-11 AM
HT -- Heart
Class: Hand Shaoyin · Y/Y: Yin · Dir: Chest -> Hand · Circuit: Inner / Posterior · Clock: 11 AM-1 PM
SI -- Small Intestine
Class: Hand Taiyang · Y/Y: Yang · Dir: Hand -> Head · Circuit: Inner / Posterior · Clock: 1-3 PM
BL -- Bladder
Class: Foot Taiyang · Y/Y: Yang · Dir: Head -> Foot · Circuit: Inner / Posterior · Clock: 3-5 PM
KI -- Kidney
Class: Foot Shaoyin · Y/Y: Yin · Dir: Foot -> Chest · Circuit: Inner / Posterior · Clock: 5-7 PM
PC -- Pericardium
Class: Hand Jueyin · Y/Y: Yin · Dir: Chest -> Hand · Circuit: Middle · Clock: 7-9 PM
SJ -- San Jiao (Triple Burner)
Class: Hand Shaoyang · Y/Y: Yang · Dir: Hand -> Head · Circuit: Middle · Clock: 9-11 PM
GB -- Gallbladder
Class: Foot Shaoyang · Y/Y: Yang · Dir: Head -> Foot · Circuit: Middle · Clock: 11 PM-1 AM
LR -- Liver
Class: Foot Jueyin · Y/Y: Yin · Dir: Foot -> Chest · Circuit: Middle · Clock: 1-3 AM

ALL 12 PRIMARY MERIDIANS -- QUICK-SCAN RECORDS

LU -- 11 pts

Back-Shu: BL13 Feishu · Front-Mu: LU1 Zhongfu (own -- unusual) · Yuan: LU9 Taiyuan · Luo: LU7 Lieque · He-Sea: LU5 Chize · Xi-Cleft: LU6 Kongzui · Confluent/Cmd: LU7 -- opens Ren Mai (paired w/ KI6) · Crossing: none named (terminal Yin channel)

LI -- 20 pts

Back-Shu: BL25 Dachangshu · Front-Mu: ST25 Tianshu (on ST channel) · Yuan: LI4 Hegu -- FORBIDDEN in pregnancy · Luo: LI6 Pianli · He-Sea: LI11 Quchi · Xi-Cleft: LI7 Wenliu · Confluent/Cmd: LI4 -- face/mouth · Crossing: crosses GV14, ST/SI region near shoulder/neck

ST -- 45 pts

Back-Shu: BL21 Weishu · Front-Mu: CV12 Zhongwan · Yuan: ST42 Chongyang · Luo: ST40 Fenglong · He-Sea: ST36 Zusanli · Xi-Cleft: ST34 Liangqiu · Confluent/Cmd: ST36 -- abdomen; Lower He-Sea ST37 (LI) / ST39 (SI) · Crossing: 11 -- the MOST of any primary channel (LI20, BL1,

SP -- 21 pts

Back-Shu: BL20 Pishu · Front-Mu: LR13 Zhangmen (on LR channel) · Yuan: SP3 Taibai · Luo: SP4 Gongsun · He-Sea: SP9 Yinlingquan · Xi-Cleft: SP8 Diji · Confluent/Cmd: SP4 -- opens Chong Mai (paired w/ PC6) · Crossing: 6 -- abdomen/chest (CV3, CV4, CV10, GB24, LR14, LU

HT -- 9 pts

Back-Shu: BL15 Xinshu · Front-Mu: CV14 Jueque · Yuan: HT7 Shenmen · Luo: HT5 Tongli · He-Sea: HT3 Shaohai · Xi-Cleft: HT6 Yinxī · Confluent/Cmd: none · Crossing: none (fewest of any primary channel, tied w/ PC)

SI -- 19 pts

Back-Shu: BL27 Xiaochangshu · Front-Mu: CV4 Guanyuan · Yuan: SI4 Wangu · Luo: SI7 Zhizheng · He-Sea: SI8 Xiaohai · Xi-Cleft: SI6 Yanglao · Confluent/Cmd: SI3 Houxi -- opens Du Mai (paired w/ BL62) · Crossing: crosses GV14, cheek/eye region

BL -- 67 pts

Back-Shu: BL28 Pangguangshu (own) · Front-Mu: CV3 Zhongji · Yuan: BL64 Jinggu · Luo: BL58 Feiyang · He-Sea: BL40 Weizhong (Command, back) · Xi-Cleft: BL63 Jinmen · Confluent/Cmd: BL62 Shenmai -- opens Yang Qiao Mai (paired w/ SI3) · Crossing: 14, shared with GV and GB, concentrated around the

KI -- 27 pts

Back-Shu: BL23 Shenshu · Front-Mu: GB25 Jingmen · Yuan: KI3 Taixi (also Shu-Stream -- dual role) · Luo: KI4 Dazhong · He-Sea: KI10 Yingu · Xi-Cleft: KI5 Shuiquan · Confluent/Cmd: KI6 Zhaozhai -- opens Yin Qiao Mai (paired w/ LU7) · Crossing: crosses SP at SP6 (Sanyinjiao); internally connect

PC -- 9 pts

Back-Shu: BL14 Jueyinshu · Front-Mu: CV17 Danzhong · Yuan: PC7 Daling · Luo: PC6 Neiguan · He-Sea: PC3 Quze · Xi-Cleft: PC4 Ximen · Confluent/Cmd: PC6 -- opens Yin Wei Mai (paired w/ SP4) -- most-used confluent pairing in clinic · Crossing: NONE -- exam trap, matches HT (only 2 primary chan

SJ -- 23 pts

Back-Shu: BL22 Sanjiaoshu · Front-Mu: CV5 Shimen · Yuan: SJ4 Yangchi · Luo: SJ5 Waiguan · He-Sea: SJ10 Tianjing · Xi-Cleft: SJ7 Huizong · Confluent/Cmd: SJ5 -- opens Yang Wei Mai (paired w/ GB41) · Crossing: 10+ -- shares crossing points with GB around head/

GB -- 44 pts

Back-Shu: BL19 Danshu · Front-Mu: GB24 Riyue (own) · Yuan: GB40 Qiuxu · Luo: GB37 Guangming · He-Sea: GB34 Yanglingquan (also Hui-Meeting Sinews) · Xi-Cleft: GB36 Waiqiu · Confluent/Cmd: GB41 Zulinqi -- opens Dai Mai (paired w/ SJ5) · Crossing: 12, across 6 meridians (SJ, LR, PC, SI, ST, GV) --

LR -- 14 pts

Back-Shu: BL18 Ganshu · Front-Mu: LR14 Qimen (own) · Yuan: LR3 Taichong · Luo: LR5 Ligou · He-Sea: LR8 Ququan · Xi-Cleft: LR6 Zhongdu · Confluent/Cmd: none directly (LR13 is the SP Front-Mu; LR14 is LR's own Front-Mu) · Crossing: 6, shared with CV (2) and SP (1) around the genita

8 EXTRAORDINARY VESSELS -- QUICK MAP

Vessel	Pts	Confluent (Partner)	Function
GV	28	SI3 (BL62)	Governs Qi of all Yang meridians; keeps body warm; spine/brain disorder
CV	24	LU7 (KI6)	Receives/bears Qi of all Yin meridians; reproduction, urogenital, CV4/
Chong	--	SP4 (PC6)	Sea of Blood; regulates menstruation and the 12 meridians/zang-fu Qi-B
Dai	--	GB41 (SJ5)	Binds/controls all longitudinally-running meridians
Yang Qiao	--	BL62 (SI3)	Governs wakefulness/activity; balances limb movement with Yin Qiao
Yin Qiao	--	KI6 (LU7)	Governs calm/rest, promotes sleep -- opposite of Yang Qiao
Yang Wei	--	SJ5 (GB41)	Dominates exterior of the whole body
Yin Wei	--	PC6 (SP4)	Dominates interior of the whole body

CONFLUENT POINT PAIRS

Pt A	Pt B	Opens	Use
------	------	-------	-----

AC300 FINAL CRAM SHEET

Pt A	Pt B	Opens	Use
SI3 Houxi	BL62 Shenmai	Du Mai + Yang Qiao Mai	posterior body, spine, neck, febrile disease
LU7 Lieque	KI6 Zhaohai	Ren Mai + Yin Qiao Mai	throat, chest, lung, insomnia
SP4 Gongsun	PC6 Neiguan	Chong Mai + Yin Wei Mai	chest, heart, stomach -- MOST-used pairing in clinic
GB41 Zulinqi	SJ5 Waiguan	Dai Mai + Yang Wei Mai	lateral body, hypochondriac pain, exterior disorders

15 LUO-CONNECTING POINTS

Point	Connection	Note
LU7 Lieque	LU -> LI	also opens Ren Mai (Week 7)
LI6 Pianli	LI -> LU	closest pairing around the wrist to LU7
ST40 Fenglong	ST -> SP	#1 phlegm point in TCM
SP4 Gongsun	SP -> ST	also opens Chong Mai
HT5 Tongli	HT -> SI	1 cun above wrist crease
SI7 Zhizheng	SI -> HT	5 cun above wrist
BL58 Feiyang	BL -> KI	7 cun above external malleolus
KI4 Dazhong	KI -> BL	posterior to internal malleolus
PC6 Neiguan	PC -> SJ	also opens Yin Wei Mai
SJ5 Waiguan	SJ -> PC	also opens Yang Wei Mai
GB37 Guangming	GB -> LR	5 cun above external malleolus
LR5 Ligou	LR -> GB	5 cun above internal malleolus
CV15 Jiuwei	Ren Mai collateral	spreads over the FRONT midline/abdomen
GV1 Changqiang	Du Mai collateral	spreads over the BACK midline
SP21 Dabao	Great (Major) Collateral of Spleen	covers the LATERAL chest -- why there are 15, not 12

FIVE SHU POINTS -- FULL 60-POINT GRID

Jing-Well -> Ying-Spring -> Shu-Stream

Meridian	Jing-Well	Ying-Spring	Shu-Stream
Lung	LU11 Shaoshang	LU10 Yuji	LU9 Taiyuan
Large Intestine	LI1 Shangyang	LI2 Erjian	LI3 Sanjian
Stomach	ST45 Lidui	ST44 Neiting	ST43 Xianggu
Spleen	SP1 Yinbai	SP2 Dadu	SP3 Taibai
Heart	HT9 Shaochong	HT8 Shaofu	HT7 Shenmen
Small Intestine	SI1 Shaoze	SI2 Qianqu	SI3 Houxi
Bladder	BL67 Zhiyin	BL66 Zutonggu	BL65 Shugu
Kidney	KI1 Yongquan	KI2 Rangu	KI3 Taixi
Pericardium	PC9 Zhongchong	PC8 Laogong	PC7 Daling
San Jiao	SJ1 Guanchong	SJ2 Yemen	SJ3 Zhongzhu
Gallbladder	GB44 Zuqiaoyin	GB43 Xiaxi	GB41 Zulinqi
Liver	LR1 Dadun	LR2 Xingjian	LR3 Taichong

Jing-River -> He-Sea

Meridian	Jing-River	He-Sea
Lung	LU8 Jingqu	LU5 Chize
Large Intestine	LI5 Yangxi	LI11 Quchi

Meridian	Jing-River	He-Sea
Stomach	ST41 Jiexi	ST36 Zusanli
Spleen	SP5 Shangqiu	SP9 Yinlingquan
Heart	HT4 Lingdao	HT3 Shaohai
Small Intestine	SI5 Yanggu	SI8 Xiaohai
Bladder	BL60 Kunlun	BL40 Weizhong
Kidney	KI7 Fulu	KI10 Yingu
Pericardium	PC5 Jianshi	PC3 Quze
San Jiao	SJ6 Zhigou	SJ10 Tianjing
Gallbladder	GB38 Yangfu	GB34 Yanglingquan
Liver	LR4 Zhongfeng	LR8 Ququan

EXAM TRAPS -- READ THIS PAGE LAST

Naming convention	3 parts only: Hand/Foot + Yin/Yang + Zang/Fu (e.g. "Hand Taiyin Lung"). Element (Metal, Earth...) is a SEPARATE Five-Phase classification, not part of the formal channel name.
Point-count doesn't track Yin/Yang	LI (20) > LU (11); SI (19) > HT (9) -- the Yang/Fu partner almost always has more points than its Yin/Zang pair, even though it's the "lesser"
ST begins at LI20, not ST1	ST1 (Chengqi) is only the first NUMBERED point on the channel -- the true pathway origin is LI20 Yingxiang on the face, a crossing point of the LI channel.
UPPER vs LOWER teeth/gums	UPPER teeth/gums = ST channel. LOWER teeth/gums = LI channel. A classic Dr. Zhang exam distinction.
ST25 vs CV12 Front-Mu	ST25 (Tianshu) = Front-Mu of LARGE INTESTINE. CV12 (Zhongwan) = Front-Mu of STOMACH. These sit on completely different channels.
Only ST passes through the nipple	ST17 Ruzhong = center of nipple -- landmark ONLY, never needed.
SP is the ONLY channel on the LOWER surface of the tongue	KI reaches the ROOT of the tongue; SP spreads over its lower surface -- do not conflate the two tongue relationships.
SP's 8-cun crossover	The ONLY distribution exception among all 12 meridians: below 8 cun above the medial malleolus, SP runs POSTERIOR to LR; above 8 cun, SP moves ANTERIOR (crosses in front of LR).
Forbidden-in-pregnancy points	LI4 Hegu, SP6 Sanyinjiao, BL60 Kunlun (promotes labor), BL67 Zhiyin (malposition correction via MOXA only, needle contraindicated).
Circuit hand-offs (Outer)	LU->LI at LI1 (fingers). LI->ST at LI20 (face). ST->SP at SP1/ST42 (toe). SP->HT internally (chest) -- opens the Inner/Posterior Circuit.
BL does NOT connect to Lung	BL's only internal connection is Kidney. Do not confuse with the Metal pathway.
BL's two back lines run simultaneously	NOT a sequential up-down loop -- Dr. Zhang confirmed directly in Q&A: both the 1.5-cun and 3-cun parallel lines run "at the same time."
BL7 vs GV20	BL7 Tongtian is NOT the vertex-joining point -- that is GV20 Baihui, which BL merely joins at the vertex.
Heel pain -> think Kidney first	Dr. Zhang's explicit clinical teaching point -- the KI pathway curves directly behind the medial malleolus and through the heel.
KI3 vs KI7	KI3 Taixi = Shu-Stream AND Yuan-Source (dual role), in the malleolus/Achilles depression. KI7 Fulu = Jing-River only, 2 cun proximal, anterior to the Achilles tendon.
PC and HT are the ONLY 2 primary channels with zero crossing points.	An easy paired exam trap.
Confluent point pairings never mix elements	SI3+BL62 (both Yang, posterior); LU7+KI6 (mixed but classic Yin pairing); SP4+PC6 (both Yin, most clinically used); GB41+SI5 (both Yang, lateral body).
Yuan-Source rule by polarity	On YIN channels, Yuan-Source = the Shu-Stream point (same point, dual role). On YANG channels, Yuan-Source is a separate 6th point beyond the 5 Shu points.
ST36 is He-Sea + Command Abdomen, NOT Yuan-Source.	ST's actual Yuan-Source is ST42 Chongyang -- don't let ST36's fame as "#1 tonic point" cause you to misassign it.
GB crossing points: 12 across 6 meridians	SJ, LR, PC, SI, ST, GV -- includes Yifeng SJ17, Jiaosun SJ20, Erheliao SJ22, Dadun LR1, Zhangmen LR13, Tianchi PC1, Bingfeng SI12, Tianrong SI17, Tinggong SI19, Xiaguan ST7, Touwei ST8, Dazhui GV14.
Extraordinary Vessels have NO pertaining/connecting organs.	Unlike the 12 primary meridians, the 8 EVs run superficially and do not pertain to or connect with internal Zang-Fu organs directly.
Yang Qiao / Yin Qiao "start" at their confluent points.	BL62 (Yang Qiao) and KI6 (Yin Qiao) -- Dr. Zhang repeated this exact fact live in the Week 9 review as a quiz-recycled item.