

Special Points Decoder

Five Shu Points — in Full — + Confluent & Meeting Points

Standalone reference — pairs with the Week 9 Study Guide

This Decoder Covers:

- All 60 Five Shu Points, in full — the star special-point category this week
- Eight Confluent Points — detailed cards, with master-couple pairing
- 15 Collaterals master table — cumulative recap (full detail: Week 8 Decoder)
- Meeting (Crossing) Points — full appendix table (source images) + high-yield highlights
- A/B/C tiered cumulative recap of every other special-point category, rolled forward from Week 6

Five Shu Points + Confluent Points ARE the special-point content for this week -- the final consolidation before comprehensive review of all categories together.

Next week: comprehensive Final Exam (material from Weeks 1-9).

The Five Shu (Transport) Points

This week's star category

The term ‘Five Shu Points’ (Wu Shu Xue) collectively refers to a specific group of five acupoints on each of the twelve main Meridians, situated distal to the elbows and knees. They are individually named Jing-Well (Jing), Ying-Spring (Ying), Shu-Stream (Shu), Jing-River (Jing), and He-Sea (He).

CATEGORY	MEANING	LOCATION	CLINICAL APPLICATION
Jing-Well	“Where it emerges is the Jing-Well”	Tips of fingers and toes	First aid, clearing heat, consciousness disorders
Ying-Spring	“Where it flows is the Ying-Spring”	Before the MCP/MTP joints	Feverish diseases, heat-related disorders
Shu-Stream	“Where it pours is the Shu-Stream”	After the MCP/MTP joints	Heaviness in the body, pain/stiffness in joints
Jing-River	“Where it travels is the Jing-River”	Forearms or lower legs	Externally contracted diseases (colds, flu), meridian regulation
He-Sea	“Where it enters is the He-Sea”	Near the elbow or knee joints	Disorders of the six Fu (hollow) organs

Classic of Difficult Questions, Ch. 68: “The well points govern fullness below the heart, the spring points govern fever, the stream points govern heaviness of the body and joint pain, the river points govern asthma, cough, chills, and fever, and the sea points govern rebellious qi and diarrhea.”

Yin meridians have no separate Yuan-Source point -- the Shu-Stream point IS the Yuan point (e.g., Taiyuan LU9 is both Shu-Stream and Yuan for the Lung). Yang meridians have a 6th, separate Yuan-Source point beyond the 5 Shu points (e.g., Chongyang ST42 for the Stomach).

Five Shu Points — Master Table, All 3 Cycles

All 12 meridians, full drillable detail

MERIDIAN	JING-WELL	YING-SPRING	SHU-STREAM	JING-RIVER	HE-SEA
ANTERIOR CYCLE — Lung · Large Intestine · Stomach · Spleen (Chest -> Hand -> Head -> Foot -> Chest)					
Lung (LU)	Shaoshang LU11	Yuji LU10	Taiyuan LU9	Jingqu LU8	Chize LU5
Large Intestine (LI)	Shangyang LI1	Erjian LI2	Sanjian LI3	Yangxi LI5	Quchi LI11
Stomach (ST)	Lidui ST45	Neiting ST44	Xiangyu ST43	Jiexi ST41	Zusanli ST36
Spleen (SP)	Yinbai SP1	Dadu SP2	Taibai SP3	Shangqiu SP5	Yinlingquan SP9
POSTERIOR CYCLE — Heart · Small Intestine · Bladder · Kidney (same 4-station course, posterior aspect)					
Heart (HT)	Shaochong HT9	Shaofu HT8	Shenmen HT7	Lingdao HT4	Shaohai HT3
Small Intestine (SI)	Shaoze SI1	Qianggu SI2	Houxi SI3	Yanggu SI5	Xiaohai SI8
Bladder (BL)	Zhiyin BL67	Zutonggu BL66	Shugu BL65	Kunlun BL60	Weizhong BL40
Kidney (KI)	Yongquan KI1	Rangu KI2	Taixi KI3	Fuliu KI7	Yingu KI10
MIDDLE CYCLE — Pericardium · Sanjiao · Gallbladder · Liver (lateral aspect, Jueyin/Shaoyang)					
Pericardium (PC)	Zhongchong PC9	Laogong PC8	Daling PC7	Jianshi PC5	Quze PC3
Triple Energizer (SJ/TE)	Guanchong SJ1	Yemen SJ2	Zhongzhu SJ3	Zhigou SJ6	Tianjing SJ10
Gallbladder (GB)	Zuqiaoyin GB44	Xiaxi GB43	Zulinqi GB41	Yangfu GB38	Yanglingquan GB34
Liver (LR)	Dadun LR1	Xingjian LR2	Taichong LR3	Zhongfeng LR4	Ququan LR8

Yin meridians have no separate Yuan-Source point -- the Shu-Stream point IS the Yuan point (e.g., Taiyuan LU9 is both Shu-Stream and Yuan for the Lung). Yang meridians have a 6th, separate Yuan-Source point beyond the 5 Shu points (e.g., Chongyang ST42 for the Stomach).

The Eight Confluent Points

[Full detail](#)

Confluent points are special acupuncture points that connect the Eight Extraordinary Vessels with the Twelve Regular Meridians. Function: helping to regulate the body's energy, connect related meridians, and treat specific patterns.

Houxi (SI 3)

Du Vessel · pairs w/ Shenmai (BL 62)

On the ulnar side of the hand, proximal to the 5th metacarpophalangeal joint, at the border of the red and white skin.

Benefits the spine and neck; clears heat; treats febrile disease and back pain.

Lieque (LU 7)

Ren Vessel · pairs w/ Zhaohai (KI 6)

On the radial forearm, 1.5 cun proximal to the wrist crease, superior to the styloid process of the radius.

Releases the exterior, benefits the throat and lungs, and regulates the Ren Vessel.

Gongsun (SP 4)

Chong Vessel · pairs w/ Neiguan (PC 6)

On the medial foot, distal and inferior to the base of the 1st metatarsal bone.

Harmonizes the middle jiao, regulates the Chong Vessel, and treats abdominal or menstrual disorders.

Zulinqi (GB 41)

Dai Vessel · pairs w/ Waiguan (SJ 5)

On the dorsum of the foot, distal to the junction of the 4th and 5th metatarsal bones.

Spreads Liver qi, regulates the Dai Vessel, benefits the breasts, and treats pelvic or lateral-body pain.

Zhaohai (KI 6)

Yin Qiao Vessel · pairs w/ Lieque (LU 7)

In the depression directly below the medial malleolus.

Nourishes yin, benefits the throat, regulates sleep; governs movement.

Shenmai (BL 62)

Yang Qiao Vessel · pairs w/ Houxi (SI 3)

In the depression directly below the lateral malleolus.

Regulates the Yang Qiao Vessel, benefits the eyes, calms the spirit, and governs motor function.

Neiguan (PC 6)

Yin Wei Vessel · pairs w/ Gongsun (SP 4)

2 cun proximal to the wrist crease, between the tendons of palmaris longus and flexor carpi radialis.

Opens the chest, regulates the Heart, calms the spirit, harmonizes the Stomach, and relieves nausea.

Waiguan (SJ 5)

Yang Wei Vessel · pairs w/ Zulinqi (GB 41)

2 cun proximal to the dorsal wrist crease, between the radius and ulna.

Releases the exterior, clears heat, benefits the head and ears, and relieves pain along the yang channels.

The 8 points form 4 master couples (each couple treats a shared body region): Houxi+Shenmai (inner canthus, ear, shoulder, neck -- Yang); Lieque+Zhaohai (lung, throat, chest -- Yin); Gongsun+Neiguan (heart, chest, stomach -- Yin); Zulinqi+Waiguan (outer canthus, ear, cheek, neck, shoulder -- Yang).

The 15 Collaterals — Cumulative Recap

Full clinical detail: Week 8 Decoder

MERIDIAN	LUO POINT	CONNECTS TO
Lung (LU)	Lieque LU7	Large Intestine
Large Intestine (LI)	Pianli LI6	Lung
Stomach (ST)	Fenglong ST40	Spleen
Spleen (SP)	Gongsun SP4	Stomach
Heart (HT)	Tongli HT5	Small Intestine
Small Intestine (SI)	Zhizheng SI7	Heart
Bladder (BL)	Feiyang BL58	Kidney
Kidney (KI)	Dazhong KI4	Bladder
Pericardium (PC)	Neiguan PC6	Triple Energizer
Triple Energizer (SJ)	Waiguan SJ5	Pericardium
Gallbladder (GB)	Guangming GB37	Liver
Liver (LR)	Ligou LR5	Gallbladder
Conception Vessel (Ren)		Jiuwei CV15
Governor Vessel (Du)		Changqiang GV1
Major Collateral of the Spleen		Dabao SP21

Meeting (Crossing) Points

Where more than one channel's pathway crosses

“Meeting Points of the Channels” -- a point is a Crossing/Meeting Point when more than one channel's pathway passes through it. This full appendix table (Lecture_9Meeting_Points_List_.pdf, pp.52-55, MOA-style) is reproduced as source images below rather than re-typed, to preserve exact accuracy across all ~90 listed points and 17 channel/vessel columns.

High-Yield Highlights:

GB20 (Fengchi)	Gallbladder, Sanjiao, Yang Linking Vessel, Yang Motility Vessel -- 4-way meeting point; resolves the previously flagged “GB crossing-point” discrepancy from Week 6 for this specific point.
GB1 (Tongziliao)	Small Intestine + Sanjiao + Gallbladder -- outer canthus, where 3 Yang channels of the head converge.
BL1 (Jingming)	Stomach, Small Intestine, Bladder, Sanjiao, Gallbladder, Yang Linking, Yang Motility, Yin Motility -- the single busiest meeting point in the whole table (8 channels/vessels).
ST12 (Quepen)	Lung, Large Intestine, Bladder, Sanjiao, Gallbladder -- supraclavicular fossa, a major confluence point for channels descending into the chest.
SP6 (Sanyinjiao)	Spleen, Liver, Kidney -- the classic “3 Yin meeting” point of the leg, the origin of its name (San Yin Jiao = “Three Yin Intersection”).
CV3/CV4 (Zhongji/Guanyuan)	Conception Vessel + Spleen/Liver/Kidney (the 3 leg Yin meridians) -- lower abdomen, reproductive/urinary point cluster.

Meeting Points of the Channels – Source Table, p.1 of 4

52

Point categories

MEETING POINTS OF THE CHANNELS

	Lung	Large Intestine	Stomach	Spleen	Heart	Small Intestine	Bladder	Kidney	Pericardium	Sanjiao	Gall Bladder	Liver	Conception v.	Governing v.	Yang Linking v.	Yin Linking v.	Yang Motility v.	Yin Motility v.	Penetrating v.	Girdling v.
LU-1	•			•																
L.I.-14		•				•	•													
L.I.-15		•															•			
L.I.-16		•															•			
L.I.-20		•	•														•			
ST-1			•										•				•			
ST-3			•														•			
ST-4		•	•										•				•			
ST-7			•								•									
ST-8			•								•				•					
ST-9			•								•									
ST-12		•	•			•				•	•									
ST-30			•																•	
SP-6				•				•				•								
SP-12				•								•				•				
SP-13				•								•				•				
SP-15				•												•				
SP-16				•												•				
SI-10						•	•								•		•			
SI-12		•				•				•	•									
SI-18						•				•										
SI-19						•				•	•									
BL-1			•			•	•			•	•			•			•	•		
BL-11						•	•			•	•			•						
BL-12							•							•						
BL-31							•				•									
BL-32							•				•									
BL-33							•				•									
BL-34							•				•									
BL-41						•	•													

Source: Lecture_9Meeting_Points_List_.pdf, p.52 (MOA-style appendix table).

Meeting Points of the Channels — Source Table, p.2 of 4

Point categories

53

	Lung	Large Intestine	Stomach	Spleen	Heart	Small Intestine	Bladder	Kidney	Pericardium	Sanjiao	Gall Bladder	Liver	Conception v.	Governing v.	Yang Linking v.	Yin Linking v.	Yang Motility v.	Yin Motility v.	Penetrating v.	Girdling v.
BL-59							•										•			
BL-61							•										•			
BL-62							•										•			
BL-63							•								•					
KID-9								•										•		
KID-11								•											•	
KID-12								•											•	
KID-13								•											•	
KID-14								•											•	
KID-15								•											•	
KID-16								•											•	
KID-17								•											•	
KID-18								•											•	
KID-19								•											•	
KID-20								•											•	
KID-21								•											•	
P-1									•	•	•	•								
SJ-13										•					•					
SJ-15										•	•				•					
SJ-17										•	•									
SJ-20						•				•	•									
SJ-22						•				•	•									
GB-1						•				•	•									
GB-3			•							•	•									
GB-4			•							•	•									
GB-5		•	•							•	•									
GB-6		•	•							•	•									
GB-7							•				•									
GB-8							•				•									
GB-9							•				•									

Source: Lecture_9Meeting_Points_List_.pdf, p.53 (MOA-style appendix table).

Meeting Points of the Channels — Source Table, p.3 of 4

54

Point categories

	Lung	Large Intestine	Stomach	Spleen	Heart	Small Intestine	Bladder	Kidney	Pericardium	Sanjiao	Gall Bladder	Liver	Conception v.	Governing v.	Yang Linking v.	Yin Linking v.	Yang Motility v.	Yin Motility v.	Penetrating v.	Girdling v.
GB-10							•				•									
GB-11						•	•			•	•									
GB-12							•				•									
GB-13											•				•					
GB-14		•	•							•	•				•					
GB-15							•				•				•					
GB-16											•				•					
GB-17											•				•					
GB-18											•				•					
GB-19											•				•					
GB-20										•	•				•		•			
GB-21			•							•	•				•					
GB-23							•				•									
GB-24				•							•									
GB-26											•									•
GB-27											•									•
GB-28											•									•
GB-29											•						•			
GB-30							•				•									
GB-35											•				•					
LIV-13											•	•								
LIV-14				•								•				•				
DU-1								•			•		•	•						
DU-13							•							•						
DU-14		•	•			•	•			•	•			•						
DU-15														•	•					
DU-16														•	•					
DU-17							•							•						
DU-20							•			•	•	•		•						
DU-24			•				•							•						

Source: Lecture_9Meeting_Points_List_.pdf, p.54 (MOA-style appendix table).

Meeting Points of the Channels — Source Table, p.4 of 4

Point categories

55

	Lung	Large Intestine	Stomach	Spleen	Heart	Small Intestine	Bladder	Kidney	Pericardium	Sanjiao	Gall Bladder	Liver	Conception v.	Governing v.	Yang Linking v.	Yin Linking v.	Yang Motility v.	Yin Motility v.	Penetrating v.	Girdling v.
DU-26		•	•											•						
DU-28			•										•	•						
REN-1													•	•					•	
REN-2												•	•							
REN-3				•				•				•	•							
REN-4				•				•				•	•							
REN-7								•					•						•	
REN-10				•									•							
REN-12			•			•				•			•							
REN-13			•			•							•							
REN-17				•		•		•		•			•							
REN-22													•			•				
REN-23													•			•				
REN-24		•	•										•	•						

Source: Lecture_9Meeting_Points_List_.pdf, p.55 (MOA-style appendix table).

Cumulative Recap — All Special-Point Categories

Tiered A/B/C, per the Week 6 pilot

Five Shu Points and Confluent Points received full treatment above. The categories below stay exactly as covered previously -- listed here for final cumulative review, with the A/B/C exam-priority tiering piloted in the Week 6 Decoder and rolled forward every week since.

Tier key: A = high-yield, drill to automaticity. B = know the definition + 1 example cold. C = recognize the name and general function only.

A	FIVE SHU POINTS Jing-Well/Ying-Spring/Shu-Stream/Jing-River/He-Sea; 60 points total. <i>Full treatment: this week's Decoder</i>
A	YUAN-SOURCE Where the Source (Yuan) Qi is accessed. <i>Last new examples: Week 6 (PC7, SJ4, GB40, LR3)</i>
A	LUO-CONNECTING Where a Luo-vessel branches to the paired channel. <i>Full treatment: Week 8 Decoder</i>
A	HE-SEA At elbow/knee; treats counterflow Qi and organ-level disorders. <i>Last new examples: Week 6 (PC3, SJ10, GB34, LR8)</i>
A	CONFLUENT (OPENING) POINTS Access point for each Extraordinary Vessel. <i>Full treatment: this week's Decoder</i>
B	XI-CLEFT Cleft point for acute conditions/pain. <i>Last new examples: Week 6 (PC4, SJ7, GB36, LR6)</i>
B	FRONT-MU Where a zang/fu organ's Qi gathers anteriorly. <i>Last new examples: Week 6 (CV17, CV5, GB24, LR14)</i>
B	BACK-SHU Bladder-channel transport points for each organ. <i>Last new examples: Week 6 (BL14, BL22, BL19, BL18)</i>
B	MEETING (CROSSING) POINTS A point crossed by more than one channel's pathway. <i>Full table: this week's Decoder (resolves the GB20 discrepancy)</i>
C	HUI-MEETING (INFLUENTIAL) 8 points, meeting place for a tissue/substance category. <i>Last new examples: Week 6 (GB34 = Sinews; LR13 = Zang)</i>
C	LOWER HE-SEA Special He-Sea points for the 6 Fu organs, on the leg. <i>Last new examples: Week 6 (SJ's is BL39, off-channel)</i>
C	COALESCENT POINTS (JIAO HUI XUE) Meeting points between an Extraordinary Vessel and a primary meridian. <i>Full treatment: Week 7 Decoder</i>