

WEEK 5

reMarkable Edition

Week 5 Study Guide

Bladder & Kidney Channels

BL (67 pts) + KI (27 pts) = 94 Points

This Week Covers:

- Bladder Meridian of Foot-Taiyang (BL1–BL67) with MOA + CAM figures
- BL 5 Branches — full detailed running course (longest channel in the body)
- BL 14 Crossing Points — the most of any channel
- Kidney Meridian of Foot-Shaoyin (KI1–KI27) with MOA + CAM figures
- KI 3 Branches — full detailed running course, ending at the Pericardium link
- KI 6 Crossing Points — abdomen and chest
- Full Back-Shu Series (BL13–BL28) — organ transport points
- Dr. Zhang's Clinical Pearls — direct from lecture
- BL vs KI Quick Reference — side-by-side comparison
- Practice Drawing pages with faint tracing figures
- 30-Question MCQ Quiz with Full Answer Key

QUIZ 4 (next class) covers: BL & KI channels.

BL & KI are taught this week; PC & SJ will be TAUGHT next week (Week 6).

MOA: BL pp.251-256 | KI pp.331-335

CAM: Col. Fig. 8-9 | Slides: Dr. Vivian Zhang, Week 5

The Bladder Meridian of Foot-Taiyang

Yang | Water | 3 PM – 5 PM | 67 Points

Pertaining **Bladder**

Connecting **Kidney**

Back-Shu **BL28**


Front-Mu **CV3 Zhongji**

Yuan-Source **BL64**

Luo **BL58**

He-Sea **BL40**

Internal Running Course



MOA - BL Meridian (internal pathway)

- 1 Starts from the inner canthus (Jingming, BL1), ascends the forehead (BL2 Zanzhu, BL3 Meichong, BL4 Quchai) toward the vertex.
- 2 Continues up the forehead (BL5, BL6, BL7 Tongtian), joining the Governor Vessel at the vertex (Baihui, GV20).
- 3 BRANCH: from the vertex to the temple, crossing GB7, GB8, GB9, GB10, GB11 and GB12 — one of BL's 14 cross-points shared with the GV and GB channels.
- 4 STRAIGHT PORTION: from the vertex, enters and communicates with the brain, emerges and bifurcates at BL10 (Tianzhu) to descend the posterior neck.
- 5 Runs alongside the medial border of the scapula, parallel to the spine (BL11–BL17, alongside GV13/GV14), reaching the lumbar region (BL18–BL23).
- 6 Enters the body cavity, connects with the Kidney, and pertains to its home organ, the Bladder (BL24–BL30).
- 7 BRANCH: from the lumbar region, descends through the gluteal region and ends in the popliteal fossa (BL40 Weizhong).
- 8 BRANCH (largest): from the posterior neck, runs straight down the medial border of the scapula (BL41–BL54), through the gluteal region — meeting GB30 (Huantiao).
- 9 Descends the lateral thigh and meets the branch from Step 7 in the popliteal fossa (BL40), where the two lines merge into one.
- 10 Continues down the posterior leg (BL55, BL56, BL57) to the area behind the external malleolus (BL58, BL59, BL60).
- 11 Runs along the 5th metatarsal bone (BL61–BL64) to the lateral side of the tip of the little toe (BL65, BL66, BL67 Zhiyin).
- 12 LINKS with the Kidney Meridian of Foot-Shaoyin, continuing the Posterior Circuit.

Functions (MOA)


- Governs storage & excretion of urine (Water passageway)
- Longest channel; controls the posterior body surface
- Dominates tendons via the Bladder-Sinew channel
- ONLY channel carrying the full Back-Shu series (BL13–BL28)
- Front-Mu: CV3 Zhongji | Back-Shu: BL28 Pangguangshu

The Bladder Meridian (BL) - External Running Course & CAM Figures

Pertaining **Bladder**Connecting **Kidney**Back-Shu **BL28**Front-Mu **CV3 Zhongji**Yuan-Source **BL64**Luo **BL58**He-Sea **BL40**

Pt	Chinese	Location & Notes
BL1	Jingming	0.1 cun superior to inner canthus
BL2	Zanzhu	Depression at medial end of eyebrow
BL3	Meichong	0.5 cun within hairline, above BL2
BL4	Quchai	0.5 cun within hairline, 1.5 cun lateral to midline
BL5	Wuchu	1 cun within hairline, 1.5 cun lateral to midline
BL6	Chengguang	2.5 cun within hairline, 1.5 cun lateral to midline
BL7	Tongtian	4 cun within hairline, 1.5 cun lateral to midline
BL8	Luoque	5.5 cun within hairline, 1.5 cun lateral to midline
BL9	Yuzhen	2.5 cun within hairline, 1.3 cun lateral to midline
BL10	Tianzhu	1.3 cun lateral to midline, within hairline
BL11	Dazhu	1.5 cun lat. to lower border T1 spinous process - Influential pt – Bone
BL12	Fengmen	1.5 cun lat. to lower border T2 spinous process
BL13	Feishu	1.5 cun lat. to lower border T3 spinous process - Back-Shu – Lung
BL14	Jueyinshu	1.5 cun lat. to lower border T4 spinous process - Back-Shu – Pericardium
BL15	Xinshu	1.5 cun lat. to lower border T5 spinous process - Back-Shu – Heart
BL16	Dushu	1.5 cun lat. to lower border T6 spinous process
BL17	Geshu	1.5 cun lat. to lower border T7 spinous process - Influential pt – Blood
BL18	Ganshu	1.5 cun lat. to lower border T9 spinous process - Back-Shu – Liver
BL19	Danshu	1.5 cun lat. to lower border T10 spinous process - Back-Shu – Gallbladder
BL20	Pishu	1.5 cun lat. to lower border T11 spinous process - Back-Shu – Spleen
BL21	Weishu	1.5 cun lat. to lower border T12 spinous process - Back-Shu – Stomach
BL22	Sanjiaoshu	1.5 cun lat. to lower border L1 spinous process - Back-Shu – San Jiao
BL23	Shenshu	1.5 cun lat. to lower border L2 spinous process - Back-Shu – Kidney
BL24	Qihai	1.5 cun lat. to lower border L3 spinous process
BL25	Dachangshu	1.5 cun lat. to lower border L4 spinous process - Back-Shu – Large Int.
BL26	Guanyuanshu	1.5 cun lat. to lower border L5 spinous process
BL27	Xiaochangshu	1.5 cun lat. to lower border S1 foramen - Back-Shu – Small Int.
BL28	Pangguangshu	1.5 cun lat. to lower border S2 foramen - Back-Shu – Bladder
BL29	Zhonglvshu	1.5 cun lat. to lower border S3 foramen
BL30	Baihuanshu	1.5 cun lat. to lower border S4 foramen
BL31	Shangliao	1st posterior sacral foramen - Ba Liao group
BL32	Ciliao	2nd posterior sacral foramen - Ba Liao group
BL33	Zhongliao	3rd posterior sacral foramen - Ba Liao group
BL34	Xialiao	4th posterior sacral foramen - Ba Liao group
BL35	Huiyang	0.5 cun lateral to tip of coccyx
BL36	Chengfu	Midpoint of transverse gluteal fold
BL37	Yinmen	6 cun below BL36, on line to BL40
BL38	Fuxi	1 cun above BL39, medial to biceps femoris tendon
BL39	Weiyang	Lateral end of popliteal crease - Lower He-Sea of San Jiao
BL40	Weizhong	Midpoint of popliteal crease - He-Sea; Command – back
BL41	Fufen	3 cun lat. to lower border T2 spinous process
BL42	Pohu	3 cun lat. to lower border T3 spinous process
BL43	Gaohuang	3 cun lat. to lower border T4 spinous process - All deficiency-taxation
BL44	Shentang	3 cun lat. to lower border T5 spinous process
BL45	Yixi	3 cun lat. to lower border T6 spinous process
BL46	Geguan	3 cun lat. to lower border T7 spinous process
BL47	Hunmen	3 cun lat. to lower border T9 spinous process
BL48	Yanggang	3 cun lat. to lower border T10 spinous process
BL49	Yishe	3 cun lat. to lower border T11 spinous process
BL50	Weicang	3 cun lat. to lower border T12 spinous process
BL51	Huangmen	3 cun lat. to lower border L1 spinous process
BL52	Zhishi	3 cun lat. to lower border L2 spinous process
BL53	Baohuang	3 cun lat. to lower border S2 foramen
BL54	Zhibian	3 cun lat. to lower border S3 foramen
BL55	Heyang	2 cun below BL40, on line to BL57
BL56	Chengjin	5 cun below BL40, top of gastrocnemius
BL57	Chengshan	8 cun below BL40, apex of gastrocnemius - Classic for hemorrhoids
BL58	Feiyang	7 cun above BL60, postero-inferior to gastrocnemius - Luo-connecting
BL59	Fuyang	3 cun directly above BL60 - Xi-Cleft of Yang Qiao Mai
BL60	Kunlun	Depression between lat. malleolus & Achilles tendon - Jing-River
BL61	Pucan	Below BL60, 4 cun inferior to lateral malleolus
BL62	Shenmai	Depression directly below lateral malleolus - Confluent – Yang Qiao Mai
BL63	Jinmen	Anterior-inferior to BL62, lateral foot - Xi-Cleft
BL64	Jinggu	Lateral foot, antero-inferior to 5th MT tuberosity - Yuan-Source
BL65	Shugu	Posterior to 5th MT-phalangeal joint - Shu-Stream
BL66	Zutonggu	Anterior to 5th MT-phalangeal joint - Ying-Spring
BL67	Zhiyin	Lateral side of tip of small toe - Jing-Well; last point

Col. Fig. 8 The Bladder Meridian of Foot-Taiyang



CAM Col. Fig. 8 - Bladder Meridian

BL - Crossing Points (Detailed)

Dr. Zhang: "BL has 14 crossing points - the most of any single channel. Most are located around the head. Any headache/eye/neck symptom - always consider BL channel too."

GV24 Shenting + GB15 Toulingqi

GV24 / GB15

Location: Forehead / anterior hairline

Clinical: BL's first branch (BL2–BL4) crosses the Governor Vessel and Gallbladder channel here as it ascends the forehead toward the vertex. Used for frontal headache, dizziness, nasal congestion.

GB7–GB12 (six-point temple group)

GB channel

Location: Temple region, ear to mastoid

Clinical: BL's temple branch (Step 3) crosses all six of these Gallbladder points — Qubin, Shuaigu, Tianchong, Fubai, Touqiaoyin, Wangu. Migraine, temporal headache, tinnitus, TMJ-region pain.

GV20 Baihui

GV20 / Du Mai

Location: Vertex, midline

Clinical: BL joins the Governor Vessel at the very top of the head. Classic point for headache, dizziness, prolapse (organ/rectal/uterine), and calming the shen.

GV16 Fengfu + GV17 Naohu

GV16-17 / Du Mai

Location: Nape / occiput, brain region

Clinical: BL's straight portion communicates with the brain and crosses these two Du Mai points before bifurcating at BL10. Occipital headache, stiff neck, dizziness.

GV13 Taodao + GV14 Dazhui

GV13-14 / Du Mai

Location: Upper back, alongside BL11–BL17

Clinical: BL's back line runs parallel to the spine alongside these Governor Vessel points. Dazhui (GV14) is the meeting point of all Yang channels — fever, neck stiffness, immune support.

GB30 Huantiao

GB30 / GB channel

Location: Gluteal region

Clinical: BL's largest branch passes directly through this Gallbladder point in the buttock on its way down the posterior thigh. Classic point for sciatica and hip/low-back pain along the pathway.

BL - Syndromes & High-Yield Points

A. External Course Symptoms

- Headache (two head branches cross the brain region)
- Stiff neck, rigidity of the spine
- Low back pain, lumbar pain along the running course
- Sciatica-type pain, calf pain, stiff/painful leg
- Eye disorders (redness, pain, blurred vision — near BL1)
- Occipital pain, pain of the scapula and back

B. Internal Organ (Bladder)

- Difficult or painful urination, retention of urine
- Enuresis, dark or turbid urine
- Bladder-qi dysfunction generally
- Via Back-Shu series: dysfunction of ANY zang-fu organ
- (Dr. Zhang: acupuncture is especially effective for urinary retention)

BL13-BL28 = Back-Shu series | treats ANY zang-fu organ directly from the back
Dr. Zhang: "Acupuncture is really good for the urination... just one point can treat it."

High-Yield Points

Pt	Chinese	Category	Key Indications
BL2	Zanzhu	Local eye point	Eye redness/pain, frontal headache, wind dizziness
BL10	Tianzhu	Neck region	Dizziness, occipital pain, neck rigidity, heavy head
BL13	Feishu	Back-Shu of Lung	Cough, asthma, chest fullness — treats Lung from the back
BL23	Shenshu	Back-Shu of Kidney	Low back pain, Kidney-deficiency patterns, tinnitus
BL25	Dachangshu	Back-Shu of Large Intestine	Diarrhea, constipation, low back pain
BL28	Pangguangshu	Back-Shu of Bladder	Difficult urination, retention, enuresis
BL40	Weizhong	He-Sea + Command (back)	Low back pain, stiffness of the spine; clears summer-heat
BL57	Chengshan	Calf belly	Classic point for hemorrhoids; calf cramp/spasm
BL60	Kunlun	Jing-River	"Aspirin of acupuncture" — headache, pain anywhere on pathway
BL62	Shenmai	Confluent — Yang Qiao Mai	Insomnia (daytime type), epilepsy, lower-limb disorders
BL67	Zhiyin	Jing-Well; last point	Corrects fetal malposition with moxa; labor induction

Five-Shu (Antique) Points - BL | Yang channel: Jing-Well = Metal


Shu Point	Element	Pt	Clinical Use
Jing-Well	Metal	BL67 Zhiyin	Loss of consciousness, epilepsy, mania; last-point resuscitation
Ying-Spring	Water	BL66 Zutonggu	Headache, neck pain, epistaxis
Shu-Stream	Wood	BL65 Shugu	Headache, neck rigidity, mania
Jing-River	Fire	BL60 Kunlun	Headache/pain anywhere; difficult labor; "aspirin" point
He-Sea	Earth	BL40 Weizhong	Low back pain, command point for the back; clears summer-heat

The Kidney Meridian of Foot-Shaoyin

Yin | Water | 5 PM – 7 PM | 27 Points

Pertaining **Kidney**Connecting **Bladder**Back-Shu **BL23**Front-Mu **GB25 Jingmen**Yuan-Source **KI3**Luo **KI4**He-Sea **KI10**

Internal Running Course



MOA - KI Meridian (internal pathway)


- 1 Starts beneath the small toe, runs obliquely to the sole of the foot (KI1 Yongquan).
- 2 Emerges below the tuberosity of the navicular bone (KI2 Rangu), curves behind the medial malleolus (KI3–KI8).
- 3 Enters the heel, ascends the medial calf to the medial side of the popliteal fossa (KI9, KI10 Yingu).
- 4 Continues up the postero-medial thigh toward the vertebral column, threading the spine, where it enters the Kidney (its pertaining organ) and connects with the Bladder.
- 5 STRAIGHT PORTION: re-emerges from the Kidney, ascends through the Liver and diaphragm, enters the Lung, runs along the throat, and terminates at the root of the tongue.
- 6 BRANCH: springs from the Lung, joins the Heart, and runs into the chest to link with the Pericardium Meridian of Hand-Jueyin — the channel that opens Week 6.
- 7 Internal course also passes through the lower abdomen and chest (KI11–KI27), crossing the Ren Mai at CV3, CV4, CV7 and CV17 along the way.

Functions (MOA)

- Stores Essence (Jing); root of pre-natal/constitutional Qi
- Grasps Qi — anchors respiration; asthma when this fails
- Governs bone, marrow, and hearing
- ONLY channel reaching the tongue root via a re-emerging branch
- Front-Mu: GB25 Jingmen | Back-Shu: BL23 Shenshu

The Kidney Meridian (KI) - External Running Course & CAM Figures

Pertaining Kidney	Connecting Bladder	Back-Shu BL23	Front-Mu GB25 Jingmen	Yuan-Source KI3	Luo KI4	He-Sea KI10
Pt	Chinese	Location & Notes				
KI1	<i>Yongquan</i>	Sole of foot, depression when plantar-flexed - Jing-Well; first point				
KI2	Rangu	Below tuberosity of navicular bone - Ying-Spring				
KI3	<i>Taixi</i>	Depression between medial malleolus tip & Achilles tendon - Shu-Stream; Yuan-Source				
KI4	<i>Dazhong</i>	0.5 cun posterior to KI3, medial calcaneus - Luo-connecting				
KI5	Shuiquan	1 cun below KI3, antero-superior to calcaneal tuberosity - Xi-Cleft				
KI6	<i>Zhaohai</i>	1 cun below tip of medial malleolus - Confluent – Yinqiao Mai				
KI7	<i>Fuliu</i>	2 cun above KI3, anterior to Achilles tendon - Jing-River				
KI8	Jiaoxin	2 cun above KI3, posterior to KI7 - Xi-Cleft of Yinqiao Mai				
KI9	Zhubin	5 cun above KI3, medial gastrocnemius head - Xi-Cleft of Yinwei Mai				
KI10	<i>Yingu</i>	Medial end of popliteal crease - He-Sea				
KI11	Henggu	5 cun below navel, 0.5 cun lateral to midline				
KI12	Dahe	4 cun below navel, 0.5 cun lateral to midline				
KI13	Qixue	3 cun below navel, 0.5 cun lateral to midline				
KI14	Siman	2 cun below navel, 0.5 cun lateral to midline				
KI15	Zhongzhu	1 cun below navel, 0.5 cun lateral to midline				
KI16	<i>Huangshu</i>	Level with navel, 0.5 cun lateral to midline				
KI17	Shangqu	2 cun above navel, 0.5 cun lateral to midline				
KI18	Shiguan	3 cun above navel, 0.5 cun lateral to midline				
KI19	Yindu	4 cun above navel, 0.5 cun lateral to midline				
KI20	Futonggu	5 cun above navel, 0.5 cun lateral to midline				
KI21	Youmen	6 cun above navel, 0.5 cun lateral to midline				
KI22	Bulang	5th ICS, 2 cun lateral to midline				
KI23	Shenfeng	4th ICS, 2 cun lateral to midline				
KI24	Lingxu	3rd ICS, 2 cun lateral to midline				
KI25	Shencang	2nd ICS, 2 cun lateral to midline				
KI26	Yuzhong	1st ICS, 2 cun lateral to midline				
KI27	<i>Shufu</i>	Inferior border of clavicle, 2 cun lateral to midline - Last point				



CAM Col. Fig. 9 - Kidney Meridian

KI - Crossing Points & Syndromes (Compact)

Dr. Zhang: "KI's 6 crossing points are mostly in the abdomen and chest (SP6, GV1, CV3, CV4, CV7, CV17) — this is why KI is so powerful for abdominal, reproductive, and chest conditions."

SP6 Sanyinjiao

SP6 / SP channel

Location: Medial leg, 3 cun above medial malleolus

Clinical: KI's ascending pathway intersects the Spleen channel here — the same 3-Yin meeting point shared with SP and LR. Gynecological disorders, insomnia; FORBIDDEN IN PREGNANCY.

GV1 Changqiang

GV1 / Du Mai

Location: Tip of coccyx

Clinical: KI's internal course meets the Governor Vessel at its origin point near the coccyx as it threads the spine toward the Kidney. Hemorrhoids, prolapse, lower back/sacral pain.

CV3 Zhongji

CV3 / Ren Mai

Location: Lower abdomen, 4 cun below navel

Clinical: KI crosses the Ren Mai at CV3 — also the Front-Mu of the Bladder. Urinary retention, menstrual disorders, genital pain.

CV4 Guanyuan

CV4 / Ren Mai

Location: Lower abdomen, 3 cun below navel

Clinical: A major Qi-tonification gate that KI's internal pathway passes through. Chronic deficiency, infertility, menstrual regulation.

CV7 Yinjiao

CV7 / Ren Mai

Location: Lower abdomen, 1 cun below navel

Clinical: KI crosses the Ren Mai again at CV7 on its ascent through the abdomen. Abdominal pain, menstrual irregularity, umbilical discomfort.

CV17 Shanzhong

CV17 / Ren Mai

Location: Chest, midline at nipple level

Clinical: KI's ascending branch reaches the chest near CV17 (the Sea of Qi / Front-Mu of Pericardium) before linking with the Pericardium channel. Chest oppression, cough, breast disorders.

A. External Course Symptoms

- Heel pain (Dr. Zhang's explicit clinical teaching point)
- Low back/knee weakness or pain along the medial leg
- Dry mouth, sore throat (pathway terminates at tongue root)
- Tongue-root numbness or stiffness (diagnostic sign)
- Cold sensation of soles, medial leg pain

B. Internal Organ (Kidney)

- Essence (Jing) deficiency — developmental, reproductive, aging concerns
- Kidney fails to grasp Qi — asthma, shortness of breath on exertion
- Poor bone/marrow, weak knees and lower back
- Tinnitus, deafness, hair loss/graying
- Night sweats, five-palm heat (Yin deficiency pattern)
- Edema, poor water metabolism

KI - High-Yield Points & Five-Shu

High-Yield Points

Pt	Chinese	Category	Key Indications
KI1	<i>Yongquan</i>	Jing-Well; first point	Resuscitation, calms spirit; used in hypertension
KI3	<i>Taixi</i>	Shu-Stream + Yuan-Source	Key tonic point for Kidney Yin AND Yang
KI4	<i>Dazhong</i>	Luo-connecting	Heel pain, weak lower back, apathy/low mood
KI6	<i>Zhaohai</i>	Confluent — Yinqiao Mai	Insomnia, sore throat, irregular menstruation
KI7	<i>Fuliu</i>	Jing-River	Tonifies Kidney Yang; edema; night sweats (pairs with HT6)
KI10	<i>Yingu</i>	He-Sea	Difficult urination, impotence, medial knee pain
KI16	<i>Huangshu</i>	Level with navel	Abdominal pain, constipation/diarrhea; near-navel landmark
KI27	<i>Shufu</i>	Last point	Cough, asthma, chest oppression — links functionally to PC channel

Five-Shu (Antique) Points - KI | Yin channel: Jing-Well = Wood

Shu Point	Element	Pt	Clinical Use
Jing-Well	Wood	KI1 Yongquan	Resuscitation, calms spirit, hypertension
Ying-Spring	Fire	KI2 Rangu	Sore throat, spontaneous sweating, diabetes-type thirst
Shu-Stream	Earth	KI3 Taixi	Yuan-source; master Kidney tonic, Yin AND Yang
Jing-River	Metal	KI7 Fuliu	Tonifies Kidney Yang; edema; night sweats
He-Sea	Water	KI10 Yingu	Difficult urination, impotence, medial knee pain

FORBIDDEN IN PREGNANCY (channels covered so far): SP6, LI4, BL60, BL67.

KI itself carries no individually forbidden point in the source material reviewed — flagged as not-yet-verified rather than assumed.

Dr. Zhang's Clinical Pearls - Direct from Lecture

Highest exam probability

BL is the Longest Meridian in the Body (67 pts)

The running course has FIVE branches, two crossing the head and three running the back. Dr. Zhang narrated the pathway video and had students draw every branch. Know all 5: (1) inner canthus->vertex, (2) branch to temple, (3) straight portion vertex->bladder, (4) lumbar branch->popliteal fossa, (5) largest branch, posterior neck->little toe.

The Two Back Lines Run Simultaneously

Dr. Zhang, direct Q&A: a student asked whether the back line travels down, back up, and down again, or runs both lines at the same time. Answer: 'at the same time.' Do not draw it as one line doubling back — this is a common student error.

BL13-BL28: the Full Back-Shu Series

Every one of the twelve zang-fu organs has a dedicated Back-Shu (transport) point on the BL channel — BL13 Lung through BL28 Bladder. This is why BL functions as a 'bridge' channel: any organ system can be treated directly from the back.

BL60 Zusanli... no, Kunlun — the 'Aspirin of Acupuncture'

Dr. Zhang's nickname for BL60: broad-spectrum pain relief — headache, pain anywhere along the pathway, difficult labor. Command point logic parallel to ST36's role on the Stomach channel.

Heel Pain? Think Kidney First

Verbatim clinical teaching point from lecture: the KI pathway curves directly behind the medial malleolus and through the heel. This is called out explicitly as the first channel to consider for heel pain in clinic.

Only KI Connects to BOTH the Tongue Root and the Pericardium Channel

KI's straight portion re-emerges from the Kidney, ascends through Liver and diaphragm into the Lung, and terminates at the tongue root. A separate branch off the Lung links to the Pericardium channel — setting up Week 6.

BL & KI Pairing — Interior-Exterior Both Ways

BL descends (head to foot), KI ascends (foot to chest) — the same descending/ascending dynamic seen in ST/SP. Urinary and low-back conditions can be approached from either channel depending on whether the external pathway or the internal organ pattern dominates.

Posterior Circuit Complete: HT -> SI -> BL -> KI

After Week 5, the entire Posterior (Inner) Circuit is covered. Dr. Zhang's own closing framing: 'until now, we have learned the posterior circuit, and four meridians consist of the posterior circuit.' HT (chest->hand) -> SI (hand->head) -> BL (head->foot) -> KI (foot->chest).

BL Does NOT Connect to the Lung — Exam Trap

BL's only internal connection is to the Kidney. Do not confuse this with the Metal-element pathway or any Lung-adjacent function — this is a confirmed midterm-era trap note worth re-checking before Quiz 4.

Quiz 4 Fundamentals - Circuits & Nomenclature Review

From Dr. Zhang's review slides

Distribution of the 12 Main Meridians

ON THE LIMBS:

Medial aspect: YIN meridians

Lateral aspect: YANG meridians

Posterior: Shaoyin (yin) / Taiyang (yang) <- BL/KI here

ON THE HEAD & TRUNK:

Posterior: Taiyang (BL)

BL = Taiyang = most posterior on trunk

Circulation of the 12 Meridians

c) Yang meridians of FOOT: head -> foot (BL)

d) Yin meridians of FOOT: foot -> chest (KI)

Qi flows one direction only - Dr. Zhang: 'it never goes back.'

This week completes the POSTERIOR circuit: HT -> SI -> BL -> KI

Circuit Connections - EXACTLY what links to what (exam trap)

- HT (Heart) -> connects to SI via the little-finger branch -> ulnar side of little finger (SI1)

- SI (Small Intestine) -> connects to BL, via the inner/outer eye canthus crossing points

- BL (Bladder) -> connects to KI at the foot branch -> lateral tip of the little toe (KI1 origin)

- KI (Kidney) -> connects to PC (Pericardium), NOT Lung -> via an internal branch through the chest

Dr. Zhang stressed: BL connects to KIDNEY (not Lung). KI connects to PERICARDIUM (not Lung either) — both trap answers point students toward Lung incorrectly.

Nomenclature

Meridian Name = 3 parts: (1) Hand or Foot, (2) Yin or Yang (Taiyin/Shaoyin/Jueyin, Yangming/Taiyang/Shaoyang), (3) Zang or Fu organ. e.g.

"Bladder Meridian of Foot-Taiyang" / "Kidney Meridian of Foot-Shaoyin"

Meridian Clock - BL & KI peak times

BL (Bladder): 3-5 PM | KI (Kidney): 5-7 PM | Preceded by: SI 1-3 PM | Followed by: PC 7-9 PM

Full order: LU LI ST SP HT SI BL KI PC SJ GB LR - 24-hr cycle, 2 hrs each, Qi flows in sequence

Dr. Zhang's homework rule: DRAW BOTH internal AND external pathways for every meridian.

"Some students only draw external - the internal pathway is also important."

BL vs KI - Quick Reference Comparison

Attribute	BL Bladder (Foot Taiyang)	KI Kidney (Foot Shaoyin)
Yin / Yang	Yang (posterior)	Yin (posterior/medial)
Element	Water	Water
Circuit	Posterior — Head to Foot	Posterior — Foot to Chest
Clock	3–5 PM	5–7 PM
Points	67 (BL1–BL67)	27 (KI1–KI27)
Start	BL1 Jingming (inner canthus)	KI1 Yongquan (sole of foot)
End	BL67 Zhiyin (lateral little toe)	KI27 Shufu (below clavicle)
Branches	5 branches total	3 branches total
Pertaining	Bladder	Kidney
Connecting	Kidney	Bladder
Back-Shu	BL28 (of itself)	BL23
Front-Mu	CV3 Zhongji	GB25 Jingmen
Yuan-Source	BL64 Jinggu	KI3 Taixi
Luo	BL58 Feiyang	KI4 Dazhong
Xi-Cleft	BL63 Jinmen	KI5 Shuiquan
He-Sea	BL40 Weizhong	KI10 Yingu
Confluent Pt	BL62 (opens Yang Qiao Mai)	KI6 (opens Yin Qiao Mai)
Command Pt	BL40 (Back)	—
Crossing Pts	14 (mostly head/back — GV & GB)	6 (mostly abdomen/chest — SP, GV, CV)
Unique Feature	Longest channel; full Back-Shu series	Only channel to root of tongue via re-emerging branch
Ext Symptoms	Headache, neck/back/leg pain	Heel pain, dry mouth, sore throat
Int Symptoms	Urinary retention, dysuria	Essence deficiency, asthma, bone/marrow weakness
Qi Direction	Descends (head to foot)	Ascends (foot to chest)
Forbidden Preg.	BL60, BL67	—

Week 5 Practice Quiz - Questions 1-10 (of 30)

Covers BL & KI

- 1 **Direction of Qi in the foot-YANG meridians (like BL)?**
 - A. Foot to chest
 - B. Chest to hand
 - C. Hand to head
 - D. Head to foot
- 2 **Which element do BL and KI both belong to?**
 - A. Earth
 - B. Fire
 - C. Water
 - D. Metal
- 3 **The CONNECTING organ of the Bladder meridian is:**
 - A. Heart
 - B. Lung
 - C. Kidney
 - D. Spleen
- 4 **BL meridian's first point is:**
 - A. BL10 Tianzhu
 - B. BL1 Jingming
 - C. BL40 Weizhong
 - D. GV20 Baihui
- 5 **Which statement is true of BL's two parallel back lines?**
 - A. They run sequentially, one after the other
 - B. They run simultaneously
 - C. Only one is a real channel
 - D. They never reconverge
- 6 **How many total cross-points does the BL meridian have?**
 - A. 6
 - B. 9
 - C. 11
 - D. 14
- 7 **BL40 (Weizhong) holds which special categories?**
 - A. Yuan-source + Xi-Cleft
 - B. He-Sea + Command (back)
 - C. Luo + Confluent
 - D. Jing-Well + Luo
- 8 **BL60 (Kunlun) is clinically known as:**
 - A. Sea of Blood
 - B. The 'aspirin of acupuncture'
 - C. Window of Heaven
 - D. #1 phlegm point
- 9 **Peak Qi activity of the Bladder meridian is:**
 - A. 9-11 AM
 - B. 5-7 PM
 - C. 3-5 PM
 - D. 11 AM-1 PM
- 10 **BL28 (Pangguangshu) is the Front-Mu of which organ?**
 - A. Bladder
 - B. Kidney
 - C. Large Intestine
 - D. Stomach

Week 5 Practice Quiz - Questions 11-20 (of 30)

Covers BL & KI

- 11** How many points make up the BL Back-Shu series?
- A. 8
B. 12
C. 16
D. None — BL has no Back-Shu series
- 12** Which point corrects fetal malposition with moxibustion?
- A. BL60
B. BL40
C. BL67
D. BL23
- 13** BL's largest branch reconverges with the lumbar branch at:
- A. BL54
B. BL40 (popliteal fossa)
C. BL60
D. GB30
- 14** Which GB point does BL's branch cross in the gluteal region?
- A. GB30 Huantiao
B. GB24 Riyue
C. GB15 Toulinqi
D. GB3 Shangguan
- 15** BL is described in lecture as functioning as a 'bridge' channel because:
- A. It has the most points of any channel
B. Its Back-Shu series treats every zang-fu organ
C. It opens the most extraordinary vessels
D. It is the only Yang channel
- 16** Direction of Qi in the Kidney meridian?
- A. Head to foot
B. Chest to hand
C. Foot to chest
D. Hand to head
- 17** How many acupoints does the Kidney meridian have?
- A. 21
B. 27
C. 45
D. 67
- 18** KI's straight portion terminates at:
- A. The eye
B. The root of the tongue
C. The ear
D. The nipple
- 19** Which point is BOTH Yuan-Source AND Shu-Stream on the KI channel?
- A. KI1
B. KI3
C. KI6
D. KI7
- 20** KI's branch from the Lung links with which next channel?
- A. Heart (HT)
B. Pericardium (PC)
C. San Jiao (SJ)
D. Liver (LR)

Week 5 Practice Quiz - Questions 21-30 (of 30)

Covers BL & KI

21 KI6 (Zhaohai) is the Confluent point opening which vessel?

- A. Chong Mai B. Du Mai
C. Yingqiao Mai D. Dai Mai

22 Per Dr. Zhang's explicit clinical teaching point, heel pain should make you think of:

- A. Bladder first
B. Kidney first
C. Spleen first
D. Liver first

23 KI intersects the Spleen channel at which point?

- A. SP4
C. SP9
- B. SP6
D. SP10

24 Which point is the Confluent point of BL, opening the Yang Qiao Mai?

- A. BL60
B. BL62
C. BL63
D. BL64

25 KI's pathway curves behind which anatomical landmark?

- A. Lateral malleolus
B. Medial malleolus
C. Patella
D. Olecranon

26 Week 5 completes which course milestone?

- A. Anterior Circuit B. Posterior (Inner) Circuit
C. Extraordinary Vessels D. Five-Shu system

27 Which four channels make up the Posterior/Inner Circuit?

- A. LU, LI, ST, SP
B. HT, SI, BL, KI
C. PC, SJ, GB, LR
D. LU, HT, KI, PC

28 KI27 (Shufu) is located at:

- A. Sole of the foot
B. Medial malleolus
C. Inferior border of the clavicle
D. Popliteal crease

29 Which point tonifies Kidney Yang and treats night sweats (often paired with HT6)?

- A. KI1 B. KI3
C. KI6 D. KI7

30 BL does NOT connect internally to which organ (common trap)?

- A. Kidney
B. Lung
C. Bladder
D. It has no internal connections

Week 5 Quiz - Answer Key (All 30 Questions)

- 1 **D** Direction of Qi in the foot-YANG meridians (like BL)?
Foot-yang meridians (like BL) always flow head to foot; yang moves externally/downward.
- 2 **C** Which element do BL and KI both belong to?
Both BL and KI = Water element, forming the Posterior Circuit's interior-exterior Water pair.
- 3 **C** The CONNECTING organ of the Bladder meridian is:
BL pertains to Bladder and connects to Kidney — its yin-yang interior-exterior partner.
- 4 **B** BL meridian's first point is:
BL1 Jingming, at the inner canthus, is the first point of the Bladder channel.
- 5 **B** Which statement is true of BL's two parallel back lines?
Confirmed in lecture Q&A: the two back lines run simultaneously, not as a sequential loop.
- 6 **D** How many total cross-points does the BL meridian have?
BL has 14 total cross-points, shared with the GV and GB channels, mostly around the head.
- 7 **B** BL40 (Weizhong) holds which special categories?
BL40 Weizhong is both the He-Sea point and the Command point for the back.
- 8 **B** BL60 (Kunlun) is clinically known as:
BL60 Kunlun is nicknamed the 'aspirin of acupuncture' for its broad pain-relief action.
- 9 **C** Peak Qi activity of the Bladder meridian is:
BL peak Qi time is 3-5 PM.
- 10 **A** BL28 (Pangguangshu) is the Front-Mu of which organ?
CV3 Zhongji is the Front-Mu of the Bladder, not a BL-numbered point itself.
- 11 **B** How many points make up the BL Back-Shu series?
BL13–BL28 form the full 12-point Back-Shu series, one for every zang-fu organ.
- 12 **C** Which point corrects fetal malposition with moxibustion?
BL67 Zhiyin corrects fetal malposition with moxibustion and assists labor induction.
- 13 **B** BL's largest branch reconverges with the lumbar branch at:
The lumbar branch (ending at BL40) and the largest posterior branch reconverge at BL40 in the popliteal fossa.
- 14 **A** Which GB point does BL's branch cross in the gluteal region?
BL's branch passes through GB30 Huantiao in the gluteal region en route down the thigh.
- 15 **B** BL is described in lecture as functioning as a 'bridge' channel because:
The Back-Shu series (BL13–BL28) lets BL treat every other organ system directly from the back.
- 16 **C** Direction of Qi in the Kidney meridian?
Foot-yin meridians (like KI) flow foot to chest.
- 17 **B** How many acupoints does the Kidney meridian have?
KI has 27 points, from KI1 Yongquan to KI27 Shufu.
- 18 **B** KI's straight portion terminates at:
KI's straight portion ascends through Liver/diaphragm/Lung and terminates at the root of the tongue.
- 19 **B** Which point is BOTH Yuan-Source AND Shu-Stream on the KI channel?
KI3 Taixi uniquely holds both the Shu-Stream and Yuan-Source designations.
- 20 **B** KI's branch from the Lung links with which next channel?
KI's branch from the Lung joins the Heart and links to the Pericardium channel, opening Week 6.
- 21 **C** KI6 (Zhaohai) is the Confluent point opening which vessel?
KI6 Zhaohai is the Confluent point opening the Yinqiao Mai (Yin Heel Vessel).
- 22 **B** Per Dr. Zhang's explicit clinical teaching point, heel pain should make you think of:
Dr. Zhang's explicit clinical teaching point: heel pain — think Kidney first.
- 23 **B** KI intersects the Spleen channel at which point?
KI crosses the Spleen channel at SP6 Sanyinjiao on the medial leg.
- 24 **B** Which point is the Confluent point of BL, opening the Yang Qiao Mai?
BL62 Shenmai is the Confluent point opening the Yang Qiao Mai.
- 25 **B** KI's pathway curves behind which anatomical landmark?
KI's pathway curves directly behind the medial malleolus before entering the heel.
- 26 **B** Week 5 completes which course milestone?
Week 5 (BL + KI) completes the Posterior Circuit, per Dr. Zhang's own closing framing.

Week 5 Quiz - Answer Key (continued)


- 27 B** Which four channels make up the Posterior/Inner Circuit?
The Posterior/Inner Circuit = HT + SI (Week 4) + BL + KI (Week 5), four channels total.
- 28 C** KI27 (Shufu) is located at:
KI27 Shufu, the final point, sits at the inferior border of the clavicle.
- 29 D** Which point tonifies Kidney Yang and treats night sweats (often paired with HT6)?
KI7 Fuli tonifies Kidney Yang and treats night sweats, often paired with HT6.
- 30 B** BL does NOT connect internally to which organ (common trap)?
Trap note: BL does NOT connect to the Lung — its internal connection is Kidney only.

Practice Draw - The Bladder Meridian of Foot-Taiyang 67 points | 5 branches | head to foot

Dr. Zhang's rule: draw BOTH internal AND external pathways from memory.
The faint figure is a guide only - trace, then check against the overview pages.

CHECKLIST

1. Draw the INTERNAL pathway (dotted):
inner canthus -> vertex -> brain -> nape -> spine -> KIDNEY (connects) -> BLADDER (pertains)
2. Draw the EXTERNAL pathway (solid): BL1 (eye) -> BL10 (neck) -> two parallel back lines (BL11-30 and BL41-54) -> BL40 (merge) -> BL60 (ankle) -> BL67 (little toe)
3. Mark the 5 branches: (1) inner canthus->vertex (2) vertex->temple (3) straight/bladder (4) lumbar->popliteal (5) posterior neck->little toe
4. Label special points: BL40 (He-Sea/Command), BL58 (Luo), BL64 (Yuan), BL63 (Xi-Cleft), BL66 (Ying), BL28 (Back-Shu of BL itself)




Practice Draw - The Kidney Meridian of Foot-Shaoyin

27 points | foot to chest


Dr. Zhang's rule: draw BOTH internal AND external pathways from memory.
The faint figure is a guide only - trace, then check against the overview pages.

CHECKLIST

1. Draw the EXTERNAL pathway: KI1 (sole)
-> behind medial malleolus -> medial leg ->
postero-medial thigh -> spine
2. Draw the INTERNAL pathway: enters
spine -> pertains KIDNEY, connects
BLADDER -> through diaphragm -> LUNG
-> root of TONGUE
3. Draw the BRANCH: from LUNG -> joins
HEART -> links PERICARDIUM
(Hand-Jueyin, Week 6)
4. Mark the crossing points: SP6 (medial leg),
CV3/CV4/CV7 (lower abdomen), CV17
(chest). Label: KI3 (Yuan/Shu), KI6
(Confluent), KI7 (Jing-River), KI27 (last
point)



Col. Fig. 9 The Kidney Meridian of Foot Shaoyin



TOP: MOA (internal) | BOTTOM: CAM Fig. 9 - trace, label, check