

Flashcards

Bladder & Kidney Channels – Week 5

210 cards · spaced-repetition ready

Two ways to use this set:

For real spaced repetition (recommended)

Import AC300_Week5_Flashcards_Anki.txt into Anki (File > Import, tab-separated, 3 fields: Front / Back / Tags). This is the format proven to actually build long-term retention – the PDF below is a reference copy, not a substitute.

For quick paper review

This PDF shows every card as a Q | A row, organized by type. Cover the answer column with a sheet of paper and self-test down the page.

Card types included: (1) Point ID from location clue, (2) Special-category lookup (Yuan-Source/Luo/He-Sea/etc.), (3) Pure point-number -> name recall.

Special-Category Recall

Front (Q)	Back (A)
BL — Jing-Well point?	BL67 Zhiyin
BL — Ying-Spring point?	BL66 Zutonggu
BL — Shu-Stream point?	BL65 Shugu
BL — Jing-River point?	BL60 Kunlun
BL — He-Sea point?	BL40 Weizhong
BL — Yuan-Source point?	BL64 Jinggu
BL — Luo-Connecting point?	BL58 Feiyang
BL — Xi-Cleft point?	BL63 Jinmen
BL — Front-Mu (of Bladder) point?	CV3 Zhongji
BL — Back-Shu (of Bladder) point?	BL28 Pangguangshu
BL — Command Point (back) point?	BL40 Weizhong
KI — Jing-Well point?	KI1 Yongquan
KI — Ying-Spring point?	KI2 Rangu
KI — Shu-Stream point?	KI3 Taixi
KI — Jing-River point?	KI7 Fuli
KI — He-Sea point?	KI10 Yingu
KI — Yuan-Source point?	KI3 Taixi
KI — Luo-Connecting point?	KI4 Dazhong
KI — Xi-Cleft point?	KI5 Shuiquan
KI — Front-Mu (of Kidney) point?	GB25 Jingmen
KI — Back-Shu (of Kidney) point?	BL23 Shenshu
KI — Confluent (opens Yinqiao Mai) point?	KI6 Zhaohai

BL Point ID from Location

Front (Q)	Back (A)
BL point: 0.1 cun superior to inner canthus	BL1 – Jingming
BL point: Depression at medial end of eyebrow	BL2 – Zanzhu
BL point: 0.5 cun within hairline, above BL2	BL3 – Meichong
BL point: 0.5 cun within hairline, 1.5 cun lateral to midline	BL4 – Quchai
BL point: 1 cun within hairline, 1.5 cun lateral to midline	BL5 – Wuchu
BL point: 2.5 cun within hairline, 1.5 cun lateral to midline	BL6 – Chengguang
BL point: 4 cun within hairline, 1.5 cun lateral to midline	BL7 – Tongtian
BL point: 5.5 cun within hairline, 1.5 cun lateral to midline	BL8 – Luoque
BL point: 2.5 cun within hairline, 1.3 cun lateral to midline	BL9 – Yuzhen
BL point: 1.3 cun lateral to midline, within hairline	BL10 – Tianzhu
BL point: 1.5 cun lat. to lower border T1 spinous process (Influential pt – Bone)	BL11 – Dazhu
BL point: 1.5 cun lat. to lower border T2 spinous process	BL12 – Fengmen
BL point: 1.5 cun lat. to lower border T3 spinous process (Back-Shu – Lung)	BL13 – Feishu
BL point: 1.5 cun lat. to lower border T4 spinous process (Back-Shu – Pericardium)	BL14 – Jueyinshu
BL point: 1.5 cun lat. to lower border T5 spinous process (Back-Shu – Heart)	BL15 – Xinshu
BL point: 1.5 cun lat. to lower border T6 spinous process	BL16 – Dushu
BL point: 1.5 cun lat. to lower border T7 spinous process (Influential pt – Blood)	BL17 – Geshu
BL point: 1.5 cun lat. to lower border T9 spinous process (Back-Shu – Liver)	BL18 – Ganshu
BL point: 1.5 cun lat. to lower border T10 spinous process (Back-Shu – Gallbladder)	BL19 – Danshu
BL point: 1.5 cun lat. to lower border T11 spinous process (Back-Shu – Spleen)	BL20 – Pishu
BL point: 1.5 cun lat. to lower border T12 spinous process (Back-Shu – Stomach)	BL21 – Weishu
BL point: 1.5 cun lat. to lower border L1 spinous process (Back-Shu – San Jiao)	BL22 – Sanjiaoshu
BL point: 1.5 cun lat. to lower border L2 spinous process (Back-Shu – Kidney)	BL23 – Shenshu
BL point: 1.5 cun lat. to lower border L3 spinous process	BL24 – Qihai
BL point: 1.5 cun lat. to lower border L4 spinous process (Back-Shu – Large Int.)	BL25 – Dachangshu
BL point: 1.5 cun lat. to lower border L5 spinous process	BL26 – Guanyuanshu
BL point: 1.5 cun lat. to lower border S1 foramen (Back-Shu – Small Int.)	BL27 – Xiaochangshu
BL point: 1.5 cun lat. to lower border S2 foramen (Back-Shu – Bladder)	BL28 – Pangguangshu
BL point: 1.5 cun lat. to lower border S3 foramen	BL29 – Zhonglvshu
BL point: 1.5 cun lat. to lower border S4 foramen	BL30 – Baihuanshu
BL point: 1st posterior sacral foramen (Ba Liao group)	BL31 – Shangliao
BL point: 2nd posterior sacral foramen (Ba Liao group)	BL32 – Ciliao
BL point: 3rd posterior sacral foramen (Ba Liao group)	BL33 – Zhongliao
BL point: 4th posterior sacral foramen (Ba Liao group)	BL34 – Xialiao
BL point: 0.5 cun lateral to tip of coccyx	BL35 – Huiyang
BL point: Midpoint of transverse gluteal fold	BL36 – Chengfu
BL point: 6 cun below BL36, on line to BL40	BL37 – Yinmen
BL point: 1 cun above BL39, medial to biceps femoris tendon	BL38 – Fuxi
BL point: Lateral end of popliteal crease (Lower He-Sea of San Jiao)	BL39 – Weiyang
BL point: Midpoint of popliteal crease (He-Sea; Command – back)	BL40 – Weizhong
BL point: 3 cun lat. to lower border T2 spinous process	BL41 – Fufen
BL point: 3 cun lat. to lower border T3 spinous process	BL42 – Pihu
BL point: 3 cun lat. to lower border T4 spinous process (All deficiency-taxation)	BL43 – Gaohuang
BL point: 3 cun lat. to lower border T5 spinous process	BL44 – Shentang
BL point: 3 cun lat. to lower border T6 spinous process	BL45 – Yixi
BL point: 3 cun lat. to lower border T7 spinous process	BL46 – Geguan
BL point: 3 cun lat. to lower border T9 spinous process	BL47 – Hunmen
BL point: 3 cun lat. to lower border T10 spinous process	BL48 – Yanggang
BL point: 3 cun lat. to lower border T11 spinous process	BL49 – Yishe
BL point: 3 cun lat. to lower border T12 spinous process	BL50 – Weicang
BL point: 3 cun lat. to lower border L1 spinous process	BL51 – Huangmen
BL point: 3 cun lat. to lower border L2 spinous process	BL52 – Zhishi
BL point: 3 cun lat. to lower border S2 foramen	BL53 – Baohuang
BL point: 3 cun lat. to lower border S3 foramen	BL54 – Zhibian
BL point: 2 cun below BL40, on line to BL57	BL55 – Heyang
BL point: 5 cun below BL40, top of gastrocnemius	BL56 – Chengjin

BL Point ID from Location (continued)

Front (Q)	Back (A)
BL point: 8 cun below BL40, apex of gastrocnemius (Classic for hemorrhoids)	BL57 – Chengshan
BL point: 7 cun above BL60, postero-inferior to gastrocnemius (Luo-connecting)	BL58 – Feiyang
BL point: 3 cun directly above BL60 (Xi-Cleft of Yang Qiao Mai)	BL59 – Fuyang
BL point: Depression between lat. malleolus & Achilles tendon (Jing-River)	BL60 – Kunlun
BL point: Below BL60, 4 cun inferior to lateral malleolus	BL61 – Pucan
BL point: Depression directly below lateral malleolus (Confluent – Yang Qiao Mai)	BL62 – Shenmai
BL point: Anterior-inferior to BL62, lateral foot (Xi-Cleft)	BL63 – Jinmen
BL point: Lateral foot, antero-inferior to 5th MT tuberosity (Yuan-Source)	BL64 – Jinggu
BL point: Posterior to 5th MT-phalangeal joint (Shu-Stream)	BL65 – Shugu
BL point: Anterior to 5th MT-phalangeal joint (Ying-Spring)	BL66 – Zutonggu
BL point: Lateral side of tip of small toe (Jing-Well; last point)	BL67 – Zhiyin

KI Point ID from Location

Front (Q)	Back (A)
KI point: Sole of foot, depression when plantar-flexed (Jing-Well; first point)	KI1 – Yongquan
KI point: Below tuberosity of navicular bone (Ying-Spring)	KI2 – Rangu
KI point: Depression between medial malleolus tip & Achilles tendon (Shu-Stream; Yuan-Source)	KI3 – Taixi
KI point: 0.5 cun posterior to KI3, medial calcaneus (Luo-connecting)	KI4 – Dazhong
KI point: 1 cun below KI3, antero-superior to calcaneal tuberosity (Xi-Cleft)	KI5 – Shuiquan
KI point: 1 cun below tip of medial malleolus (Confluent – Yinqiao Mai)	KI6 – Zhaohai
KI point: 2 cun above KI3, anterior to Achilles tendon (Jing-River)	KI7 – Fulu
KI point: 2 cun above KI3, posterior to KI7 (Xi-Cleft of Yinqiao Mai)	KI8 – Jiaoxin
KI point: 5 cun above KI3, medial gastrocnemius head (Xi-Cleft of Yinwei Mai)	KI9 – Zhubin
KI point: Medial end of popliteal crease (He-Sea)	KI10 – Yingu
KI point: 5 cun below navel, 0.5 cun lateral to midline	KI11 – Henggu
KI point: 4 cun below navel, 0.5 cun lateral to midline	KI12 – Dahe
KI point: 3 cun below navel, 0.5 cun lateral to midline	KI13 – Qixue
KI point: 2 cun below navel, 0.5 cun lateral to midline	KI14 – Siman
KI point: 1 cun below navel, 0.5 cun lateral to midline	KI15 – Zhongzhu
KI point: Level with navel, 0.5 cun lateral to midline	KI16 – Huangshu
KI point: 2 cun above navel, 0.5 cun lateral to midline	KI17 – Shangqu
KI point: 3 cun above navel, 0.5 cun lateral to midline	KI18 – Shiguan
KI point: 4 cun above navel, 0.5 cun lateral to midline	KI19 – Yindu
KI point: 5 cun above navel, 0.5 cun lateral to midline	KI20 – Futonggu
KI point: 6 cun above navel, 0.5 cun lateral to midline	KI21 – Youmen
KI point: 5th ICS, 2 cun lateral to midline	KI22 – Bulang
KI point: 4th ICS, 2 cun lateral to midline	KI23 – Shenfeng
KI point: 3rd ICS, 2 cun lateral to midline	KI24 – Lingxu
KI point: 2nd ICS, 2 cun lateral to midline	KI25 – Shencang
KI point: 1st ICS, 2 cun lateral to midline	KI26 – Yuzhong
KI point: Inferior border of clavicle, 2 cun lateral to midline (Last point)	KI27 – Shufu

BL Point Number -> Name

Front (Q)	Back (A)
BL1	Jingming
BL2	Zanzhu
BL3	Meichong
BL4	Quchai
BL5	Wuchu
BL6	Chengguang
BL7	Tongtian
BL8	Luoque
BL9	Yuzhen
BL10	Tianzhu
BL11	Dazhu
BL12	Fengmen
BL13	Feishu
BL14	Jueyinshu
BL15	Xinshu
BL16	Dushu
BL17	Geshu
BL18	Ganshu
BL19	Danshu
BL20	Pishu
BL21	Weishu
BL22	Sanjiaoshu
BL23	Shenshu
BL24	Qihai
BL25	Dachangshu
BL26	Guanyuanshu
BL27	Xiaochangshu
BL28	Pangguangshu
BL29	Zhonglvshu
BL30	Baihuanshu
BL31	Shangliao
BL32	Ciliao
BL33	Zhongliao
BL34	Xialiao
BL35	Huiyang
BL36	Chengfu
BL37	Yinmen
BL38	Fuxi
BL39	Weiyang
BL40	Weizhong
BL41	Fufen
BL42	Pohu
BL43	Gaohuang
BL44	Shentang
BL45	Yixi
BL46	Geguan
BL47	Hunmen
BL48	Yanggang
BL49	Yishe
BL50	Weicang
BL51	Huangmen
BL52	Zhishi
BL53	Baohuang
BL54	Zhibian
BL55	Heyang
BL56	Chengjin
BL57	Chengshan
BL58	Feiyang

BL Point Number -> Name (continued)

Front (Q)	Back (A)
BL59	Fuyang
BL60	Kunlun
BL61	Pucan
BL62	Shenmai
BL63	Jinmen
BL64	Jinggu
BL65	Shugu
BL66	Zutonggu
BL67	Zhiyin

KI Point Number -> Name

Front (Q)	Back (A)
KI1	Yongquan
KI2	Rangu
KI3	Taixi
KI4	Dazhong
KI5	Shuiquan
KI6	Zhaohai
KI7	Fulu
KI8	Jiaoxin
KI9	Zhubin
KI10	Yingu
KI11	Henggu
KI12	Dahe
KI13	Qixue
KI14	Siman
KI15	Zhongzhu
KI16	Huangshu
KI17	Shangqu
KI18	Shiguan
KI19	Yindu
KI20	Futonggu
KI21	Youmen
KI22	Bulang
KI23	Shenfeng
KI24	Lingxu
KI25	Shencang
KI26	Yuzhong
KI27	Shufu