

Week 8 Quiz Kit

Collaterals · Divergent Channels · Muscle Regions · Cutaneous Regions

Standalone practice quiz -- pairs with the Week 8 Study Guide

This Kit Covers:

- 16-Question MCQ Section — Luo points, Divergent Channel structure, Muscle Regions, Cutaneous Regions
- Luo-Connecting Point Matching — 10 meridians matched to their Luo points
- Fill-in-the-Blank — the 3 extra collaterals, Li-He-Chu-merge terms, structural pattern rules
- Short Answer — the “why 15” logic, special-point overlaps, and clinical application
- MAINT Review — Week 7 confluent points, from Dr. Zhang’s live review at the start of Lecture 8
- Full Answer Key with explanations for every question

Dr. Zhang stated verbally that Week 8 has NO new homework, and Week 9 (review week) has NO new quiz -- Week 9 is pure review before the final exam. Slide 85's “Homework2 Due Week 8 / Quiz 2” text conflicts with this and is flagged as likely stale template text, not silently corrected.

This kit is self-test review material, not a stand-in for a graded quiz this week.

Section A: Multiple Choice — Q1-10 (of 16)

Luo, Divergent, Sinew, Cutaneous

- 1 How many Luo-Connecting points (“15 Collaterals”) are there in total?
 - A. 12
 - B. 14
 - C. 15
 - D. 16
- 2 What acupoint gives rise to the Great (Major) Collateral of the Spleen?
 - A. SP 4 Gongsun
 - B. SP 21 Dabao
 - C. SP 6 Sanyinjiao
 - D. SP 9 Yinlingquan
- 3 Why does the body need a 15th collateral beyond the 12 paired + CV + GV (14)?
 - A. To cover the top of the head
 - B. To cover the lateral side of the chest
 - C. To cover the soles of the feet
 - D. To cover the palms
- 4 What is the Luo-Connecting point of the Lung meridian, and what Extraordinary Vessel confluent point does it double as?
 - A. LU 9 Taiyuan; Chong Mai
 - B. LU 7 Lieque; Ren Mai (CV)
 - C. LU 5 Chize; Du Mai (GV)
 - D. LU 11 Shaoshang; Dai Mai
- 5 Where do the Luo-Connecting points of the HAND meridians generally cluster?
 - A. Around the elbow
 - B. Around the wrist
 - C. Around the shoulder
 - D. Around the fingertips
- 6 Where do the Luo-Connecting points of the FOOT meridians generally cluster?
 - A. Around the knee
 - B. Around the hip
 - C. Around the ankle (malleolus)
 - D. Around the toes
- 7 What do the 12 Divergent Channels (Jing Bie) lack that the 12 primary meridians have?
 - A. A course through the chest
 - B. Their own acupuncture points
 - C. A relationship to Yin/Yang
 - D. A beginning point
- 8 In the Li-He-Chu-merge framework for Divergent Channels, what does “He” refer to?
 - A. Where it begins
 - B. The organs/systems it involves
 - C. Where it exits to the surface
 - D. The meridian it merges into
- 9 All 6 Yin Divergent Channels eventually do what?
 - A. Develop their own acupoints
 - B. Merge into their paired Yang primary meridian
 - C. Terminate at the umbilicus
 - D. Connect directly to the brain
- 10 Which Divergent Channel is the only one that crosses the Dai (Belt) Meridian along its course?
 - A. Bladder
 - B. Kidney
 - C. Liver
 - D. Gallbladder

Section A: Multiple Choice — Q11-16 (of 16)

Luo, Divergent, Sinew, Cutaneous

- 11 Which Divergent Channel runs THROUGH the heart on its way to the mouth and eye?
- A. Stomach
 - B. Spleen
 - C. Small Intestine
 - D. Large Intestine
- 12 What do the 12 Muscle (Sinew) Regions connect, that the primary meridians and divergent channels do not directly address?
- A. Zang-fu organs
 - B. Bones, joints, and muscles
 - C. Blood vessels
 - D. The brain
- 13 All 3 Yang Muscle Regions of the FOOT connect with which structure?
- A. The genitals
 - B. The eyes
 - C. The thoracic cavity
 - D. The forehead angle
- 14 All 3 Yin Muscle Regions of the HAND connect with which structure?
- A. The eyes
 - B. The genitals
 - C. The thoracic cavity (chest)
 - D. The forehead
- 15 What are the 12 Cutaneous Regions (Pi Bu)?
- A. The deepest layer of the meridian system
 - B. The parts of the 12 meridians reflected on the body surface
 - C. A synonym for the 15 Collaterals
 - D. The points shared between two meridians
- 16 Per Su Wen Chapter 56, what is the order of disease transmission from the surface inward?
- A. Meridians -> Skin -> Collaterals -> Organs
 - B. Skin -> Collaterals -> Meridians -> Fu organs -> Zang organs
 - C. Collaterals -> Skin -> Zang organs -> Fu organs
 - D. Skin -> Zang organs -> Fu organs -> Meridians

Section B: Luo-Connecting Point Matching

Match each meridian to its Luo point

Match each meridian (left) to its Luo-Connecting point (right). Each letter is used exactly once.

1. Lung (LU)	Ans: _____	A. HT5 Tongli
2. Large Intestine (LI)	Ans: _____	B. LU7 Lieque
3. Stomach (ST)	Ans: _____	C. KI4 Dazhong
4. Spleen (SP)	Ans: _____	D. SP4 Gongsun
5. Heart (HT)	Ans: _____	E. BL58 Feiyang
6. Small Intestine (SI)	Ans: _____	F. SI7 Zhizheng
7. Bladder (BL)	Ans: _____	G. ST40 Fenglong
8. Kidney (KI)	Ans: _____	H. LI6 Pianli
9. Pericardium (PC)	Ans: _____	I. SJ5 Waiguan
10. Sanjiao (SJ)	Ans: _____	J. PC6 Neiguan

Bonus: for any 2 points above, name the region their Luo points cluster around (wrist vs. ankle).

Section C: Fill in the Blank

1. The Luo-Connecting point of the Gallbladder meridian is _____, 5 cun above the external malleolus.
2. The Luo-Connecting point of the Liver meridian is _____, 5 cun above the internal malleolus.
3. The Governor Vessel's collateral arises from _____, in the perineum.
4. The Conception Vessel's collateral separates from the Governor Vessel at _____, the lower end of the sternum.
5. The Great Collateral of the Spleen begins from _____ and spreads through the chest and hypochondriac region.
6. Divergent Channels are characterized by the four-part relationship of Li (beginning), He (organs/systems), Chu (exiting), and then _____ into the Yang meridian.
7. All 3 Yin Muscle Regions of the FOOT connect with the _____ region.
8. The 12 Cutaneous Regions are the _____ layer of the human body, where meridian qi is distributed.

Section D: Short Answer

1. Explain why there are 15 Collaterals rather than exactly 12, using the front/back/side logic from lecture.

2. A patient has a point prescribed that is both a Luo-Connecting point AND a Confluent (opening) point of an Extraordinary Vessel. Name one such point and explain why carrying two special-point identities matters clinically.

3. Explain the difference between a Collateral (Luo Mai) and a Divergent Channel (Jing Bie) in terms of depth and points.

4. A patient has chronic lateral knee/ankle pain with reduced range of motion, but no clear organ-level complaint. Which of this week's 4 systems is most directly relevant to treatment, and why?

Section E: MAINT Review — Week 7 Confluent Points from Dr. Zhang's live Lecture 8 review

1. Which vessel is called the “Belt” because it runs around the waist, and is it the only vessel that runs horizontally?

2. Which two vessels have a confluent point that is the SAME as their starting point?

3. Which three vessels share the lower abdomen as a common origin (“yi yuan san qi”)?

4. True or false: the Du Meridian connects with the Bladder as a zang-fu pairing. Explain.

5. Which channel is the “Sea of All Yin Meridians,” and which is the “Sea of All Yang Meridians”?

Answer Key — Section A (Multiple Choice)

1. Q1: C. 15
12 paired-meridian Luo points + CV's + GV's + the Spleen's Great Collateral = 15.
2. Q2: B. SP 21 Dabao
The Great/Major Collateral of the Spleen begins at Dabao, SP 21.
3. Q3: B. To cover the lateral side of the chest
CV covers the front midline, GV covers the back midline, but neither covers the LATERAL chest -- the Spleen's Great Collateral fills that gap.
4. Q4: B. LU 7 Lieque; Ren Mai (CV)
LU 7 Lieque is both the Lung's Luo point AND the confluent (opening) point of Ren Mai -- reviewed from Week 7.
5. Q5: B. Around the wrist
Per Dr. Zhang's rule of thumb, Hand-meridian Luo points cluster around the wrist.
6. Q6: C. Around the ankle (malleolus)
Foot-meridian Luo points cluster around the malleolus (ankle).
7. Q7: B. Their own acupuncture points
Divergent channels have NO acupuncture points of their own and no pertaining organ.
8. Q8: B. The organs/systems it involves
Li = beginning, He = organs/systems involved, Chu = exiting, then it merges into its Yang partner.
9. Q9: B. Merge into their paired Yang primary meridian
Every Yin divergent channel merges into its paired Yang meridian -- none resurfaces as a separate Yin pathway.
10. Q10: B. Kidney
The Kidney divergent channel crosses the Dai Meridian at the level of T7.
11. Q11: A. Stomach
The Stomach divergent channel passes through the heart en route to the mouth, nose, and eye.
12. Q12: B. Bones, joints, and muscles
Muscle Regions nourish muscles and connect bones/joints -- they do NOT go inside the body or touch organs.
13. Q13: B. The eyes
All 3 Yang Muscle Regions of the Foot (BL, GB, ST) connect with the eyes.
14. Q14: C. The thoracic cavity (chest)
All 3 Yin Muscle Regions of the Hand (LU, HT, PC) connect with the thoracic cavity.
15. Q15: B. The parts of the 12 meridians reflected on the body surface
Cutaneous Regions are the outermost layer -- where meridian qi is reflected on the skin.
16. Q16: B. Skin -> Collaterals -> Meridians -> Fu organs -> Zang organs
Skin -> Collaterals -> Meridians -> Fu organs -> Zang organs, progressing deeper each step.

Answer Key — Sections B-E

Section B: Luo-Connecting Point Matching

1-B 2-H 3-G 4-D 5-A 6-F 7-E 8-C 9-J 10-I

Section C: Fill in the Blank

1. GB 37 Guangming

2. LR 5 Ligou

3. GV 1 Changqiang

4. CV 15 Jiuwei

5. SP 21 Dabao

6. merging

7. genital

8. outermost

Section D: Short Answer

The 12 paired primary meridians each need one Luo point to link them (12). The Governor Vessel (back midline) and Conception Vessel (front midline) also have their own points and so need their own collaterals too (14). The lateral side of the chest is left uncovered by all of these, so the Spleen's Great Collateral (Dabao, SP21) covers that gap, bringing the total to 15.

Example: LU7 Lieque (Luo point of Lung + Confluent point of Ren Mai), or SP4 Gongsun (Luo point of Spleen + Confluent point of Chong Mai), or PC6 Neiguan (Luo point of Pericardium + Confluent point of Yin Wei Mai), or SJ5 Waiguan (Luo point of Sanjiao + Confluent point of Yang Wei Mai). A point that carries multiple special-point identities has a broader/stronger clinical reach, since it can access both functions at once.

Collaterals run on the body SURFACE and each have one dedicated Luo-Connecting acupoint. Divergent Channels run DEEP inside the body, have NO acupuncture points of their own, and have no pertaining zang-fu organ -- their job is purely to reinforce the existing interior-exterior relationship between paired meridians.

The Muscle (Sinew) Regions -- they connect bones, joints, and muscles and are specifically indicated for Bi (painful obstruction) syndrome, contracture, stiffness, spasm, and muscular atrophy. Because a Muscle Region covers a WIDE band rather than a single point, treatment can target anywhere along the region's course, not just one exact acupoint.

Section E: MAINT Review

Dai Mai (Belt Vessel) -- yes, it is the only one of the 8 Extraordinary Vessels that runs horizontally rather than vertically.

Yin Qiao Mai (KI 6 Zhaohai) and Yang Qiao Mai (BL 62 Shenmai) -- both begin AND open at their confluent point.

Du Mai (GV), Ren Mai (CV), and Chong Mai.

False -- none of the 8 Extraordinary Vessels connect to a zang or fu organ; they have no interior-exterior organ pairing the way the 12 primary meridians do.

Ren Mai (Conception Vessel) is the Sea of All Yin Meridians; Du Mai (Governor Vessel) is the Sea of All Yang Meridians.