

WEEK

6

Week 6 Study Guide

Pericardium, San Jiao, Gallbladder & Liver Channels

PC (9) + SJ (23) + GB (44) + LR (14) = 90 Points · Classic Edition (MOA + CAM Figures)

This Week Covers:

- Full pathway (internal + external) for all 4 channels, verified against Week 6 lecture transcript
- Complete point tables with categories: Yuan-Source, Luo, Xi-Cleft, He-Sea, Confluent, Front-Mu, Back-Shu
- PC + SJ = zero and 10+ crossing points respectively -- classic exam contrast with GB's unresolved count
- GB's confluent point (GB41, Dai Mai) paired with SJ's (SJ5, Yang Wei Mai) -- both new Extraordinary Vessel links
- LR3 + LI4 'Four Gates' combination; LR is the only channel reaching the vertex (GV20)
- Three Circuits note: this week spans the Middle, Posterior/Inner, and Anterior Circuits
- MOA channel figures + CAM color figures for PC, SJ, GB, LR

Quiz 5 (Week 7): PC + SJ + GB + LR material

Reading: CAM p.77-82 · MOA p.367-472

THREE CIRCUITS -- WHERE THIS WEEK FITS

This week spans THREE different circuits: PC + SJ complete the Middle Circuit (per transcript, 'a totally middle circuit'); GB continues the Posterior Circuit (also called Inner Circuit on earlier slide versions) that started with BL/KI; LR completes the Anterior Circuit that began with LU/LI. Exam safety: always list both circuit names together.

QUIZ 4 RECAP (BL/KI material, covered live this week)

- Q1:** Kidney channel connects with all EXCEPT Spleen.
Kidney connects Kidney, Bladder, Liver, Lung -- NOT Spleen.
- Q2:** Connecting organ of Kidney = Bladder.
Paired Yin-Yang organ relationship.
- Q3:** BL channel begins at BL1 Jingming (inner canthus).
First point of the running course.
- Q4:** Kidney channel does NOT connect to all Zang organs.
Only KI, BL, LR, LU -- not all five.
- Q5:** KI channel begins at the inferior aspect of the little toe.
Origin point of the internal/oblique course.
- Q6 (bonus):** BL channel ends at the lateral tip of the little toe (BL67).
Final point of the running course.

PC · Pericardium

Ministerial Fire

Pertaining: Pericardium (Xin Bao)

Connecting: San Jiao (Triple Energizer)

Total points: 9 (PC1-PC9) -- fewest of any Yin channel except HT

Direction: Chest -> hand (Yin, hand)

Position on arm: Middle line of anterior/medial arm -- between LU (anterior) and HT (posterior)

Circuit: Middle Circuit (per transcript: 'totally middle circuit')

INTERNAL + EXTERNAL RUNNING COURSE

1. Originates in the chest, emerges and enters its pertaining organ, the Pericardium
2. Descends through the diaphragm to the abdomen, connecting successively with the Upper, Middle, and Lower Jiao (San Jiao)
3. BRANCH: from inside the chest, emerges at the costal region 3 cun below the anterior axillary fold (PC1 Tianchi), ascends to the axilla
4. Runs down the medial aspect of the upper arm, BETWEEN the Lung channel (anterior) and Heart channel (posterior)
5. Crosses the cubital fossa (PC3 Quze), continues down the forearm between the tendons of palmaris longus and flexor carpi radialis
6. Crosses the wrist (PC7 Daling), through the palm (PC8 Laogong), ending at the tip of the middle finger (PC9 Zhongchong)
7. BRANCH: arises from the palm at PC8 Laogong, runs along the ring finger to its tip, links with the SAN JIAO channel

PC · Pericardium -- Figures & Remaining Categories

Ministerial Fire

Active hours: 7-9 PM (Xu)

Back-Shu: BL14 Jueyinshu

Front-Mu: CV17 Danzhong (Shanzhong)

Yuan-Source: PC7 Daling

Luo-Connecting: PC6 Neiguan


He-Sea: PC3 Quze

Xi-Cleft: PC4 Ximen

Crossing points: NONE -- exam trap, matches HT pattern (only 2 primary channels with zero crossing points)


Pericardium Channel

THE PERICARDIUM CHANNEL OF HAND JUEYIN



MOA Channel Figure

Col. Fig. 10 The Pericardium Meridian of Hand Jueyin



CAM Color Figure

PC · Pericardium -- Point Reference				9 points
Pt	Pinyin	Category	Location / Notes	
PC1	Tianchi	--	4th ICS, 1 cun lateral to the nipple.	
PC2	Tianquan	--	2 cun below the anterior axillary fold, between the two heads of biceps brachii.	
PC3	Quze	HE-SEA	Medial end of cubital crease, ulnar side of biceps tendon, elbow slightly flexed.	
PC4	Ximen	XI-CLEFT	5 cun proximal to the wrist crease, between the tendons of palmaris longus and flexor carpi radialis.	
PC5	Jianshi	JING-RIVER	3 cun proximal to the wrist crease, same tendon groove.	
PC6	Neiguan	LUO-CONNECTING + CONFLUENT (opens Yin Wei Mai, pairs with SP4)	2 cun proximal to the wrist crease, same tendon groove. HIGH-YIELD: nausea/vomiting, motion sickness, chest oppression, palpitations, calms the Shen.	
PC7	Daling	SHU-STREAM + YUAN-SOURCE	Midpoint of the wrist crease, between the tendons of palmaris longus and flexor carpi radialis. Ghost point (Ghost Cave).	
PC8	Laogong	YING-SPRING	Center of the palm, where the tip of the middle finger touches when a fist is made. Emergency point -- mental disorders, palpitations, syncope.	
PC9	Zhongchong	JING-WELL	Center of the tip of the middle finger. Last point of PC; emergency/resuscitation point.	

PC · Pericardium -- Functions & Key Exam Facts

Ministerial Fire

- Protects the Heart -- 'Pericardium is an organ that protects the Heart' (transcript); shares many indications with HT (palpitations, chest/mental disorders)
- Governs Blood circulation and the vessels alongside HT; regulates the sexual/reproductive function (San Jiao lower jiao connection)
- ZERO crossing points -- exam trap identical to HT (both are the two channels with no crossing points)
- Runs on the MIDDLE line of the arm, between LU (anterior) and HT (posterior) -- 'in-between' position is exam-testable
- PC6 + PC8 are the most clinically-used points per the professor (safe, effective, on the hand/forearm) -- points ON THE CHEST (PC1) are used cautiously due to pneumothorax risk

CLINICAL INDICATIONS (from lecture)

- Mental/emotional disorders -- PTSD, anxiety, panic attacks (per class discussion: students correctly linked PC to these symptoms from its running course + Heart relationship)
- Chest dysfunction -- palpitations, chest oppression, nausea/vomiting; PC6 is the classic point for motion sickness and nausea
- Running-course symptoms: stiff neck, flushed face, arm/elbow spasm or pain along the channel
- Safety note from lecture: chest points (PC1) are used cautiously (pneumothorax risk); hand/forearm points (PC6, PC7, PC8) are used freely -- 'the safe is very important'

SJ · San Jiao (Triple Energizer)

Ministerial Fire

Pertaining: San Jiao / Triple Energizer (function organ, no physical organ)

Connecting: Pericardium

Total points: 23 (SJ1-SJ23)

Direction: Hand → head (Yang, hand)

Position on arm: Middle line, posterior aspect of forearm/upper arm, between SI (posterior) and LI (anterior)

Circuit: Middle Circuit

INTERNAL + EXTERNAL RUNNING COURSE

1. Originates at the tip of the ring finger (SJ1 Guanchong)
2. Runs upward between the 4th and 5th metacarpal bones, along the dorsal wrist, to the lateral forearm between radius and ulna
3. Passes the olecranon, ascends the lateral upper arm, reaches the shoulder -- crosses BEHIND the Gallbladder channel there
4. Winds to the supraclavicular fossa, spreads in the chest to connect with the Pericardium
5. Descends through the diaphragm to the abdomen, enters its pertaining organ: Upper, Middle, and Lower Jiao
6. BRANCH: from the chest, ascends through the supraclavicular fossa, up the neck, along the posterior border of the ear, to the corner of the anterior hairline, then turns down to the cheek, terminates infraorbitally
7. BRANCH (auricular): arises retroauricularly, enters the ear, exits in front of the ear, crosses the cheek branch, reaches SJ23 Sizhukong, links with the GALLBLADDER channel at the outer canthus

SJ · San Jiao (Triple Energizer) -- Figures & Remaining Categories

Ministerial Fire

Active hours: 9–11 PM (Hai)

Back-Shu: BL22 Sanjiaoshu

Front-Mu: CV5 Shimen

Yuan-Source: SJ4 Yangchi


Luo-Connecting: SJ5 Waiguan

He-Sea: SJ10 Tianjing


Xi-Cleft: SJ7 Huizong

Confluent (opens EV): SJ5 Waiguan -- opens Yang Wei Mai, paired with GB41

Crossing points: 10+ -- shares crossing points w/ GB around the head/ear/shoulder, plus GV14, SI12



MOA Channel Figure



CAM Color Figure

SJ · San Jiao -- Point Reference

23 points

Pt	Pinyin	Category	Location / Notes
SJ1	Guanchong	JING-WELL	Ulnar side of the ring finger, ~0.1 cun from the corner of the nail. First point of SJ.
SJ2	Yemen	YING-SPRING	Between the 4th and 5th fingers, proximal to the margin of the web.
SJ3	Zhongzhu	SHU-STREAM	Dorsum of hand, between the 4th and 5th metacarpal bones, in the depression proximal to the MCP joints.
SJ4	Yangchi	YUAN-SOURCE	Dorsal wrist crease, in the depression lateral to the tendon of extensor digitorum.
SJ5	Waiguan	LUO-CONNECTING + CONFLUENT (opens Yang Wei Mai, pairs with	2 cun proximal to the dorsal wrist crease, between radius and ulna. HIGH-YIELD: exterior wind-heat/common cold, treats the exterior via the Yang Wei Mai link.
SJ6	Zhigou	JING-RIVER	3 cun proximal to the dorsal wrist crease, between radius and ulna.
SJ7	Huizong	XI-CLEFT	Same level as SJ6, one finger-breadth to the ulnar side.
SJ8	Sanyangluo	--	4 cun proximal to the dorsal wrist crease.
SJ9	Sidu	--	5 cun below the olecranon, between radius and ulna.
SJ10	Tianjing	HE-SEA	1 cun proximal to the olecranon, in the depression above it, elbow flexed.
SJ11	Qinglengyuan	--	1 cun above SJ10.
SJ12	Xiaoluo	--	Midpoint between SJ10/olecranon and shoulder.
SJ13	Naohui	--	Posterior border of deltoid muscle.
SJ14	Jianliao	--	Posterior/inferior to the acromion.
SJ15	Tianliao	CROSSING (w/ GB21)	Midpoint between GV14 and the acromion, superior scapular angle.
SJ16	Tianyou	WINDOW OF HEAVEN	Posterior border of SCM, level with the mandible angle.
SJ17	Yifeng	CROSSING (w/ GB)	Posterior to the earlobe, in the depression between the mastoid process and the mandible. HIGH-YIELD: tinnitus, deafness, facial paralysis, TMJ.
SJ18	Chimai	--	Center of the mastoid process.
SJ19	Luxi	--	Posterior to the ear, behind SJ18.
SJ20	Jiaosun	CROSSING (w/ GB, SI)	Directly above the ear apex, within the hairline.
SJ21	Ermen	--	Supratragic notch, anterior to the supratragic notch, mouth slightly open. HIGH-YIELD: tinnitus, deafness, ear pain.
SJ22	Erheliao	CROSSING (w/ GB, SI)	Anterior/superior to SJ21, at the hairline of the temple, posterior to the superficial temporal artery.
SJ23	Sizhukong	--	Lateral end of the eyebrow, in the depression. LAST point of SJ, links to GB channel.

SJ · San Jiao -- Functions & Key Exam Facts

Ministerial Fire

- No physical organ -- a 'function organ' governing the Upper/Middle/Lower Jiao (fluid pathways and overall qi transformation)
- Governs water passage/metabolism -- transcript: 'it can control the movement of water'
- Shares extensive crossing points with GB around the head, ear, and shoulder (both are Shaoyang channels -- 'same finger of Doctor Bobo' / same-name channel rule)
- SJ5 opens the Yang Wei Mai (paired with GB41) -- treats exterior wind-heat / alternating chills and fever
- Active 9-11 PM -- transcript: this is why we should sleep during this window, as San Jiao 'connects all organs' and needs rest

CLINICAL INDICATIONS (from lecture)

- Exterior wind-heat / early-stage common cold -- via SJ5's Yang Wei Mai connection
- Ear disorders -- tinnitus, deafness (SJ17, SJ21, SJ19 all cluster around the ear)
- Lateral head pain / one-sided headache -- shares this territory with GB; the two Shaoyang channels are often needled together for headache 'on the network side' (lateral) per lecture
- San Jiao dysfunction -- abdominal distension, fluid retention/edema, urinary difficulty (governs water passage)

GB · Gallbladder

Wood

Pertaining: Gallbladder

Connecting: Liver

Total points: 44 (GB1-GB44) -- 3rd largest channel after BL(67) and ST(45)

Direction: Head -> foot (Yang, foot)

Position: Lateral side of head, trunk, and leg -- zigzag/'Z-shape' course on the head, unique among channels

Circuit: Posterior Circuit (also called Inner Circuit on earlier slide versions)

INTERNAL + EXTERNAL RUNNING COURSE

1. Originates at the outer canthus (GB1 Tongziliao)
2. Ascends to the corner of the forehead (GB4 Hanyan), then curves down to the retroauricular region (GB20 Fengchi)
3. Runs along the side of the neck, in FRONT of San Jiao to the shoulder, then turns back and crosses BEHIND San Jiao, down to the supraclavicular fossa
4. BRANCH (head): from behind the ear, enters the ear, exits in front, to the posterior aspect of the outer canthus
5. BRANCH (canthus): from the outer canthus down to ST5/6 region, meets San Jiao infraorbitally, descends to the neck, rejoins the main channel at the supraclavicular fossa
6. MAIN INTERNAL: from the supraclavicular fossa, descends through the diaphragm, connects with the Liver, enters its pertaining organ the Gallbladder; continues through the hypochondriac region, emerges at the inguinal region (ST30 area), circles the pubic hair margin, transverses to the hip (GB30 Huantiao)
7. STRAIGHT/EXTERNAL PORTION: from the supraclavicular fossa, descends in front of the axilla, along the lateral chest and free ends of the floating ribs (GB24-GB25), to the hip where it joins the internal branch (GB30)
8. Continues down the lateral thigh and knee, along the anterior fibula, to GB39 Xuanzhong, in front of the external malleolus, along the dorsum of the foot to the lateral tip of the 4th toe (GB44)
9. BRANCH: from the dorsum of the foot, to the great toe, links with the LIVER channel

GB · Gallbladder -- Figures & Remaining Categories

Wood

Active hours: 11 PM-1 AM (Zi)

Back-Shu: BL19 Danshu

Front-Mu: GB24 Riyue

Yuan-Source: GB40 Qiuxu


Luo-Connecting: GB37 Guangming

He-Sea: GB34 Yanglingquan -- also the Hui-Meeting Point for SINEWS/TENDONS


Xi-Cleft: GB36 Waiqi

Confluent (opens EV): GB41 Zulinqi -- opens Dai Mai (Girdle Vessel), paired with SJ5

Crossing points: 12 on slide / only 9 named -- UNRESOLVED, flagged for Dr. Zhang



MOA Channel Figure



CAM Color Figure

GB · Gallbladder -- Point Reference (Selected/Grouped)

44 points -- Wood

GB has 44 points across 3 anatomical zones. Full sequential numbering GB1-GB44 runs head->trunk->leg. High-yield points detailed below; full names for every point are in the reMarkable/print MOA figure.

Head/neck (GB1-GB20)

GB1	Tongziliao	CROSSING (w/ SI, ST)	0.5 cun lateral to the outer canthus. First point of GB.
GB2	Tinghui	--	Anterior to the intertragic notch, posterior to the condyloid process of the mandible.
GB3	Shangguan	CROSSING	Upper border of the zygomatic arch, anterior to the ear.
GB4-GB13	(Hanyan...Benshen et al)	Several CROSSING	Zigzag course across the temporal/forehead region -- the 'Z-shape' unique to GB on the head.
GB14	Yangbai	CROSSING	1 cun above the midpoint of the eyebrow.
GB20	Fengchi	CROSSING (w/ SJ)	Below the occiput, in the depression between sternocleidomastoid and trapezius. HIGH-YIELD (Wind Gate): headache, dizziness, common cold, hypertension, eye disorders.
GB21	Jianjing	CROSSING (w/ SJ, ST, ren-adjacent)	Midpoint between GV14 and the acromion, at the highest point of the shoulder. FORBIDDEN IN PREGNANCY -- strong descending action, can induce labor.

Trunk (GB22-GB27)

GB24	Riyue	FRONT-MU (Gallbladder)	6th ICS, on the mamillary line.
GB25	Jingmen	FRONT-MU (Kidney)	Free end (anterior/inferior border) of the 12th rib.
GB26/27	Daimai / Wushu	CROSSING (w/ Dai Mai)	Below the free end of the 11th rib / anterior superior iliac spine level -- where the Dai Mai (Girdle Vessel) actually wraps the body.

Leg (GB30-GB44)

GB30	Huantiao	CROSSING (w/ BL)	Junction of lateral 1/3 and medial 2/3 of the line from the greater trochanter to the sacral hiatus.
GB34	Yanglingquan	HE-SEA + HUI-MEETING (Sinews/Tendons)	Anterior/inferior to the head of the fibula. HIGH-YIELD: master point for tendons/sinews, hypochondriac pain, jaundice.
GB37	Guangming	LUO-CONNECTING	5 cun above the tip of the external malleolus, anterior to the fibula.
GB39	Xuanzhong	HUI-MEETING (Marrow)	3 cun above the tip of the external malleolus, between the fibula and the tendons of peroneus longus/brevis.
GB40	Qiuxu	YUAN-SOURCE	Anteroinferior to the external malleolus, lateral to the tendon of extensor digitorum longus.
GB41	Zulinqi	SHU-STREAM + CONFLUENT (opens Dai Mai, pairs w/ SJ5)	Between the 4th/5th metatarsal bones, lateral to the tendon of extensor digitorum longus.
GB44	Zuqiaoyin	JING-WELL	Lateral side of the 4th toe, ~0.1 cun from the corner of the nail. LAST point of GB, links to LR channel.

GB · Gallbladder -- Functions & Key Exam Facts

Wood

- 3rd largest channel (44 points) after BL (67) and ST (45)
- Unique zigzag ('Z-shape') course on the head -- exam-testable visual signature
- GB34 is the Hui-Meeting Point for sinews/tendons -- master point for tendon/ligament disorders
- GB41 opens the Dai Mai (paired with SJ5) -- the only channel whose confluent point connects to an EV that encircles the waist
- Alternating fever and chills + bitter taste in the mouth = classic Shaoyang syndrome, specific to GB (transcript emphasized this repeatedly)
- GB21 is FORBIDDEN in pregnancy -- strong descending/labor-inducing action (matches GB's overall 'descending' channel character)
- CONTENT FLAG: crossing points slide lists '12 points / 6 meridians' but only 9 points are actually named -- confirm with Dr. Zhang before quiz

CLINICAL INDICATIONS (from lecture)

- Shaoyang syndrome (classic pattern taught this week): alternating fever and chills, bitter taste in the mouth, chest/hypochondriac fullness, nausea, dizziness -- 'specific for Shaoyang', per lecture
- Lateral headache/migraine, one-sided head pain -- GB's zigzag head course makes it the primary channel for this presentation
- Tendon/sinew disorders -- GB34 as Hui-Meeting point
- Jaundice, hypochondriac (rib-side) pain -- Gallbladder organ dysfunction

LR · Liver

Wood

Pertaining: Liver

Connecting: Gallbladder

Total points: 14 (LR1-LR14) -- smallest Yin channel of the foot

Direction: Foot -> chest (Yin, foot)

Position: Medial leg -- crosses IN FRONT of SP from ~8 cun above the medial malleolus upward (exception to the usual order); ends highest...

Circuit: Anterior Circuit

INTERNAL + EXTERNAL RUNNING COURSE

1. Begins at the lateral side of the great toe (LR1 Dadun), runs along the dorsum of the foot
2. At 8 cun above the medial malleolus, crosses IN FRONT of the Spleen channel (exception to the usual anterior/middle/posterior leg-Yin order)
3. Ascends the medial knee and thigh to the pubic region, circles the genitals, enters the lower abdomen
4. Curves around the Stomach, enters the Liver (its pertaining organ), connects with the Gallbladder
5. Continues up through the diaphragm, spreads through the costal/hypochondriac region
6. Ascends along the posterior trachea/throat, connects with the eye system, EMERGES AT THE FOREHEAD, meets the Governing Vessel AT THE VERTEX (GV20 Baihui) -- unique among primary channels for reaching the vertex
7. BRANCH (cheek): from the eye system, descends to the cheek, circles the inner lips
8. BRANCH (internal): from the Liver, through the diaphragm, into the Lung, connects with the LUNG channel (completes the 12-channel cycle back to LU)

LR · Liver -- Figures & Remaining Categories

Wood

Active hours: 1-3 AM (Chou) -- 'liver time'; per transcript, waking 1-3AM = treat Liver, waking 3-5AM = treat Lung

Back-Shu: BL18 Ganshu

Front-Mu: LR14 Qimen


Yuan-Source: LR3 Taichong

Luo-Connecting: LR5 Ligou


He-Sea: LR8 Ququan

Xi-Cleft: LR6 Zhongdu

Crossing points: 6 crossing points, shared with CV (2) and SP (1) around the genital/abdomen region, per transcript



MOA Channel Figure



CAM Color Figure

LR · Liver -- Point Reference

14 points

Pt	Pinyin	Category	Location / Notes
LR1	<i>Dadun</i>	JING-WELL	Lateral side of the great toe, ~0.1 cun from the corner of the nail. First point of LR.
LR2	<i>Xingjian</i>	YING-SPRING	Web margin between the 1st and 2nd toes.
LR3	<i>Taichong</i>	SHU-STREAM + YUAN-SOURCE	Dorsum of foot, in the depression distal to the junction of the 1st/2nd metatarsal bones. HIGHEST-YIELD LR POINT: smooths Liver Qi, subdues Liver Yang/wind, pairs with LI4 (the 'Four Gates') -- classic combination for pain and to move Qi and Blood.
LR4	<i>Zhongfeng</i>	JING-RIVER	Anterior to the medial malleolus, medial to tibialis anterior tendon.
LR5	<i>Ligou</i>	LUO-CONNECTING	5 cun above the tip of the medial malleolus, on the medial tibial surface.
LR6	<i>Zhongdu</i>	XI-CLEFT	7 cun above the tip of the medial malleolus, medial tibial surface.
LR8	<i>Ququan</i>	HE-SEA	Medial end of the popliteal crease, posterior to the medial condyle, knee flexed. HIGH-YIELD: nourishes Liver Blood/Yin, genital/gynecological disorders.
LR13	<i>Zhangmen</i>	FRONT-MU (Spleen) + HUI-MEETING (Zang/solid organs)	Free end of the 11th floating rib, level with LR14. HIGH-YIELD: dual special-point status -- Front-Mu for SP and Hui-Meeting for all 5 Zang.
LR14	<i>Qimen</i>	FRONT-MU (Liver)	6th ICS, directly below the nipple, on the mamillary line.

LR · Liver -- Functions & Key Exam Facts

Wood

- Governs the smooth flow of Qi throughout the body (Liver Qi stagnation is the most common TCM pattern taught from this channel)
- Stores Blood; opens into the eyes (Liver Blood nourishes the eyes -- explains why LR reaches the eye system and the vertex)
- ONLY primary channel to reach the VERTEX (GV20) -- vertex headache = think Liver, per transcript's clinical Q&A
- Crosses IN FRONT of SP at 8 cun above the medial malleolus -- the single exception to the standard leg-Yin ordering rule
- LR3 + LI4 = the 'Four Gates' -- classic combination taught this week, smooths Qi and moves Blood, used for pain of many origins
- LR13 carries a DOUBLE special-point designation (Front-Mu of SP + Hui-Meeting of all Zang) -- easy to mix up on an exam
- Completes the 12-channel Qi cycle by connecting back to LU inside the body -- 'the total basic circulation of the 12 primary meridians'

CLINICAL INDICATIONS (from lecture)

- Vertex headache -- uniquely a Liver-channel presentation (transcript Q&A: 'if patients have a headache in the vertex, we will use Liver channel points')
- Menstrual/gynecological disorders -- Liver stores Blood and governs the smooth flow of Qi, central to the reproductive/menstrual cycle
- Genital region disorders -- LR channel circles the external genitalia directly
- Emotional constraint / irritability -- classic Liver Qi stagnation presentation, treated via LR3