

Week 9 Quiz Kit

Five Shu · Confluent Points · Collaterals · Final Exam Review

Standalone practice quiz -- pairs with the Week 9 Study Guide

This Kit Covers:

- 16-Question MCQ Section — Five Shu Points, Confluent Points, Collaterals, Cutaneous Regions, Final Exam Table
- Five Shu Point Matching — 10 meridians matched to their Shu-Stream (or Yuan) point
- Fill-in-the-Blank — Five Shu sequence, Confluent points, extraordinary vessel structure
- Short Answer — Divergent Channel framework, eye-relationship rule, PCOS protocol logic
- MAINT Review — Weeks 6-8 special points (Front-Mu, He-Sea, Confluent, Collaterals)
- Full Answer Key with explanations for every question

CONFIRMED via both the live transcript and the 2026 slide deck's own final slide: NEXT WEEK IS THE COMPREHENSIVE FINAL EXAM (material from Weeks 1-9, 30 questions per Dr. Zhang's verbal answer in class). No new quiz or homework was assigned this week -- Dr. Zhang stated in lecture that Homework 5 (from Week 7/8) was still outstanding for some students and reminded the class to submit it before the final, since grades close after the exam. This Quiz Kit and Cram Sheet are self-test review material for that comprehensive final, not a stand-in for a new graded quiz.

This kit is self-test review material for the comprehensive final exam next week.

Section A: Multiple Choice — Q1-10 (of 16)

Five Shu, Confluent, Collaterals, Cutaneous, Exam Table

- 1 **Which Five Shu point category is located at the tips of the fingers and toes?**
 - A. Jing-Well
 - B. Ying-Spring
 - C. Shu-Stream
 - D. He-Sea
- 2 **Which Five Shu point category treats disorders of the six Fu (hollow) organs?**
 - A. Jing-Well
 - B. Ying-Spring
 - C. Jing-River
 - D. He-Sea
- 3 **What is the Shu-Stream point of the Lung meridian, and what special role does it also hold?**
 - A. Taiyuan LU9 -- also the Yuan-Source point
 - B. Chize LU5 -- also the He-Sea point
 - C. Shaoshang LU11 -- also the Jing-Well point
 - D. Lieque LU7 -- also the Luo point
- 4 **Which point is the Confluent (opening) point of the Chong Vessel?**
 - A. Houxi SI3
 - B. Gongsun SP4
 - C. Zulinqi GB41
 - D. Waiguan SJ5
- 5 **Houxi (SI3) and Shenmai (BL62) form a master couple that treats which shared body region?**
 - A. Chest and stomach
 - B. Inner canthus, ear, shoulder, neck
 - C. Lower abdomen
 - D. Outer canthus and cheek
- 6 **Which meridian's Luo-Connecting point is Guangming GB37?**
 - A. Liver
 - B. Gallbladder
 - C. Bladder
 - D. Sanjiao
- 7 **Which of the 15 Collaterals is NOT tied to a paired organ meridian?**
 - A. Lieque LU7
 - B. Tongli HT5
 - C. The Major Collateral of the Spleen (Dabao SP21)
 - D. Waiguan SJ5
- 8 **What is the originating point of the Governor Vessel's collateral?**
 - A. Jiuwei CV15
 - B. Changqiang GV1
 - C. Dabao SP21
 - D. Guanyuan CV4
- 9 **Why do Cutaneous Regions form only 6 groups instead of 12?**
 - A. They only cover the Yang meridians
 - B. The Hand and Foot meridian of the same name (e.g. both Taiyang) merge into one region
 - C. They only cover the trunk, not the limbs
 - D. Extraordinary Vessels replace half of them
- 10 **Per the diagnostic color rule from Su Wen Ch. 56, what does blue-colored skin signify?**
 - A. Heat syndrome
 - B. Cold syndrome
 - C. Local pain
 - D. Blockage of qi and blood

Section A: Multiple Choice — Q11-16 (of 16)

Five Shu, Confluent, Collaterals, Cutaneous, Exam Table

- 11** What is the pertaining organ and first point of the Kidney meridian?
- A. Kidney; Yongquan KI1 (sole)
 - B. Bladder; Jingming BL1
 - C. Kidney; Taixi KI3
 - D. Liver; Dadun LR1
- 12** Which meridian is the ONLY one that connects to both the inner AND outer canthus of the eye?
- A. Bladder
 - B. Gallbladder
 - C. Small Intestine
 - D. Stomach
- 13** What is the direction of Qi flow for the Yang meridians of the foot?
- A. Chest to hand
 - B. Hand to head
 - C. Head to foot
 - D. Foot to abdomen
- 14** Which meridian has the highest total point count, and why?
- A. Gallbladder (44 pts) -- zig-zag head pathway
 - B. Bladder (67 pts) -- 4 branches, largest meridian
 - C. Stomach (45 pts) -- longest running course
 - D. Large Intestine (20 pts) -- most branches
- 15** Per Dr. Zhang's PCOS/PMOS protocol, what was the reported change in HOMA-IR (insulin resistance)?
- A. No significant change
 - B. 5.26 to 2.89 ($p < 0.05$)
 - C. 2.89 to 5.26 (worsened)
 - D. Not measured in this study
- 16** In the JAMA 2017 urinary incontinence RCT, which points were used for electroacupuncture?
- A. CV4 and CV6
 - B. BL33 and BL35 (bilateral)
 - C. SP6 and ST36
 - D. GV20 and CV4

Section B: Five Shu Point Matching

Match each meridian to its Shu-Stream / Yuan point

Match each meridian (left) to its Shu-Stream (or 6th Yuan-Source, where separate) point (right).

Lung (LU)	Ans: _____	Taiyuan LU9
Heart (HT)	Ans: _____	Shenmen HT7
Pericardium (PC)	Ans: _____	Daling PC7
Stomach (ST)	Ans: _____	Chongyang ST42 (Yuan, 6th pt)
Gallbladder (GB)	Ans: _____	Qixu GB40 (Yuan, 6th pt)
Kidney (KI)	Ans: _____	Taixi KI3
Liver (LR)	Ans: _____	Taichong LR3
Bladder (BL)	Ans: _____	Jinggu BL64 (Yuan, 6th pt)
Spleen (SP)	Ans: _____	Taibai SP3
Sanjiao (SJ)	Ans: _____	Yangchi SJ4 (Yuan, 6th pt)

Bonus: for any 2 points above, state whether it is a Yin or Yang meridian and why that changes the Yuan rule.

Section C: Fill in the Blank

1. The Five Shu Points, in order from fingertip/toe-tip toward the elbow/knee, are: Jing-Well, _____, Shu-Stream, Jing-River, and He-Sea.
2. The Confluent point that opens the Yin Wei Vessel is _____.
3. The Major Collateral of the Spleen originates at _____ and is named _____.
4. Yin meridians have no separate Yuan-Source point because the _____ point doubles as the Yuan point.
5. The Belt (Dai) Vessel is unique among the 8 Extraordinary Vessels because it runs _____ rather than up/down the body.
6. Du, Ren, and Chong vessels are called “one source, _____ branches” because all three begin in the lower abdomen.
7. The Gallbladder meridian's first point is Tongziliao GB1, located at the _____.
8. PCOS was renamed _____ in 2026 to highlight the central role of metabolic dysfunction.

Section D: Short Answer

1. Explain the “Li / He / Chu / Ru” framework used to describe a Divergent Channel's pathway.

2. Why does Dr. Zhang alternate two acupuncture protocols across the PCOS/PMOS treatment course rather than using one fixed point set?

3. State the eye-relationship rule for the Bladder and Gallbladder meridians and explain why it is a common exam trap.

4. Why are Extraordinary Vessels said to have 'no pertaining or connecting organ'?

Section E: MAINT Review — Weeks 6-8 Special Points

1. (Week 6/7 review) Name the Front-Mu point of the Liver.

2. (Week 6 review) Name the He-Sea point of the Gallbladder meridian.

3. (Week 7 review) Which Confluent point opens the Chong Vessel, and what is its master-couple partner?

4. (Week 8 review) What are the 3 extra Collaterals not tied to a paired-organ meridian?

Answer Key — Section A (Multiple Choice)

1. **Q1: A. Jing-Well**
Jing-Well points sit at the fingertips/toe-tips -- "where it emerges."
2. **Q2: D. He-Sea**
He-Sea points, near the elbow/knee, treat Fu-organ disorders and rebellious Qi.
3. **Q3: A. Taiyuan LU9 -- also the Yuan-Source point**
For Yin meridians, the Shu-Stream point doubles as the Yuan-Source point (Taiyuan LU9 for Lung).
4. **Q4: B. Gongsun SP4**
Gongsun SP4 opens the Chong Vessel; its master-couple partner is Neiguan PC6 (Yin Wei Vessel).
5. **Q5: B. Inner canthus, ear, shoulder, neck**
Houxi (Du Vessel) + Shenmai (Yang Qiao Vessel) share the inner canthus/ear/shoulder/neck region.
6. **Q6: B. Gallbladder**
Guangming GB37 is the Gallbladder's Luo point, connecting to the Liver meridian.
7. **Q7: C. The Major Collateral of the Spleen (Dabao SP21)**
The Major Collateral of the Spleen, plus the CV and GV collaterals, are the 3 'extra' collaterals -- not paired-organ Luo points.
8. **Q8: B. Changqiang GV1**
The GV collateral arises from Changqiang GV1 in the perineum.
9. **Q9: B. The Hand and Foot meridian of the same name (e.g. both Taiyang) merge into one region**
Cutaneous Regions are the exception that connects Hand+Foot meridians of the same name into one continuous region.
10. **Q10: C. Local pain**
Blue skin = local pain; dark = qi/blood blockage; yellow-red = heat; white = cold.
11. **Q11: A. Kidney; Yongquan KI1 (sole)**
Kidney meridian pertains to the Kidney and begins at Yongquan KI1 on the sole of the foot.
12. **Q12: C. Small Intestine**
Small Intestine sends a branch to the outer canthus and another below the eye to the inner canthus.
13. **Q13: C. Head to foot**
Yang meridians of the foot descend head -> foot, closing with the Yin meridians of the foot.
14. **Q14: B. Bladder (67 pts) -- 4 branches, largest meridian**
Bladder has 67 points across 4 branches -- the largest meridian in the body.
15. **Q15: B. 5.26 to 2.89 (p<0.05)**
HOMA-IR improved from 5.26 to 2.89 (p<0.05) after the acupuncture protocol.
16. **Q16: B. BL33 and BL35 (bilateral)**
Bilateral Zhongliao (BL33) and Huiyang (BL35), lumbosacral electroacupuncture, per Liu Z et al., JAMA 2017.

Answer Key — Sections B-E

Section B: Five Shu Point Matching

Lung-Taiyuan LU9 Heart-Shenmen HT7 Pericardium-Daling PC7 Stomach-pt) Gallbladder-pt) Kidney-Taixi KI3 Liver-Taichong LR3 Bladder-pt) Spleen-Taibai SP3 Sanjiao-pt)

Section C: Fill in the Blank

1. Ying-Spring
2. Neiguan (PC 6)
3. Dabao (SP 21)
4. Shu-Stream
5. horizontally around the waist
6. three
7. outer canthus
8. PMOS (Polyendocrine Metabolic Ovarian Syndrome)

Section D: Short Answer

Li = where it begins; He = which organs/systems it connects with internally; Chu = where it exits back to the surface; Ru = where it merges back into a primary meridian (always a Yang meridian).

The 'Phlegm-Dampness Obesity' framework addresses two different mechanisms in sequence -- one protocol emphasizes tonifying Kidney/regulating the Belt Vessel and activating blood, the other strengthens Spleen and drains dampness -- alternating gives broader multisystem coverage than either alone.

Bladder starts at the INNER canthus (BL1); Gallbladder starts at the OUTER canthus (GB1) -- students commonly swap these because both are Foot-Yang meridians beginning near the eye.

Unlike the 12 Primary Meridians, the 8 Extraordinary Vessels have no direct internal Zang-Fu branch -- their pathway stays superficial (nape, vertex, hip, etc.), so they cannot 'pertain to' or 'connect with' an organ the way a primary meridian does.

Section E: MAINT Review

- Qimen (LR 14).
- Yanglingquan (GB 34).
- Gongsun (SP 4); partner is Neiguan (PC 6).
- Conception Vessel (CV15), Governor Vessel (GV1), Major Collateral of the Spleen (SP21).