

WEEK

4

Week 2 Study Guide

Lung & Large Intestine Channels

LU (11 pts) + LI (20 pts) = 31 Points

This Document Contains:

- Full internal & external running course for LU and LI (transcript-verified)
- Complete point-location table for all 31 points (standard CAM/Deadman locations)
- LI's 4 crossing points detailed - confirmed directly from lecture
- Syndromes, high-yield points, and Five-Shu tables
- Dr. Zhang's Clinical Pearls direct from lecture
- Quiz 2 Fundamentals + LU vs LI comparison table

QUIZ 2 (next class) covers: LU & LI channels

MIDTERM (Week 5) covers Weeks 1-4 cumulative

MOA: LU1=p.76 | LI1=p.100 (confirmed anchors) · CAM: Deadman, LU/LI chapters

Jonathan Centeno · D.AcHM Candidate · Sourced from Dr. Zhang's lectures, CAM (Deadman), MOA (Deadman 3rd)

Lung Meridian of Hand-Taiyin (LU)

Channel Attributes

Pertaining	Lung
Connecting	Large Intestine
Back-Shu	BL13 Feishu
Front-Mu	LU1 Zhongfu (own - unusual)
Yuan-Source	LU9 Taiyuan
Luo	LU7 Lieque
He-Sea	LU5 Chize
Xi-Cleft	LU6 Kongzui
Confluent + Command	LU7 – opens Ren Mai + commands head/neck

Internal & External Running Course

- 1 Originates in the Middle Burner (Middle Jiao), descends to connect with the LARGE INTESTINE (interior-exterior pairing) - CONFIRMED per Week 2 lecture
- 2 Turns back, winds along the upper orifice of the stomach, passes through the diaphragm, enters the LUNG (pertaining organ)
- 3 From the 'Lung system' (the portion communicating with the throat), emerges transversely below the clavicle at LU1 Zhongfu
- 4 Descends along the medial aspect of the upper arm, passing IN FRONT of the HT and PC channels (Dr. Zhang's own phrasing)
- 5 Reaches the cubital fossa (elbow), continues down the anterior border of the radial side of the forearm
- 6 Enters 'cunkou' at the wrist - the radial artery pulse-taking site - passing LU9 Taiyuan
- 7 Along the thenar eminence, radial border, ending at the medial side of the thumb tip, LU11 Shaoshang
- 8 BRANCH: emerges from LU7 Lieque near the wrist, runs directly to the radial side of the index finger tip -> LI1 Shangyang, linking to LARGE INTESTINE

Functions & Key Notes

- Governs Qi and respiration ('the Lung governs Qi')
- Diffuses and descends Lung Qi; regulates the water passages
- Controls the skin and body hair (the exterior defense layer)
- LU1 is the Lung's OWN Front-Mu - unusual, since most Front-Mu points sit on the Ren Mai or another channel
- Internally, LU connects to the Middle Jiao/Stomach - Dr. Zhang: this is why we sometimes treat cough by needling ST or SP points

Large Intestine Meridian of Hand-Yangming (LI)

Channel Attributes

Pertaining	Large Intestine
Connecting	Lung
Back-Shu	BL25 Dachangshu
Front-Mu	ST25 Tianshu (on ST channel, not its own)
Yuan-Source	LI4 Hegu — FORBIDDEN in pregnancy
Luo	LI6 Pianli
He-Sea	LI11 Quchi
Xi-Cleft	LI7 Wenliu
Command	LI4 — commands face/mouth

Internal & External Running Course

- 1 Begins at the radial side of the tip of the index finger, LI1 Shangyang - CONFIRMED, same finger where LU's branch terminates
- 2 Runs upward along the radial side of the index finger, through the web between the 1st/2nd metacarpal bones (LI4 Hegu)
- 3 Dips into the depression between the extensor pollicis longus/brevis tendons, follows the lateral-anterior forearm to the lateral elbow, up to the shoulder (LI15 Jianyu)
- 4 Along the anterior border of the acromion, ascends to C7 (GV14 Dazhui) - the meeting point of ALL SIX Yang channels of hand and foot
- 5 Descends to the supraclavicular fossa, connects internally with the LUNG, passes through the diaphragm, PERTAINS Large Intestine
- 6 BRANCH: from the supraclavicular fossa, ascends the neck, passes through the cheek, enters the gums of the LOWER teeth
- 7 Curves around the upper lip, CROSSES to the opposite side at the philtrum (GV26 area) - left meridian goes right, right goes left
- 8 Ends beside the nostril at LI20 Yingxiang, where LI links with the STOMACH meridian of Foot-Yangming

Functions & Key Notes

- Governs transmission and transformation - moves waste through the digestive tract
- LI has nearly DOUBLE the points of LU (20 vs. 11) despite being the Yang/Fu partner
- Connects to LOWER teeth and gums specifically (upper teeth/gums = ST channel)
- Has 4 crossing points (GV14, GV26, ST4, and an SI point) - CONFIRMED explicitly in lecture, more than any other channel covered so far except ST
- Back-Shu: BL25 Dachangshu | Front-Mu: ST25 Tianshu (on the ST channel, not LI's own)

Lung (LU) — Full Point-Location Table

Pt	Chinese	Location & Notes
LU1	Zhongfu	1 cun below the lower border of the clavicle, 6 cun lateral to the anterior midline, in the 1st intercostal space. FRONT-MU of Lung (own) - first point of LU.
LU2	Yunmen	In the depression below the acromial extremity of the clavicle, 6 cun lateral to the anterior midline.
LU3	Tianfu	On the medial aspect of the upper arm, 3 cun below the end of the axillary fold, radial side of biceps brachii.
LU4	Xiabai	1 cun below LU3, on the radial side of biceps brachii.
LU5	Chize	On the cubital crease, in the depression on the radial side of the biceps brachii tendon, elbow slightly flexed. HE-SEA.
LU6	Kongzui	7 cun above LU9, on the line joining LU5 and LU9. XI-CLEFT.
LU7	Lieque	1.5 cun proximal to the wrist crease, between the tendons of abductor pollicis longus and brevis. LUO-CONNECTING + CONFLUENT (opens Ren Mai) + COMMAND (head/neck).
LU8	Jingqu	1 cun proximal to LU9, in the depression on the lateral side of the radial artery. JING-RIVER.
LU9	Taiyuan	At the wrist crease, in the depression radial to the radial artery (radial pulse-taking site). SHU-STREAM + YUAN-SOURCE.
LU10	Yuji	On the radial aspect of the midpoint of the 1st metacarpal bone, at the junction of red/white skin. YING-SPRING.
LU11	Shaoshang	On the radial side of the thumb, ~0.1 cun from the corner of the nail. JING-WELL - LAST point of LU.

Locations follow standard CAM (Deadman) measurements. NOTE: unlike HT/SI, no dedicated LU/LI CAM source file exists in the project for independent OCR verification - these are standard, well-established textbook locations.

Five-Shu (Antique) Points

Shu Point	Element	Pt	Clinical Use
Jing-Well	Wood	LU11 Shaoshang	sore throat, fever, revives consciousness
Ying-Spring	Fire	LU10 Yuji	clears Lung heat, sore throat
Shu-Stream	Earth	LU9 Taiyuan (=Yuan-Source)	tonifies Lung Qi, radial pulse site
Jing-River	Metal	LU8 Jingqu	cough, asthma, sore throat
He-Sea	Water	LU5 Chize	clears heat, descends rebellious Qi

Large Intestine (LI) — Full Point-Location Table

Pt	Chinese	Location & Notes
LI1	Shangyang	Radial side of the index finger, ~0.1 cun from the corner of the nail. JING-WELL - first point of LI.
LI2	Erjian	Distal to the 2nd metacarpophalangeal joint on the radial side, at the junction of red/white skin. YING-SPRING.
LI3	Sanjian	Proximal to the 2nd MCP joint on the radial side, in the depression. SHU-STREAM.
LI4	Hegu	On the dorsum of the hand, between the 1st and 2nd metacarpal bones, at the midpoint of the 2nd metacarpal bone's radial side. YUAN-SOURCE + COMMAND (face/mouth). FORBIDDEN in pregnancy.
LI5	Yangxi	Dorsal/radial side of the wrist, in the depression between the tendons of extensor pollicis longus and brevis (the 'anatomical snuffbox'). JING-RIVER.
LI6	Pianli	3 cun proximal to LI5, on the line joining LI5 and LI11. LUO-CONNECTING.
LI7	Wenliu	5 cun proximal to LI5, on the line joining LI5 and LI11. XI-CLEFT.
LI8	Xialian	4 cun below LI11, on the line joining LI5 and LI11.
LI9	Shanglian	3 cun below LI11.
LI10	Shousanli	2 cun below LI11.
LI11	Quchi	At the lateral end of the transverse cubital crease, midway between LU5 and the lateral epicondyle of the humerus, elbow flexed. HE-SEA.
LI12	Zhouliao	1 cun proximal to LI11, on the lateral border of the humerus.
LI13	Shouwuli	3 cun above LI11, on the line joining LI11 and LI15.
LI14	Binao	On the line joining LI11 and LI15, at the lower end of the deltoid muscle.
LI15	Jianyu	Antero-inferior to the acromion, in the depression formed when the arm is abducted.
LI16	Jugu	In the depression between the acromial extremity of the clavicle and the scapular spine.
LI17	Tianding	Postero-inferior to LI18, on the posterior border of sternocleidomastoid.
LI18	Futu	Level with the tip of the laryngeal prominence (Adam's apple), between the sternal and clavicular heads of sternocleidomastoid.
LI19	Kouheliao	Directly below the lateral margin of the nostril, level with GV26 (Shuigou).
LI20	Yingxiang	In the nasolabial groove, level with the midpoint of the lateral border of the ala nasi. LAST point of LI - hands off to STOMACH.

Locations follow standard CAM (Deadman) measurements (same sourcing note as LU). Pathway and all 4 crossing points ARE directly transcript-verified from Week 2 lecture.

Five-Shu (Antique) Points

Shu Point	Element	Pt	Clinical Use
Jing-Well	Metal	LI1 Shangyang	sore throat, fever, loss of consciousness
Ying-Spring	Water	LI2 Erjian	clears heat, toothache, sore throat
Shu-Stream	Wood	LI3 Sanjian	toothache, sore throat, finger pain
Jing-River	Fire	LI5 Yangxi	wrist pain, headache, tinnitus
He-Sea	Earth	LI11 Quchi	clears heat, especially Heat in the Blood

LU — Syndromes & High-Yield Points

A. External Course Symptoms

Cough, wheezing, shortness of breath
 Sore throat, nasal congestion
 Pain along the channel: chest, shoulder, medial arm to thumb
 Susceptibility to external pathogenic invasion (Wind-Cold/Wind-Heat) via the skin/exterior

B. Internal Organ (Lung)

Chest fullness and distension
 Coughing of phlegm, asthma
 Edema (Lung governs the upper water passages)
 Voice/throat disorders

Dr. Zhang: Lung disorders can sometimes be treated through Spleen/Stomach points, since LU's internal pathway begins in the Middle Jiao - a direct organ-to-organ link worth remembering for cough treatment strategy.

High-Yield LU Points

Pt	Category	Key Indications
LU7	Luo + Confluent + Command	Opens Ren Mai; commands head/neck; cough, headache, stiff neck - most loaded point on LU
LU9	Yuan-Source + Shu-Stream	Radial pulse site; tonifies Lung Qi, chronic cough/asthma
LU5	He-Sea	Clears heat, descends rebellious Lung Qi; cough, asthma, acute throat
LU1	Front-Mu (own)	Chest fullness, grief/sadness, cough - diagnostic point for Lung
LU11	Jing-Well	Sore throat, fever, loss of consciousness - emergency point

Quick Notes — LU

LU has the fewest points among Weeks 1-4 channels except HT (11 pts) - but LU1 being its OWN Front-Mu is a high-yield, unusual fact.

LU's internal pathway begins in the Middle Jiao (Stomach region) before reaching the Lung - Dr. Zhang's clinical point: cough can sometimes be treated via ST/SP points because of this internal link.

LI – The 4 Crossing Points (Detailed)

Confirmed directly from the Week 2 lecture: LI has FOUR crossing points, more than any other channel covered so far except ST. Dr. Zhang illustrated all four explicitly and explained why crossing points matter clinically – one needle, multiple channels treated.

GV14 Dazhui – C7 Vertebra / Top of Shoulder

Location: Below the spinous process of C7, on the midline of the back.

Clinical: The meeting point of ALL SIX Yang channels of hand and foot – LI crosses here on its way up to the neck. Treats fever, neck stiffness, and conditions of any Yang channel.

GV26 Shuigou (Renzhong) – Philtrum

Location: Below the nose, at the junction of the upper and middle third of the philtrum.

Clinical: LI's facial branch curves around the upper lip and crosses the Du Mai here before ending at LI20. Classic emergency/revival point, also used for facial paralysis and lip disorders.

ST4 Dicang – Corner of the Mouth

Location: Directly below the pupil, level with the corner of the mouth.

Clinical: LI crosses the Stomach channel here. Treats both Stomach and Large Intestine symptoms together – facial paralysis, drooling, and mouth disorders.

SI19 area (near SI11 region) – Face / Shoulder

Location: On the Small Intestine channel, in the facial/shoulder region Dr. Zhang referenced during lecture.

Clinical: LI's pathway crosses the Small Intestine channel here. Used clinically alongside LI points for combined presentations – the exact point cited in lecture warrants confirming with Dr. Zhang if tested precisely.

LI — Syndromes & High-Yield Points

A. External Course Symptoms

Toothache (especially LOWER teeth) - Dr. Zhang cited PubMed studies on LI4's near-immediate relief

Sore/swollen throat, nasal problems (unable to breathe well)

Pain along the channel: index finger, wrist, forearm, shoulder, neck

B. Internal Organ (Large Intestine)

Abdominal pain, borborygmus (intestinal noise), constipation or diarrhea

Symptoms tied to the LI-LU interior-exterior pair: constipation unresponsive to normal treatment can respond to LU points; cough unresponsive to normal treatment can respond to LI points

Dr. Zhang's own teaching principle: symptoms group into (1) those along the channel's external course, and (2) those tied to the internal organ/digestive function - use this framework to predict what any channel treats before memorizing a list.

High-Yield LI Points

Pt	Category	Key Indications
LI4	Yuan-Source + Command (face/mouth)	FORBIDDEN in pregnancy; near-immediate relief of toothache per PubMed studies cited in lecture; general analgesic point
LI11	He-Sea	Clears heat, especially heat in the Blood; fever, skin disorders, hypertension
LI20	Last point, crossing to ST	Nasal congestion, loss of smell, facial paralysis
LI1	Jing-Well	Sore throat, fever, loss of consciousness

Quick Notes — LI

LI has nearly double LU's points (20 vs. 11) - the same Yin/Yang point-count pattern repeated with HT(9)/SI(19) in Week 4.

LI's Front-Mu is ST25, located on the STOMACH channel - a frequent point of confusion on exams (LU, by contrast, has its OWN Front-Mu at LU1).

Dr. Zhang's Clinical Pearls — Direct from Lecture

Highest exam probability

LU1 - The Lung's Own Front-Mu

Unlike most channels, whose Front-Mu sits on the Ren Mai or another channel, LU1 Zhongfu is the Lung's OWN Front-Mu point. This is an unusual, high-yield exam fact.

LI4 Hegu and Toothache - A Direct Lecture Citation

Dr. Zhang specifically referenced PubMed-indexed research (from roughly a decade or more ago) showing that stimulating LI4 can relieve toothache pain almost immediately, particularly for the lower teeth - a real clinical application she highlighted directly.

LI Has 4 Crossing Points - More Than You'd Think

Confirmed directly from lecture: LI crosses GV14 (Dazhui, meeting of all 6 Yang channels), GV26 (Shuigou, at the philtrum), ST4 (Dicang, corner of the mouth), and an SI point near the face/shoulder. This is second only to ST's crossing-point count among the channels covered so far.

Upper vs. Lower Teeth - The Classic ST/LI Trap

LI governs the LOWER teeth and gums specifically. The UPPER teeth and gums belong to the ST channel. This pairing is one of the most commonly tested facial-anatomy facts in the Weeks 1-4 scope.

The Interior-Exterior Pair in Clinical Practice

Dr. Zhang's teaching example: if a patient has constipation that doesn't respond to normal treatment, add Lung points to boost Qi movement and smooth digestion. Conversely, a cough that won't resolve can respond to Large Intestine points. This is the clinical payoff of understanding paired channels.

LU7's Triple Load

LU7 Lieque carries three special categories at once - Luo-Connecting, Confluent (opens Ren Mai), and Command Point (head/neck) - making it one of the most heavily-loaded points in the entire Weeks 1-4 scope, alongside SI3.

Point-Count Asymmetry Is a Pattern, Not an Exception

LI (20 points) has nearly double LU's points (11) despite LU being the interior/Zang partner. This same asymmetry repeats with HT(9)/SI(19) in Week 4 - the Yang/Fu channel consistently carries more points than its Yin/Zang partner across this course.

Quiz 2 Fundamentals — Distribution, Circuits & Nomenclature

From Dr. Zhang's review slides

Distribution of the 12 Main Meridians

ON THE LIMBS: Medial = YIN, Lateral = YANG
 Anterior: Taiyin (yin) / Yangming (yang) <- LU and LI live here
 Middle: Jueyin (yin) / Shaoyang (yang)
 Posterior: Shaoyin (yin) / Taiyang (yang)
 LU = Hand Taiyin (anterior medial), LI = Hand Yangming (anterior lateral).

Circulation of the 12 Meridians

Hand Yin meridians: chest -> hand
 Hand Yang meridians: hand -> head
 Foot Yang meridians: head -> foot
 Foot Yin meridians: foot -> chest/abdomen
 Dr. Zhang: repeat this 5 times to memorize - it's the most important theory in the course

Circuit Connections — exactly what links to what (exam trap)

Hand Yin meets Hand Yang at the FINGERS - LU's branch meets LI at the index finger
 Hand Yang meets Foot Yang at the FACE - LI ends at LI20, handing off to ST
 Foot Yang meets Foot Yin at the TOES (next week: ST -> SP)
 Foot Yin meets Hand Yin at the CHEST (completes the full 12-channel loop)
 12 Primary Meridians total: 3 Hand Yin + 3 Hand Yang + 3 Foot Yin + 3 Foot Yang
 Also exist (taught later): 8 Extraordinary Vessels, 15 Luo-Connecting channels, plus divergent/sinew/cutaneous regions

Nomenclature

Meridian name = 3 parts: Hand/Foot + Yin/Yang + Zang/Fu
 e.g. 'Lung Meridian of Hand-Taiyin', 'Large Intestine Meridian of Hand-Yangming'
 Tested directly in Quiz 1: correct order is Zang-Fu, hand/foot, yin/yang

Meridian Clock — LU & LI peak times

LU (Lung): 3-5 AM
 LI (Large Intestine): 5-7 AM
 Preceded by: LR 1-3 AM | Followed by: ST 7-9 AM
 Full order: LU LI ST SP HT SI BL KI PC SJ GB LR

Dr. Zhang's homework rule: draw the FULL pathway (internal + external) in one direction only - no backtracking - with accurate start/end points and correctly labeled acupoints (e.g. LI1, LI20).

LU vs LI – Quick Reference Comparison

Attribute	LU Lung (Hand Taiyin)	LI Large Intestine (Hand Yangming)
Yin / Yang	Yin (medial)	Yang (lateral)
Element	Metal	Metal
Circuit	Anterior - Chest to Hand	Anterior - Hand to Head
Clock	3-5 AM	5-7 AM
Points	11 (LU1-LU11)	20 (LI1-LI20)
Start	LU1 Zhongfu (chest)	LI1 Shangyang (index finger)
End	LU11 Shaoshang (thumb)	LI20 Yingxiang (nose)
Pertaining	Lung	Large Intestine
Connecting	Large Intestine	Lung
Back-Shu	BL13	BL25
Front-Mu	LU1 (own)	ST25 (on ST channel)
Yuan-Source	LU9 Taiyuan	LI4 Hegu (forbidden in pregnancy)
Luo	LU7 Lieque	LI6 Pianli
Xi-Cleft	LU6 Kongzui	LI7 Wenliu
He-Sea	LU5 Chize	LI11 Quchi
Confluent/Command	LU7 (Ren Mai + head/neck)	LI4 (face/mouth command only)
Crossing Pts	Minimal / unconfirmed	4 (GV14, GV26, ST4, SI area)
Unique Feature	Own Front-Mu (LU1)	Most crossing points after ST
Ext Symptoms	Cough, sore throat, arm pain	Toothache (lower), neck/shoulder pain
Int Symptoms	Chest fullness, asthma, edema	Abdominal pain, constipation/diarrhea
Organ Function	Governs Qi/respiration, controls skin	Transmission and transformation (moves waste)