## Student Web Server User Manual

## Introduction

The main purpose of this webserver is to complement the student in their studies by allowing them to have hands on experience in creating web servers using the Linux, Apache, MySQL and PHP (LAMP) platform or plain html. The server details are below:


FQDN: studentweb.jcu.edu.sg

IP Address: 10.172.1.11

Web Access: http://studentweb.jcu.edu.sg

## Web Space Creation


Once the user has been created by the admin, an email will be sent out to the user with the credentials as shown below (sample):



Website: This is the homepage of the user created. The site can be access from the internet.


FTP Access: For security purpose, FTP access is only allowed through sftp. Use some secure ftp clients like FileZilla or WinSCP to access the FTP as shown below. The ftp host address will be sftp://studentweb.jcu.edu.sg


Create your website folder inside the "public\_html" folder and you will be able to access your site as shown in the image below.



PHPMyAdmin: This is the web address to manage your database. The login credentials for this is the MySQL login and password.

Note: A database is created with the name db\_jcXXXXXX for the user to use. Currently, creation of additional database is not allowed.






Web Administration: This is a Webmin page showing the System information. The usage quota has been restricted to 1 GB per user. Selected configurations like PHP are allowed from this module.



## Changing Password:

Database password for MySQL can be change from the PHPMyAdmin page. Home > General Settings > Change Password



Webmin Password can be changed from the Webmin page which will affect the FTP and Webmin page.

Server Configuration > Change Password

