

# EXDA Plan Export - Experiment\_Plan\_v000

Responsible Researcher: PhD Student Javier I. Camacho  
Objective: LU / DBI / Kistler pressure DAQ systems characterisation.  
Start: 2026-05-25 | Deadline: 2026-05-29  
Total Experiments: 27  
Generated: 2026-06-01 15:33:51

## Group: Prep-Wk22

Group Objective: Preparation

### [1/1] Run: Prep-Wk22-01

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-25  
H2: 13.5 %vol | H2 Injected: 8.276 g | MFC Flow: 20 SLPM  
Ignition: Back Wall | Vent: Thin Film with Hotwire NOT Activated | P0: 101325 Pa | T0: 292.15 K  
Recirc Stop -> Ignition: - s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 2  
Short Description: Preliminar Test  
Run Notes: Recirc stop · ignition time (s): No Recorded  
Error Note: -  
Canceled Note: -  
Data Files:  
- Prep-Wk22-01/DAQ-2/Prep-01-DAQ-2.mf4  
- Prep-Wk22-01/H2CM/Prep-01-H2CM-U.csv

## Group: Verif-Wk22

Group Objective: Performance Verification

### [1/4] Run: Verif-Wk22-01

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-26  
H2: 13.5 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back Wall | Vent: Thin Film with Hotwire Activated | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 312 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 5  
Short Description: -  
Run Notes: Physical Range -1,1 bar  
Error Note: -  
Canceled Note: -  
Data Files:

- Verif-Wk22-01/DAQ-1-Verif-01.tpc5
- Verif-Wk22-01/DAQ-2-Verif-01/DAQ-2-Verif\_01.mf4
- Verif-Wk22-01/H2CM-L-Verif-01-260526-120036.csv
- Verif-Wk22-01/H2CM-M-Verif-01-260526-115955.csv
- Verif-Wk22-01/H2CM-U-Verif-01-260526-115817.csv

---

#### [2/4] Run: Verif-Wk22-02

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-26  
H2: 14 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back Wall | Vent: Thin Film with Hotwire Activated | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 321 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Physical Range -1,1 bar  
Error Note: -  
Canceled Note: -  
Data Files:

- Verif-Wk22-02/DAQ-1/DAQ-1-Verif-02.tpc5
- Verif-Wk22-02/DAQ-2/DAQ-2-Verif\_02/DAQ-2-Verif\_02.mf4
- Verif-Wk22-02/H2CM/H2CM-U-M-L-Verif-02-260526-144155.csv

---

#### [3/4] Run: Verif-Wk22-03

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-26  
H2: 16 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back Wall | Vent: Thin Film with Hotwire Activated | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 263 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Channel 2 Physical Range -1, ,1 bar Channel 2 Physical Range -0.5, ,0.5 bar Leak on Blind Sensor  
Flange Connection 3L & 5L Volume Correction +0.06708  
Error Note: -  
Canceled Note: -  
Data Files:

- Verif-Wk22-03/DAQ-1/DAQ-1-Verif-03.tpc5
- Verif-Wk22-03/DAQ-2/DAQ-2-Verif-03/DAQ-2-Verif-03.mf4
- Verif-Wk22-03/H2CM/H2CM-U-M-L-Verif-03-260526-160316.csv

---

#### [4/4] Run: Verif-Wk22-04

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-26  
H2: 18 %vol | H2 Injected: - g | MFC Flow: - SLPM

Ignition: Back Wall | Vent: Thin Film with Hotwire Activated | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 233 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: P1 swapped for P5  
Error Note: -  
Canceled Note: -  
Data Files:  
- Verif-Wk22-04/DAQ-1/DAQ-1-Verif-04.tpc5  
- Verif-Wk22-04/DAQ-2/DAQ-2-Verif-04/DAQ-2-Verif-04.mf4  
- Verif-Wk22-04/H2CM/H2CM-U-M-L-Verif-04-260526-174304.csv

---

**Group: VH2D-Wk22-01**

Group Objective: Vented deflagration concentration series (Hotwire)

---

**[1/8] Run: VH2D-Wk22-01-01**

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-27  
H2: 16 %vol | H2 Injected: - g | MFC Flow: 20 SLPM  
Ignition: Back Wall | Vent: Thin Film with Hotwire Activated | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: - s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: -  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-01-01/DAQ-1/DAQ-1-VH2D-01-01.tpc5  
- VH2D-Wk22-01-01/H2CM/H2CM-U-M-L-VH2D-01-01-260527-140320.csv  
- VH2D-Wk22-01-01/DAQ-2-3/DAQ-2-3-VH2D-01-01.mf4

---

**[2/8] Run: VH2D-Wk22-01-02**

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-27  
H2: 16 %vol | H2 Injected: - g | MFC Flow: 20 SLPM  
Ignition: Back | Vent: Thin Plastic | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 228 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: -  
Error Note: -

Canceled Note: -

Data Files:

- VH2D-Wk22-01-02/DAQ-1/DAQ-1-VH2D-01-02.tpc5
- VH2D-Wk22-01-02/H2CM/H2CM-U-M-L-VH2D-01-02-260527-150043.csv
- VH2D-Wk22-01-02/DAQ-2-3/DAQ-2-3-VH2D-01-02.mf4

---

**[3/8] Run: VH2D-Wk22-01-03**

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-27

H2: 18 %vol | H2 Injected: - g | MFC Flow: 20 SLPM

Ignition: Back Wall | Vent: Thin Film with Hotwire Activated | P0: 101325 Pa | T0: 293 K

Recirc Stop -> Ignition: 201 s | Case ID / CFD Hash: -

Error: No | Canceled: No | Data Files: 2

Short Description: -

Run Notes: -

Error Note: -

Canceled Note: -

Data Files:

- VH2D-Wk22-01-03/DAQ-1/DAQ-1-VH2D-01-03.tpc5
- VH2D-Wk22-01-03/DAQ-2-3/DAQ-2-3-VH2D-01-03.mf4

---

**[4/8] Run: VH2D-Wk22-01-04**

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-27

H2: 18 %vol | H2 Injected: - g | MFC Flow: 20 SLPM

Ignition: back | Vent: thin film | P0: 101325 Pa | T0: 293 K

Recirc Stop -> Ignition: 168 s | Case ID / CFD Hash: -

Error: No | Canceled: No | Data Files: 3

Short Description: -

Run Notes: PP1 and PP3 swapped DAQ-3 sampling rate 62.5kHz changed to 200kHz

Error Note: -

Canceled Note: -

Data Files:

- VH2D-Wk22-01-04/DAQ-1/DAQ-1-VH2D-01-04.tpc5
- VH2D-Wk22-01-04/DAQ-2-3/DAQ-2-3-VH2D-01-04.mf4
- VH2D-Wk22-01-04/H2CM/H2CM-U-M-L-VH2D-01-04-260527-164423.csv

---

**[5/8] Run: VH2D-Wk22-01-05**

Status: CANCELED | Done: No | Preparation: Yes | Schedule: 2026-05-27

H2: 19 %vol | H2 Injected: - g | MFC Flow: 20 SLPM

Ignition: back | Vent: Thin Plastic | P0: 101325 Pa | T0: 293 K

Recirc Stop -> Ignition: - s | Case ID / CFD Hash: -

Error: No | Canceled: Yes | Data Files: 0  
Short Description: -  
Run Notes: DAQ-3 sampling rate 62.5kHz changed to 200kHz  
Error Note: -  
Canceled Note: Time restriction  
Data Files: -

---

**[6/8] Run: VH2D-Wk22-01-06**

Status: CANCELED | Done: No | Preparation: Yes | Schedule: 2026-05-27  
H2: 19 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: - | Vent: - | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: - s | Case ID / CFD Hash: -  
Error: No | Canceled: Yes | Data Files: 0  
Short Description: -  
Run Notes: -  
Error Note: -  
Canceled Note: Time restriction  
Data Files: -

---

**[7/8] Run: VH2D-Wk22-01-07**

Status: DONE | Done: Yes | Preparation: Yes | Schedule: 2026-05-27  
H2: 20 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back Wall | Vent: Thin Film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: - s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: PP1 and PP3 swapped  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-01-07/DAQ-1/DAQ-1-VH2D-01-07.tpc5  
- VH2D-Wk22-01-07/DAQ-2-3/VH2D-01-07.mf4  
- VH2D-Wk22-01-07/H2CM/H2CM-U-M-L-VH2D-01-07-260527-180934.csv

---

**[8/8] Run: VH2D-Wk22-01-08**

Status: CANCELED | Done: No | Preparation: Yes | Schedule: 2026-05-27  
H2: 20 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: - | Vent: - | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: - s | Case ID / CFD Hash: -  
Error: No | Canceled: Yes | Data Files: 0

Short Description: -  
Run Notes: -  
Error Note: -  
Canceled Note: Time restriction  
Data Files: -  
-----

**Group: VH2D-Wk22-02**

Group Objective: Vented deflagration concentration series (NO Hotwire)  
-----

**[1/4] Run: VH2D-Wk22-02-01**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-28  
H2: 18 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: back wall | Vent: thin film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 243 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Added 12.278 gr Correlation> M= 69.638 C - 0.2568  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-02-01/DAQ-1/DAQ-1-VH2D-02-01.tpc5  
- VH2D-Wk22-02-01/DAQ-4/DAQ-4-VH2D-02-01.mf4  
- VH2D-Wk22-02-01/H2CM/H2CM-U-M-L-VH2D-02-01-260528-105051.csv  
-----

**[2/4] Run: VH2D-Wk22-02-02**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-28  
H2: 18 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: back wall | Vent: thin film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 231 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 4  
Short Description: -  
Run Notes: P3 and P7 swapped Added 12.278 gr Correlation> M= 69.638 C - 0.2568  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-02-02/DAQ-1/DAQ-1-VH2D-02-02.tpc5  
- VH2D-Wk22-02-02/DAQ-2-3/DAQ-2-3-VH2D-02-02.mf4  
- VH2D-Wk22-02-02/H2CM/H2CM-U-M-L-VH2D-02-02-260528-115959.csv  
- VH2D-Wk22-02-02/DAQ-4/DAQ-4-VH2D-02-02.mf4

---

**[3/4] Run: VH2D-Wk22-02-03**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-28  
H2: 20 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back | Vent: thin film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 232 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 4  
Short Description: -  
Run Notes: P3 and P7 swapped Added 13.671 gr Correlation> M= 69.638 C - 0.2568  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-02-03/DAQ-1/DAQ-1-VH2D-02-03.tpc5  
- VH2D-Wk22-02-03/DAQ-2-3/DAQ-2-3-VH2D-02-03.mf4  
- VH2D-Wk22-02-03/DAQ-4/DAQ-4-VH2D-02-03.mf4  
- VH2D-Wk22-02-03/H2CM/H2CM-U-M-L-VH2D-02-03-260528-134340.csv

---

**[4/4] Run: VH2D-Wk22-02-04**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-28  
H2: 20 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: back | Vent: thin film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 221 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 4  
Short Description: -  
Run Notes: P3 and P7 swapped Added 13.671 gr Correlation> M= 69.638 C - 0.2568  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-02-04/DAQ-1/DAQ-1-VH2D-02-04.tpc5  
- VH2D-Wk22-02-04/DAQ-2-3/DAQ-2-3-VH2D-02-04.mf4  
- VH2D-Wk22-02-04/DAQ-4/DAQ-4-VH2D-02-04.mf4  
- VH2D-Wk22-02-04/H2CM/H2CM-U-M-L-VH2D-02-04-260528-144105.csv

---

**Group: VH2D-Wk22-03**

Group Objective: -

---

**[1/5] Run: VH2D-Wk22-03-01**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-28  
H2: 18 %vol | H2 Injected: - g | MFC Flow: - SLPM

Ignition: back | Vent: thin film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 230 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Added 12.278 gr Correlation> M= 69.638 C - 0.2568  
Error Note: -  
Canceled Note: -  
Data Files:

- VH2D-Wk22-03-01/DAQ-1/DAQ-1-VH2D-03-01.tpc5
- VH2D-Wk22-03-01/DAQ-2-3/DAQ-2-3-VH2D-03.mf4
- VH2D-Wk22-03-01/H2CM/H2CM-U-M-L-VH2D-03-01-260528-160918.csv

---

**[2/5] Run: VH2D-Wk22-03-02**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-28  
H2: 18 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back Wall | Vent: Thin Film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 232 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: PP3 moved to 5m radius Added 12.278 gr Correlation> M= 69.638 C - 0.2568  
Error Note: -  
Canceled Note: -  
Data Files:

- VH2D-Wk22-03-02/DAQ-2-3/DAQ-2-3-VH2D-03-02.mf4
- VH2D-Wk22-03-02/H2CM/H2CM-U-M-L-VH2D-03-02-260528-164833.csv
- VH2D-Wk22-03-02/DAQ-1/DAQ-1-VH2D-03-02.tpc5

---

**[3/5] Run: VH2D-Wk22-03-03**

Status: ERROR | Done: No | Preparation: No | Schedule: 2026-05-28  
H2: 20 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back Wall | Vent: Thin Film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: - s | Case ID / CFD Hash: -  
Error: Yes | Canceled: No | Data Files: 3  
Short Description: Attention!!! Hot-wire short circuit. Check carefully data could compromised.  
Run Notes: Added 13.671 gr Correlation> M= 69.638 C - 0.2568 Attention!!! Hot-wire short circuit. Check carefully data could compromised.  
Error Note: Attention!!! Hot-wire short circuit. Check carefully data could compromised.  
Canceled Note: -  
Data Files:

- VH2D-Wk22-03-03/DAQ-1/DAQ-1-VH2D-03-03.tpc5

- VH2D-Wk22-03-03/DAQ-2-3/DAQ-2-3-VH2D-03-03.mf4
- VH2D-Wk22-03-03/H2CM/H2CM-U-M-L-VH2D-03-03-260528-173139.csv

---

**[4/5] Run: VH2D-Wk22-03-04**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-28  
H2: 20 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: vack | Vent: thin | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 221 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Added 13.671 gr Correlation> M= 69.638 C - 0.2568  
Error Note: -  
Canceled Note: -  
Data Files:

- VH2D-Wk22-03-04/DAQ-1/DAQ-1-VH2D-03-04.tpc5
- VH2D-Wk22-03-04/DAQ-2-3/DAQ-2-3-VH2D-03-04.mf4
- VH2D-Wk22-03-04/H2CM/H2CM-U-M-L-VH2D-03-04-260528-181435.csv

---

**[5/5] Run: VH2D-Wk22-03-05**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-28  
H2: 20 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back Wall | Vent: Thin Film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 321 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Added 13.671 gr Correlation> M= 69.638 C - 0.2568  
Error Note: -  
Canceled Note: -  
Data Files:

- VH2D-Wk22-03-05/DAQ-1/DAQ-1-VH2D-03-05.tpc5
- VH2D-Wk22-03-05/DAQ-2-3/DAQ-2-3-VH2D-03-05.mf4
- VH2D-Wk22-03-05/H2CM/H2CM-U-M-L-VH2D-03-05-260528-184939.csv

---

**Group: VH2D-Wk22-04**

Group Objective: -

---

**[1/5] Run: VH2D-Wk22-04-01**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-29  
H2: 16 %vol | H2 Injected: 10.885 g | MFC Flow: 20 SLPM

Ignition: back wall | Vent: thin film with hotwire activated | P0: 101325 Pa | T0: 291.75 K  
Recirc Stop -> Ignition: 245 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Added 10.885 gr Correlation> M= 69.638 C - 0.2568 Missing data from H2CM. !!! Mean Value: 16.1 Vol.%  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-04-01/DAQ-1/DAQ-1-VH2D-04-01.tpc5  
- VH2D-Wk22-04-01/DAQ-2-3/DAQ-2-3-VH2D-04-01\_Rec\_01.mf4  
- VH2D-Wk22-04-01/H2CM/H2CM-U-M-L-VH2D-04-01-260529-104759.csv

---

**[2/5] Run: VH2D-Wk22-04-02**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-29  
H2: 16 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back Wall | Vent: Thin Film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 502 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Added 10.885 gr Correlation> M= 69.638 C - 0.2568 1024 hPa HR 53%  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-04-02/DAQ-1/DAQ-1-VH2D-04-02.tpc5  
- VH2D-Wk22-04-02/DAQ-2-3/DAQ-2-3-VH2D-04-02\_Rec\_01.mf4  
- VH2D-Wk22-04-02/H2CM/H2CM-U-M-L-VH2D-04-02-260529-115753.csv

---

**[3/5] Run: VH2D-Wk22-04-03**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-29  
H2: 21 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: Back | Vent: thin plastic | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 261 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Added 14.367 gr Correlation> M= 69.638 C - 0.2568 1023 hPa HR 57%  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-04-03/DAQ-1/DAQ-1-VH2D-04-03.tpc5

- VH2D-Wk22-04-03/DAQ-2-3/DAQ-2-3-VH2D-04-03\_Rec\_01.mf4  
- VH2D-Wk22-04-03/H2CM/H2CM-U-M-L-VH2D-04-03-260529-125215.csv

---

**[4/5] Run: VH2D-Wk22-04-04**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-29  
H2: 21 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: back wall | Vent: thin film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: 252 s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Added 14.367 gr Correlation> M= 69.638 C - 0.2568 1023 hPa HR 44%  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-04-04/DAQ-1/DAQ-1-VH2D-04-04.tpc5  
- VH2D-Wk22-04-04/DAQ-2-3/DAQ-2-3-VH2D-04-04\_Rec\_01.mf4  
- VH2D-Wk22-04-04/H2CM/H2CM-U-M-L-VH2D-04-04-260529-135315.csv

---

**[5/5] Run: VH2D-Wk22-04-05**

Status: DONE | Done: Yes | Preparation: No | Schedule: 2026-05-29  
H2: 12 %vol | H2 Injected: - g | MFC Flow: - SLPM  
Ignition: back wall | Vent: thin film | P0: 101325 Pa | T0: 293 K  
Recirc Stop -> Ignition: - s | Case ID / CFD Hash: -  
Error: No | Canceled: No | Data Files: 3  
Short Description: -  
Run Notes: Added xxxx gr for a 12vol.% 1020 hPa HR 41% Non H0mogeneous  
Error Note: -  
Canceled Note: -  
Data Files:  
- VH2D-Wk22-04-05/DAQ-1/DAQ-1-VH2D-04-05.tpc5  
- VH2D-Wk22-04-05/DAQ-2-3/DAQ-2-3-VH2D-04-05\_Rec\_01.mf4  
- VH2D-Wk22-04-05/H2CM/H2CM-M-U-L-M-VH2D-04-05-260529-150229.csv

---