

Back to all evaluation sheets

## **MiniRT**

You should evaluate 2 student in this team

### Introduction

Е	Please	fall	014/	tho	rul	00	hal	014/
н	16456	TOIL	OW	me	1111	45	Dei	OW

- Remain polite, courteous, respectful, and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the student or group whose work is being evaluated the possible dysfunctions in their project. Take the time to discuss and debate the problems that may have been identified.
- You must consider that there might be some differences in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade them as honestly as possible. The pedagogy is useful only if the peer-evaluation is done seriously.

### **Guidelines**

Please follow the guidelines below:

- Only grade the work that was turned in to the Git repository of the evaluated student or group.
- Ouble-check that the Git repository belongs to the student(s). Ensure that the project is the one expected. Also, check that 'git clone' is used in an empty folder.
- Check carefully that no malicious aliases were used to fool you into evaluating someth.

that is not the content of the official repository. To avoid any surprises and if applicable, review together any scripts used to facilitate the grading (scripts for testing or automation). If you have not completed the assignment you are going to evaluate, you must read the entire subject prior to starting the evaluation process. Use the available flags to report an empty repository, a non-functioning program, a Norm error, cheating, and so forth. In these cases, the evaluation process ends and the final grade is 0, or -42 in the case of cheating. However, except for cheating, students are strongly encouraged to review together the work that was turned in, in order to identify any mistakes that shouldn't be repeated in the future. Remember that for the duration of the defense, no segfaults or other unexpected, premature, or uncontrolled terminations of the program will be tolerated, else the final grade is 0. Use the appropriate flag. You should never have to edit any file except the configuration file if it exists. If you want to edit a file, take the time to explain the reasons with the evaluated student and make sure both of you are okay with this. You must also verify the absence of memory leaks. Any memory allocated on the heap must be properly freed before the end of execution. You are allowed to use any of the different tools available on the computer, such as leaks, valgrind, or e\_fence. In case of memory leaks, tick the appropriate flag. **Attachments** Please download the attachments below: subject.pdf minilibx\_opengl.tgz

### **Mandatory Part**

minilibx\_mms\_20200219\_beta.tgz

### **Executable** name

Executable name

Check that the project compiles well (without re-link) when you excute the make command and that the executable name is miniRT.

Yes No

### **Configuration file**

Configuration file

Check that you can configure camera, light, the ambient light ratio and simple objects in the configuration file in accordance with the format described in the subject. Also check that the program returns an error and exits properly when the configuration file is misconfigured or if the filename doesn't end with the .rt extension.

If not, the defence is over and the final grade will be 0.

Yes No

### **Technical elements of the display**

In this section we'll evaluate Technical elements of the display. Run the program and execute the following tests. If at least one fails, no points will be awarded for this section. Move to the next one.

- With only one parameter a window must open when launching the program and stay open during the program's whole execution.
- Hide either part of the window or the whole window with another window or the screen's borders, minimize the minirt window to the dock/taskbar and maximize it back. In every case, the window's content must remain consistant (minirt should not quit and should still display properly its content).

onsistant.	
Pressing	ESC or clicking the red cross of the window exits the program properly.
Yes	No
The Basic	Shapes
	we'll evaluate the 3 basic shapes. Run the program and execute the sts. If at least one fails, no points will be awarded for this section. Move to
•	phere at the coordinates {0, 0, 0}. With the camera facing the sphere, ndered image. The sphere should be visible and displayed without
•	lane with a 'z' value of null. With the camera facing the plane, display the ge. The plane should be visible and displayed without glitching.
	ylinder extending along the y axis. With the camera facing the cylinder, ndered image. The cylinder should be visible and displayed without
Yes	No
Translation	ns and rotations
n this section	we'll evaluate that rotation and translation transformations can be applied

When you change the window resolution, the window's content must remain

on the scene's objects. Run the program and execute the following tests. If at least one fails, no points will be awarded for this section. Move to the next one.

✓ Place two spheres at the coordinates {0, 0, 0},

the camera facing those spheres. Then put a translation

on one of the two spheres oriented in a direction parallel

to the camera's, of a greater distance than the sphere's diameter and display the rendered image. Both spheres should be visible and displayed without glitching.

Place a cylinder extending along the y axis, the camera facing the cylinder. Then put a 90° rotation (PI/2 radian) along the z axis and display the rendered image. The cylinder should be visible and displayed without glitching.

Yes No

### **Multi-objects**

In this section we'll evaluate that it's possible to put several object in one scene. Run the program and execute the following tests. If at least one fails, no points will be awarded for this section. Move to the next one.

- Place several intersecting objects on the scene, such as for example a sphere and a cylinder, and display the rendered image. Both objects should be visible and displayed without glitching. (especially where both object intersect)
- Execute the same test, but ensure it's possible to place the same object several times, for example two cylinders, two spheres and a plane.

Yes No

### **Camera's position and direction**

In this section we'll evaluate that the camera conditions of the subject are respected. Run the program and execute the following tests. If at least one fails, no points will be awarded for this section. Move to the next one.

Generate a random scene and place the camera extending along the x axis pointed towards the coordinates {0, 0, 0} and display the rendered image. The scene must be

visible and displayed without glitching.

Generate a random scene and place the camera extending along the y axis pointed towards the coordinates {0, 0, 0} and display the rendered image. The scene must be visible and displayed without glitching.

Generate a random scene and place the camera extending along the z axis pointed

Generate a random scene and place the camera extending along the z axis pointed towards the coordinates {0, 0, 0} and display the rendered image. The scene must be visible and displayed without glitching.

Generate a random scene and place the camera at a random location which isn't on any axis or a diagonal, pointed towards the coordinates {0, 0, 0} and display the rendered image. The scene must be visible and displayed without glitching.

Yes No

### **Brightness 1/2**

In this section we'll evaluate brightness on the scene's objects. Run the program and execute the following tests. If at least one fails, no points will be awarded for this section. Move to the next one.

Place a sphere at the coordinates {0, 0, 0}, the camera facing the sphere, and put a spot left or right of the camera but positioned in such a way that the sphere will be lit sideways.

Display the rendered image. The sphere should be visible, illuminated and displayed without glitching.

Place a sphere at some coordinates resulting from a translation, the camera facing the sphere, and place a spot left or right of the camera but positioned in such a way that the sphere will be lit sideways. Display the rendered image. The sphere should be visible, properly illuminated and displayed without glitch. Properly means that the halo of light should be computed after translation not before.

Yes No

in this section we'll evaluate shadow management generated by the scene's objects. Run the program and execute the following tests. If at least one fails, no points will be awarded for this section. Move to the next one.

Place a vertical spot, a sphere and a plane. The spot lighting the sphere's position to create a sphere shadow on the plane. Put the camera aside so we can see the sphere, the plane and the sphere's shadow on the plane. The shadow must be properly displayed without glitching.

Put a complex scene together with several objects like on illustration V.6 page 10 of the subject. Shadows must be properly displayed without glitching.

Yes No

### **Bonus Part**

### Many bonuses?

We will look at your bonuses if and only if your mandatory part is excellent. This means that your must complete the mandatory part, beginning to end, and your error management must be flawless, even in cases of twisted or bad usage. So if the mandatory part didn't score all the point during this defence bonuses will be totally ignored.

One point per bonus.

Specular reflection.

Color disruption: checkerboard.


Colored and multi-spot lights.

One other 2nd degree object: Cone, Hyperboloid, Paraboloid...

Handle bump map textures..

5

# **Ratings**



© 2024 42evals. All rights reserved.