# codility



# Demo ticket

### Session

ID: demoGPYJMS-J3K Time limit: 120 min.

# Status: closed

Created on: 2014-12-14 06:34 UTC Started on: 2014-12-14 06:34 UTC Finished on: 2014-12-14 06:51 UTC

#### Tasks in test

PermCheck

Correctness

100%

**Performance** 

100%

Task score

100%

100%

Test score

100 out of 100 points

score: 100 of 100

# 1. PermCheck

Check whether array A is a permutation.

## Task description

A non-empty zero-indexed array A consisting of N integers is given. A *permutation* is a sequence containing each element from 1 to N once. and only once.

For example, array A such that:

A[0] = 4

A[1] = 1

A[2] = 3

A[3] = 2

is a permutation, but array A such that:

A[0] = 4

A[1] = 1

A[2] = 3

is not a permutation, because value 2 is missing. The goal is to check whether array A is a permutation.

Write a function:

def solution(a)

that, given a zero-indexed array A, returns 1 if array A is a permutation and 0 if it is not.

For example, given array A such that:

A[0] = 4

A[1] = 1

A[2] = 3

A[3] = 2

the function should return 1. Given array A such that:

A[0] = 4

A[1] = 1

A[2] = 3

Solution

Programming language used: Ruby

Total time used: 18 minutes

Effective time used: 18 minutes

Notes: not defined yet

Task timeline

14

15

end

1





06:51:50 06:34:40

Code: 06:51:50 UTC, rb, final, score: 100.00

```
# you can use puts for debugging purposes, e.g.
     # puts "this is a debug message"
3
4
     def solution(a)
 5
       h = Hash.new(0)
6
       a.each do |n|
 7
        h[n] += 1
 8
         # not a permutation if more than one occurrrence
9
         return 0 if h[n] != 1
10
11
       (1..a.size).each do |n|
12
        # not a permutation if no occurrences
13
         return 0 if h[n] != 1
```

the function should return 0. Assume that:

- N is an integer within the range [1..100,000];
- each element of array A is an integer within the range [1..1,000,000,000].

# Complexity:

- expected worst-case time complexity is O(N);
- expected worst-case space complexity is O(N), beyond input storage (not counting the storage required for input arguments).

Elements of input arrays can be modified.

Copyright 2009–2014 by Codility Limited. All Rights Reserved. Unauthorized copying, publication or disclosure prohibited.

**Analysis** 

end

16



test	time	result
Example tests		
example1 the first example test	0.068 s	ок
example2 the second example test	0.068 s	ОК
Correctness tests		
extreme_min_max single element with minimal/maximal value	0.052 s	ОК
single single element	0.068 s	ОК
double two elements	0.056 s	ОК
antiSum1 total sum is correct, but it is not a permutation, N <= 10	0.056 s	ОК
small_permutation permutation + one element occurs twice, N = ~100	0.056 s	ОК
Performance tests		
medium_permutation permutation + few elements occur twice, N = ~10,000	0.072 s	ОК
antiSum2 total sum is correct, but it is not a permutation, N = ~100,000	0.264 s	ок
large_permutation permutation + one element occurs three times, N = ~100,000	0.240 s	ок
large_range sequence 1, 2,, N, N = ~100,000	0.264 s	ОК
extreme_values all the same values, N = ~100,000	0.052 s	ок

Training center