

Ejecución Automática de Caso de Test	
Dominio	Proyecto
Aplicación	Ámbito Ejecución
Practica films	Online
Descripción	Pre-requisitos
Prueba unitaria para series	
Tester Ejecución	Fecha Ejecución
	09/05/2024

**# Paso:** 1

**Descripción** Update a Serie Criteria

**Resultado Esperado** 201 Created Modificacion completada con exito

Realizamos una petición REST de tipo **PUT** la siguiente URL:

`http://localhost:8080/api/v1/Serie/update?select=true`

The screenshot shows a REST client interface with the following details:

- Method:** PUT
- URL:** `{{baseUrl}}/api/v1/Serie/update?select=true`
- Body Tab:** Selected, showing a JSON payload in raw format.
- JSON Payload:**

```
1 {
2   "id": 1,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47,
9     "nationality": "American"
10  }
```
- Response Tab:** Shows a 201 Created status with a response time of 1053 ms and a body size of 492 B. The response body is also displayed in a pretty-printed JSON format.

Con el siguiente body

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
```

```

        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

Revisamos la salida:

```

{
    "id": 1,
    "title": "Friends",
    "releaseYear": 2006,
    "director": {
        "id": 3,
        "name": "Gavra",
        "age": 47,
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

# Paso: 2

**Descripción** Update a Serie Criteria Incorrect Case

**Resultado Esperado** 404 Not Found Modificación no realizada no realizada porque no se encuentra la serie a actualizar.

Realizamos una petición REST de tipo **PUT** la siguiente URL:

`http://localhost:8080/api/v1/Serie/update?select=true`

The screenshot shows a REST client interface with the following details:

- Method:** PUT
- URL:** `{{baseUrl}}/api/v1/Serie/update?select=true`
- Body (raw JSON):**

```
1 {
2   "id": 9999999,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47,
9     "nationality": "American"
10  }
```
- Response:** 404 Not Found, 34 ms, 232 B
- Response Body (Pretty JSON):**

```
1 {
2   "date": "09/05/2024 05:24:47",
3   "message": "Resource not found"
4 }
```

Con el siguiente body

```
{
  "id": 9999999,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  }
}
```

```
    },
    "producer": {
      "id": 1,
      "name": "praesent id massa id nisl venenatis lacinia aenean sit amet  
justo morbi ut odio cras mi",
      "foundationYear": 1955
    },
    "actors": [
      {
        "id": 502,
        "name": "Eward",
        "age": 4,
        "nationality": "Japanese"
      }
    ]
  }
}
```

Revisamos la salida:

```
{
  "date": "09/05/2024 05:24:47",
  "message": "Resource not found"
}
```

### # Paso: 3

**Descripción** Update a Serie JPA

**Resultado Esperado** 201 Created Modificación completada con éxito

Realizamos una petición REST de tipo **PUT** la siguiente URL:

`http://localhost:8080/api/v1/Serie/update?select=false`

The screenshot shows the Postman interface for a PUT request. The request is named "Update a Serie JPA" and is sent to the URL `{{baseUrl}}/api/v1/Serie/update?select=false`. The request body is in JSON format and contains the following data:

```
{
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {

```

The response is also in JSON format and shows a successful creation of the series:

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47
  }
}
```

The status bar at the bottom indicates a 201 Created response with a response time of 643 ms and a body size of 492 B.

Con el siguiente body

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
```

```

        "name": "Gavra",
        "age": 47,
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

Revisamos la salida:

```

{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
    "foundationYear": 1955
  },
  "actors": [
    {
      "id": 502,
      "name": "Eward",
      "age": 4,
      "nationality": "Japanese"
    }
  ]
}

```

<b># Paso:</b>	<b>4</b>
<b>Descripción</b>	Update a Serie JPA Incorrect Case
<b>Resultado Esperado</b>	404 Not Found Modificación no realizada no realizada porque no se encuentra la serie a actualizar.

Realizamos una petición REST de tipo **PUT** la siguiente URL:

`http://localhost:8080/api/v1/Serie/update?select=false`

The screenshot shows a REST client interface with the following details:

- Method:** PUT
- URL:** `{{baseUrl}}/api/v1/Serie/update?select=false`
- Body (JSON):**

```

1 {
2   "id": 999999,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47,
9   }
10 }

```
- Response:** 404 Not Found (19 ms, 232 B)
  - Body (JSON):**

```

1 {
2   "date": "09/05/2024 05:28:55",
3   "message": "Resource not found"
4 }

```

Con el siguiente body

```

{
  "id": 999999,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
  }
}

```



```
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}
```

Revisamos la salida:

```
{
  "date": "09/05/2024 05:28:55",
  "message": "Resource not found"
}
```

**# Paso: 5****Descripción** Save a new Serie Criteria**Resultado Esperado** 201 Created Insercion realizada con exito

Realizamos una petición REST de tipo POST la siguiente URL:

<http://localhost:8080/api/v1/Serie/save?select=true>

The screenshot shows a REST client interface with the following details:

- URL:** `{{baseUrl}}/api/v1/Serie/save?select=true`
- Method:** POST
- Body (raw):**

```
{
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  }
}
```
- Response (pretty):**

```
{
  "id": 1002,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47
  }
}
```
- Status:** 201 Created, 86 ms, 495 B

Con el siguiente body

```
{
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,

```

```

        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Edward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

Revisamos la salida:

```

{
    "id": 1002,
    "title": "Friends",
    "releaseYear": 2006,
    "director": {
        "id": 3,
        "name": "Gavra",
        "age": 47,
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Edward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

**# Paso: 6****Descripción** Save a new Serie Criteria Incorrect Case**Resultado Esperado** 422 Unprocessable Entity (WebDAV) (RFC 4918) Insercion fallida por invalidez de algun campo

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/save?select=true`

The screenshot shows a REST client interface. At the top, the method is set to **POST** and the URL is `{{baseUrl}}/api/v1/Serie/save?select=true`. Below the URL bar, tabs for Params, Auth, Headers (11), Body, Scripts, Tests, and Settings are visible. The **Body** tab is selected, and the format is set to **JSON**. The request body is a JSON object:

```
{
  "title": "",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  }
}
```

Below the request body, the response is shown. The status is **422 Unprocessable Entity (WebDAV) (RFC 4918)** with a response time of 50 ms and a size of 259 B. The response body is a JSON object:

```
{
  "date": "09/05/2024 05:33:59",
  "message": "Invalid fields"
}
```

Con el siguiente body

```
{
  "title": "",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,
```

```
      "name": "praesent id massa id nisl venenatis lacinia aenean sit amet  
justo morbi ut odio cras mi",  
      "foundationYear": 1955  
    },  
    "actors": [  
      {  
        "id": 502,  
        "name": "Edward",  
        "age": 4,  
        "nationality": "Japanese"  
      }  
    ]  
  }  
}
```

Revisamos la salida:

```
{  
  "date": "09/05/2024 05:33:59",  
  "message": "Invalid fields"  
}
```

**# Paso: 7****Descripción** Save a new Serie JPA**Resultado Esperado** 201 Created Insercion realizada con exito

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/save?select=false`

The screenshot shows a REST client interface with the following details:

- URL:** `{{baseUrl}}/api/v1/Serie/save?select=false`
- Method:** POST
- Body Type:** JSON
- Response Status:** 201 Created
- Response Time:** 39 ms
- Response Size:** 495 B
- Response Body (JSON):**

```
{
  "id": 1003,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47
  }
}
```

Con el siguiente body

```
{
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
```

```

        "age": 47,
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

Revisamos la salida:

```

{
  "id": 1003,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
    "foundationYear": 1955
  },
  "actors": [
    {
      "id": 502,
      "name": "Eward",
      "age": 4,
      "nationality": "Japanese"
    }
  ]
}

```

**# Paso: 8****Descripción** Save a new Serie JPA Incorrect Case**Resultado Esperado** 422 Unprocessable Entity (WebDAV) (RFC 4918) Insercion fallida por invalidez de un campo

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/save?select=false`

The screenshot shows a REST client interface with the following details:

- URL:** `{{baseUrl}}/api/v1/Serie/save?select=false`
- Method:** POST
- Body (raw):**

```
1 {
2
3   "title": "",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47,
9     "nationality": "American"
```
- Status:** 422 Unprocessable Entity (WebDAV) (RFC ...)
- Response Body (pretty):**

```
1 {
2   "date": "09/05/2024 05:37:42",
3   "message": "Invalid fields"
4 }
```

Con el siguiente body

```
{

  "title": "",
  "releaseYear": 2006,
  "director": {
```



```
    "id": 3,  
    "name": "Gavra",  
    "age": 47,  
    "nationality": "American"  
  },  
  "producer": {  
    "id": 1,  
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet  
justo morbi ut odio cras mi",  
    "foundationYear": 1955  
  },  
  "actors": [  
    {  
      "id": 502,  
      "name": "Eward",  
      "age": 4,  
      "nationality": "Japanese"  
    }  
  ]  
}
```

Revisamos la salida:

```
{  
  "date": "09/05/2024 05:37:42",  
  "message": "Invalid fields"  
}
```

## # Paso: 9

**Descripción** Get Serie by id Criteria

**Resultado Esperado** 200 OK Solicitud completada correctamente

Realizamos una petición REST de tipo **GET** la siguiente URL:

http://localhost:8080/api/v1/Serie/getSerie?select=true&id=1

The screenshot shows a REST client interface with the following components:

- URL Bar:** Displays the URL `http://localhost:8080/api/v1/Serie/getSerie?select=true&id=1`. The breadcrumb path is `Practice 3 / ... / v1 / Serie / getSerie / Get Serie by id Criteria`.
- Method and URL:** A dropdown menu shows `GET` and the URL `{{baseUrl}}/api/v1/Serie/getSerie?select=true&id=1`. A `Send` button is next to it.
- Params Tab:** The `Params` tab is active, showing a table of query parameters.
- Query Params Table:**

<input checked="" type="checkbox"/>	Key	Value	Descri...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	true	(Required) True if Cri...		
<input checked="" type="checkbox"/>	id	1	(Required) Id of the S...		
	Key	Value	Description		

- Body Tab:** The `Body` tab is active, showing the response status `200 OK`, time `26 ms`, and size `487 B`. It includes a `Save as example` button.
- Response Format:** The `Pretty` tab is selected, displaying the JSON response in a formatted view.
- JSON Response:**

```
1 {
2   "id": 1,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47
```

Revisamos la salida:

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
```

```
    "age": 47,  
    "nationality": "American"  
  },  
  "producer": {  
    "id": 1,  
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet  
justo morbi ut odio cras mi",  
    "foundationYear": 1955  
  },  
  "actors": [  
    {  
      "id": 502,  
      "name": "Eward",  
      "age": 4,  
      "nationality": "Japanese"  
    }  
  ]  
}
```

# Paso: 10

Descripción Get Serie by id Criteria Incorrect Case

Resultado Esperado 404 Not Found Solicitud fallida por que no se encuentra la serie

Realizamos una petición REST de tipo **GET** la siguiente URL:

`http://localhost:8080/api/v1/Serie/getSerie?select=true&id=189888`

The screenshot shows a REST client interface with the following details:

- URL Bar:** Method: GET, URL: `{{baseUrl}}/api/v1/Serie/getSerie?select=true&id=189888`, Send button.
- Params Tab:** Query Params table with columns: Key, Value, Description, Bulk Edit.

<input checked="" type="checkbox"/>	Key	Value	Description	Bulk Edit
<input checked="" type="checkbox"/>	select	true	(Required) True if Cri...	
<input checked="" type="checkbox"/>	id	189888	(Required) Id of the S...	
	Key	Value	Description	
- Body Tab:** Status: 404 Not Found, 14 ms, 232 B. Response format: JSON. Response body:

```
{
  "date": "09/05/2024 05:41:10",
  "message": "Resource not found"
}
```

Revisamos la salida:

```
{
  "date": "09/05/2024 05:41:10",
  "message": "Resource not found"
}
```

**# Paso:** 11

**Descripción** Get Serie by id JPA

**Resultado Esperado** 200 OK Solicitud completada con exito

Realizamos una petición REST de tipo **GET** la siguiente URL:

`http://localhost:8080/api/v1/Serie/getSerie?select=false&id=1`

The screenshot shows a REST client interface with the following details:

- URL Bar:** Method: GET, URL: `{{baseUrl}}/api/v1/Serie/getSerie?select=false&id=1`, Send button.
- Params Tab:** Query Params table with 3 rows:

Key	Value	Description
select	false	(Required) True if Cri...
id	1	(Required) Id of the S...
- Body Tab:** Response status: 200 OK, 22 ms, 487 B. Response format: JSON. The response body is a JSON object:

```
{  "id": 1,  "title": "Friends",  "releaseYear": 2006,  "director": {    "id": 3,    "name": "Gavra",    "age": 47  }}
```

Revisamos la salida:

```
{  "id": 1,  "title": "Friends",  "releaseYear": 2006,  "director": {    "id": 3,
```

```
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
    "foundationYear": 1955
  },
  "actors": [
    {
      "id": 502,
      "name": "Eward",
      "age": 4,
      "nationality": "Japanese"
    }
  ]
}
```

## # Paso: 12

**Descripción** Get Serie by id JPA Incorrect Case

**Resultado Esperado** 404 Not Found Solicitud fallida porque no se encuentra la serie

Realizamos una petición REST de tipo **GET** la siguiente URL:

```
http://localhost:8080/api/v1/Serie/getSerie?select=false&id=123423
```

The screenshot shows a REST client interface with the following details:

- URL Bar:** `GET` method, URL: `{{baseUrl}}/api/v1/Serie/getSerie?select=false&id=1...`, **Send** button.
- Params:** **Query Params** tab selected.
- Query Params Table:**

<input checked="" type="checkbox"/>	Key	Value	Descri...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	false	(Required) True if Cri...		
<input checked="" type="checkbox"/>	id	123423	(Required) Id of the S...		
	Key	Value	Description		
- Body:** **404 Not Found**, 13 ms, 232 B. **Save as example** button.
- Response View:** **Pretty** tab selected, showing JSON:

```
{
  "date": "09/05/2024 05:43:50",
  "message": "Resource not found"
}
```

Revisamos la salida:

```
{
  "date": "09/05/2024 05:43:50",
  "message": "Resource not found"
}
```

**# Paso: 13****Descripción** Get all Series Criteria**Resultado Esperado** 200 OK Solicitud completada con exito

Realizamos una petición REST de tipo **GET** la siguiente URL:

```
http://localhost:8080/api/v1/Serie/getAllSeries?select=true
```

GET Get all Series Criteria

Practice 3 / ... / S... / getAllSeries / Get all Series Criteria

GET {{baseUrl}}/api/v1/Serie/getAllSeries?select=true

Send

Params Auth Headers (8) Body Scripts Tests Settings

Query Params

<input checked="" type="checkbox"/>	Key	Value	Descri...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	true	(Required) True if Cri...		
	Key	Value	Description		

Body

200 OK 2.52 s 330.45 KB Save as example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "id": 1,
4     "title": "Friends",
5     "releaseYear": 2006,
6     "director": {
7       "id": 3,
8       "name": "Gavra"
```

Revisamos la salida:

```
[
  {
    "id": 1,
    "title": "Friends",
    "releaseYear": 2006,
```



```
    "director": {
      "id": 3,
      "name": "Gavra",
      "age": 47,
      "nationality": "American"
    },
    "producer": {
      "id": 1,
      "name": "praesent id massa id nisl venenatis lacinia aenean sit
amet justo morbi ut odio cras mi",
      "foundationYear": 1955
    },
    "actors": [
      {
        "id": 502,
        "name": "Eward",
        "age": 4,
        "nationality": "Japanese"
      }
    ]
  },
  {
    "id": 2,
    "title": "tincidunt nulla mollis molestie lorem quisque ut erat c
...

```

**# Paso:** 14

**Descripción** Get all Series JPA

**Resultado Esperado** 200 OK Solicitud completada con éxito

Realizamos una petición REST de tipo **GET** la siguiente URL:

`http://localhost:8080/api/v1/Serie/getAllSeries?select=false`

The screenshot shows a REST client interface with a GET request to `{{baseUrl}}/api/v1/Serie/getAllSeries?select=false`. The request is sent, resulting in a 200 OK response. The response body is displayed in JSON format, showing a list of series. The visible part of the JSON is:

```
[
  {
    "id": 1,
    "title": "Friends",
    "releaseYear": 2006,
    "director": {
      "id": 3,
```

Revisamos la salida:

```
[
  {
    "id": 1,
    "title": "Friends",
    "releaseYear": 2006,
    "director": {
      "id": 3,
      "name": "Gavra",
      "age": 47,
```

```

        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit
amet justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
},
{
    "id": 2,
    "title": "tincidunt nulla mollis molestie lorem quisque ut erat c
...

```

**# Paso:** **15**

**Descripción** Delete a Serie Criteria

**Resultado Esperado** 204 No Solicitud completada con exito

Realizamos una petición REST de tipo **DELETE** la siguiente URL:

<http://localhost:8080/api/v1/Serie/delete?select=true&id=1>

DELETE

{{baseUrl}}/api/v1/Serie/delete?select=true&id=1

Send

ParamsAuthHeaders (8)BodyScriptsTestsSettings

Query Params

<input checked="" type="checkbox"/>	Key	Value	Descrip...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	true	(Required) True if Crit...		
<input checked="" type="checkbox"/>	id	1	(Required) Id of the S...		
	Key	Value	Description		

Body

204 No Content30 ms152 B

Save as example


PrettyRawPreviewVisualizeText


1



**# Paso: 16****Descripción** Delete a Serie JPA**Resultado Esperado** 204 No Solicitud completada con exito



Realizamos una petición REST de tipo **DELETE** la siguiente URL:

```
http://localhost:8080/api/v1/Serie/delete?select=false&id=2
```


 Practice 3 / api / v1 / Serie / delete / Delete a Serie JPA





 Save




**DELETE**  `{{baseUrl}}/api/v1/Serie/delete?select=false&id=2` **Send** 

Params  Auth Headers (8) Body Scripts Tests Settings 

Query Params

<input checked="" type="checkbox"/>	Key	Value	Descrip...	 Bulk Edit
<input checked="" type="checkbox"/>	select	false	(Required) True if Crit...	
<input checked="" type="checkbox"/>	id	2	(Required) Id of the S...	
	Key	Value	Description	

body   204 No Content 12 ms 152 B  Save as example 

Pretty Raw Preview Visualize Text   

1