

Ejecución Automática de Caso de Test	
Dominio	Proyecto
Aplicación	Ámbito Ejecución
Practica films	Online
Descripción	Pre-requisitos
Prueba unitaria para series	
Tester Ejecución	Fecha Ejecución
	09/05/2024

Paso: 1

Descripción Update a Serie Criteria

Resultado Esperado 201 Created Modificacion completada con exito

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/update?select=true`

The screenshot shows a REST client interface with a PUT request to `{{baseUrl}}/api/v1/Serie/update?select=true`. The request body is in JSON format, containing details for a series named "Friends" and its director "Gavra". The interface includes tabs for Params, Auth, Headers (11), Body (selected), Scripts, Tests, and Settings. The Body tab shows the raw JSON data. Below the request, the response body is displayed in a "Pretty" format, showing a successful update response.

```
1 {
2   "id": 1,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47,
9     "nationality": "American"
10  }
```

Body ▾ 201 Created 1053 ms 492 B Save as example ⋮

Pretty Raw Preview Visualize JSON ▾

```
1 {
2   "id": 1,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47,
```

Con el siguiente body

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
```

```
    "id": 1,
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
    "foundationYear": 1955
  },
  "actors": [
    {
      "id": 502,
      "name": "Eward",
      "age": 4,
      "nationality": "Japanese"
    }
  ]
}
```

Revisamos la salida:

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
    "foundationYear": 1955
  },
  "actors": [
    {
      "id": 502,
      "name": "Eward",
      "age": 4,
      "nationality": "Japanese"
    }
  ]
}
```

# Paso:	2
Descripción	Update a Serie Criteria Incorrect Case
Resultado Esperado	404 Not Found Modificación no realizada no realizada porque no se encuentra la serie a actualizar.

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/update?select=true`

The screenshot shows a REST client interface with the following details:

- Method:** PUT
- URL:** `{{baseUrl}}/api/v1/Serie/update?select=true`
- Body Type:** JSON
- Request Body (raw):**

```

1 {
2   "id": 9999999,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47,
9     "nationality": "American"
10  }
11 }
```
- Response:** 404 Not Found, 34 ms, 232 B
- Response Body (Pretty):**

```

1 {
2   "date": "09/05/2024 05:24:47",
3   "message": "Resource not found"
4 }
```

Con el siguiente body

```

{
  "id": 9999999,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  }
}
```

```
    },
    "producer": {
      "id": 1,
      "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
      "foundationYear": 1955
    },
    "actors": [
      {
        "id": 502,
        "name": "Eward",
        "age": 4,
        "nationality": "Japanese"
      }
    ]
  }
}
```

Revisamos la salida:

```
{
  "date": "09/05/2024 05:24:47",
  "message": "Resource not found"
}
```

Paso: 3

Descripción Update a Serie JPA

Resultado Esperado 201 Created Modificación completada con éxito

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/update?select=false`

The screenshot shows the Postman interface for a PUT request. The URL is `{{baseUrl}}/api/v1/Serie/update?select=false`. The request body is a JSON object representing a series update. The response is a 201 Created status with a 643 ms response time and 492 B body size. The response body is shown in both raw and pretty formats.

```
PUT Update a Serie JPA
```

Practice 3 / api / v1 / Serie / update / Update a Serie JPA

PUT `{{baseUrl}}/api/v1/Serie/update?select=false` Send

Params Auth Headers (11) Body Scripts Tests Settings Cookies Beautify

raw JSON

```
4 {
5   "releaseYear": 2006,
6   "director": {
7     "id": 3,
8     "name": "Gavra",
9     "age": 47,
10    "nationality": "American"
11  },
12  "producer": {
```

Body 201 Created 643 ms 492 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 1,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47
```

Con el siguiente body

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
```

```

        "name": "Gavra",
        "age": 47,
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

Revisamos la salida:

```

{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
    "foundationYear": 1955
  },
  "actors": [
    {
      "id": 502,
      "name": "Eward",
      "age": 4,
      "nationality": "Japanese"
    }
  ]
}

```

# Paso:	4
Descripción	Update a Serie JPA Incorrect Case
Resultado Esperado	404 Not Found Modificación no realizada no realizada porque no se encuentra la serie a actualizar.

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/update?select=false`

The screenshot shows a REST client interface with the following details:

- Method:** PUT
- URL:** `{{baseUrl}}/api/v1/Serie/update?select=false`
- Body Type:** JSON
- Request Body (Raw):**

```

1 {
2   "id": 999999,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47,
9   }
10 }

```
- Response:** 404 Not Found (19 ms, 232 B)
- Response Body (Pretty):**

```

1 {
2   "date": "09/05/2024 05:28:55",
3   "message": "Resource not found"
4 }

```

Con el siguiente body

```

{
  "id": 999999,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
  }
}

```



```
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}
```

Revisamos la salida:

```
{
  "date": "09/05/2024 05:28:55",
  "message": "Resource not found"
}
```

Paso: 5**Descripción** Save a new Serie Criteria**Resultado Esperado** 201 Created Insercion realizada con exito

Realizamos una petición REST de tipo POST la siguiente URL:

<http://localhost:8080/api/v1/Serie/save?select=true>

The screenshot shows a REST client interface with the following details:

- URL:** `{{baseUrl}}/api/v1/Serie/save?select=true`
- Method:** POST
- Body (raw):**

```
{
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  }
}
```
- Response (pretty):**

```
{
  "id": 1002,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47
  }
}
```
- Status:** 201 Created, 86 ms, 495 B
- Buttons:** Save, Send, Cookies, Beautify, Pretty, Raw, Preview, Visualize, JSON, Copy, Search.

Con el siguiente body

```
{
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,

```

```

        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

Revisamos la salida:

```

{
    "id": 1002,
    "title": "Friends",
    "releaseYear": 2006,
    "director": {
        "id": 3,
        "name": "Gavra",
        "age": 47,
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

Paso: 6**Descripción** Save a new Serie Criteria Incorrect Case**Resultado Esperado** 422 Unprocessable Entity (WebDAV) (RFC 4918) Insercion fallida por invalidez de algun campo

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/save?select=true`

The screenshot shows a REST client interface. The method is POST and the URL is `{{baseUrl}}/api/v1/Serie/save?select=true`. The request body is a JSON object:

```
{
  "title": "",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  }
}
```

The response is a 422 Unprocessable Entity (WebDAV) (RFC 4918) with a status of 50 ms and 259 B. The response body is a JSON object:

```
{
  "date": "09/05/2024 05:33:59",
  "message": "Invalid fields"
}
```

Con el siguiente body

```
{
  "title": "",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,

```

```
      "name": "praesent id massa id nisl venenatis lacinia aenean sit amet  
justo morbi ut odio cras mi",  
      "foundationYear": 1955  
    },  
    "actors": [  
      {  
        "id": 502,  
        "name": "Edward",  
        "age": 4,  
        "nationality": "Japanese"  
      }  
    ]  
  }  
}
```

Revisamos la salida:

```
{  
  "date": "09/05/2024 05:33:59",  
  "message": "Invalid fields"  
}
```

Paso: 7**Descripción** Save a new Serie JPA**Resultado Esperado** 201 Created Insercion realizada con exito

Realizamos una petición REST de tipo POST la siguiente URL:

```
http://localhost:8080/api/v1/Serie/save?select=false
```

The screenshot shows a REST client interface with the following details:

- URL:** `{{baseUrl}}/api/v1/Serie/save?select=false`
- Method:** POST
- Body:** JSON (raw view)

```
{
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nickname": "Gavran"
  }
}
```
- Response:** 201 Created, 39 ms, 495 B. The response body is shown in a pretty-printed JSON format:

```
{
  "id": 1003,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47,
    "nickname": "Gavran"
  }
}
```

Con el siguiente body

```
{
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
```

```

        "age": 47,
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

Revisamos la salida:

```

{
    "id": 1003,
    "title": "Friends",
    "releaseYear": 2006,
    "director": {
        "id": 3,
        "name": "Gavra",
        "age": 47,
        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
}

```

Paso: 8**Descripción** Save a new Serie JPA Incorrect Case**Resultado Esperado** 422 Unprocessable Entity (WebDAV) (RFC 4918) Insercion fallida por invalidez de un campo

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/save?select=false`

The screenshot shows a REST client interface with the following details:

- URL:** `{{baseUrl}}/api/v1/Serie/save?select=false`
- Method:** POST
- Body (raw):**

```
1 {
2
3   "title": "",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47,
9     "nationality": "American"
```
- Status:** 422 Unprocessable Entity (WebDAV) (RFC ...)
- Response Body (pretty):**

```
1 {
2   "date": "09/05/2024 05:37:42",
3   "message": "Invalid fields"
4 }
```

Con el siguiente body

```
{

  "title": "",
  "releaseYear": 2006,
  "director": {
```



```
    "id": 3,  
    "name": "Gavra",  
    "age": 47,  
    "nationality": "American"  
  },  
  "producer": {  
    "id": 1,  
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet  
justo morbi ut odio cras mi",  
    "foundationYear": 1955  
  },  
  "actors": [  
    {  
      "id": 502,  
      "name": "Eward",  
      "age": 4,  
      "nationality": "Japanese"  
    }  
  ]  
}
```

Revisamos la salida:

```
{  
  "date": "09/05/2024 05:37:42",  
  "message": "Invalid fields"  
}
```

Paso: 9**Descripción** Get Serie by id Criteria**Resultado Esperado** 200 OK Solicitud completada correctamente

Realizamos una petición REST de tipo POST la siguiente URL:

http://localhost:8080/api/v1/Serie/getSerie?select=true&id=1

The screenshot shows a REST client interface with the following components:

- URL Bar:** Displays the URL `http://localhost:8080/api/v1/Serie/getSerie?select=true&id=1`. The breadcrumb path is `Practice 3 / ... / v1 / Serie / getSerie / Get Serie by id Criteria`.
- Method and URL:** A dropdown menu shows `GET` and the URL `{{baseUrl}}/api/v1/Serie/getSerie?select=true&id=1`. A `Send` button is to the right.
- Params Tab:** The `Params` tab is active, showing a table of query parameters.
- Query Params Table:**

<input checked="" type="checkbox"/>	Key	Value	Descri...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	true	(Required) True if Cri...		
<input checked="" type="checkbox"/>	id	1	(Required) Id of the S...		
	Key	Value	Description		

Below the table is a `Body` tab with a dropdown arrow. To the right of the body tab, the status `200 OK`, time `26 ms`, size `487 B`, and a `Save as example` button are visible.

The `Body` tab is active, showing the JSON response in `Pretty` format:

```
1 {
2   "id": 1,
3   "title": "Friends",
4   "releaseYear": 2006,
5   "director": {
6     "id": 3,
7     "name": "Gavra",
8     "age": 47
```

Revisamos la salida:

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
```

```
    "age": 47,  
    "nationality": "American"  
  },  
  "producer": {  
    "id": 1,  
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet  
justo morbi ut odio cras mi",  
    "foundationYear": 1955  
  },  
  "actors": [  
    {  
      "id": 502,  
      "name": "Eward",  
      "age": 4,  
      "nationality": "Japanese"  
    }  
  ]  
}
```

Paso: 10

Descripción Get Serie by id Criteria Incorrect Case

Resultado Esperado 404 Not Found Solicitud fallida por que no se encuentra la serie

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/getSerie?select=true&id=189888`

Practice 3 / ... / Get Serie by id Criteria Incorrect Case

GET `{{baseUrl}}/api/v1/Serie/getSerie?select=true&id=189888` Send

Params • Auth Headers (8) Body Scripts Tests Settings

Query Params

<input checked="" type="checkbox"/>	Key	Value	Descri...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	true	(Required) True if Cri...		
<input checked="" type="checkbox"/>	id	189888	(Required) Id of the S...		
	Key	Value	Description		

Body `404 Not Found 14 ms 232 B` Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "date": "09/05/2024 05:41:10",
3   "message": "Resource not found"
4 }
```

Revisamos la salida:

```
{
  "date": "09/05/2024 05:41:10",
  "message": "Resource not found"
}
```

Paso: 11

Descripción Get Serie by id JPA

Resultado Esperado 200 OK Solicitud completada con exito

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/getSerie?select=false&id=1`

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** `{{baseUrl}}/api/v1/Serie/getSerie?select=false&id=1`
- Params:** select=false, id=1
- Status:** 200 OK, 22 ms, 487 B
- Body:**

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
    "name": "Gavra",
    "age": 47
  }
}
```

Revisamos la salida:

```
{
  "id": 1,
  "title": "Friends",
  "releaseYear": 2006,
  "director": {
    "id": 3,
```

```
    "name": "Gavra",
    "age": 47,
    "nationality": "American"
  },
  "producer": {
    "id": 1,
    "name": "praesent id massa id nisl venenatis lacinia aenean sit amet
justo morbi ut odio cras mi",
    "foundationYear": 1955
  },
  "actors": [
    {
      "id": 502,
      "name": "Eward",
      "age": 4,
      "nationality": "Japanese"
    }
  ]
}
```

Paso: 12

Descripción Get Serie by id JPA Incorrect Case

Resultado Esperado 404 Not Found Solicitud fallida porque no se encuentra la serie

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/getSerie?select=false&id=123423`

The screenshot shows a REST client interface with the following details:

- URL Bar:** `GET {{baseUrl}}/api/v1/Serie/getSerie?select=false&id=1...`
- Params Tab:** Contains a table for Query Params.
- Query Params Table:**

<input checked="" type="checkbox"/>	Key	Value	Descri...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	false	(Required) True if Cri...		
<input checked="" type="checkbox"/>	id	123423	(Required) Id of the S...		
	Key	Value	Description		

- Body Tab:** Shows the response status and headers.
- Response Status:** `404 Not Found`, `13 ms`, `232 B`.
- Response Body:** A JSON object in Pretty view.

```
{
  "date": "09/05/2024 05:43:50",
  "message": "Resource not found"
}
```

Revisamos la salida:

```
{
  "date": "09/05/2024 05:43:50",
  "message": "Resource not found"
}
```

Paso: 13**Descripción** Get all Series Criteria**Resultado Esperado** 200 OK Solicitud completada con éxito

Realizamos una petición REST de tipo POST la siguiente URL:

```
http://localhost:8080/api/v1/Serie/getAllSeries?select=true
```

GET Get all Series Criteria

Practice 3 / ... / S... / getAllSeries / Get all Series Criteria

GET {{baseUrl}}/api/v1/Serie/getAllSeries?select=true

Send

Params Auth Headers (8) Body Scripts Tests Settings

Query Params

<input checked="" type="checkbox"/>	Key	Value	Descri...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	true	(Required) True if Cri...		
	Key	Value	Description		

Body

200 OK 2.52 s 330.45 KB Save as example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "id": 1,
4     "title": "Friends",
5     "releaseYear": 2006,
6     "director": {
7       "id": 3,
8       "name": "Gavra"
```

Revisamos la salida:

```
[
  {
    "id": 1,
    "title": "Friends",
    "releaseYear": 2006,
```



```
    "director": {
      "id": 3,
      "name": "Gavra",
      "age": 47,
      "nationality": "American"
    },
    "producer": {
      "id": 1,
      "name": "praesent id massa id nisl venenatis lacinia aenean sit
amet justo morbi ut odio cras mi",
      "foundationYear": 1955
    },
    "actors": [
      {
        "id": 502,
        "name": "Eward",
        "age": 4,
        "nationality": "Japanese"
      }
    ]
  },
  {
    "id": 2,
    "title": "tincidunt nulla mollis molestie lorem quisque ut erat c
...

```

Paso: 14

Descripción Get all Series JPA

Resultado Esperado 200 OK Solicitud completada con exito

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/getAllSeries?select=false`

The screenshot shows a REST client interface. At the top, a dropdown menu is set to 'GET' and the URL is `{{baseUrl}}/api/v1/Serie/getAllSeries?select=false`. A 'Send' button is to the right. Below the URL bar, there are tabs for 'Params', 'Auth', 'Headers (8)', 'Body', 'Scripts', 'Tests', and 'Settings'. The 'Params' tab is active, showing a table of query parameters.

<input checked="" type="checkbox"/>	Key	Value	Descri...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	false	(Required) True if Cri...		
	Key	Value	Description		

Below the table, the 'Body' tab is active, showing a JSON response in 'Pretty' format. The response is a single object with the following fields:

```
[
  {
    "id": 1,
    "title": "Friends",
    "releaseYear": 2006,
    "director": {
      "id": 3,
      "name": "Gavra",
      "age": 47,
    }
  }
]
```

Revisamos la salida:

```
[
  {
    "id": 1,
    "title": "Friends",
    "releaseYear": 2006,
    "director": {
      "id": 3,
      "name": "Gavra",
      "age": 47,
    }
  }
]
```

```

        "nationality": "American"
    },
    "producer": {
        "id": 1,
        "name": "praesent id massa id nisl venenatis lacinia aenean sit
amet justo morbi ut odio cras mi",
        "foundationYear": 1955
    },
    "actors": [
        {
            "id": 502,
            "name": "Eward",
            "age": 4,
            "nationality": "Japanese"
        }
    ]
},
{
    "id": 2,
    "title": "tincidunt nulla mollis molestie lorem quisque ut erat c
...

```

Paso: **15**

Descripción Delete a Serie Criteria

Resultado Esperado 204 No Solicitud completada con exito

Realizamos una petición REST de tipo POST la siguiente URL:

<http://localhost:8080/api/v1/Serie/delete?select=true&id=1>

DELETE

{{baseUrl}}/api/v1/Serie/delete?select=true&id=1

Send

ParamsAuthHeaders (8)BodyScriptsTestsSettings

Query Params

<input checked="" type="checkbox"/>	Key	Value	Descrip...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	true	(Required) True if Crit...		
<input checked="" type="checkbox"/>	id	1	(Required) Id of the S...		
	Key	Value	Description		

Body

204 No Content30 ms152 B

Save as example


PrettyRawPreviewVisualizeText


1

Paso: 16**Descripción** Delete a Serie JPA**Resultado Esperado** 204 No Solicitud completada con exito

Realizamos una petición REST de tipo POST la siguiente URL:

`http://localhost:8080/api/v1/Serie/delete?select=false&id=2`

 Practice 3 / api / v1 / Serie / delete / Delete a Serie JPA

 Save

DELETE

{{baseUrl}}/api/v1/Serie/delete?select=false&id=2

Send

Params • Auth Headers (8) Body Scripts Tests Settings

Query Params

<input checked="" type="checkbox"/>	Key	Value	Descrip...	...	Bulk Edit
<input checked="" type="checkbox"/>	select	false	(Required) True if Crit...		
<input checked="" type="checkbox"/>	id	2	(Required) Id of the S...		
	Key	Value	Description		

body

204 No Content 12 ms 152 B

Save as example

Pretty Raw Preview Visualize

Text

1