Section 3-4

Jacob Ayers

**MAT 110** 

Lesson #8

# **Objectives**

- Find the five-number-summary of a data set
- Construct boxplots

Purpose of analysis: confirm various conjectures about data

Purpose of analysis: confirm various conjectures about data

In exploratory data analysis (EDA), we organize data using stem-and-leaf plots.

- Measure of central tendency: median
- Measure of variation: IQR
- Graphical representation: Boxplot (aka box-and-whisker plot)

Purpose of analysis: confirm various conjectures about data

In exploratory data analysis (EDA), we organize data using stem-and-leaf plots.

- Measure of central tendency: median
- Measure of variation: IQR
- Graphical representation: Boxplot (aka box-and-whisker plot)

Purpose of EDA: find out what information can be discovered about the data (e.g. center and spread)

The *five-number summary* of a data set includes the following values:

The lowest value (minimum)

- The lowest value (minimum)
- Q<sub>1</sub>

- The lowest value (minimum)
- Q<sub>1</sub>
- The median

- The lowest value (minimum)
- Q<sub>1</sub>
- The median
- Q<sub>3</sub>

- The lowest value (minimum)
- Q<sub>1</sub>
- The median
- Q<sub>3</sub>
- The highest value (maximum)

The *five-number summary* of a data set includes the following values:

- The lowest value (minimum)
- Q<sub>1</sub>
- The median
- Q<sub>3</sub>
- The highest value (maximum)

I'll be demonstrating finding the five-number summary using a calculator, but it can also be done by hand using methods we've seen in previous videos.

Identify the five-number summary and find the interquartile range for the data.

362, 589, 437, 316, 192, 188

Identify the five-number summary and find the interquartile range for the data.

362, 589, 437, 316, 192, 188

Using a graphing calculator:

Min = 188

 $Q_1=192$ 

Median = 339

 $Q_3 = 437$ 

Max = 589

IQR = 437 - 192 = 245

Once we have the five-number summary, we can draw a boxplot.

Once we have the five-number summary, we can draw a boxplot.

A **boxplot** is a graph of a data set obtained by drawing a horizontal line from the minimum data value to  $Q_1$ , drawing a horizontal line from  $Q_3$  to the maximum data value, and drawing a box whose vertical sides pass through  $Q_1$  and  $Q_3$  with a vertical line inside the box passing through the median or  $Q_2$ .

Once we have the five-number summary, we can draw a boxplot.

A **boxplot** is a graph of a data set obtained by drawing a horizontal line from the minimum data value to  $Q_1$ , drawing a horizontal line from  $Q_3$  to the maximum data value, and drawing a box whose vertical sides pass through  $Q_1$  and  $Q_3$  with a vertical line inside the box passing through the median or  $Q_2$ .

We don't have a great method of constructing a boxplot on a calculator or in Sheets, so we'll have to draw them by hand.

The number of meteorites found in 10 states of the United States is 89, 47, 164, 296, 30, 215, 138, 78, 48, 39. Construct a boxplot for the data.

The number of meteorites found in 10 states of the United States is 89, 47, 164, 296, 30, 215, 138, 78, 48, 39. Construct a boxplot for the data.

First, find the five-number summary (30, 47, 83.5, 164, 296).

The number of meteorites found in 10 states of the United States is 89, 47, 164, 296, 30, 215, 138, 78, 48, 39. Construct a boxplot for the data.

First, find the five-number summary (30, 47, 83.5, 164, 296).

Now, we can draw the boxplot.

Construct a boxplot for the data below.

79, 82, 77, 84, 80, 89, 60, 79, 91, 93, 88

First, find the find-number summary (60, 79, 82, 89, 93).

Construct a boxplot for the data below.

79, 82, 77, 84, 80, 89, 60, 79, 91, 93, 88

First, find the find-number summary (60, 79, 82, 89, 93).

Now, we can draw the boxplot.

# **Next Steps**

- Prepare for Midterm 1
- Take Midterm 1
- Begin Module #6
  - Read 4-1
  - Watch Video Lesson #9

Thanks for watching!