

(Applications Development and Emerging Technologies)

PRE-SUMMATIVE ASSESSMENT

1

PHP OUTPUT AND VARIABLE FAMILARIZATION

Student Name / Group Name:	Jade Carlos A. Castillo	
Members (if Group):	Name	Role
Section:	TW22	
Professor:	Joseph Calleja	

I. PROGRAM OUTCOME/S (PO) ADDRESSED BY THE LABORATORY EXERCISE

- Design, implement and evaluate computer-based systems or applications to meet desired needs and requirements.

II. COURSE LEARNING OUTCOME/S (CLO) ADDRESSED BY THE LABORATORY EXERCISE

- Understand and apply best practices and standards in the development of website.

III. INTENDED LEARNING OUTCOME/S (ILO) OF THE LABORATORY EXERCISE

At the end of this exercise, students must be able to:

- Familiarize various Web Architecture, tools that used in PHP
- The basic understanding before using PHP
- Familiarize in environment of web developing
- Use of comments, variables and Echo / Print

IV. BACKGROUND INFORMATION

An introduction to PHP web programming

Running PHP Scripts

```
<!-- welcome.php -->
<html>
<head>
<title>My PHP</title>
</head>
<body>

<?php
    echo 'Welcome to PHP';
?>

</body>
</html>
```

All php scripts must enclosed with

<?php ... ?> (standard tag)

<? ... ?> (short open tag)


<script language="php">

....

</script> (script tag)

<% ... %> (asp style tag)

OUTPUT:




An introduction to PHP web programming

Using ' ' (pair single quote), " " (pair double quotes) and . (dot character) PHP

Example:

```
<?php
$name = "Juan";
echo "$name's Store". "<br/>";
echo "'$name's Store' ". "<br/>";
//statements below will produced errors
//echo "displaying double quote" ";
//echo "dispalying single quote ' ";
?>
```

Output:



Example

Write some text to the output:

```
<?php
echo "Hello world!";
?>
```

Definition and Usage

The echo() function outputs one or more strings.

Note: The echo() function is not actually a function, so you are not required to use parentheses with it. However, if you want to pass more than one parameter to echo(), using parentheses will generate a parse error.

Tip: The echo() function is slightly faster than print().

Tip: The echo() function also has a shortcut syntax. Prior to PHP 5.4.0, this syntax only works with the short_open_tag configuration setting enabled.

Syntax

echo(*strings*)

Parameter Values

Parameter	Description
strings	Required. One or more strings to be sent to the output

Technical Details

Return Value: No value is returned

PHP Version: 4+

More Examples

Write the value of the string variable (\$str) to the output:

```
<?php
$str = "Hello world!";
echo $str;
?>
```

Join two string variables together:

```
<?php
$str1="Hello world!";
$str2="What a nice day!";
echo $str1 . " " . $str2;
?>
```

Write the value of an array to the output:

```
<?php
$age=array("Peter"=>"35");
echo "Peter is " . $age['Peter'] . " years old.";
?>
```

Write some text to the output:

```
<?php
echo "This text
spans multiple
lines.";
?>
```

How to use multiple parameters:

```
<?php
echo 'This ', 'string ', 'was ', 'made ', 'with multiple parameters.';
?>
```

Difference of single and double quotes. Single quotes will print the variable name, not the value:

```
<?php
$color = "red";
echo "Roses are $color";
echo "<br>";
echo 'Roses are $color';
?>
```

PHP Variables

Creating (Declaring) PHP Variables

In PHP, a variable starts with the `$` sign, followed by the name of the variable:

Example

```
<?php
$txt = "Hello world!";
$x = 5;
$y = 10.5;
?>
```

After the execution of the statements above, the variable `$txt` will hold the value `Hello world!`, the variable `$x` will hold the value `5`, and the variable `$y` will hold the value `10.5`.

Note: When you assign a text value to a variable, put quotes around the value.

Note: Unlike other programming languages, PHP has no command for declaring a variable. It is created the moment you first assign a value to it.

Think of variables as containers for storing data.

PHP Variables

A variable can have a short name (like `x` and `y`) or a more descriptive name (`age`, `carname`, `total_volume`).

Rules for PHP variables:

- A variable starts with the `$` sign, followed by the name of the variable
- A variable name must start with a letter or the underscore character
- A variable name cannot start with a number
- A variable name can only contain alpha-numeric characters and underscores (A-z, 0-9, and `_`)
- Variable names are case-sensitive (`$age` and `$AGE` are two different variables)

Remember that PHP variable names are case-sensitive!

Output Variables

The PHP `echo` statement is often used to output data to the screen. The following example will show how to output text and a variable:

Example

```
<?php
$txt = "W3Schools.com";
echo "I love $txt!";
?>
```

The following example will output the sum of two variables:


Example

```
<?php
$x = 5;
$y = 4;
echo $x + $y;
?>
```

V. GRADING SYSTEM / RUBRIC (please see separate sheet)

VI. LABORATORY ACTIVITY

1. The student will create their own portfolio using HTML and CSS with the integration of PHP Scripts
2. Refer to the samples below



KEN CORDOVA

SANFORD, FL

718-570-5700
mail@kencordova.com
www.kencordova.com



EXPERTISE

Leadership
Vendor Management
Operations
Project Management
IT Management
Systems Support
Customer Experience
Governance & Compliance
Process Design & Optimization
Cyber Security
Training
Telecommunications
Wireless

OPERATIONAL SKILLS

Finance
Sales Operations
Business to Business
Retail
Fraud Prevention
Indirect
Training
Information Technology

REFERENCES

KRIS FANNIN
CEO, Founder Intelivate
kris.fannin@intelivate.com
Twitter: @krisfannin
www.intelivate.com

JOSE MENDOZA
Director - Verizon
jose.mendoza@verizon.com
mendoza1

KAREN KENNEDY
Consultant - Verizon
https://www.linkedin.com/in/kennedy082424/

PROFILE

I am a successful & aggressive leader with 20+ years of experience, of which 15 years were with Top Fortune 15 organizations. I have an extensive portfolio of overhauling business processes and systems while prioritizing the customer and business objectives. In addition, I have a passion for leading teams to surpass strategic goals while investing in their personal and professional growth.

EXPERIENCE

SENIOR MANAGER - CREDIT SYSTEMS & PROCESS STRATEGY

Verizon | Mar 2015 - Present

- Managed Credit system strategy for the entire organization.
- Managed credit support processes for six national call centers.
- Project manage a portfolio of transformational projects geared to reduce costs, improve credit decisions, & the customer experience.

SUPERVISOR - COMPLIANCE & GOVERNANCE

Verizon | Jul 2015 - Mar 2016

- Managed Compliance & Governance efforts across a \$100 million dollar portfolio including Fraud Prevention, Collections, Recovery, Credit & Revenue Assurance teams.
- Managed vendor connectivity, security, & system access.
- Managed and audited vendor profiles, contractual performance & customer experience execution to save over \$25 mil in year one.

SUPERVISOR - FRAUD PREVENTION OPERATIONS

Verizon | Jun 2011 - Jul 2015

- Managed day to day operations including process design, compliance, & Resource Management.
- Managed a vendor portfolio worth \$20 million annually including staffing & systems
- Project managed initiatives including the opening of 4 call centers & various system enhancements improving prevented losses from \$225m to \$375m year over year.

CONSULTANT - NORTHEAST SALES OPERATIONS

Verizon | Jun 2011 - Jul 2015

- Managed customer facing vendors on customer experience & single visit resolution & led Northeast Technical Support team.
- Managed various projects with the aim of automating & simplifying the customer experience including a \$5 mil savings by creating an inspection tool to improve Quality of Inspections.

EDUCATION

MASTER'S - IT MANAGEMENT WITH A SPECIALIZATION IN CYBER SECURITY

Colorado State University | 2015 - May 2017

BACHELOR OF ARTS - BUSINESS

Fairleigh Dickinson University | 2008 - 2013
Summa Cum Laude

3. Use variable for the information provided in the webpage.

Example:

//variable for your firstname

\$firstname = 'Christopher';

VII. QUESTION AND ANSWER

1. What program you use to create your webpage?
I used PHP-based HTML website to load the variables with its assigned values to display the output on the browser with its server-side functionality.
2. What kind of variables that you use in the webpage?
I used simple integer and string variables in which it only requires basic information that is usually found on real-life resume forms.
3. Is it important to study html and css before using PHP?
Yes, this is because they are part of the PHP foundation where it adds database functionalities in which it loads the data via a server-side interaction/storage that is coded in the integrated environment.
4. What are the different ways to produce an output in PHP?
The usual ways to produce an output in PHP is echo, print and printf, which are common from other types of languages like Java and C++.

VIII. REFERENCES

1. https://www.w3schools.com/php/func_string_echo.asp
2. <https://www.w3schools.com/css/>
3. <https://www.w3schools.com/html/>
4. https://www.w3schools.com/php/php_variables.asp
5. <https://dribbble.com/shots/5295835-Free-Resume-Template-For-Developers-With-Portfolio>
6. <https://www.intelivate.com/career-strategy/simple-resume-model-career-portfolio-example>

Snip and paste your source codes here. Snip it directly from the IDE so that colors of the codes are preserved for readability. Include additional pages if necessary.

- HTML/PHP

```
index.php X
module1 > tfa1 > index.php > html > body
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <link rel="stylesheet" href="style.css">
7     <title>Resume</title>
8 </head>
9 <body>
10     <?php
11         $profile = [
12             "name" => "Jade Carlos Castillo",
13             "image" => "https://paraverse.feutech.edu.ph/briefcase/assets/images/avatars/T2024/MD-T202410413.jpg",
14             "githubUser" => "CodexJade",
15             "githubURL" => "https://github.com/CodexJade",
16             "email" => "jadecarlosc@gmail.com",
17             "phone" => "(+63) 921-479-1858"
18         ];
19     >
20     <div class="container">
21         <header class="header">
22             <div class="profile-image">
23                 
24             </div>
25             <div class="contact-name">
26                 <h1><?=$profile['name'] ?></h1>
27             <div class="contact-info">
28                 <p>Email: <a href="mailto:<?=$profile['email'] ?>"><?=$profile['email'] ?></a> | Phone: <?=$profile['phone'] ?></p>
29                 <p>Github: <a href="<?=$profile['githubURL'] ?>" target="_blank"><?=$profile['githubUser'] ?></a></p>
30             </div>
31         </div>
32     </header>
33
34
35     <?php
36         $objectives = [
37             "title" => "Objectives",
38             "text" => "Optimistic and intelligent IT student that aims to achieve better knowledge and pursue certifications
39 for better professions. Honing such talents like coding and engineering, it ensures reliability among
40 other employees who require better workforce to develop more innovations in the selected company."
41         ];
42     >
43     <section class="section" id="objective">
44         <h2><?=$objectives['title']?></h2>
45         <p><?=$objectives['text']?></p>
46     </section>
47
48     <?php
49         $education = [
50             "title" => "Education",
51             "college" => "Bachelor of Science in Information Technology, Specialized in Web and Mobile Applications",
52             "collegeLoc" => "FEU Institute of Technology - Manila, Philippines",
53             "collegeDate" => "October 2025",
54
55             "shs" => "Senior High School",
56             "shsLoc" => "Pasig Catholic College - Pasig, Philippines",
57             "shsDate" => "June 2025",
58
59             "jhs" => "Junior High School",
60             "oldSchoolLoc" => "La Immaculada Concepcion School - Pasig, Philippines",
```

```

61         "jhsDate" => "May 2021",
62
63         "middle" => "Middle School",
64         "middleDate" => "May 2016",
65
66         "elem" => "Elementary School",
67         "elemDate" => "May 2013"
68     ];
69     ?>
70
71     <section class="section" id="education">
72         <h2><?= $education['title']?></h2>
73         <div class="entry">
74             <h3><?= $education['college']?></h3>
75             <p><?= $education['collegeLoc']?></p>
76             <p><?= $education['collegeDate']?></p>
77         </div>
78         <div class="entry">
79             <h3><?= $education['shs']?></h3>
80             <p><?= $education['shsLoc']?></p>
81             <p><?= $education['shsDate']?></p>
82         </div>
83         <div class="entry">
84             <h3><?= $education['jhs']?></h3>
85             <p><?= $education['oldSchoolLoc']?></p>
86             <p><?= $education['jhsDate']?></p>
87         </div>
88         <div class="entry">
89             <h3><?= $education['middle']?></h3>
90             <p><?= $education['oldSchoolLoc']?></p>
91             <p><?= $education['middleDate']?></p>
92         </div>
93         <div class="entry">
94             <h3><?= $education['elem']?></h3>
95             <p><?= $education['oldSchoolLoc']?></p>
96             <p><?= $education['elemDate']?></p>
97         </div>
98     </section>
99
100
101     <?php
102     $experience = [
103         "title" => "Experience",
104         "desc" => "Student Intern - IBM Philippines",
105         "date" => "May 2028 - present",
106         "ex1" => "Created short projects for API development and data analysis",
107         "ex2" => "Assisted senior developers with front-end tasks using HTML, CSS, and JavaScript.",
108         "ex3" => "Collaborated with a team of 5 to organize a fundraising event, exceeding goals by 20%."
109     ];
110     ?>
111
112     <section class="section" id="experience">
113         <h2><?= $experience['title']?></h2>
114         <div class="entry"><?= $experience['desc']?></div>
115         <p class="date"><?= $experience['date']?></p>
116         <ul>
117             <li><?= $experience['ex1']?></li>
118             <li><?= $experience['ex2']?></li>

```

```

118         <li><?=$experience['ex2']?></li>
119         <li><?=$experience['ex3']?></li>
120     </ul>
121 </section>
122
123 <?php
124     $projects = [
125         "title" => "Projects",
126         "desc" => "Better Assist - Web and Mobile App Project",
127         "date" => "April 2024",
128         "text" => "Developed a mobile application for better assistance for persons with disability and elders using API's and Mac
129                 as part of a team for Web and Mobile App Capstone. Responsible for capstone creation and development."
130     ];
131 ?>
132
133 <section class="section" id="projects">
134     <h2><?=$projects['title']?></h2>
135     <div class="entry">
136         <h3><?=$projects['desc']?></h3>
137         <p class="date">Completed: <?=$projects['date']?></p>
138         <p>
139             <?=$projects['text']?>
140         </p>
141     </div>
142 </section>
143
144 <?php
145     $skills = [
146         "title" => "Skills",
147         "programming" => "Java, Python, C++, JavaScript, PHP",

```

```

147         "programming" => "Java, Python, C++, JavaScript, PHP",
148         "webTech" => "HTML, CSS, React",
149         "databases" => "SQL, MongoDB",
150         "tools" => "Git, VS Code, Microsoft Office Suite",
151         "languages" => "English, Filipino",
152         "soft-skills" => "Teamwork, Communication, Problem-Solving, Time Management"
153     ];
154 ?>
155
156 <section class="section" id="skills">
157     <h2><?=$skills['title']?></h2>
158     <ul class="skills-list">
159         <li>Programming: <?=$skills['programming']?></li>
160         <li>Web Technologies: <?=$skills['webTech']?></li>
161         <li>Databases: <?=$skills['databases']?></li>
162         <li>Tools: <?=$skills['tools']?></li>
163         <li>Languages: <?=$skills['languages']?></li>
164         <li>Soft-skills: <?=$skills['soft-skills']?></li>
165     </ul>
166 </section>
167
168 <?php
169     $activities = [
170         "title" => "Activities & Leadership",
171         "treasurer" => "Treasurer - Class Section Organization",
172         "treasurerDate" => "August 2020 - May 2021",
173         "treasurerDesc" => "Organized and managed funds for important events that are scheduled by the school's official student co
174
175         "pres" => "President - Class Section Organization",
176         "presDate" => "August 2024 - May 2025"

```

```

180
181     <section class="section" id="activities">
182         <h2><?= $activities['title'] ?></h2>
183         <div class="entry">
184             <h3><?= $activities['treasurer'] ?></h3>
185             <p class="date"><?= $activities['treasurerDate'] ?></p>
186             <ul>
187                 <li><?= $activities['treasurerDesc'] ?></li>
188             </ul>
189         </div>
190         <div class="entry">
191             <h3><?= $activities['pres'] ?></h3>
192             <p class="date"><?= $activities['presDate'] ?></p>
193             <ul>
194                 <li><?= $activities['presDesc'] ?></li>
195             </ul>
196         </div>
197     </section>
198
199
200     <?php
201     $references = [
202         "title" => "Character References",
203         "name1" => "Crisostomo A. Castillo",
204         "desc1" => "Senior Support Specialist at Wells Fargo",
205         "email1" => "ccrisostomo687@gmail.com",
206         "phone1" => "(+63) 234-567-8910",
207         "relation1" => "IT Mentor",
208
209         "name2" => "Gerard M. Capulong",
210         "desc2" => "Junior Support Specialist at ITP Industries",
211         "email2" => "gcapulong@gmail.com",
212         "phone2" => "(+63) 234-567-8910",
213         "relation2" => "Professional Work Advisor"
214     ];
215
216     <?php
217     <section class="section" id="references">
218         <h2><?= $references['title'] ?></h2>
219         <div class="entry">
220             <h3><?= $references['name1'] ?></h3>
221             <p class="subheading"><?= $references['desc1'] ?></p>
222             <p class="contact">Email : <?= $references['email1'] ?> | Phone: <?= $references['phone1'] ?></p>
223             <p><i>Relationship: <?= $references['relation1'] ?></i></p>
224         </div>
225         <div class="entry">
226             <h3><?= $references['name2'] ?></h3>
227             <p class="subheading"><?= $references['desc2'] ?></p>
228             <p class="contact">Email : <?= $references['email2'] ?> | Phone: <?= $references['phone2'] ?></p>
229             <p><i>Relationship: <?= $references['relation2'] ?></i></p>
230         </div>
231     </section>
232
233 </div>
234 </body>
235 </html>

```

- CSS

```
# style.css  X
module1 > tfa1 > # style.css > ...

1  ∨ body {
2      font-family: 'Segoe UI', sans-serif;
3      margin: 0;
4      padding: 0;
5      background: linear-gradient(to bottom, □#f0f0f0, ■#424242);
6      color: ■#333333;
7      line-height: 1.6;
8  }
9
10 ∨ .container {
11     width: 800px;
12     margin: 30px auto;
13     background-color: □#ffffff;
14     padding: 25px;
15     border-radius: 10px;
16     box-shadow: 0 0 20px □rgba(0, 0, 0, 0.15);
17 }
18
19 ∨ .header {
20     text-align: left;
21     padding-bottom: 20px;
22     border-bottom: 2px solid ■#555555;
23     margin-bottom: 20px;
24     display: flex;
25     flex-direction: row;
26     align-items: center;
27 }
28
```

```
28
29 .header .profile-image {
30     width: 150px;
31     height: 150px;
32     border-radius: 50%;
33     overflow: hidden;
34     margin-right: 25px;
35     margin-bottom: 0;
36     background-color: #cccccc;
37     display: flex;
38     justify-content: center;
39     align-items: center;
40     border: 4px solid #555555;
41     flex-shrink: 0;
42 }
43
44 .header .profile-image img {
45     width: 100%;
46     height: 100%;
47     object-fit: cover;
48 }
49 .header .name-contact {
50     text-align: left;
51 }
52
53 .header h1 {
54     font-family: 'Microsoft Sans Serif', sans-serif;
55     font-size: 3.5em;
56     margin: 10px 0 5px;
```

```

56     margin: 10px 0 5px,
57     color: #222222;
58     letter-spacing: 1px;
59 }
60
61 ✓ .header .contact-info p {
62     margin: 5px 0;
63     font-size: 1em;
64     color: #444444;
65 }
66 ✓ .header .contact-info a {
67     color: #555555;
68     text-decoration: none;
69 }
70 ✓ .header .contact-info a:hover {
71     text-decoration: underline;
72     color: #000000;
73 }
74
75 ✓ .section {
76     margin-bottom: 25px;
77     padding-bottom: 15px;
78     border-bottom: 1px solid #dddddd;
79 }
80 ✓ .section:last-child {
81     border-bottom: none;
82     margin-bottom: 0;
83     padding-bottom: 0;
84 }

```







```
84  }
85
86  .section h2 {
87      font-family: 'Microsoft Sans Serif', sans-serif;
88      font-size: 2.2em;
89      color: #333333;
90      margin-bottom: 15px;
91      letter-spacing: 0.5px;
92  }
93
94  .section p, .section ul {
95      margin-bottom: 10px;
96      font-size: 1em;
97  }
98
99  .section ul {
100      list-style-type: disc;
101      padding-left: 20px;
102  }
103  .section ul li {
104      margin-bottom: 8px;
105  }
106
107  .entry {
108      margin-bottom: 20px;
109  }
110
111  .entry h3 {
```


```
111 .entry h3 {
112     font-family: 'Segoe UI', sans-serif;
113     font-weight: bold;
114     font-size: 1.3em;
115     margin-bottom: 3px;
116     color: #222222;
117 }
118 .entry .subheading {
119     font-family: 'Segoe UI', sans-serif;
120     font-weight: normal;
121     font-size: 1.1em;
122     margin-bottom: 3px;
123     color: #444444;
124 }
125
126
127 .entry .date {
128     font-style: italic;
129     color: #666666;
130     font-size: 0.9em;
131     margin-bottom: 5px;
132 }
133 .entry .school-location {
134     font-size: 0.9em;
135     color: #777777;
136     margin-bottom: 5px;
137 }
138 .entry .contact {
```

```
132 }
133 .entry .school-location {
134     font-size: 0.9em;
135     color: #777777;
136     margin-bottom: 5px;
137 }
138 .entry .contact {
139     font-size: 0.9em;
140     color: #555555;
141 }
142
143
144 .skills-list {
145     list-style-type: none;
146     padding: 0;
147 }
148 .skills-list li {
149     background-color: #666666;
150     color: white;
151     padding: 8px 12px;
152     margin-right: 8px;
153     margin-bottom: 8px;
154     border-radius: 20px;
155     display: inline-block;
156     font-size: 0.9em;
157 }
```

- **Resume Output**







Note: The following rubrics/metrics will be used to grade students' output.

Program (100 pts.)	(Excellent)	(Good)	(Fair)	(Poor)
Program execution (20pts)	Program executes correctly with no syntax or runtime errors (18-20pts)	Program executes with less than 3 errors (15-17pts)	Program executes with more than 3 errors (12-14pts)	Program does not execute (10-11pts)
Correct output (20pts)	Program displays correct output with no errors (18-20pts)	Output has minor errors (15-17pts)	Output has multiple errors (12-14pts)	Output is incorrect (10-11pts)
Design of output (10pts)	Program displays more than expected (10pts)	Program displays minimally expected output (8-9pts)	Program does not display the required output (6-7pts)	Output is poorly designed (5pts)
Design of logic (20pts)	Program is logically well designed (18-20pts)	Program has slight logic errors that do no significantly affect the results (15-17pts)	Program has significant logic errors (3-5pts)	Program is incorrect (10-11pts)
Standards (20pts)	Program code is stylistically well designed (18-20pts)	Few inappropriate design choices (i.e. poor variable names, improper indentation) (15-17pts)	Several inappropriate design choices (i.e. poor variable names, improper indentation) (12-14pts)	Program is poorly written (10-11pts)
Delivery (10pts)	The program was delivered on time. (10pts)	The program was delivered a day after the deadline. (8-9pts)	The program was delivered two days after the deadline. (6-7pts)	The program was delivered more than two days after the deadline. (5pts)