# A STUDY OF INTONATION TENDENCIES OF SOLO VERSUS ENSEMBLE SINGING

JOHANNA DEVANEY
SCHOOL OF MUSIC
THE OHIO STATE UNIVERSITY



Prior Work on Solo Intonation

**Automatically Extracting Intonation Data** 

Empirical Evaluation of Solo and Ensemble Singing

Comparison of Intonation in Solo and Ensemble Singing



- This talk focuses on my work on intonation in trained singers in the Western tradition
- Summarises earlier work on solo intonation
- Discusses the result of more recent experiments on ensemble singing
  - interaction between melodic and vertical intonation tendencies
- Various aspect of the work was done in collaboration with Dan Ellis (Columbia), Jason Hockman (McGill), Ichiro Fujinaga (McGill), Michael Mandel (Ohio State), Peter Schubert (McGill), and Jon Wild (McGill)



#### Prior Work on Solo Intonation

**Automatically Extracting Intonation Data** 

Empirical Evaluation of Solo and Ensemble Singing

Comparison of Intonation in Solo and Ensemble Singing



#### Prior Work on Intonation

- Schoen (1922) studied accompanied professional singers
  - sharper than equal temperament
  - ascending intervals were larger than descending intervals
- Prame (1997) studied accompanied professional singers
  - deviated substantially, though not consistently, from equal temperament
- Jers and Terström (2005) studied a 16-voice ensemble
  - showed greater amount of intonation dispersion at the faster tempo
  - ascending intervals were larger than descending intervals



#### Prior Work on Intonation

- Vurma and Ross (2006) studied solo singers
  - ascending/descending semitones smaller than EQT
  - ascending/descending tritones and fifths larger than than EQT
- Howard (2007a, 2007b) studied two *a cappella* quartets
  - used non-equal temperament with a tendency toward, though not full compliance with, Just Intonation
- Vurma (2010) studied 2-part singing with synthesized lower voice
  - found that singers' intonation did not change significantly when the synthesized voice was detuned



Prior Work on Solo Intonation

**Automatically Extracting Intonation Data** 


Empirical Evaluation of Solo and Ensemble Singing

Comparison of Intonation in Solo and Ensemble Singing




#### Extracting Performance Data


**Identify Note Onsets and Offsets** 














#### Older Approaches

- Annotation of note onsets and offsets done manually
- Manual pitch extraction
  - phono-photographic apparati
  - computer-generated spectrographic representations of the audio
- Automatic fundamental frequency estimation
  - electroglottograph
  - PRAAT (Boersma 2001)
  - YIN (de Cheveginé and Kawahara 2002)



## Automatic Music Performance Analysis and Comparison Toolkit (ampact.org)



MIDI-audio alignment (Devaney, Mandel and Ellis 2009)

F<sub>o</sub> estimation (de Cheveigné and Kawahara 2002)

Perceived pitch estimation (Gockel et al. 2001)

Loudness estimation (Glasberg and Moore 2002)

Devaney, Mandel, and Fujinaga (2012)



Prior Work on Solo Intonation

**Automatically Extracting Intonation Data** 

Empirical Evaluation of Solo and Ensemble Singing

Comparison of Intonation in Solo and Ensemble Singing



#### Recording Set-Up

- Rooms
  - Critical Listening Lab in CIRMMT
  - St Mathias Church, Westmount



- Solo singers and the whole ensembles were recorded with a pair of cardioid microphone
- Each ensemble singer was miked with a cardioid headband mic
- Recording Equipment
  - Lab: Mac Pro
  - Church: portable 16-track recorder









#### Solo Singing: Overview

- Schubert's "Ave Maria"
  - 3x a cappella & 3x accompanied
- 12 subjects
  - 6 non-professional singers: undergraduate vocal majors
  - 6 professional singers: possess at least one graduatelevel degree in voice performance
- Melodic semitones and whole tones analysed



## Solo Singing: Significant Trends

- TUNING SYSTEMS: No strict adherence, on average smaller than equal temperament (more so for semitones than whole tones)
- DIRECTION: Ascending semitones were 7–8 cents larger on average than descending ones
- EFFECT OF TRAINING
  - Pro singers were more consistent with one another in their intonation than non-professionals
  - Pro singers' semitones were 6 cents larger on average than non-pro singers' semitones
  - Non-pro singers tended to compress leading tones, pro singers did not
  - Non-pro singers' accompanied semitones were 3 cents larger than *a cappella* ones





## Three-Part Singing: Overview

- Chord progression by Giambattista Benedetti
- 4 ensembles
  - Ensemble 1 (lab): semi-professional alto, tenor, and bass singers who performed without a conductor *pilot*
  - Ensemble 2 (lab): professional alto, tenor, and bass singers who performed with a conductor
  - Ensemble 3 (church): professional soprano, alto, and tenor singers who performed with a conductor
  - Ensemble 4 (church) professional alto, tenor, and bass singers who performed with a conductor
- Melodic whole tones in regards to vertical M3 and P5 contexts



### Three-Part Singing: Exercise










#### Three-Part Singing: Significant Trends

- TUNING SYSTEMS: No strict adherence, generally closer to equal temperament
- DIRECTION: not significant
- VERTICAL INTERVAL CONTEXT: melodic whole tones sung over a P5 were 15 cents larger on average than those sung over a M3






## Four-Part Singing: Overview

- Exercises composed by Jonathan Wild and Peter Schubert
- 3 ensembles
  - Ensemble 1 (lab): semi-professional SATB ensemble who performed without a conductor *pilot*
  - Ensemble 2 (lab): professional SATB ensemble who performed with a conductor
  - Ensemble 3 (church): professional SATB ensemble who performed with a conductor
- Melodic semitones and whole tones in regards to vertical contexts



## Exercises by Wild and Schubert





#### Praetorius - Es ist ein Ros' ent sprungen




vertical intervals in cadential contexts were significantly closer to Just Intonation than those in non-cadential contexts



#### Two-Part Singing: Overview

 Semitone pattern sung a sung against a recorded version of the lower-line that was detuned in various ways at two pitch heights





- 6 of 12 subjects (ongoing)
  - 3 non-professional: amateur singers
  - 3 professionals: possess at least one graduate-level degree in voice performance
- Melodic whole tones in regards to vertical m3, TT, P5, m6, and P8 contexts




#### Two-Part Singing: Exercises











#### Two-Part Singing: Significant Trends

- TUNINGS SYSTEM: No strict adherence, on average smaller than equal temperament
- DIRECTION: Ascending semitones were on average 21 cents larger on average than descending semitones
- EFFECT OF TRAINING: Non-pros' semitones were on average 17 cents on average smaller than pros' semitones
- DETUNING: not significant
- VERTICAL INTERVAL CONTEXT: Semitones sung a perfect octave above the lower voice were 7 cents larger on average than those sung above other intervals
  - there were no significant differences for other intervals



Prior Work on Solo Intonation

**Automatically Extracting Intonation Data** 

Empirical Evaluation of Solo and Ensemble Singing

Comparison of Intonation in Solo and Ensemble Singing



#### Solo Vs. Ensemble Singing

- A general trend of ascending intervals being larger than descending intervals was found in both solo and ensemble singing
  - Also observed by Schoen (solo) and Jers and Ternstrom (ensemble)
- Results are variable for influence of specific vertical intervals on melodic intonation
  - 3-part experiment melodic intervals sung over a P5 versus M3 showed a significant difference
  - 2-part experiment melodic intervals only showed a significant difference when sung over a P8
- Detuning of accompaniment did not influence melodic intonation in the short exercises studied



Prior Work on Solo Intonation

**Automatically Extracting Intonation Data** 

Empirical Evaluation of Solo and Ensemble Singing

Comparison of Intonation in Solo and Ensemble Singing



- The observed trends suggest that there *may be* an influence of vertical intervals on melodic intonation, but this is likely limited to those intervals with a greater coincidence of partials
- More experiment are needed
  - Longer exercises
  - More voices
  - Detailed instructions about tuning reference



## Acknowledgements













Social Sciences and Humanities Research Council of Canada

Conseil de recherches en sciences humaines du Canada



## Thank you!



#### References

Boersma, P. 2001. PRAAT, a system for doing phonetics by computer. Glot International 5 (9/10): 341–5.

de Cheveigné A. and Kawahara H. 2002. YIN: A fundamental frequency estimator for speech and music. *Journal of the Acoustical Society of America*, 111, pp. 1917–30.

Devaney J., M. Mandel, and D. Ellis. 2009. Improving MIDI-audio alignment with acoustic features. In *Proceedings of WASPAA*. 45–8.

Devaney, J., M. Mandel, D. Ellis, and I. Fujinaga. 2011. Automatically extracting performance data from recordings of trained singers. Pyschomusicology: Music, Mind and Brain 21 (1–2).

Devaney, J., J. Wild, and I. Fujinaga. 2011 Intonation in solo vocal performance: A study of semitone and whole tone tuning in undergraduate and professional sopranos. In Proceedings of the International Symposium on Performance Science (ISPS). 219–24.

Devaney, J., M. Mandel, I., D. P. W. Ellis, and I. Fujinaga. 2011. Automatically extracting performance data from recordings of trained singers. Pyschomusicology: Music, Mind and Brain 21 (1–2).

Devaney, J., M. I. Mandel, and I. Fujinaga. 2012. Study of Intonation in Three-Part Singing using the Automatic Music Performance Analysis and Comparison Toolkit (AMPACT). Proceedings of the 2012 International Society on Music Information Retrieval Conference (ISMIR). 511–6.

Glasberg, B. and Moore B. 2002. A model of loudness applicable to time-varying sounds, *Journal Audio Engineering Society*, 50, pp. 331-342.

Gockel H., Moore B., and Carlyon R. 2001. Influence of rate of change of frequency on the overall pitch of frequency-modulated tones. *Journal of the Acoustical Society of America*, 109, pp. 701–12.

Howard, D. M. 2007a. Equal or non-equal temperament in a cappella SATB singing. *Logopedics Phoniatrics Vocology*, 32: 87–94.

Howard, D. M. 2007b. Intonation drift in a capella soprano, alto, tenor, bass quartet singing with key modulation. *Journal of Voice*, 21 (3): 300–15.

Jers, H. and S. Ternström. 2005. Intonation analysis of a multi-channel choir recording. TMH-Quarterly Progress and Status Report 47(1): 1–6.

Prame E. 1997. Vibrato extent and intonation in professional western lyric singing. *Journal of the Acoustical Society of America*, 102, pp. 616–21.

Schoen M. 1922. An experimental study of the pitch factor in artistic singing. *Psychological Monographs*, 31, pp. 230–59.

Vurma, A and J. Ross. 2006. Production and perception of musical intervals. *Music Perception*. 23(4): 331–44.

Vurma, A. 2010. Mistuning in two-part singing. Logopedics Phoniatrics Vocology 35: 24–33.

