# Performance Analysis

The potential of recordings in testing quantitative aspects of music theories

Johanna Devaney

Schulich School of Music, McGill University Center for Interdisciplinary Research in Music, Media and Technology


Canadian University Music Society Annual Meeting - June 2008






## INTRODUCTION


- Application of Music Information Retrieval methods to audio recordings
- Collection and modeling of performance data
- Assessment of quantitative aspects of music theories
- Study of intonation practices from audio recordings









 A brief history of empirical performance analysis




- A brief history of empirical performance analysis
- Issues in extracting performance data from recordings




- A brief history of empirical performance analysis
- Issues in extracting performance data from recordings
- Techniques for modeling extracted performance data




- A brief history of empirical performance analysis
- Issues in extracting performance data from recordings
- Techniques for modeling extracted performance data
- Perceptual testing and music theory




- A brief history of empirical performance analysis
- Issues in extracting performance data from recordings
- Techniques for modeling extracted performance data
- Perceptual testing and music theory
- Potential of empirical performance analysis for quantitative music theory







• Carl Seashore (1938) studied timing, dynamics, intonation, and vibrato in pianists, violinists, and singers




- Carl Seashore (1938) studied timing, dynamics, intonation, and vibrato in pianists, violinists, and singers
- Ingemar Bengtsson and Alf Gabrielsson (1980) studied musical rhythm




- Carl Seashore (1938) studied timing, dynamics, intonation, and vibrato in pianists, violinists, and singers
- Ingemar Bengtsson and Alf Gabrielsson (1980) studied musical rhythm
- Bruno Repp (1992) studied ritardandi in piano performance




- · Piano performance is widely studied due to
  - the large amount of solo repertoire
  - the instrument's percussive nature
  - the feasibility of using MIDI to measure performance data






- Issues with MIDI-based studies
  - require a MIDI-rigged piano
  - typically done in a lab environment
  - precision is limited for other instruments




- Issues with MIDI-based studies
  - require a MIDI-rigged piano
  - typically done in a lab environment
  - precision is limited for other instruments


 Music Information Retrieval techniques allow for extraction of performance data from recorded signals




## EXTRACTING PERFORMANCE DATA

- Music Information Retrieval
  - Robust polyphonic transcription is still an unsolved problem
  - However, there is a workaround when a score is available:
    - 1. align the MIDI score to audio
    - 2. use the MIDI score to guide the signal processing analysis to estimate accurate frequency information







 Machine Learning is the intersection of artifical intelligence and statistics




- Machine Learning is the intersection of artifical intelligence and statistics
- Machine Learning systems 'learn' from 'experience'
  - i.e., the introduction of more data




- Machine Learning is the intersection of artifical intelligence and statistics
- Machine Learning systems 'learn' from 'experience'
  - · i.e., the introduction of more data
- Probabilistic machine learning approaches are useful for modeling data with a degree of variability







• Based on Narmour (1990), Lerdahl (2001), and Larson (2004)




- Based on Narmour (1990), Lerdahl (2001), and Larson (2004)
- Krumhansl (1990) is an examination of musical structures using cognitive psychological methods




- Based on Narmour (1990), Lerdahl (2001), and Larson (2004)
- Krumhansl (1990) is an examination of musical structures using cognitive psychological methods
- Krumhansl (1998) evaluated aspects of neo-Riemannian theory




- Based on Narmour (1990), Lerdahl (2001), and Larson (2004)
- Krumhansl (1990) is an examination of musical structures using cognitive psychological methods
- Krumhansl (1998) evaluated aspects of neo-Riemannian theory
- Schellenberg (1997) evaluated Narmour's Implication-Realization model









 Lerdahl and Krumhansl (2007) evaluated the tonal tension aspect of Lerdahl's Tonal Pitch Space theory (2001)




- Lerdahl and Krumhansl (2007) evaluated the tonal tension aspect of Lerdahl's Tonal Pitch Space theory (2001)
- Larson and VanHandel (2005) evaluated
  Larson's theory of Musical Forces (2004)




- · Lerdahl's theory of melodic attraction
  - Formalizes the tendency of a dissonant pitch to resolve to a consonant neighbour
  - Observes Bharucha's principle of proximity and stability
  - Partially analogous with Newton's law of gravitation





- Larson's theory of musical forces
  - rooted in Lackoff and Jonson's notion of embedded metaphors (1980)
  - like Lerdahl's attractions it is rooted in the psychological principles of proximity and stability
  - based on the Gestalt principle of good continuation






Spectrogram of opening of Schubert's "Ave Maria" White lines indicate estimated fundamental frequencies, calculated as the mean over the vibrato (Prame 1997)






Spectrogram of opening of Schubert's "Ave Maria" White lines indicate estimated fundamental frequencies, calculated as the mean over the vibrato (Prame 1997)




Estimated frequencies for the opening and closing "Ave Maria" statements.

mm. 1-2.1	<i>A</i> -	V	'e	Ма-		ri-			a
	Db	(		Db		F		Eb	Db
(cents)		91	70		420		210		196
mm. 11-12.1	<i>A</i> -	V	e	Ма-		ri-		_	a
	Db	(		Db		F		Eb	Db
(cents)		83	58		450		190		226

	Lerdahl	Larson
Leading tone -> tonic	C -> Db	N/A
	$4/2 \times 1/1^2 = 4/2 = 2$	
Tonic -> leading tone	Db -> C	Bb -> C -> Db
	$2/4 \times 1/1^2 = 1/4 = 0.5$	$1 + (1/4^2 - 1/1^2) + 1 = 1.0625$
Supertonic -> tonic	Eb -> Db	F -> Eb -> Db
	$4/2 \times 1/2^2 = 0.5$	$1 + (1/2^2 - 1/2^2) + 1 = 2$




Estimated frequencies for the opening and closing "Ave Maria" statements.



Melodic attraction calculations from Lerdahl's and Larson's systems.

	Lerdahl	Larson
Leading tone -> tonic	C -> Db	N/A
	$4/2 \times 1/1^2 = 4/2 = 2$	
Tonic -> leading tone	Db -> C	Bb -> C -> Db
	$2/4 \times 1/1^2 = 1/4 = 0.5$	$1 + (1/4^2 - 1/1^2) + 1 = 1.0625$
Supertonic -> tonic	Eb -> Db	F -> Eb -> Db
	$4/2 \times 1/2^2 = 0.5$	$1 + (1/2^2 - 1/2^2) + 1 = 2$




Estimated frequencies for the opening and closing "Ave Maria" statements.


mm. 1-2.1	A-		Ve		Ма-		ri-				а
	Db		C		Db		F		Eb		Db
(cents)		91		70		420		210		19	6
mm. 11-12.1	<i>A</i> -		Ve		Ма-		ri-		<u>-</u>		а
	Db		С		Db		F		Eb		Db
(cents)		83		58		450		190		22	26

Lerdahl	Larson
---------	--------

Leading tone -> tonic	C -> Db	N/A
	$4/2 \times 1/1^2 = 4/2 = 2$	
Tonic -> leading tone	Db -> C	Bb -> C -> Db
	$2/4 \times 1/1^2 = 1/4 = 0.5$	$1 + (1/4^2 - 1/1^2) + 1 = 1.0625$
Supertonic -> tonic	Eb -> Db	F -> Eb -> Db
	$4/2 \times 1/2^2 = 0.5$	$1 + (1/2^2 - 1/2^2) + 1 = 2$




Estimated frequencies for the opening and closing "Ave Maria" statements.




Lerdahl	Larson
Leiuani	Lais

Leading tone -> tonic	C -> Db	N/A
	$4/2 \times 1/1^2 = 4/2 = 2$	
Tonic -> leading tone	Db -> C	Bb -> C -> Db
	$2/4 \times 1/1^2 = 1/4 = 0.5$	$1 + (1/4^2 - 1/1^2) + 1 = 1.0625$
Supertonic -> tonic	Eb -> Db	F -> Eb -> Db
	$4/2 \times 1/2^2 = 0.5$	$1 + (1/2^2 - 1/2^2) + 1 = 2$




Estimated frequencies for the opening and closing "Ave Maria" statements.




Lerdahl	Larson

Leading tone -> tonic	C -> Db	N/A
	$4/2 \times 1/1^2 = 4/2 = 2$	
Tonic -> leading tone	Db -> C	Bb -> C -> Db
	$2/4 \times 1/1^2 = 1/4 = 0.5$	$1 + (1/4^2 - 1/1^2) + 1 = 1.0625$
Supertonic -> tonic	Eb -> Db	F -> Eb -> Db
	$4/2 \times 1/2^2 = 0.5$	$1 + (1/2^2 - 1/2^2) + 1 = 2$



## CONCLUSIONS

- Potential of empirical evaluation of performance has only recently begun to be realised
- Music Information Retrieval methods are valuable for collecting and modeling performance data from audio recordings for this purpose



## REFERENCES

Bharucha, J. 1996. Melodic anchoring. Music Perception. 13 (3): 383-400.

Bengtsson, I., and A. Gabrielsson. 1980. Methods for analyzing performance of Musical rhythm. *Scandinavian Journal of Psychology*. 21. 257-68.

Krumhansl, C. 1990. Cognitive foundations of musical pitch. Oxford: Oxford University Press.

Krumhansl, C. 1998. Perceived triadic distance: Evidence supporting the psychological reality of neo-Riemannian transformations. *Journal of Music Theory*. 42 (2): 265–81.

Lakoff, G. and M. Johnson. 1980. Metaphors we Live By. Chicago: University of Chicago Press.

Larson, S. 2004. Musical forces and melodic expectations: Comparing computer models with experimental results. *Music Perception*. 21 (4): 457–98.

Larson, S., and L. VanHandel. 2005. Measuring musical forces. Music Perception. 23 (2): 119–36.

Lerdahl, F. 2001. Tonal pitch space. Oxford: Oxford University Press.

Lerdahl, F., and C. Krumhansl. 2007. Modeling tonal tension. Music Perception. 24 (4): 329-66.

Narmour, E. 1990. The analysis and cognition of basic melodic structures. Chicago: University of Chicago Press.

Prame, E. 1997. Vibrato extent and intonation in professional western lyric singing. *Journal of the Acoustical Society of America* .102 (1): 616–21.

Repp, B. H. 1992. Diversity and commonality in music performance: an analysis of timing microstructure in Schumann's 'Träumerei'. *Journal of the Acoustical Society of America*. 92: 2546–68.

Seashore, C. E. 1938. Psychology of music. New York: Dover Publications.

Schellenberg, E. G. 1997. Simplifying the implication-realization model of melodic expectancy. *Music Perception*. 14 (3): 295–318.



