

This fixes Coulomb strength.
To get nuclear strength we will assume that nuclear S (deformation length, in fm) is the same as the Coulomb one, so that:

$$RDEF = M(E2) \times 4\pi / [3 \times 7 \times 1.2 \times \sqrt[3]{14}] \\ = \underline{\underline{\pm 0.5975 \text{ fm.}}}$$

For the moment we don't worry about the signs of $M(E2)$ and $RDEF$. We can set them later so that PRESCO output gives the numbers (depends on choice of K).
Repeat for case (b), this time $\lambda = 3$.

$$\therefore M(E3) = \pm \sqrt{(2 \times 1 + 1) \times 74} \\ = \underline{\underline{\pm 14.8997 \text{ e fm}^3}}$$

$$\text{and } RDEF = \pm 14.8997 \times 4\pi [3 \times 7 \times (1.2 \times \sqrt[3]{14})^2] \\ = \underline{\underline{\pm 1.0659 \text{ fm.}}}$$

Repeat for (c) and (d) and you will get:

$$(c) \quad M(E3) = \underline{\underline{\pm 18.7350 \text{ e fm}^3}} \\ RDEF = \underline{\underline{\pm 1.3403 \text{ fm.}}}$$

$$(d) \quad M(E2) = \underline{\underline{\pm 3.4424 \text{ e fm}^2}} \\ RDEF = \underline{\underline{\pm 0.7122 \text{ fm.}}}$$