

Rethinking the DAW paradigm

With i-score & the LibAudioStream

Jean-Michaël Celerier

Myriam Desainte-Catherine

Jean-Michel Couturier

LaBRI, Blue Yeti

Introduction


Description

 Audio processes

Method

Demo

DAWs



"Mixing"

DAWs



Presonus Studio One



Avid Pro Tools



Magix Samplitude



Steinberg Cubase



Ableton Live



Apple Logic



Tracktion T7



OhmForce Ohm Studio



Cockos Reaper

Pre-mix

Music software UIs

- ▶ Skeuomorphic (Most DAWs).
- ▶ Dataflows (**PureData, Max, OpenMusic, ...**)
- ▶ Text (**Csound, Chuck, SuperCol, Nyquist, ...**)
- ▶ Sometimes multiple possibilities
(Kyma, Antescofo, ...)
- ▶ Many others !
- ▶ Most are open for extensibility.

Music software UIs

- ▶ Skeuomorphic (Most DAWs).
- ▶ Dataflows (**PureData, Max, OpenMusic, ...**)
- ▶ Text (**Csound, Chuck, SuperCol, Nyquist, ...**)
- ▶ Sometimes multiple possibilities
(**Kyma, Antescofo, ...**)
- ▶ Many others !
- ▶ Most are open for extensibility.

Music software UIs

- ▶ Skeuomorphic (Most DAWs).
- ▶ Dataflows (**PureData, Max, OpenMusic, ...**)
- ▶ Text (**Csound, Chuck, SuperCol, Nyquist, ...**)
- ▶ Sometimes multiple possibilities
(**Kyma, Antescofo, ...**)
- ▶ Many others !
- ▶ Most are open for extensibility.

Music software UIs

- ▶ Skeuomorphic (Most DAWs).
- ▶ Dataflows (**PureData, Max, OpenMusic, ...**)
- ▶ Text (**Csound, Chuck, SuperCol, Nyquist, ...**)
- ▶ Sometimes multiple possibilities
(**Kyma, Antescofo, ...**)
- ▶ Many others !
- ▶ Most are open for extensibility.


Music software UIs

- ▶ Skeuomorphic (Most DAWs).
- ▶ Dataflows (**PureData, Max, OpenMusic, ...**)
- ▶ Text (**Csound, Chuck, SuperCol, Nyquist, ...**)
- ▶ Sometimes multiple possibilities
(**Kyma, Antescofo, ...**)
- ▶ Many others !
- ▶ Most are open for extensibility.

Music software UIs

- ▶ Skeuomorphic (Most DAWs).
- ▶ Dataflows (**PureData, Max, OpenMusic, ...**)
- ▶ Text (**Csound, Chuck, SuperCol, Nyquist, ...**)
- ▶ Sometimes multiple possibilities
(**Kyma, Antescofo, ...**)
- ▶ Many others !
- ▶ Most are open for extensibility.

What if...



File Edit Object Play Tool View Settings About

Move Scale Rotate

Device Explorer

Address Value Get Set

History

Device Explorer

Untitled sews33cave82

My Song /

0.00.0 | 0.02.500 | 0.05.0 | 0.07.500 | 0.10.0 | 0.12.500

Voice Whoosh

Inspector

Constraint

Name My Song

Label

Speed x1
x0 x 0.5 x 1 x 2 x 5

Trigger False

Start State Full view End State

Default Duration 0.00.15.000

Min Duration 0.00.15.000

Max Duration 0.00.15.000

Processes View

Add Process Processes Scenario.1 Duration 0.00.15.000

Address Zoom

File Edit Object Play Tool View Settings About

Move Scale Rotate

Device Explorer

Address Value Get Set

History

Untitled sews33cave82

My Song /

0.00.0 | 0.02.500 | 0.05.0 | 0.07.500 | 0.10.0 | 0.12.500

Voice Whoosh

Dread

Inspector

Constraint

Name My Song

Label

Speed x1
x0 x 0.5 x 1 x 2 x 5

Trigger False

Start State Full view End State

Default Duration 0.00.15.000

Min Duration 0.00.15.000

Max Duration 0.00.15.000

Processes View

Add Process Processes Scenario.1

Duration 0.00.15.000

The screenshot shows a DAW interface with a timeline from 0.00.0 to 0.12.500. There are three tracks: 'Voice', 'Whoosh', and 'Dread'. The 'Dread' track is currently selected. The Inspector panel on the right shows a constraint for the 'Dread' track, named 'My Song'. The constraint includes a speed setting of 'x0 x 0.5 x 1 x 2 x 5' and a trigger set to 'False'. It also lists default, minimum, and maximum durations all set to 0.00.15.000. The 'Processes' section is expanded, showing an 'Add Process' button and a 'Processes' list containing 'Scenario.1'. The 'Duration' field is also set to 0.00.15.000.

File Edit Object Play Tool View Settings About

Move Scale Rotate

Device Explorer

Address Value Get Set

History

Untitled sews33cave82

My Song /

0.00.0 | 0.02.500 | 0.05.0 | 0.07.500 | 0.10.0 | 0.12.500

Voice Whoosh Dread

Constraint

Name My Song

Label

Speed x1
x0 x 0.5 x 1 x 2 x 5

Trigger False

Start State Full view End State

Default Duration 0.00.15.000

Min Duration 0.00.15.000

Max Duration 0.00.15.000

Processes View

Add Process Processes Scenario.1

Duration 0.00.15.000

Address Zoom

0.00.0 | 0.02.500 | 0.05.0 | 0.07.500 | 0.10.0 | 0.12.500

My Song /

0.00.0 | 0.02.500 | 0.05.0 | 0.07.500 | 0.10.0 | 0.12.500

Voice Whoosh Dread

Constraint

Name My Song

Label

Speed x1
x0 x 0.5 x 1 x 2 x 5

Trigger False

Start State Full view End State

Default Duration 0.00.15.000

Min Duration 0.00.15.000

Max Duration 0.00.15.000

Processes View

Add Process Processes Scenario.1

Duration 0.00.15.000

Address Zoom

File Edit Object Play Tool View Settings About

Move Scale Rotate

Device Explorer

Address Value Get Set

History

Untitled sews33cave82

My Song /

0.00.0 | 0.02.500 | 0.05.0 | 0.07.500 | 0.10.0 | 0.12.500

Voice Whoosh Noise

Dread

Inspector

Constraint

Name My Song

Label

Speed x1
x0 x 0.5 x 1 x 2 x 5

Trigger False

Start State Full view End State

Default Duration 0.00.15.000

Min Duration 0.00.15.000

Max Duration 0.00.15.000


Processes View

Add Process Processes Scenario.1

Duration 0.00.15.000

Address

Zoom



File Edit Object Play Tool View Settings About

Move Scale Rotate

Device Explorer

Address Value Get Set

History

Device Explorer

Untitled.sews33cave82

My Song /

0:00.0 | 0:01.500 | 0:03.0 | 0:04.500 | 0:06.0 | 0:07.500 | 0:09.0 | 0:10.500 | 0:12.0 | 0:13.500

TimeNode

Name pill92cast78

Label

Default date 8 s 948 ms

Trigger

Add Trigger

Events

suds23bell90 #

neck29wail98 #

Name neck29wail98

Label

Parent Timenode

Condition

a/b S

State #

File Edit Object Play Tool View Settings About

Move Scale Rotate

Device Explorer

Address Value Get Set

History

Device Explorer

Untitled.sews33cave82

My Song /

0:00.0 | 0:01.500 | 0:03.0 | 0:04.500 | 0:06.0 | 0:07.500 | 0:09.0 | 0:10.500 | 0:12.0 | 0:13.500

TimeNode

Name pill92cast78

Label

Default date 8 s 948 ms

Trigger

Add Trigger

Events

suds23bell90

Name suds23bell90

Label

Parent TimeNode


Condition

a/b

State

State

neck29wall98



File Edit Object Play Tool View Settings About

Move Scale Rotate History

Device Explorer

Untitled.sews33caveB2

My Song /

Address Value Get Set i-score

Device Explorer Inspector

Constraint

Name: Automating

Label:

Speed x1
x0 x0.5 x1 x2 x5

Start State Full view End State

Default Duration ~ 0.00.04.326

Processes View

+ Add Process

Processes

Automation.1

Address Tween □

Min ~ 0,00000


Max ~ 0,00000


Start 0


End 0


Duration ~ 0.00.04.326

Zoom










Origin

- ▶ **i-score**
i-score.org
→ software for interactive show control.
- ▶ **LibAudioStream**
github.com/sletz/libaudiostream
→ sequencer-as-a-library.
- ▶ **Audio plug-in** for i-score.


Vocabulary

0:00.0 | 0:01.500 | 0:03.0 | 0:04.500 | 0:06.0 | 0:07.500 | 0:09.0 | 0:10.500 | 0:12.0 | 0:13.500 | 0:15.0

example /



The yellow T are triggers :
they will proceed when an event
happens or a condition is verified




In white : a Time Event.
Events can carry conditions
on the execution of
their successors.

In yellow, a condition

Both conditions will be evaluated
at the same time.

In dark gray : a Time Node.
It goes all the way up behind the Time Event.
Everything on a same Time Node is synchronized.



Audio processes

- ▶ Soundfile reading.
- ▶ Real-time input.
- ▶ Effect chains.
- ▶ Audiograph features
 - send and return from different points in the score.
- ▶ Mixing.


The i-score audio graph

- ▶ Audiostreams should be available for reading everywhere in the score :
→ **flowgraph**.
- ▶ Not shown: it is not the main use case but a tool. UI focus is on the **temporal** aspect.
- ▶ For now the graph creation is **static**.

The i-score audio graph : mixing

Mixing unit : the temporal constraint.

- ▶ Constraints mixes themselves in their parent process.
- ▶ Processes mixes themselves in their parent constraint.



Objects mix themselves together following the arrows

Demo

Future

- ▶ Integrated input recording.
- ▶ Real-time audio input delaying and reuse.
- ▶ Deep MIDI integration, piano roll, etc.
- ▶ Hierarchic temporal signatures.

Future

- ▶ Integrated input recording.
- ▶ Real-time audio input delaying and reuse.
- ▶ Deep MIDI integration, piano roll, etc.
- ▶ Hierarchic temporal signatures.

Future

- ▶ Integrated input recording.
- ▶ Real-time audio input delaying and reuse.
- ▶ Deep MIDI integration, piano roll, etc.
- ▶ Hierarchic temporal signatures.

Future

- ▶ Integrated input recording.
- ▶ Real-time audio input delaying and reuse.
- ▶ Deep MIDI integration, piano roll, etc.
- ▶ Hierarchic temporal signatures.

Links

- ▶ **Audio extension (Mac, Linux, soon Windows) :**
github.com/OSSIA/iscore-addon-audio
- ▶ **i-score :**
i-score.org

Thanks ! Questions ?

Uses the Beamer 'simple' theme, Facundo Muñoz; and Mozilla's Fira font family