

Rating the 2026 Senate Races

Thirty-five races, rated in August, and a number you cannot revise in November

Democracy's Data

Last updated 2 September 2026

12 professional forecasters have already rated every Senate race on the 2026 ballot: a **race rating** places a contest in one of a few named categories, from Solid Democratic through Toss-up to Solid Republican, rather than giving it a probability. Their ratings are public, they disagree with each other in 19 of the 35 races, and not one of them publishes what a rating means as a number. So what does a rating actually claim, and how much of November is already settled in August?

The way to find out is to rate the races yourself first. A prediction made after the fact is not a prediction, and the human capacity to remember having believed whatever happened is close to unlimited.¹ The only defence is a record with a date on it.

01 The test

This brief reads 420 published ratings of 35 Senate races, made by 12 forecasters between 2026-08-05 and 2026-08-22, together with the candidates who have qualified for those ballots. All of it comes from one Wikipedia article, "2026 United States Senate elections" (https://en.wikipedia.org/wiki/2026_United_States_Senate_elections), which is where the forecasters' ratings sit side by side. It is read as the page's source text rather than as the page a browser shows, because on the displayed page a rating is a coloured cell, and a colour cannot be read back into a word.

That article answers the question because nowhere else do the 12 sit side by side. They publish no common file and share no vocabulary: Cook says "Solid Republican" where Sabato says "Safe Republican".² Wikipedia is not the authority on any of it, and is not treated as one here. Every rating is footnoted to the forecaster who published it and every candidate to a state election official, so what the article supplies is the assembly rather than the facts.

Three sources are joined, and the key is the state. The predictions table gives each state its ratings, the race-summary tables give each state its candidates, and the congress-legislators file kept by volunteers on GitHub gives each state its sitting senators and their **Senate class** — the Senate is divided into three classes, one of which stands for election every two years, and 2026 is Class 2's turn.³ The third is used only as a test: the 33 non-special races must be exactly the states with a Class 2 senator. Every join takes on the assumptions of both files plus one more about how they line up. That is the subject of Join Keys and Crosswalks, which also covers the crosswalk, a table that translates one set of identifiers into another.

¹ The effect was first measured by Baruch Fischhoff, "Hindsight ≠ Foresight: The Effect of Outcome Knowledge on Judgment under Uncertainty," *Journal of Experimental Psychology: Human Perception and Performance* 1, no. 3 (1975): 288–299, <https://doi.org/10.1037/0096-1523.1.3.288>.

² The Cook Political Report (<https://www.cookpolitical.com/ratings/senate-race-ratings>) and Sabato's Crystal Ball at the University of Virginia Center for Politics (<https://centerforpolitics.org/crystalball/>) are the two longest-running of the forecasters read here.

³ The Senate's own list of Class II senators: <https://www.senate.gov/senators/Class-II.htm>.

02 The data

Start with the arithmetic your 35 answers get added to, which is in `seat_math.csv`.

	seats
seats in the Senate	100
Democratic seats now	47
Republican seats now	53
seats on the ballot in 2026	35
of those, Democratic-held	13
of those, Republican-held	22
Democratic seats not on the ballot	34
Republican seats not on the ballot	31
seats for a Democratic majority	51
of the 35, Democrats must win	17
net Democratic gain required	4

Read the last three rows together. Democrats hold 34 seats that nobody votes on this year. A majority is 51 rather than 50, because the Vice President breaks ties and the Vice President is a Republican.⁴ So Democrats need 17 of the 35 races on the map, and they currently hold 13 of them, which makes the requirement a net gain of 4.

Two of the 35 are special elections, in Florida and Ohio, for seats whose regular term does not end until 2028. Marco Rubio and JD Vance both left the Senate in January 2025, and both seats were filled by appointment. A count of only the 33 expiring terms would leave out Ohio, one of the most contested races in the country.

⁴ The Senate's record of every tie a Vice President has broken: <https://www.senate.gov/artandhistory/history/resources/pdf/VPTies.pdf>.

`racess.csv` holds one row per race, carrying `seat_party`, `senator`, `status`, `dem_cand` and `rep_cand`. It also carries the **Cook Partisan Voting Index** in `pvi` — the Cook Political Report's score of how much more Republican or Democratic a state voted for president than the country did, so that R+6 means six points more Republican than the nation — the winner's share at the seat's last election in `last_share`, and the forecasters' average, spread and range in `fc_mean`, `fc_sd`, `fc_min` and `fc_max`. `ratings_long.csv` holds every forecaster's rating of every race, with `rating`, `published` and a numeric score. `forecasters.csv` gives each of the twelve a `mean_gap`, and `class_ratings.csv` collects the maps other readers have submitted.

That numeric score is the one construction decision worth arguing with. Forecasters do not publish probabilities; they publish one of five words, and a word is a category rather than a measurement.

Category	Score	Meaning
Safe D	3	the other side is not going to win this
Likely D	2	a significant advantage, but not a certainty

Category	Score	Meaning
Lean D	1	a slight advantage
Toss-up	0	no advantage either way
Lean R	-1	a slight advantage
Likely R	-2	a significant advantage, but not a certainty
Safe R	-3	the other side is not going to win this

Averaging words is impossible, so the words were turned into the numbers in the middle column: positive for the Democrat, symmetric around a toss-up. The two forecasters who use "Tilt" have it scored at half a point. **Nothing makes those gaps equal.** Saying that "Likely" is exactly twice "Lean" is an assumption rather than a finding, and a different set of numbers gives a different average. The scale is printed here so that you can disagree with it.

Watch it work on one race. Take New Hampshire, the race the 12 disagree about most: one Safe D at 3, five Likely D at 2 each, five Lean D at 1 each and one Tilt D at 0.5. Add the scores and the total is 18.5; divide by 12 and the average is 1.54, nearer to Likely D than to anything else on the scale, though no forecaster said anything of the kind. Every average in this brief was made this way, and every one inherits the assumption that Likely is worth exactly twice Lean.

There is a second problem with the scale, and it is worse. It has seven boxes, every one of which assumes a Democrat is running against a Republican. In 3 of the 35 races no Democrat filed at all.

	on the ballot
Idaho	Todd Achilles (Independent); Natalie Fleming (Independent); Matt Loesby (Libertarian); Jim Risch (Republican)
Nebraska	Mike Marvin (Legal Marijuana Now); Dan Osborn (Independent); Pete Ricketts (Republican)
South Dakota	Brian Bengs (Independent); Mike Rounds (Republican)

Nebraska is the one to look at. Dan Osborn is an independent who came within a few points of a Republican in 2024, with no Democrat on the ballot against him.⁵ A scale running from Safe D to Safe R cannot say what a strong independent looks like. You will still have to rate Nebraska, and whatever you put there will be wrong in a way the map cannot show.


⁵ The certified 2024 result is on Ballotpedia: https://ballotpedia.org/United_States_Senate_election_in_Nebraska,_2024.

Before you go on, commit to two numbers. Write down how many of the 100 Senate seats the Democrats will hold in January 2027, and how confident you are, as a percentage. Put them somewhere you will not edit. The second number is the one that will surprise you.


03 What it says about democracy

Rate all 35 first. Figure 1 is the instrument: pick a rating from the row of buttons, then click states to paint them.

Where each of these seats stood at its last election



States with no Senate race in 2026 are left blank. Rate the 35 in the table below.



your own ratings go in the table that follows

Figure 1. Your map. One square per state, all the same size, because every state elects two senators no matter how many people live in it. A geographic map would size Wyoming against California by land, which is the wrong quantity for a chamber apportioned by state. The running total adds your 35 calls to the 34 Democratic seats not on the ballot, and a toss-up counts as neither, which is why the total is often a range.

Two buttons will fill the map for you, one from each seat's last election and one from the forecasters' average. Use them second. Starting from someone else's map and adjusting is a different act from building your own, and it will pull your answer toward theirs.

state	seat held by	sitting senator	Democrat	Republican	your rating
AK Alaska	Republican	Dan Sullivan (running)	David Leslie	Gerald Heikes	
AL Alabama	Republican	Tommy Tuberville (retiring)	Everett Wess	Barry Moore	
AR Arkansas	Republican	Tom Cotton (running)	Hallie Shoffner	Tom Cotton	

	state	seat held by	sitting senator	Democrat	Republican	your rating
CO	Colorado	Democratic	John Hickenlooper (running)	John Hickenlooper	Mark Baisley	
DE	Delaware	Democratic	Chris Coons (running)	Jeff Appelhans	Michael Katz	
FL	Florida	Republican	Ashley Moody (appointed)	Angie Nixon	Ashley Moody	
GA	Georgia	Democratic	Jon Ossoff (running)	Jon Ossoff	Mike Collins	
IA	Iowa	Republican	Joni Ernst (retiring)	Josh Turek	Ashley Hinson	
ID	Idaho	Republican	Jim Risch (running)	—	Jim Risch	
IL	Illinois	Democratic	Dick Durbin (retiring)	Juliana Stratton	Don Tracy	
KS	Kansas	Republican	Roger Marshall (running)	Adam Hamilton	Roger Marshall	
KY	Kentucky	Republican	Mitch McConnell (retiring)	Charles Booker	Andy Barr	
LA	Louisiana	Republican	Bill Cassidy (lost renomination)	Jamie Davis	Julia Letlow	
MA	Massachusetts	Democratic	Ed Markey (running)	Ed Markey	John Deaton	
ME	Maine	Republican	Susan Collins (running)	Troy Jackson	Susan Collins	
MI	Michigan	Democratic	Gary Peters (retiring)	Abdul El-Sayed	Mike Rogers	
MN	Minnesota	Democratic	Tina Smith (retiring)	Peggy Flanagan	Michele Tafoya	
MS	Mississippi	Republican	Cindy Hyde-Smith (running)	Scott Colom	Cindy Hyde-Smith	
MT	Montana	Republican	Steve Daines (retiring)	Alani Bankhead	Kurt Alme	
NC	North Carolina	Republican	Thom Tillis (retiring)	Roy Cooper	Michael Whatley	
NE	Nebraska	Republican	Pete Ricketts (running)	—	Pete Ricketts	
NH	New Hampshire	Democratic	Jeanne Shaheen (retiring)	Karishma Manzur	Scott Brown	
NJ	New Jersey	Democratic	Cory Booker (running)	Cory Booker	Justin Murphy	
NM	New Mexico	Democratic	Ben Ray Luján (running)	Ben Ray Luján	Larry Marker	
OH	Ohio	Republican	Jon Husted (appointed)	Sherrod Brown	Jon Husted	
OK	Oklahoma	Republican	Alan S. Armstrong (appointed)	Jim Priest	Kevin Hern	
OR	Oregon	Democratic	Jeff Merkley (running)	Jeff Merkley	David Brock Smith	
RI	Rhode Island	Democratic	Jack Reed (running)	Connor Burbridge	Raymond McKay	
SC	South Carolina	Republican	Darline Graham (appointed)	Annie Andrews	Darline Graham	
SD	South Dakota	Republican	Mike Rounds (running)	—	Mike Rounds	
TN	Tennessee	Republican	Bill Hagerty (running)	Marquita Bradshaw	Bill Hagerty	
TX	Texas	Republican	John Cornyn (lost renomination)	James Talarico	Ken Paxton	
VA	Virginia	Democratic	Mark Warner (running)	Mark Warner	Bert Mizusawa	
WV	West Virginia	Republican	Shelley Moore Capito (running)	Rachel Fetty Anderson	Shelley Moore Capito	


state		seat held by	sitting senator	Democrat	Republican	your rating
WY	Wyoming	Republican	Cynthia Lummis (retiring)	James W. Byrd	Harriet Hageman	

Table 1. The 35 races. The paper version of Figure 1. Fill the last column, then read it down to get your code: 1 for Safe D through 7 for Safe R.



The incumbent, the senator who holds the seat now, is not the ballot. 10 of these senators are retiring, 2 lost their own party's primary, and 4 were appointed rather than elected. Only 19 of the 35 races have the sitting senator running again.

Now look at what everybody else committed to.

12 forecasters, averaged



The same seats, at their last election



blue is Democratic, red Republican; pale is close

Figure 2. The same 35 squares, four ways. Your map, the 12 forecasters averaged, each seat's last election, and the average of any codes other readers have pasted in. Nothing here is a result: three of the four layers are somebody's opinion and the fourth is a different election.

Read the forecaster layer by the total it implies rather than by the colours. Averaged across all 12, the ratings call 16 of the 35 races for the Democrats. Added to the 34 seats not on the ballot, that is **50 Democratic seats** — one short of a majority, in a chamber where a 50-50 split leaves the Republicans in charge. The consensus of 12 professionals, in late August, lands on the one number that resolves nothing.

On 16 of the 35 races all 12 forecasters give the same answer. The interesting races are the other 19.




Figure 3. Every rating, one row per race. Grey dots are the 12 forecasters and the diamond is their average. A row where the dots sit on top of each other is a race nobody argues about. A row where they spread out is a race the professionals disagree about, which is not the same thing as a close race.

Two rows are worth finding by hand. **Texas** has the average nearest to dead even, at -0.04 , so the twelve collectively cannot call it. **New Hampshire** has the widest spread, running from 0.5 to 3, which is the difference between a race that tilts one way and a race that is over. Those are different kinds of uncertainty. A toss-up everyone agrees is a toss-up is a statement about the race; a race where the forecasters split is a statement

about the forecasters.

The last column below is how far each forecaster's ratings sit, on average, from the mean of the other eleven.

forecaster	ratings last changed	races rated	average distance from the other eleven
The Economist	2026-08-07	35	0.36
Inside Elections	2026-08-06	35	0.32
Split Ticket	2026-08-11	35	0.25
Sabato	2026-08-19	35	0.23
RealClearPolitics	2026-08-14	35	0.22
Silver Bulletin	2026-08-21	35	0.21
VoteHub	2026-08-06	35	0.21
Cook	2026-08-20	35	0.19
Fox News	2026-08-18	35	0.19
FiftyPlusOne	2026-08-11	35	0.19
Race to the WH	2026-08-22	35	0.19
Decision Desk HQ	2026-08-05	35	0.16

Table 2. The 12. The Economist sits furthest from the rest, at 0.36 on a scale six wide, and Decision Desk HQ sits closest. Neither fact says who is right. A forecaster who agrees with everyone else adds nothing to an average, while one who disagrees adds the only thing an average has to work with.

The dates matter too. These ratings were published between 2026-08-05 and 2026-08-22, a spread of more than two weeks in a campaign where two races changed category during it. Some of the twelve are answering a slightly older question than the others.

04 What this brief cannot tell you

Whether any of these ratings are any good. Twelve forecasters agreeing is not evidence. They read the same polls, the same fundraising reports and each other, so their agreement is close to one opinion counted twelve times. The spread in Figure 3 is a lower bound on the real uncertainty rather than a measure of it.

What a rating means as a probability. "Lean D" does not mean 65%, or any other number, and no forecaster here publishes what it does mean. The average is a summary of language rather than a measurement of chance, and the ratings have polling baked into them without saying how much.

Whether the candidates on Table 1 will be the candidates. The list was current when the article was read. Maine's Democratic nominee in this file is the party's second choice, after the first left the race in August, and nothing stops that happening again.

Whether 3 races have been rated honestly at all. Idaho, Nebraska and South Dakota have no Democrat on the ballot, and in two of them the challenger is an independent. Every forecaster still put those races on a Democrat-against-Republican scale, and so did you, because the instrument gave you nowhere else to put them.

05 What you should have learned

- Your 35 calls are added to 34 seats nobody votes on, and a majority needs 51 rather than 50 because the Vice President breaks ties. That makes the requirement 17 of 35, a net gain of 4.
- Averaging expert ratings requires inventing a number line for words nobody attached numbers to, and the answer depends on the numbers you invent.
- The 12 averaged call 16 of 35 races for the Democrats, which is 50 seats: the one total that decides nothing.
- Agreement and closeness are different. All 12 agree on 16 races; Texas is the closest at -0.04, and New Hampshire is the most disputed, running from 0.5 to 3.
- A seven-point party scale cannot represent 3 of these 35 races, because no Democrat filed in them, and every published rating still uses it.

06 Extensions

None of these is answered above, and every one can be answered from the tables the Sources section hands over.

- `ratings_long.csv` has every forecaster's `rating` and `score` for every race. Find the races they disagree about most. Are those the closest races, or just the least covered?
- `forecasters.csv` gives each one a `mean_gap`. Work out who is boldest and who hedges, then decide which you would rather read in August.
- `races.csv` carries `pvi` and `last_share` beside `fc_mean`. Find the races where the ratings depart furthest from the partisan lean, and say what the forecasters see that the past result does not.
- `seat_math.csv` fixes the target at 51. Recompute it on the assumption that the Vice President is a Democrat.
- **Stretch.** Write down now how you will score yourself in November, and date the rule before you know anything.
- **Stretch.** After the election, put the result beside `class_ratings.csv` and `ratings_long.csv` and score both against your own rule.

07 Sources

Data

- Wikipedia, "2026 United States Senate elections" (https://en.wikipedia.org/wiki/2026_United_States_Senate_elections), read as the page's source text, currently 254,044 characters. Two tables are read: *Predictions*, for each race's partisan index, incumbent, last result and ratings; and *Race summary*, for the qualified candidates. The version read is kept beside the numbers it produced.
- The 12 forecasters whose ratings that table collects, each cited there to its own page and carrying the date its ratings were last changed: Cook (20 August 2026), Decision Desk HQ (5 August 2026), FiftyPlusOne (11 August 2026), Fox News (18 August 2026), Inside Elections (6 August 2026), Race to the WH (22 August 2026), RealClearPolitics (14 August 2026), Sabato (19 August 2026), Silver Bulletin (21 August 2026), Split

Ticket (11 August 2026), The Economist (7 August 2026), VoteHub (6 August 2026). Their published ratings are recorded here, not recomputed.

- @unitedstates/congress-legislators, legislators-current.csv (<https://unitedstates.github.io/congress-legislators/legislators-current.csv>; the project is at <https://github.com/unitedstates/congress-legislators>), a file of every sitting member kept by volunteers, used only as a check.

The data itself

Every figure above is drawn from these tables, which are plain CSV.

class_ratings.csv, forecasters.csv, races.csv, ratings_long.csv, seat_math.csv

Choices made here, which are in no source

- The seven-point scale and the numbers behind it: Safe 3, Likely 2, Lean 1, Tilt 0.5, Toss-up 0, signed positive for the Democrat.
- The rule turning a past election into a rating for Figure 2's last-election layer: a winner's share of 60% or more is Safe, 55 to 60 is Likely, 52 to 55 is Lean, and under 52 is a toss-up.
- Counting the two independent senators who caucus with the Democrats among the 47, which is how every seat count in the coverage is stated and is in no file.

Also cited

- Balk, T. "Can Democrats Win Back the Senate? Why Their Chances Are Improving." *The New York Times*, 24 August 2026, for the six-state core battlefield and the seat arithmetic reproduced above.
- United States Senate, *Class II — Senators Whose Terms of Service Expire in 2027*, https://www.senate.gov/senators/Class_II.htm, and *Occasions When Vice Presidents Have Voted to Break Tie Votes in the Senate*, <https://www.senate.gov/artandhistory/history/resources/pdf/VPTies.pdf>.
- Ballotpedia, the two special elections: https://ballotpedia.org/United_States_Senate_special_election_in_Florida,_2026 and https://ballotpedia.org/United_States_Senate_special_election_in_Ohio,_2026; and the 2024 Nebraska result, https://ballotpedia.org/United_States_Senate_election_in_Nebraska,_2024.
- Fischhoff, B. (1975). "Hindsight ≠ Foresight: The Effect of Outcome Knowledge on Judgment under Uncertainty." *Journal of Experimental Psychology: Human Perception and Performance* 1(3): 288-299. <https://doi.org/10.1037/0096-1523.1.3.288>

REBUILD THIS DATA YOURSELF, WITH AN AI ASSISTANT

I want to rebuild a public dataset from its original sources, without any starting files. Please do the following and show your work – and know one thing going in: the main source is edited every day during a campaign, so your copy will be today's version, not the one this book captured.

THE FIRST SOURCE. Wikipedia's article "2026 United States Senate elections", fetched as raw wikitext through the MediaWiki API:

https://en.wikipedia.org/w/api.php?action=parse&page=2026_United_States_Senate_elections&prop=wikitext&format=json

No account or key is needed.

HOW TO FETCH IT. Ask for the wikitext, not the rendered page. On the rendered page each forecaster's rating is a coloured table cell, and the category you want has become a background colour. In the wikitext it is still a template that names the word: `{{USRaceRating|Lean|D}}`. Two tables inside the article matter – the one headed "Predictions" and the ones under "Race summary".

THE SECOND SOURCE. The @unitedstates project's roster of sitting members of Congress:

<https://unitedstates.github.io/congress-legislators/legislators-current.csv>

One CSV, one row per current senator or representative, with party, state and Senate class. No key.

WHAT TO BUILD.

1. One row per 2026 Senate race. There are thirty-five: the thirty-three

Class 2 seats whose terms expire, plus special elections in Florida and Ohio for seats vacated in 2025. For each, record the state, the sitting senator and their party, whether that senator is running, retiring, appointed or lost their primary, the candidates who qualified with their party labels, and the seat's last election result. Four seats are held by appointees and have no last election of their own; the article's footnote gives the seat's, and the last contest named in that footnote is the one to use.

2. One row per forecaster per race, from the Predictions table, with the rating word and the date that forecaster's ratings carry.

3. A signed score for each rating so they can be averaged: Safe or Solid 3, Likely 2, Lean 1, Tilt 0.5, Tossup 0, positive for the Democrat. Say plainly in your output that these numbers are your choice and not the forecasters'.

4. The seat arithmetic: how many of the 100 seats are on the ballot, how many of each party's seats are not, and how many of the thirty-five a party has to win to reach 51.

CHECK YOUR WORK.

- Every race carries the same number of ratings, and the total is 420.
- The thirty-three non-special races are exactly the states with a Class 2 senator in the roster file. If that fails, the parse of the article is wrong, and nothing downstream can be trusted.
- Neither special-election seat is Class 2, or a seat is counted twice.
- Seats on the ballot plus seats not on the ballot equals 100.
- Every seat is held by one of the two parties, and thirteen of the thirty-five are Democratic.
- Three races have no Democrat on the ballot at all. If you get zero, your candidate parser is matching the wrong party label – Minnesota's Democrats file as the Democratic-Farmer-Labor Party.

The roster file changes whenever a seat changes hands mid-term, so a count a few rows off there means an appointment or a swearing-in, not a mistake in your work.