




17-08-27 / 0kmh / right




17-12-40 / 0kmh / left




17-24-06 / 5kmh / right



17-27-06 / 5 kmh / left



17-30-40 / 9kmh / right



17-40-15 / 9kmh / left

```
- <acuitytest name="static" treadmillspeed="0.0" date="06/05/2007 - 17:08:27" eye="right">
<result value="1.12666666666666667" stddev="0.23253434632806844" />
- <answers>
<answer value="true" str="OPTOTYPE_R">
< < optotype>
<name>R</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< < optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< coptotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
< < optotype>
<name>S</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
```

</optotype>

```
</answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< < optotype>
<name>O</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>Z</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< < optotype>
<name>C</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
< <optotype>
<name>D</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_D">
< < optotype>
<name>S</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
```

```
<name>H</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_D">
< <optotype>
<name>S</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< <optotype>
<name>K</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_Z">
< <optotype>
<name>C</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
```

```
</answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< < optotype>
<name>Z</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_N">
< <optotype>
<name>O</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< < optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_K">
< <optotype>
<name>R</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
- <optotype>
<name>K</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< < optotype>
<name>K</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< < optotype>
```

```
<acuity>0.8</acuity>
   </optotype>
   </answer>
  </answers>
   </acuitytest>
- <acuitytest name="static" treadmillspeed="0.0" date="06/05/2007 - 17:12:40" eye="left">
<result value="1.1900000000000000" stddev="0.33570820663189005" />
<answers>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< coptotype>
<name>K</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
- <optotype>
<name>H</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>0.67</acuity>
```

<name>**S**</name>

```
</answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_Z">
< <optotype>
<name>R</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
< coptotype>
<name>D</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
```

</optotype>

```
< <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
- <optotype>
<name>D</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>K</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
< <optotype>
<name>C</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_D">
< <optotype>
<name>O</name>
<acuity>1.0</acuity>
```

```
</optotype>
   </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< coptotype>
<name>H</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
< <optotype>
<name>N</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_Z">
```

```
- <optotype>
<name>O</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
  </answers>
   </acuitytest>
<acuitytest name="static" treadmillspeed="5.0" date="06/05/2007 - 17:24:06" eye="right">
<result value="0.7041666666666666" stddev="0.1643907100646376" />
<answers>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< < optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
```

```
<acuity>0.67</acuity>
   </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_Z">
- <optotype>
<name>H</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_V">
< <optotype>
<name>S</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< < optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.8</acuity>
  </optotype>
   </answer>
```

```
- <answer value="false" str="OPTOTYPE_Z">
< <optotype>
<name>O</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
< <optotype>
<name>H</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
<answer value="false" str="OPTOTYPE_O">
< <optotype>
<name>C</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_H">
< <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
```

```
<acuity>0.67</acuity>
   </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
- <optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
< < optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< < optotype>
<name>V</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
   </answer>
```

```
- <answer value="true" str="OPTOTYPE_V">
< < optotype>
<name>V</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>K</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>0.67</acuity>
   </optotype>
  </answer>
   </answers>
  </acuitytest>
- <acuitytest name="static" treadmillspeed="5.0" date="06/05/2007 - 17:27:06" eye="left">
<result value="0.9674999999999999" stddev="0.304004522992669" />
<answers>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
<name>H</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< < optotype>
<name>R</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< coptotype>
```

```
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_K">
- <optotype>
<name>R</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
< <optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< coptotype>
<name>O</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
<name>H</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
```

```
</answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< < optotype>
<name>S</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
<answer value="false" str="OPTOTYPE_Z">
< < optotype>
<name>H</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_V">
< <optotype>
<name>C</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< < optotype>
<name>R</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< < optotype>
```

```
<name>S</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
- <optotype>
<name>D</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_K">
- <optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
- <optotype>
<name>Z</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< coptotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
< <optotype>
<name>C</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
```

```
</answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
<name>H</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< < optotype>
<name>K</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
< <optotype>
<name>N</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< < optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
- <optotype>
<name>K</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>C</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
< < optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
- <optotype>
```

```
<name>D</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
  </answers>
  </acuitytest>
_ <acuitytest name="static" treadmillspeed="9.0" date="06/05/2007 - 17:30:40" eye="right">
<answers>
- <answer value="true" str="OPTOTYPE_C">
< coptotype>
<name>C</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_D">
- <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.25</acuity>
```

```
</optotype>
   </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< <optotype>
<name>K</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_Z">
- <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_K">
```

```
< <optotype>
<name>S</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_H">
- <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
- <optotype>
<name>K</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
< <optotype>
<name>D</name>
<acuity>0.5</acuity>
```

```
</optotype>
   </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_H">
< coptotype>
<name>Z</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_N">
< <optotype>
<name>H</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
```

```
< <optotype>
<name>S</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
< <optotype>
<name>Z</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< < optotype>
<name>R</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
< <optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_N">
< <optotype>
<name>H</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.4</acuity>
  </optotype>
   </answer>
   </answers>
   </acuitytest>
```

```
- <acuitytest name="static" treadmillspeed="9.0" date="06/05/2007 - 17:40:15" eye="left">
<result value="0.74416666666666666" stddev="0.2332187218518752" />
- <answers>
<answer value="true" str="OPTOTYPE_O">
< < optotype>
<name>O</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< < optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_H">
< coptotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< <optotype>
<name>K</name>
<acuity>0.4</acuity>
  </optotype>
```

```
</answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< < optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_Z">
< < optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_K">
- <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< < optotype>
<name>D</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< < optotype>
```

```
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_Z">
- <optotype>
<name>K</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_V">
- <optotype>
<name>D</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< coptotype>
<name>K</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_Z">
- <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
- <optotype>
<name>D</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
```

```
</answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
< < optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_Z">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< < optotype>
<name>V</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_H">
- <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
< < optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
- <optotype>
```

```
<name>C</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_Z">
< < optotype>
<name>Z</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
  </answers>
  </acuitytest>
```