


```
c <patient id="">
    <firstname> Milena </firstname>
    <lastname> Sedlak </lastname>
    <age>21 </age>
    <sex>F </sex>
    <comment> Glasses </comment>
        </patient>
```




16-38-04 / 0kmh / right




16-40-52 / 0kmh / left




16-42-18 / 5kmh / right



16-48-46 / 5kmh / left



16-51-07 / 9kmh / right



16-53-49 / 9kmh / left

</answer>

```
- <acuitytest name="static" treadmillspeed="0.0" date="06/05/2007 - 16:38:04" eye="right">
<result value="0.690000000000001" stddev="0.15874507866387544" />
<answers>
<answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
 <acuity>0.1</acuity>
   </optotype>
   </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
 <acuity>0.1</acuity>
   </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
 <acuity>0.25</acuity>
   </optotype>
   </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
 <acuity>0.25</acuity>
   </optotype>
```

```
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>O</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
<answer value="false" str="OPTOTYPE_V">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< <optotype>
<name>K</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< < optotype>
<name>D</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< <optotype>
<name>K</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
```

```
<acuity>0.67</acuity>
   </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
- <optotype>
<name>D</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< < optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_N">
< <optotype>
<name>H</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.67</acuity>
  </optotype>
   </answer>
```

```
- <answer value="false" str="OPTOTYPE_O">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< < optotype>
<name>V</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>C</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< < optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
- <optotype>
<name>D</name>
```

```
<acuity>0.8</acuity>
   </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>C</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_H">
- <optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< < optotype>
<name>K</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
   </answer>
```

```
- <answer value="false" str="OPTOTYPE_S">
< < optotype>
<name>Z</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
   </answer>
   </answers>
   </acuitytest>
<acuitytest name="static" treadmillspeed="0.0" date="06/05/2007 - 16:40:52" eye="left">
<result value="1.25083333333333332" stddev="0.2648414095684861" />
- <answers>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< < optotype>
<name>D</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< coptotype>
```

```
<name>K</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>C</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< coptotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>R</name>
<acuity>1.67</acuity>
  </optotype>
```

```
</answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< < optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< < optotype>
<name>H</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>O</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>R</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< < optotype>
<name>V</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
```

```
<name>R</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< < optotype>
<name>N</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>R</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< <optotype>
<name>K</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< coptotype>
<name>K</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>K</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_C">
< <optotype>
<name>S</name>
<acuity>1.25</acuity>
  </optotype>
```

```
</answer>
<answer value="true" str="OPTOTYPE_D">
- <optotype>
<name>D</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< < optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
  </answers>
  </acuitytest>
- <acuitytest name="static" treadmillspeed="5.0" date="06/05/2007 - 16:42:18" eye="right">
<result value="0.8116666666666666" stddev="0.18533003594189018" />
- <answers>
<answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
- <optotype>
<name>D</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_V">
< <optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
```

```
<name>V</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
- <optotype>
<name>O</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_D">
- <optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< < optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.8</acuity>
  </optotype>
```

```
</answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< < optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_H">
< <optotype>
<name>N</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< < optotype>
<name>Z</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
< <optotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
- <optotype>
<name>D</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_D">
- <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< < optotype>
<name>N</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
```

```
<name>V</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< < optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< coptotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>R</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.8</acuity>
  </optotype>
```

```
</answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
< < optotype>
<name>D</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< < optotype>
<name>S</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.8</acuity>
  </optotype>
   </answer>
  </answers>
   </acuitytest>
- <acuitytest name="static" treadmillspeed="5.0" date="06/05/2007 - 16:48:46" eye="left">
<result value="0.85916666666666667" stddev="0.24043219187306997" />
<answers>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< coptotype>
<name>C</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
```

```
< <optotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>K</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
< <optotype>
<name>O</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< < optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.8</acuity>
```

```
</optotype>
   </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>C</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_V">
< <optotype>
<name>C</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_D">
< <optotype>
<name>O</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
```

```
< <optotype>
<name>Z</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_H">
- <optotype>
<name>N</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_D">
- <optotype>
<name>C</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_D">
< <optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_D">
< <optotype>
<name>O</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.4</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>0.4</acuity>
```

```
</optotype>
   </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< <optotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_K">
- <optotype>
<name>N</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
```

```
- <optotype>
<name>R</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
  </answers>
   </acuitytest>
<acuitytest name="static" treadmillspeed="9.0" date="06/05/2007 - 16:51:07" eye="right">
<result value="0.68416666666666667" stddev="0.1553736535652756" />
- <answers>
- <answer value="true" str="OPTOTYPE_K">
< <optotype>
<name>K</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< < optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
```

```
<acuity>0.67</acuity>
   </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_V">
- <optotype>
<name>K</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
< <optotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
- <optotype>
<name>C</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
- <optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< < optotype>
<name>Z</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
< <optotype>
<name>K</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_V">
< <optotype>
<name>K</name>
<acuity>0.67</acuity>
  </optotype>
   </answer>
```

```
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
< <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_R">
< <optotype>
<name>R</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< < optotype>
<name>S</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>S</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_O">
< <optotype>
<name>D</name>
```

```
<acuity>0.67</acuity>
   </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< <optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>N</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
- <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< < optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
< <optotype>
<name>O</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
   </answer>
```

```
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< < optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_K">
- <optotype>
<name>K</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< <optotype>
<name>D</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
   </answers>
  </acuitytest>
- <acuitytest name="static" treadmillspeed="9.0" date="06/05/2007 - 16:53:49" eye="left">
<result value="0.94" stddev="0.3145631892005169" />
- <answers>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.1</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_H">
< < optotype>
<name>H</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< coptotype>
```

```
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_V">
- <optotype>
<name>Z</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_R">
- <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< <optotype>
<name>C</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
< <optotype>
<name>H</name>
<acuity>1.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_K">
- <optotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
```

```
</answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
< < optotype>
<name>C</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_D">
< < optotype>
<name>D</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_R">
< <optotype>
<name>S</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
- <optotype>
<name>O</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< <optotype>
<name>S</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
- <optotype>
<name>N</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< < optotype>
<name>O</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_D">
< < optotype>
```

```
<name>D</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>S</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_N">
< coptotype>
<name>N</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
<name>N</name>
<acuity>1.25</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_N">
< <optotype>
<name>H</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
- <optotype>
<name>R</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_V">
< <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
```

```
</answer>
- <answer value="true" str="OPTOTYPE_V">
- <optotype>
<name>V</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_S">
< < optotype>
<name>O</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_N">
< <optotype>
<name>R</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_R">
< < optotype>
<name>R</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
< <optotype>
<name>Z</name>
<acuity>0.5</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_C">
- <optotype>
<name>C</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_O">
< <optotype>
<name>O</name>
<acuity>0.67</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_Z">
- <optotype>
<name>Z</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="true" str="OPTOTYPE_S">
< < optotype>
<name>S</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
- <answer value="false" str="OPTOTYPE_DONTKNOW">
- <optotype>
```

```
<name>K</name>
<acuity>1.0</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_V">
< coptotype>
<name>V</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
<answer value="true" str="OPTOTYPE_Z">
< < optotype>
<name>Z</name>
<acuity>0.8</acuity>
  </optotype>
  </answer>
  </answers>
  </acuitytest>
```