

Generated using SQL Data Dictionary demo version.

## **MercurioPDPProdDB**

## **Tables:**

<b>dbo.PagoEnTienda</b> (0 rows) .....	1
<b>dbo.PaymentProcessed3DS</b> (59,375 rows) .....	1
<b>dbo.pdpBin</b> (1,093 rows) .....	1
<b>dbo.pdpBinProd</b> (1,093 rows) .....	1
<b>dbo.pdpEmisorTjta</b> (172 rows) .....	2
<b>dbo.pdpTipoTjta</b> (4 rows) .....	2
<b>dbo.ProcessPaymentWeb</b> (130,419 rows) .....	3
<b>dbo.tbl_CardsOmonelToken</b> (471 rows) .....	3
<b>dbo.tbl_CardsToken</b> (112,068 rows) .....	3
<b>dbo.tbl_Descarga_Order_SF</b> (6 rows) .....	4
<b>dbo.tbl_InfoClientToken</b> (65,965 rows) .....	4
<b>dbo.tbl_ordenes_abandono</b> (0 rows) .....	4
<b>dbo.tbl_Payment_Order</b> (217,868 rows) .....	5
<b>dbo.tbl_Payment_Order_Json_Request</b> (217,868 rows) .....	5
<b>dbo.tbl_Payment_Order_Shipment</b> (223,074 rows) .....	6
<b>dbo.tbl_Payment_Order_Shipment_Item</b> (1,442,978 rows) .....	6
<b>dbo.tbl_Payment_Order_Store</b> (2 rows) .....	7
<b>dbo.tbl_Payment_Transaction</b> (100,528 rows) .....	7
<b>dbo.tbl_Payment_Transaction_Json_Request</b> (100,528 rows) .....	8
<b>dbo.tbl_Payment_Transaction_Shipment</b> (100,528 rows) .....	8
<b>dbo.tbl_Payment_Transaction_Shipment_Item</b> (661,406 rows) .....	8
<b>dbo.tbl_Payment_Transaction_Status</b> (443,479 rows) .....	9
<b>dbo.tbl_Payments_Omonel</b> (0 rows) .....	9
<b>dbo.tbl_Save_JsonRequest_ClosureOrder</b> (24,374 rows) .....	10
<b>dbo.tbl_Save_ResponseCybersource_Suscription</b> (130,081 rows) .....	10
<b>dbo.tbl_trace_payments_Prov</b> (2,090,766 rows) .....	10

## Tables:

**Table dbo.PagoEnTienda** (0 rows)

	Column	Data Type	Identity	Nullable	Default
	FechaVenta	datetime		X	
	Sucursal	int			
	Caja	int			
	Cajero	int			
	Transaccion	int			
	ReferenciaFormaPago	varchar(50)		X	
	Bin	varchar(10)		X	
	LineaCaptura	varchar(50)		X	
	ImporteServicio	int		X	
	FormaPago	int		X	
	ImporteFormaPago	decimal(18,2)		X	
	Promocion	varchar(50)		X	

**Table dbo.PaymentProcessed3DS** (59,375 rows)

	Column	Data Type	Identity	Nullable	Default
	idPayment	int	X		
	OrderReferenceNumber	varchar(20)		X	
	RequestJson	varchar(max)		X	
	ResponseJson	varchar(max)		X	
	AcsUrl	varchar(max)		X	
	Pareq	varchar(max)		X	
	AuthenticationTransactionId	varchar(50)		X	

**Table dbo.pdpBin** (1,093 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Cve_Bin	varchar(16)			
	Desc_Bin	varchar(30)			
	Abrev_Bin	varchar(10)			
	Num_MinDigTjta	tinyint			
	Num_MaxDigTjta	tinyint			
	Num_LongBin	tinyint			
	Bit_Cred	bit			
	Bit_MarcaPropia	bit			
	Bit_Eliminacion	bit			
	Cve_Usuario	varchar(50)			
	Fec_Movto	smalldatetime			getdate()

## Indexes:

**pdpBin\_PK** (Primary Key) (Clustered)

Id\_Cve\_Bin

## Referenced by:

**dbo.pdpBinProd** (Id\_Cve\_Bin)

**Table dbo.pdpBinProd** (1,093 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Cve_Bin	varchar(16)			
<b>FK</b>	Id_Num_EmisorTjta	decimal(10,0)			
<b>FK</b>	Id_Num_TipoTjta	tinyint			
	Nom_Prod	varchar(60)			
	Desc_Marca	varchar(20)			
	Fecx_Alta	datetime			
	Cve_Procesador	varchar(60)			
	Cve_Usuario	varchar(50)			
	Fec_Movto	datetime			

#### Indexes:

**pdpBinProd\_PK** (Primary Key) (Clustered)

Id\_Cve\_Bin

**Relation\_48603\_FK**

Id\_Num\_EmisorTjta

**Relation\_48604\_FK**

Id\_Num\_TipoTjta

#### References:

**dbo.pdpBin** (Id\_Cve\_Bin)

**dbo.pdpEmisorTjta** (Id\_Num\_EmisorTjta)

**dbo.pdpTipoTjta** (Id\_Num\_TipoTjta)

#### Table dbo.pdpEmisorTjta (172 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_EmisorTjta	decimal(10,0)			
	Nom_EmisorTjta	varchar(60)			
	Cve_Usuario	varchar(50)			
	Fec_Movto	datetime			

#### Indexes:

**pdpEmisorTjta\_PK** (Primary Key) (Clustered)

Id\_Num\_EmisorTjta

#### Referenced by:

**dbo.pdpBinProd** (Id\_Num\_EmisorTjta)

#### Table dbo.pdpTipoTjta (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_TipoTjta	tinyint			
	Desc_TipoTjta	varchar(40)			
	Abrev_TipoTjta	varchar(10)			
	Cve_Usuario	varchar(50)			
	Fec_Movto	datetime			

**Indexes:****pdpTipoTjta\_PK** (Primary Key) (Clustered)

Id\_Num\_TipoTjta

**Referenced by:****dbo.pdpBinProd** (Id\_Num\_TipoTjta)**Table dbo.ProcessPaymentWeb** (130,419 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_paymentWeb	int	X		
	Id_processing	uniqueidentifier		X	
	RequestJson	varchar(max)		X	
	ResponseJson	varchar(max)		X	
	UrlMonitor	varchar(max)		X	
	Fec_Movto	smalldatetime		X	
	requestPaymentId	varchar(50)		X	
	ResponseGetOrderJson	varchar(max)		X	

**Indexes:****nci\_wi\_ProcessPaymentWeb\_A957192B1854DDFD0F91DF4DEA1BA2FC**

Id\_processing

**Table dbo.tbl\_CardsOmonelToken** (471 rows)

	Column	Data Type	Identity	Nullable	Default
	ClientID	varchar(36)			
<b>PK</b>	CardAccountNumber	varchar(50)			
	ClientToken	varchar(50)			
	BinCode	int			
	PaymentMethod	varchar(50)		X	
	Bank	varchar(50)		X	
	TypeOfCard	varchar(11)			
	PersistToken	bit			
	IsActive	bit			
	MaskCard	varchar(19)			
	CvvRequired	bit			
	NipRequired	bit			
	IsDefault	bit			
	CreatedDate	datetime			
	UpdatedDate	datetime		X	
	DeletedDate	datetime		X	

**Indexes:****PK\_\_tbl\_Card\_\_9631633FDBF9323C** (Primary Key) (Clustered)

CardAccountNumber

**Table dbo.tbl\_CardsToken** (112,068 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	ClientID	varchar(36)			
<b>PK</b>	ClientToken	varchar(1024)			

	BinCode	int			
	PaymentMethod	varchar(50)		X	
	Bank	varchar(50)		X	
	TypeOfCard	varchar(11)			
	PersistToken	bit			
	IsActive	bit			
	MaskCard	varchar(19)			
	CvvRequired	bit			
	NipRequired	bit			
	IsDefault	bit			
	CreatedDate	datetime			
	UpdatedDate	datetime		X	
	DeletedDate	datetime		X	

#### Indexes:

**PK\_\_tbl\_Card\_\_ED9D44649F8D1A1D** (Primary Key) (Clustered)

ClientID  
ClientToken

#### **Table dbo.tbl\_Descarga\_Order\_SF** (6 rows)

	Column	Data Type	Identity	Nullable	Default
	id_order_d	int	X		
	order_no	varchar(20)		X	
	orderJson	varchar(max)		X	
	bit_envio	bit		X	
	fec_movto	smalldatetime		X	
	responseCO	varchar(max)		X	
	SF_Json	varchar(max)		X	

#### **Table dbo.tbl\_InfoClientToken** (65,965 rows)

	Column	Data Type	Identity	Nullable	Default
	ClientID	varchar(36)			
<b>PK</b>	TokenCta	varchar(100)			
	billToEmail	varchar(100)		X	
	billToFirstName	varchar(100)		X	
	billToLastName	varchar(100)		X	
	billToCity	varchar(100)		X	
	billToCountry	varchar(100)		X	
	billToPhoneNumber	varchar(15)		X	
	billToPostalCode	varchar(10)		X	
	billToState	varchar(100)		X	
	billToStreet1	varchar(100)		X	

#### Indexes:

**PK\_\_tbl\_Info\_\_AFF13DD5461405A4** (Primary Key) (Clustered)

TokenCta

#### **Table dbo.tbl\_ordenes\_abandono** (0 rows)

	Column	Data Type	Identity	Nullable	Default
	id_abandono	int	X		

orderReferenceNumber	varchar(20)		X	
status	varchar(30)		X	
fec_movto	datetime		X	

**Table dbo.tbl\_Payment\_Order** (217,868 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	PaymentOrderID	bigint			
	OrderReferenceNumber	bigint			
	OrderDate	date			
	OrderTime	time			
	OrderSaleChannel	varchar(10)			
	OrderCouponCode	varchar(20)			
	OrderAmount	decimal(18,2)			
	CustomerEmail	varchar(50)			
	CustomerFirstName	varchar(30)			
	CustomerLastName	varchar(30)			
	CustomerId	varchar(12)			
	CustomerDeviceFingerPrintId	varchar(50)			
	CustomerIPAddress	varchar(20)			
	CustomerPurchasesQuantity	int			
	CustomerContact	varchar(16)			
	CustomerLoyaltyCardId	varchar(20)			
	CustomerRegisteredDays	int			
	ReturnURL	varchar(255)			
	PaymentType	varchar(15)			
	PaymentProcessor	varchar(15)			
	PaymentToken	varchar(60)			
	PaymentSaveCard	bit			
	PaymentCardCVV	smallint		X	
	PaymentCardNIP	smallint		X	
	CustomerAddress	varchar(255)			
	CustomerCity	varchar(255)			
	CustomerState	varchar(50)			
	CustomerZipCode	int			
	CustomerCountry	varchar(10)			
	CustomerLoyaltyRedeemMoney	decimal(18,2)			
	CustomerLoyaltyRedeemElectronicMoney	decimal(18,2)			
	CustomerLoyaltyRedeemPoints	decimal(18,2)			
	IsActive	bit			1
	CreatedDate	datetime2			getdate()
	UpdatedDate	datetime2		X	
	DeletedDate	datetime2		X	

**Indexes:**

**PK\_\_tbl\_Paym\_\_3972A3932285D825** (Primary Key) (Clustered)

PaymentOrderID

**Table dbo.tbl\_Payment\_Order\_Json\_Request** (217,868 rows)

	Column	Data Type	Identity	Nullable	Default
	PaymentOrderID	bigint			
	PaymentOrderJSONRequest	varchar(max)			

**Indexes:****nci\_wi\_tbl\_Payment\_Order\_Json\_Request\_625E1FA15EADF1D634F8A04B3E0562E4**

PaymentOrderID

**Table dbo.tbl\_Payment\_Order\_Shipment (223,074 rows)**

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	PaymentOrderID	bigint			
<b>PK</b>	ShipmentIDSequence	tinyint			
	OrderReferenceNumber	bigint			
	ShippingReferenceNumber	varchar(30)			
	ShippingStoreId	varchar(10)			
	ShippingStoreName	varchar(50)			
	ShippingDeliveryId	varchar(20)			
	ShippingDeliveryDesc	varchar(50)			
	ShippingPaymentInstallments	int			
	ShippingPaymentImport	decimal(18,2)			
	ShippingFirstName	varchar(250)		X	
	ShippingLastName	varchar(30)			
	ShippingAddress	varchar(255)			
	ShippingCity	varchar(255)			
	IsActive	bit			1
	CreatedDate	datetime2			getdate()
	UpdatedDate	datetime2		X	
	DeletedDate	datetime2		X	

**Indexes:****PK\_\_tbl\_Paym\_\_D1DB62BA7798ECF4 (Primary Key) (Clustered)**PaymentOrderID  
ShipmentIDSequence**Table dbo.tbl\_Payment\_Order\_Shipment\_Item (1,442,978 rows)**

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	PaymentOrderID	bigint			
<b>PK</b>	ShipmentIDSequence	tinyint			
<b>PK</b>	ItemIDSequence	tinyint			
	OrderReferenceNumber	bigint			
	ShippingItemId	int			
	ShippingItemEAN	int			
	ShippingItemName	varchar(255)			
	ShippingItemCategory	varchar(100)		X	
	ShippingItemPrice	decimal(18,2)			
	ShippingItemQuantity	tinyint			
	ShippintItemTotal	decimal(18,2)			
	IsActive	bit			1
	CreatedDate	datetime2			getdate()
	UpdatedDate	datetime2		X	
	DeletedDate	datetime2		X	

**Indexes:****PK\_\_tbl\_Paym\_\_6EF5FCE213C7F119 (Primary Key) (Clustered)**



PaymentOrderID  
ShipmentIDSequence  
ItemIDSequence

**Table dbo.tbl\_Payment\_Order\_Store** (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderReferenceNumber	varchar(70)			
	OrderAmount	varchar(50)			
	LineaCaptura	varchar(70)			
	Estatus	varchar(19)			
	CreatedDate	datetime			
	VencimientoDate	datetime			

**Indexes:**

**PK\_\_tbl\_Paym\_\_B95313CAA51E26E4** (Primary Key) (Clustered)

OrderReferenceNumber

**Table dbo.tbl\_Payment\_Transaction** (100,528 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	PaymentTransactionID	bigint			
	PaymentOrderID	bigint			
	OrderReferenceNumber	bigint			
	OrderDate	date			
	OrderTime	time			
	MerchandiseType	tinyint			
	OrderSaleChannel	varchar(10)			
	OrderCouponCode	varchar(20)			
	OrderAmount	decimal(18,2)			
	CustomerEmail	varchar(50)			
	CustomerFirstName	varchar(30)			
	CustomerLastName	varchar(30)			
	CustomerId	varchar(12)			
	CustomerDeviceFingerPrintId	varchar(50)			
	CustomerIPAddress	varchar(20)			
	CustomerPurchasesQuantity	int			
	CustomerContact	varchar(16)			
	CustomerLoyaltyCardId	varchar(20)			
	CustomerRegisteredDays	int			
	ReturnURL	varchar(255)			
	PaymentType	varchar(15)			
	PaymentProcessor	varchar(15)			
	PaymentToken	varchar(60)			
	PaymentSaveCard	bit			
	PaymentCardCVV	smallint		X	
	PaymentCardNIP	smallint		X	
	CustomerAddress	varchar(255)			
	CustomerCity	varchar(255)			
	CustomerState	varchar(50)			
	CustomerZipCode	int			
	CustomerCountry	varchar(10)			
	CustomerLoyaltyRedeemMoney	decimal(18,2)			
	CustomerLoyaltyRedeemElectronicMoney	decimal(18,2)			
	CustomerLoyaltyRedeemPoints	decimal(18,2)			
	IsActive	bit			1

	CreatedDate	datetime2			getdate()
	UpdatedDate	datetime2		X	
	DeletedDate	datetime2		X	

#### Indexes:

**PK\_\_tbl\_Paym\_\_C22AEF8086317996** (Primary Key) (Clustered)

PaymentTransactionID

#### **Table dbo.tbl\_Payment\_Transaction\_Json\_Request** (100,528 rows)

	Column	Data Type	Identity	Nullable	Default
	PaymentTransactionID	bigint			
	PaymentTransactionJSONRequest	varchar(max)			

#### Indexes:

**nci\_wi\_tbl\_Payment\_Transaction\_Json\_Request\_34EE94E60D985B1E7ADE99B7DD7E5701**

PaymentTransactionID

#### **Table dbo.tbl\_Payment\_Transaction\_Shipment** (100,528 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	PaymentTransactionID	bigint			
<b>PK</b>	ShipmentIDSequence	tinyint			
	PaymentOrderID	bigint			
	OrderReferenceNumber	bigint			
	ShippingReferenceNumber	varchar(30)			
	ShippingStoreId	varchar(10)			
	ShippingStoreName	varchar(50)			
	ShippingDeliveryId	varchar(20)			
	ShippingDeliveryDesc	varchar(50)			
	ShippingPaymentInstallments	int			
	ShippingPaymentImport	decimal(18,2)			
	ShippingFirstName	varchar(250)		X	
	ShippingLastName	varchar(30)			
	ShippingAddress	varchar(255)			
	ShippingCity	varchar(255)			
	IsActive	bit			1
	CreatedDate	datetime2			getdate()
	UpdatedDate	datetime2		X	
	DeletedDate	datetime2		X	

#### Indexes:

**PK\_\_tbl\_Paym\_\_2A832EA9F40C2D28** (Primary Key) (Clustered)

PaymentTransactionID  
ShipmentIDSequence

**nci\_wi\_tbl\_Payment\_Transaction\_Shipment\_03C91F4495F07229F7EF21567D47D33F**

OrderReferenceNumber

#### **Table dbo.tbl\_Payment\_Transaction\_Shipment\_Item** (661,406 rows)

	Column	Data Type	Identity	Nullable	Default
--	--------	-----------	----------	----------	---------

<b>PK</b>	PaymentTransactionID	bigint			
<b>PK</b>	ShipmentIDSequence	tinyint			
<b>PK</b>	ItemIDSequence	tinyint			
	PaymentOrderID	bigint			
	OrderReferenceNumber	bigint			
	ShippingItemId	int			
	ShippingItemEAN	int			
	ShippingItemName	varchar(255)			
	ShippingItemCategory	varchar(100)		X	
	ShippingItemPrice	decimal(18,2)			
	ShippingItemQuantity	tinyint			
	ShippintItemTotal	decimal(18,2)			
	IsActive	bit			1
	CreatedDate	datetime2			getdate()
	UpdatedDate	datetime2		X	
	DeletedDate	datetime2		X	

#### Indexes:

**PK\_\_tbl\_Paym\_\_95ADB0F104ECF6FE** (Primary Key) (Clustered)

PaymentTransactionID  
ShipmentIDSequence  
ItemIDSequence

#### **Table dbo.tbl\_Payment\_Transaction\_Status** (443,479 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	PaymentTransactionID	bigint			
<b>PK</b>	TransactionStatusIDSequence	tinyint			
	PaymentTransactionService	varchar(30)			
	TransactionStatus	varchar(30)			
	IsRetrying	bit			
	AffiliationTypeID	tinyint			
	IsActive	bit			1
	CreatedDate	datetime2			getdate()
	UpdatedDate	datetime2		X	
	DeletedDate	datetime2		X	

#### Indexes:

**PK\_\_tbl\_Paym\_\_200EB481D4D5FBA4** (Primary Key) (Clustered)

PaymentTransactionID  
TransactionStatusIDSequence

#### **Table dbo.tbl\_Payments\_Omonel** (0 rows)

	Column	Data Type	Identity	Nullable	Default
	ClientID	varchar(36)			
	PaymentMethod	varchar(50)		X	
	amount	varchar(36)			
<b>PK</b>	OrderReferenceNumber	varchar(70)			

#### Indexes:

**PK\_\_tbl\_Paym\_\_B95313CAE4BCCE9F** (Primary Key) (Clustered)

**Table dbo.tbl\_Save\_JsonRequest\_ClosureOrder** (24,374 rows)

	Column	Data Type	Identity	Nullable	Default
	ClientID	nvarchar(max)			
	CybersourceResponse	nvarchar(max)		X	
	CreatedDate	datetime		X	
	UpdatedDate	datetime		X	
	DeletedDate	datetime		X	
	IsActive	bit		X	

**Table dbo.tbl\_Save\_ResponseCybersource\_Suscription** (130,081 rows)

	Column	Data Type	Identity	Nullable	Default
	ClientID	nvarchar(max)			
	CybersourceResponse	nvarchar(max)		X	
	CreatedDate	datetime		X	
	UpdatedDate	datetime		X	
	DeletedDate	datetime		X	
	IsActive	bit		X	

**Table dbo.tbl\_trace\_payments\_Prov** (2,090,766 rows)

	Column	Data Type	Identity	Nullable	Default
	idPayment	int	X		
	OrderReferenceNumber	varchar(20)		X	
	RequestJson	varchar(max)		X	
	ResponseJson	varchar(max)		X	
	method	varchar(30)		X	
	fec_movto	smalldatetime		X	

**Indexes:**

**nci\_wi\_tbl\_trace\_payments\_Prov\_03C91F4495F07229F7EF21567D47D33F**

OrderReferenceNumber

**nci\_wi\_tbl\_trace\_payments\_Prov\_E33DFCE451F4B93D87D77A902E4A16C0**

method  
OrderReferenceNumber  
RequestJson (Included)  
ResponseJson (Included)