

Generated using [SQL Data Dictionary](#) demo version.

MercurioPDPProdDB

Procedures:

dbo.GetClientHasTokenBy	1
dbo.GetClientHasTokenBy2	1
dbo.GetListCardsby	1
dbo.GetListCardsOmonelby	2
dbo.GetPaymentOrderSequence	2
dbo.GetPaymentTransactionSequence	2
dbo.GetValidateClientOmonel	3
dbo.GetValidateClientToken	3
dbo.InsertPaymentOrderRequest	3
dbo.InsertPaymentTransaction	3
dbo.InsertPaymentTransactionStatus	3
dbo.pdpBin_sUP	3
dbo.sp_DigVer_Base10	4
dbo.sp_reportepagoentienda_ins	4
dbo.spDatosArticulosbyOrderId_rpt_sUP	4
dbo.spDatosSplitOrder_rpt_sUP	4
dbo.up_Cns_existsOrderWebView	4
dbo.up_Cns_paymentExists	5
dbo.up_Copr_sel_TypeMethodCard	5
dbo.up_Corp_cns_abandonos	5
dbo.up_Corp_cns_estatusPaymentSF	5
dbo.up_Corp_cns_OrdenesAbandonadas	6
dbo.up_Corp_cns_Ordenesabandono	6
dbo.up_Corp_cns_OrderJsonSF	6
dbo.up_Corp_DescargaSF_ins	6
dbo.up_Corp_ins_3DS	7
dbo.up_Corp_ins_Ordenesabandono	7
dbo.up_Corp_PPS_sel_GetOrderHistory	7
dbo.up_Corp_ResponseOMS_ins	7
dbo.up_Corp_sel_3DS	7
dbo.up_Corp_sel_AutorizationId	8
dbo.up_Corp_sel_BarcodInStore	8
dbo.up_Corp_sel_Ordenes	8
dbo.up_Corp_sel_OrderCancelation	8
dbo.up_Corp_sel_PaymentsINStore	9
dbo.up_Corp_sel_ResponseDM	9

dbo.up_Corp_sel_ShipmentsPayed_PPS	9
dbo.up_CorpPP_ins_ProcessPaymentWebFunction	9
dbo.up_CorpPP_sel_ProcessPaymentResponse	9
dbo.up_CorpPP_sel_ProcessPaymentWeb	10
dbo.up_CorpPP_sel_ProcessPaymentWebFunction	10
dbo.up_CorpPP_upd_ProcessPaymentResponseGetOrder	10
dbo.up_CorpPP_upd_ProcessPaymentWebFunction	10
dbo.up_CorpPPS_sel_cardOmonel	10
dbo.up_CorpSF_sel_ExisteOrden	11
dbo.up_CorpSF_upd_ResponseGeneraOrden	11
dbo.up_CorpTracePayments	11
dbo.up_PPS_del_RemoveCardby	11
dbo.up_PPS_del_RemoveCardOmonelby	11
dbo.up_PPS_GetAccountNumberOmonel	12
dbo.up_PPS_ins_JsonRequest_ClosureOrder	12
dbo.up_PPS_ins_SaveCard	12
dbo.up_PPS_ins_SaveCardOmonel	12
dbo.up_PPS_ins_SaveCustomerInfo	13
dbo.up_PPS_ins_SavePaymentOmonel	13
dbo.up_PPS_ins_SavePaymentStore	13
dbo.up_PPS_ins_SucriptionNotificartion	13
dbo.up_PPS_ins_SucriptionNotificartionResponse	14
dbo.up_PPS_Sel_ApprovalCode	14
dbo.up_PPS_Sel_AprobacionesMarcas	14
dbo.up_PPS_Sel_Cancel_Devolucion	14
dbo.up_PPS_Sel_DecisionEmisor	14
dbo.up_PPS_sel_GetClientDetail	14
dbo.up_PPS_sel_GetClientDetailOmonel	15
dbo.up_PPS_sel_GetClientDetailOmonel_APP	15
dbo.up_PPS_sel_GetClientDir	15
dbo.up_PPS_sel_GetClientDirOmonel	16
dbo.up_PPS_Sel_GetOrder	16
dbo.up_PPS_sel_PaymentOmonel	16
dbo.up_PPS_Sel_PaymentOrderJsonReq	16
dbo.up_PPS_Sel_PaymenTransactionJsonReq	17
dbo.up_PPS_Sel_PaymenTransactionOrder	17
dbo.up_PPS_Sel_PaymenTransactionOrder_Resp	17
dbo.up_PPS_sel_PaymentStore	17

dbo.up_PPS_sel_PaymentTransactionOmonelRpt	18
dbo.up_PPS_sel_PaymentTransactionRpt	18
dbo.up_PPS_Sel_Totales_MetodosPago	19
dbo.up_PPS_sel_Trace_payments_Prov	19
dbo.up_PPS_sel_Trace_payments_Prov_Omonel	19
dbo.up_PPS_Sel_TransactionStatus	20
dbo.up_PPS_up_CardActive	20
dbo.up_PPS_up_CardActiveOmonel	20
dbo.up_PPS_up_EstatusPaymentStore	20
dbo.up_PPS_upd_PredeterminedCard	20
dbo.up_PPS_upd_PredeterminedCardOmonel	21
dbo.up_PPS_upd_PredeterminedCardOmonel_ClientToken	21
dbo.UpdatePaymentTransactionJsonRequest	21

Functions:

dbo.fn_GetTimeZoneByStoreNumOrder	22
--	----

Procedures:

Procedure dbo.GetClientHasTokenBy

Parameter	Data Type	Default	Is Output
@CustomerID	varchar(12)		
@ClientToken	varchar(32)		
@IsActive	bit		

Result:

Column	Data Type	Nullable
ClientID	varchar(36)	X
ClientToken	varchar(1024)	X
BinCode	int	
PaymentMethod	varchar(50)	X
Bank	varchar(50)	X
TypeOfCard	varchar(11)	
PersistToken	bit	
IsActive	bit	
CreatedDate	datetime	
UpdatedDate	datetime	X
DeletedDate	datetime	X

Procedure dbo.GetClientHasTokenBy2

Parameter	Data Type	Default	Is Output
@CustomerID	varchar(12)		
@ClientToken	varchar(32)		
@IsActive	bit		

Result:

Column	Data Type	Nullable
ClientID	bigint	X
ClientToken	varchar(1024)	X
BinCode	int	
PaymentMethod	varchar(50)	X
Bank	varchar(50)	X
TypeOfCard	varchar(11)	
PersistToken	bit	
IsActive	bit	
CreatedDate	datetime	
UpdatedDate	datetime	X
DeletedDate	datetime	X
MaskCard	varchar(19)	

Procedure dbo.GetListCardsby

Parameter	Data Type	Default	Is Output
@ClientID	varchar(36)		

Result:

Column	Data Type	Nullable
ClientID	varchar(36)	

ClientToken	varchar(1024)	
BinCode	int	
PaymentMethod	varchar(20)	
Bank	varchar(50)	X
TypeOfCard	varchar(11)	
PersistToken	bit	
IsActive	bit	
MaskCard	varchar(19)	
CvvRequired	bit	
NipRequired	bit	
IsDefault	bit	
CreatedDate	datetime	
UpdatedDate	datetime	X
DeletedDate	datetime	X

Procedure dbo.GetListCardsOmonelby

Parameter	Data Type	Default	Is Output
@ClientID	varchar(36)		

Result:

Column	Data Type	Nullable
ClientID	varchar(36)	
CardAccountNumber	varchar(50)	
ClientToken	varchar(50)	
BinCode	int	
PaymentMethod	varchar(50)	X
Bank	varchar(50)	X
TypeOfCard	varchar(11)	
PersistToken	bit	
IsActive	bit	
MaskCard	varchar(19)	
CvvRequired	bit	
NipRequired	bit	
IsDefault	bit	
CreatedDate	datetime	
UpdatedDate	datetime	X
DeletedDate	datetime	X

Procedure dbo.GetPaymentOrderSequence

No parameters.

Result:

Column	Data Type	Nullable
(No column name)	bigint	X

Procedure dbo.GetPaymentTransactionSequence

No parameters.

Result:

Column	Data Type	Nullable

(No column name)	bigint	X
------------------	--------	---

Procedure dbo.GetValidateClientOmonel

Parameter	Data Type	Default	Is Output
@ClientID	varchar(36)		
@CardAccountNumber	varchar(70)		

Result:

Column	Data Type	Nullable
ClientToken	varchar(50)	
IsActive	bit	

Procedure dbo.GetValidateClientToken

Parameter	Data Type	Default	Is Output
@ClientID	varchar(36)		
@ClientToken	varchar(1024)		

Result:

Column	Data Type	Nullable
ClientToken	varchar(1024)	
IsActive	bit	

Procedure dbo.InsertPaymentOrderRequest

Parameter	Data Type	Default	Is Output
@PaymentOrder	PaymentOrderTableType		
@PaymentOrderJsonRequest	PaymentOrderJsonRequestTableType		
@PaymentOrderShipment	PaymentOrderShipmentTableType		
@PaymentOrderShipmentItem	PaymentOrderShipmentItemTableType		

Procedure dbo.InsertPaymentTransaction

Parameter	Data Type	Default	Is Output
@PaymentTransaction	PaymentTransactionTableType		
@PaymentTransactionJsonRequest	PaymentTransactionJsonRequestTableType		
@PaymentTransactionShipment	PaymentTransactionShipmentTableType		
@PaymentTransactionShipmentItem	PaymentTransactionShipmentItemTableType		

Procedure dbo.InsertPaymentTransactionStatus

Parameter	Data Type	Default	Is Output
@PaymentTransactionStatus	PaymentTransactionStatusTableType		

Procedure dbo.pdpBin_sUP

Parameter	Data Type	Default	Is Output
@pId_Cve_Bin	varchar(16)		

Result:

Column	Data Type	Nullable
Id_Cve_Bin	varchar(16)	
Nom_Prod	varchar(60)	
Id_Num_TipoTjta	tinyint	
Desc_TipoTjta	varchar(40)	
Id_Num_EmisorTjta	decimal(10,0)	
Nom_EmisorTjta	varchar(60)	
Desc_Marca	varchar(20)	
Num_MinDigTjta	tinyint	
Num_MaxDigTjta	tinyint	
Num_LongBin	tinyint	
Bit_Cred	bit	
Bit_MarcaPropia	bit	
Bit_Eliminacion	bit	

Procedure dbo.sp_DigVer_Base10

Parameter	Data Type	Default	Is Output
@pCuenta	varchar(30)		
@pVerif	tinyint		X

Procedure dbo.sp_reportepagoentienda_ins

Parameter	Data Type	Default	Is Output
@json	varchar(max)		

Procedure dbo.spDatosArticulosbyOrderId_rpt_sUP

Parameter	Data Type	Default	Is Output
@OrderId	int		

Procedure dbo.spDatosSplitOrder_rpt_sUP

Parameter	Data Type	Default	Is Output
@OrderNo	int		

Procedure dbo.up_Cns_existsOrderWebView

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		

Result:

Column	Data Type	Nullable
idPayment	int	
OrderReferenceNumber	varchar(20)	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
method	varchar(30)	X
fec_movto	smalldatetime	X

(No column name)	smalldatetime	X
------------------	---------------	---

Procedure dbo.up_Cns_paymentExists

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		

Result:

Column	Data Type	Nullable
idPayment	int	
OrderReferenceNumber	varchar(20)	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
method	varchar(30)	X
fec_movto	smalldatetime	X
(No column name)	smalldatetime	X

Procedure dbo.up_Copr_sel_TypeMethodCard

Parameter	Data Type	Default	Is Output
@ClientToken	varchar(max)		

Result:

Column	Data Type	Nullable
BinCode	int	
PaymentMethod	varchar(50)	X
Bank	varchar(50)	X
TypeOfCard	varchar(11)	

Procedure dbo.up_Corp_cns_abandonos

No parameters.

Result:

Column	Data Type	Nullable
Id_paymentWeb	int	
Id_processing	uniqueidentifier	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
UrlMonitor	varchar(max)	X
Fec_Movto	smalldatetime	X
requestPaymentId	varchar(50)	X
ResponseGetOrderJson	varchar(max)	X

Procedure dbo.up_Corp_cns_estatusPaymentSF

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		

Result:

Column	Data Type	Nullable
idPayment	int	
OrderReferenceNumber	varchar(20)	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
method	varchar(30)	X
fec_movto	smalldatetime	X

Procedure dbo.up_Corp_cns_OrdenesAbandonadas

No parameters.

Result:

Column	Data Type	Nullable
Id_paymentWeb	int	
Id_processing	uniqueidentifier	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
UrlMonitor	varchar(max)	X
Fec_Movto	smalldatetime	X
requestPaymentId	varchar(50)	X
ResponseGetOrderJson	varchar(max)	X

Procedure dbo.up_Corp_cns_Ordenesabandono

Parameter	Data Type	Default	Is Output
@orderReferenceNumber	varchar(20)		

Result:

Column	Data Type	Nullable
id_abandono	int	
orderReferenceNumber	varchar(20)	X
status	varchar(30)	X
fec_movto	datetime	X

Procedure dbo.up_Corp_cns_OrderJsonSF

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		

Result:

Column	Data Type	Nullable
idPayment	int	
OrderReferenceNumber	varchar(20)	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
method	varchar(30)	X
fec_movto	smalldatetime	X
(No column name)	smalldatetime	X

Procedure dbo.up_Corp_DescargaSF_ins

Parameter	Data Type	Default	Is Output
@id_order_d	int	0	
@order_no	varchar(20)		
@orderJson	varchar(max)		
@bit_envio	bit		
@SF_Json	varchar(max)	"	

Procedure dbo.up_Corp_ins_3DS

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		
@RequestJson	varchar(max)		
@ResponseJson	varchar(max)		
@AcsUrl	varchar(max)		
@Pareq	varchar(max)		
@AuthenticationTransactionId	varchar(50)		

Procedure dbo.up_Corp_ins_Ordenesabandono

Parameter	Data Type	Default	Is Output
@orderReferenceNumber	varchar(20)		
@status	varchar(30)		

Procedure dbo.up_Corp_PPS_sel_GetOrderHistory

Parameter	Data Type	Default	Is Output
@order_no	varchar(20)		

Result:

Column	Data Type	Nullable
requestPaymentId	varchar(50)	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
method	varchar(30)	X
Fec_Movto	smalldatetime	X

Procedure dbo.up_Corp_ResponseOMS_ins

Parameter	Data Type	Default	Is Output
@id_order_d	int	0	
@order_no	varchar(20)		
@responseCO	varchar(max)		

Procedure dbo.up_Corp_sel_3DS

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		

Result:

Column	Data Type	Nullable
--------	-----------	----------

idPayment	int	
OrderReferenceNumber	varchar(20)	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
AcsUrl	varchar(max)	X
Pareq	varchar(max)	X
AuthenticationTransactionId	varchar(50)	X

Procedure dbo.up_Corp_sel_AutorizationId

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		

Result:

Column	Data Type	Nullable
OrderReferenceNumber	varchar(20)	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X

Procedure dbo.up_Corp_sel_BarcodesInStore

Parameter	Data Type	Default	Is Output
@order	varchar(20)		

Result:

Column	Data Type	Nullable
ResponseJson	varchar(max)	X
idPayment	int	
OrderReferenceNumber	varchar(20)	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
method	varchar(30)	X
fec_movto	smalldatetime	X

Procedure dbo.up_Corp_sel_Ordenes

No parameters.

Result:

Column	Data Type	Nullable
Id_processing	uniqueidentifier	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
Fec_Movto	smalldatetime	X
requestPaymentId	varchar(50)	X
ResponseGetOrderJson	varchar(max)	X

Procedure dbo.up_Corp_sel_OrderCancelation

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		

Result:

Column	Data Type	Nullable
PaymentOrderID	bigint	
PaymentOrderJSONRequest	varchar(max)	

Procedure dbo.up_Corp_sel_PaymentsINStore

No parameters.

Result:

Column	Data Type	Nullable
OrderReferenceNumber	varchar(70)	X
method	varchar(7)	

Procedure dbo.up_Corp_sel_ResponseDM

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		

Result:

Column	Data Type	Nullable
responsejson	varchar(max)	X
requestjson	varchar(max)	X

Procedure dbo.up_Corp_sel_ShipmentsPayed_PPS

Parameter	Data Type	Default	Is Output
@order	varchar(20)		

Result:

Column	Data Type	Nullable
OrderReferenceNumber	bigint	
ShippingReferenceNumber	varchar(30)	

Procedure dbo.up_CorpPP_ins_ProcessPaymentWebFunction

Parameter	Data Type	Default	Is Output
@Id_processing	uniqueidentifier		
@RequestJson	varchar(max)		

Procedure dbo.up_CorpPP_sel_ProcessPaymentResponse

Parameter	Data Type	Default	Is Output
@Id_processing	varchar(100)		

Result:

Column	Data Type	Nullable

ResponseJson	varchar(max)	X
RequestJson	varchar(max)	X

Procedure dbo.up_CorpPP_sel_ProcessPaymentWeb

No parameters.

Result:

Column	Data Type	Nullable
Id_paymentWeb	int	
Id_processing	uniqueidentifier	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
UrlMonitor	varchar(max)	X
Fec_Movto	smalldatetime	X
requestPaymentId	varchar(50)	X
ResponseGetOrderJson	varchar(max)	X

Procedure dbo.up_CorpPP_sel_ProcessPaymentWebFunction

Parameter	Data Type	Default	Is Output
@Id_processing	uniqueidentifier		

Result:

Column	Data Type	Nullable
requestjson	varchar(max)	X

Procedure dbo.up_CorpPP_upd_ProcessPaymentResponseGetOrder

Parameter	Data Type	Default	Is Output
@Id_processing	uniqueidentifier		
@requestPaymentId	varchar(50)		
@ResponseJson	varchar(max)		

Procedure dbo.up_CorpPP_upd_ProcessPaymentWebFunction

Parameter	Data Type	Default	Is Output
@Id_processing	uniqueidentifier		
@ResponseJson	varchar(max)		

Procedure dbo.up_CorpPPS_sel_cardOmonel

Parameter	Data Type	Default	Is Output
@ClientToken	varchar(60)		

Result:

Column	Data Type	Nullable
ClientID	varchar(36)	
CardAccountNumber	varchar(50)	
ClientToken	varchar(50)	

BinCode	int	
---------	-----	--

Procedure dbo.up_CorpSF_sel_ExisteOrden

Parameter	Data Type	Default	Is Output
@order_no	varchar(20)		

Result:

Column	Data Type	Nullable
id_order_d	int	
order_no	varchar(20)	X
orderJson	varchar(max)	X
bit_envio	bit	X
fec_movto	smalldatetime	X
responseCO	varchar(max)	X
SF_Json	varchar(max)	X

Procedure dbo.up_CorpSF_upd_ResponseGeneraOrden

Parameter	Data Type	Default	Is Output
@order_no	varchar(20)		

Procedure dbo.up_CorpTracePayments

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(20)		
@RequestJson	varchar(max)		
@ResponseJson	varchar(max)	"	
@method	varchar(30)		

Procedure dbo.up_PPS_del_RemoveCardby

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(50)		
@ClientToken	nvarchar(70)		

Result:

Column	Data Type	Nullable
ClientID	varchar(36)	
ClientToken	varchar(1024)	
IsActive	bit	

Procedure dbo.up_PPS_del_RemoveCardOmonelby

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(50)		
@ClientToken	nvarchar(70)		

Result:

Column	Data Type	Nullable
--------	-----------	----------

ClientID	varchar(36)	
ClientToken	varchar(50)	
IsActive	bit	

Procedure dbo.up_PPS_GetAccountNumberOmonel

Parameter	Data Type	Default	Is Output
@ClientToken	varchar(100)		

Result:

Column	Data Type	Nullable
CardAccountNumber	varchar(50)	

Procedure dbo.up_PPS_ins_JsonRequest_ClosureOrder

Parameter	Data Type	Default	Is Output
@ClientID	varchar(50)		
@CybersourceResponse	varchar(max)		
@CreatedDate	datetime		
@UpdatedDate	datetime		
@DeletedDate	datetime		
@IsActive	bit		

Procedure dbo.up_PPS_ins_SaveCard

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(50)		
@ClientToken	nvarchar(70)		
@PaymentCardId	nvarchar(70)		
@BinCode	int		
@PaymentMethod	nvarchar(50)		
@Bank	nvarchar(50)		
@TypeOfCard	nvarchar(50)		
@PersistToken	bit		
@IsActive	bit		
@MaskCard	nvarchar(19)		
@CvvRequired	bit		
@NipRequired	bit		
@IsDefault	bit		
@CreatedDate	date		
@UpdatedDate	date		
@DeletedDate	date		

Procedure dbo.up_PPS_ins_SaveCardOmonel

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(50)		
@CardAccountNumber	nvarchar(70)		
@PaymentCardId	nvarchar(70)		
@ClientToken	nvarchar(70)		
@BinCode	int		
@PaymentMethod	nvarchar(50)		
@Bank	nvarchar(50)		

@TypeOfCard	nvarchar(50)		
@PersistToken	bit		
@IsActive	bit		
@MaskCard	nvarchar(19)		
@CvvRequired	bit		
@NipRequired	bit		
@IsDefault	bit		
@CreatedDate	date		
@UpdatedDate	date		
@DeletedDate	date		

Procedure dbo.up_PPS_ins_SaveCustomerInfo

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(70)		
@TokenCta	nvarchar(100)		
@billToEmail	nvarchar(100)		
@billToFirstName	nvarchar(100)		
@billToLastName	nvarchar(100)		
@billToCity	nvarchar(100)		
@billToCountry	nvarchar(100)		
@billToPhoneNumber	nvarchar(100)		
@billToPostalCode	nvarchar(100)		
@billToState	nvarchar(100)		
@billToStreet1	nvarchar(100)		

Procedure dbo.up_PPS_ins_SavePaymentOmonel

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(50)		
@amount	nvarchar(36)		
@PaymentMethod	nvarchar(50)		
@OrderReferenceNumber	nvarchar(70)		

Procedure dbo.up_PPS_ins_SavePaymentStore

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	nvarchar(70)		
@OrderAmount	nvarchar(70)		
@LineaCaptura	nvarchar(70)		
@Estatus	nvarchar(70)		

Procedure dbo.up_PPS_ins_SucriptionNotificartion

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(50)		
@ClientToken	nvarchar(50)		
@BinCode	int		
@PaymentType	nvarchar(50)		
@Bank	nvarchar(50)		
@TypeOfCard	nvarchar(50)		
@PersistToken	bit		
@IsActive	bit		

Procedure dbo.up_PPS_ins_SucriptionNotificartionResponse

Parameter	Data Type	Default	Is Output
@ClientID	varchar(50)		
@CybersourceResponse	varchar(max)		
@CreatedDate	datetime		
@UpdatedDate	datetime		
@DeletedDate	datetime		
@IsActive	bit		

Procedure dbo.up_PPS_SEL_ApprovalCode

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	bigint		

Result:

Column	Data Type	Nullable
ResponseJson	varchar(max)	X

Procedure dbo.up_PPS_SEL_AprobacionesMarcas

No parameters.

Procedure dbo.up_PPS_SEL_Cancel_Devolucion

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	nvarchar(50)		
@accion	nvarchar(50)		

Procedure dbo.up_PPS_SEL_DecisionEmisor

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	nvarchar(50)		

Procedure dbo.up_PPS_SEL_GetClientDetail

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(70)		
@ClientToken	nvarchar(100)		

Result:

Column	Data Type	Nullable
BinCode	int	
Bank	varchar(50)	X
MaskCard	varchar(19)	
ClientToken	varchar(1024)	
billToEmail	varchar(100)	X
billToFirstName	varchar(100)	X
billToLastName	varchar(100)	X
billToCity	varchar(100)	X

billToCountry	varchar(100)	X
billToPhoneNumber	varchar(15)	X
billToPostalCode	varchar(10)	X
billToState	varchar(100)	X
billToStreet1	varchar(100)	X

Procedure dbo.up_PPS_sel_GetClientDetailOmonel

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(70)		
@CardAccountNumber	nvarchar(100)		

Result:

Column	Data Type	Nullable
BinCode	int	
Bank	varchar(50)	X
MaskCard	varchar(19)	
CardAccountNumber	varchar(50)	
billToEmail	varchar(100)	X
billToFirstName	varchar(100)	X
billToLastName	varchar(100)	X
billToCity	varchar(100)	X
billToCountry	varchar(100)	X
billToPhoneNumber	varchar(15)	X
billToPostalCode	varchar(10)	X
billToState	varchar(100)	X
billToStreet1	varchar(100)	X

Procedure dbo.up_PPS_sel_GetClientDetailOmonel_APP

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(70)		
@ClientToken	nvarchar(100)		

Result:

Column	Data Type	Nullable
BinCode	int	
Bank	varchar(50)	X
MaskCard	varchar(19)	
CardAccountNumber	varchar(50)	

Procedure dbo.up_PPS_sel_GetClientDir

Parameter	Data Type	Default	Is Output
@ClientToken	nvarchar(100)		

Result:

Column	Data Type	Nullable
TokenCta	varchar(100)	
billToEmail	varchar(100)	X
billToFirstName	varchar(100)	X
billToLastName	varchar(100)	X

billToCity	varchar(100)	X
billToCountry	varchar(100)	X
billToPhoneNumber	varchar(15)	X
billToPostalCode	varchar(10)	X
billToState	varchar(100)	X
billToStreet1	varchar(100)	X

Procedure dbo.up_PPS_sel_GetClientDirOmonel

Parameter	Data Type	Default	Is Output
@TokenCta	nvarchar(100)		

Result:

Column	Data Type	Nullable
TokenCta	varchar(100)	
billToEmail	varchar(100)	X
billToFirstName	varchar(100)	X
billToLastName	varchar(100)	X
billToCity	varchar(100)	X
billToCountry	varchar(100)	X
billToPhoneNumber	varchar(15)	X
billToPostalCode	varchar(10)	X
billToState	varchar(100)	X
billToStreet1	varchar(100)	X

Procedure dbo.up_PPS_Sel_GetOrder

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	nvarchar(50)		

Result:

Column	Data Type	Nullable
PaymentOrderJSONRequest	varchar(max)	

Procedure dbo.up_PPS_sel_PaymentOmonel

Parameter	Data Type	Default	Is Output
@ClientID	nvarchar(70)		
@OrderReferenceNumber	nvarchar(70)		

Result:

Column	Data Type	Nullable
ClientID	varchar(36)	
amount	varchar(36)	
PaymentMethod	varchar(50)	X
OrderReferenceNumber	varchar(70)	

Procedure dbo.up_PPS_Sel_PaymentOrderJsonReq

Parameter	Data Type	Default	Is Output
@PaymentOrderID	nvarchar(50)		

Result:

Column	Data Type	Nullable
PaymentOrderID	bigint	
PaymentOrderJSONRequest	varchar(max)	

Procedure dbo.up_PPS_Sel_PaymenTransactionJsonReq

Parameter	Data Type	Default	Is Output
@PaymentTransactionID	nvarchar(50)		

Result:

Column	Data Type	Nullable
PaymentTransactionID	bigint	
PaymentTransactionJSONRequest	varchar(max)	

Procedure dbo.up_PPS_Sel_PaymenTransactionOrder

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	nvarchar(50)		

Result:

Column	Data Type	Nullable
PaymentTransactionID	bigint	
PaymentOrderID	bigint	
OrderReferenceNumber	bigint	
TransactionStatusIDSequence	tinyint	
TransactionStatus	varchar(30)	
PaymentTransactionService	varchar(30)	
requestjson	varchar(max)	X
responsejson	varchar(max)	X

Procedure dbo.up_PPS_Sel_PaymenTransactionOrder_Resp

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	nvarchar(50)		

Result:

Column	Data Type	Nullable
PaymentTransactionID	bigint	
PaymentOrderID	bigint	
OrderReferenceNumber	bigint	
TransactionStatusIDSequence	tinyint	
TransactionStatus	varchar(30)	
PaymentTransactionService	varchar(30)	
requestjson	varchar(max)	X
responsejson	varchar(max)	X

Procedure dbo.up_PPS_sel_PaymentStore

Parameter	Data Type	Default	Is Output
@Id_Cve_RefPago	nvarchar(70)		

Result:

Column	Data Type	Nullable
OrderReferenceNumber	varchar(70)	
OrderAmount	varchar(50)	
LineaCaptura	varchar(70)	
Estatus	varchar(19)	

Procedure dbo.up_PPS_sel_PaymentTransactionOmonelRpt

Parameter	Data Type	Default	Is Output
@fechaini	datetime	null	
@fechafin	datetime	null	

Result:

Column	Data Type	Nullable
PaymentOrderID	bigint	
OrderReferenceNumber	bigint	
OrderDate	date	
OrderSaleChannel	varchar(10)	
OrderAmount	decimal(18,2)	
CustomerFirstName	varchar(30)	
CustomerLastName	varchar(30)	
CustomerContact	varchar(16)	
PaymentToken	varchar(60)	
CustomerAddress	varchar(255)	
CustomerCity	varchar(255)	
CustomerZipCode	int	
CustomerLoyaltyRedeemMoney	decimal(18,2)	
CustomerLoyaltyRedeemPoints	decimal(18,2)	
CustomerLoyaltyCardId	varchar(20)	
ClientID	varchar(36)	
BinCode	int	
PaymentMethod	varchar(50)	X
Bank	varchar(50)	X
MaskCard	varchar(19)	
PersistToken	bit	
TypeOfCard	varchar(11)	
ClientToken	varchar(50)	

Procedure dbo.up_PPS_sel_PaymentTransactionRpt

Parameter	Data Type	Default	Is Output
@fechaini	datetime	null	
@fechafin	datetime	null	

Result:

Column	Data Type	Nullable
PaymentTransactionID	bigint	
OrderReferenceNumber	bigint	

OrderDate	date	
OrderSaleChannel	varchar(10)	
OrderAmount	decimal(18,2)	
CustomerFirstName	varchar(30)	
CustomerLastName	varchar(30)	
CustomerContact	varchar(16)	
PaymentToken	varchar(60)	
CustomerAddress	varchar(255)	
CustomerCity	varchar(255)	
CustomerZipCode	int	
CustomerLoyaltyRedeemMoney	decimal(18,2)	
CustomerLoyaltyRedeemPoints	decimal(18,2)	
CustomerLoyaltyCardId	varchar(20)	
ShippingReferenceNumber	varchar(30)	
ShippingStoreId	varchar(10)	
ShippingDeliveryDesc	varchar(50)	
ShippingPaymentImport	decimal(18,2)	
ShippingFirstName	varchar(250)	X
ShippingLastName	varchar(30)	
ShippingAddress	varchar(255)	
ShippingCity	varchar(255)	
PaymentTransactionID	bigint	
ClientID	varchar(36)	X
BinCode	int	X
PaymentMethod	varchar(50)	X
Bank	varchar(50)	X
MaskCard	varchar(19)	X
PersistToken	bit	X
TypeOfCard	varchar(11)	X

Procedure dbo.up_PPS_Sel_Totales_MetodosPago

Parameter	Data Type	Default	Is Output
@fechaini	datetime	null	
@fechafin	datetime	null	

Procedure dbo.up_PPS_sel_Trace_payments_Prov

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(100)		

Result:

Column	Data Type	Nullable
RequestJson	varchar(max)	X
fec_movto	smalldatetime	X

Procedure dbo.up_PPS_sel_Trace_payments_Prov_Omonel

Parameter	Data Type	Default	Is Output
@OrderReferenceNumber	varchar(100)		

Result:

Column	Data Type	Nullable

idPayment	int	
OrderReferenceNumber	varchar(20)	X
RequestJson	varchar(max)	X
ResponseJson	varchar(max)	X
method	varchar(30)	X
fec_movto	smalldatetime	X
(No column name)	smalldatetime	X

Procedure dbo.up_PPS_Sel_TransactionStatus

Parameter	Data Type	Default	Is Output
@PaymentTransactionID	nvarchar(50)		

Result:

Column	Data Type	Nullable
PaymentTransactionID	bigint	
PaymentTransactionService	varchar(30)	
TransactionStatus	varchar(30)	

Procedure dbo.up_PPS_up_CardActive

Parameter	Data Type	Default	Is Output
@ClientID	varchar(36)		
@ClientToken	varchar(70)		

Procedure dbo.up_PPS_up_CardActiveOmonel

Parameter	Data Type	Default	Is Output
@ClientID	varchar(36)		
@CardAccountNumber	varchar(70)		

Procedure dbo.up_PPS_up_EstatusPaymentStore

Parameter	Data Type	Default	Is Output
@Id_Cve_RefPago	nvarchar(70)		
@Estatus	nvarchar(10)		

Result:

Column	Data Type	Nullable
OrderReferenceNumber	varchar(70)	
OrderAmount	varchar(50)	
LíneaCaptura	varchar(70)	
Estatus	varchar(19)	
CreatedDate	datetime	
VencimientoDate	datetime	

Procedure dbo.up_PPS_upd_PredeterminedCard

Parameter	Data Type	Default	Is Output
@ClientID	varchar(36)		
@ClientToken	varchar(70)		

Procedure dbo.up_PPS_upd_PredeterminedCardOmonel

Parameter	Data Type	Default	Is Output
@ClientID	varchar(36)		
@CardAccountNumber	varchar(70)		

Procedure dbo.up_PPS_upd_PredeterminedCardOmonel_ClientToken

Parameter	Data Type	Default	Is Output
@ClientID	varchar(36)		
@ClientToken	varchar(100)		

Procedure dbo.UpdatePaymentTransactionJsonRequest

Parameter	Data Type	Default	Is Output
@PaymentTransactionJsonRequest	PaymentTransactionJsonRequestTableType		

Functions:

Scalar Function dbo.fn_GetTimeZoneByStoreNumOrder

Parameter	Data Type	Default
@StoreNum	int	
@OrderNo	int	

Result:

Data Type	Nullable
datetime	X