

Generated using SQL Data Dictionary demo version.

## **MercurioDB**

## **Tables:**

<b>Carrito.Apdo</b> (0 rows) .....	1
<b>Carrito.ArtCar_Canje_e</b> (0 rows) .....	1
<b>Carrito.ArtCar_d</b> (37,482 rows) .....	1
<b>Carrito.ArtCar_e</b> (0 rows) .....	2
<b>Carrito.ArtCar_o</b> (1,567 rows) .....	2
<b>Carrito.ArtCar_Obser</b> (37,128 rows) .....	3
<b>Carrito.ArtCar_Prom</b> (0 rows) .....	3
<b>Carrito.ArtCar_Prom_e</b> (0 rows) .....	3
<b>Carrito.ArtCarTipo</b> (8 rows) .....	4
<b>Carrito.CalEntrega</b> (9,439 rows) .....	4
<b>Carrito.CapEntrega</b> (1,616 rows) .....	5
<b>Carrito.Car</b> (10,646 rows) .....	5
<b>Carrito.CarObs</b> (10,484 rows) .....	5
<b>Carrito.CarRedondeo_e</b> (0 rows) .....	6
<b>Carrito.Cte</b> (66,395 rows) .....	6
<b>Carrito.Desp</b> (0 rows) .....	6
<b>Carrito.DirCte</b> (86,669 rows) .....	7
<b>Carrito.DirCte_e</b> (64 rows) .....	7
<b>Carrito.DirCte_Tipo</b> (3 rows) .....	8
<b>Carrito.DirCteRef</b> (37 rows) .....	8
<b>Carrito.DirEnt</b> (9,368 rows) .....	8
<b>Carrito.DirTipo</b> (3 rows) .....	9
<b>Carrito.Dpto</b> (159 rows) .....	9
<b>Carrito.ecCCOrdenTda_d</b> (0 rows) .....	9
<b>Carrito.EDO</b> (32 rows) .....	10
<b>Carrito.Email</b> (66,219 rows) .....	10
<b>Carrito.FletesUn</b> (0 rows) .....	10
<b>Carrito.FleteTipo</b> (0 rows) .....	11
<b>Carrito.FormaPago</b> (15 rows) .....	11
<b>Carrito.FormaPagoCte_d</b> (4,579 rows) .....	11
<b>Carrito.Ftxt_ArtDesc</b> (0 rows) .....	12
<b>Carrito.IdCte</b> (0 rows) .....	12
<b>Carrito.OMS_OrderExtraction</b> (0 rows) .....	12
<b>Carrito.OMS_StoreDeploy</b> (0 rows) .....	13
<b>Carrito.Orden</b> (9,900 rows) .....	13
<b>Carrito.Orden_e</b> (0 rows) .....	14

<b>Carrito.OrdenAtrib_d</b> (0 rows)	14
<b>Carrito.OrdenCte</b> (0 rows)	14
<b>Carrito.OrdenHist</b> (0 rows)	15
<b>Carrito.OrdenMoVil_d</b> (0 rows)	15
<b>Carrito.OrdenObser</b> (0 rows)	15
<b>Carrito.OrdenPago</b> (9,489 rows)	16
<b>Carrito.OrdenProp</b> (0 rows)	16
<b>Carrito.OrdenProp_e</b> (0 rows)	16
<b>Carrito.OrdenStat</b> (18 rows)	17
<b>Carrito.OrdenTipo</b> (2 rows)	17
<b>Carrito.Rec_Estado</b> (0 rows)	17
<b>Carrito.Rec_Pais</b> (0 rows)	18
<b>Carrito.spmPais</b> (0 rows)	18
<b>Carrito.SrvEntrega</b> (4 rows)	18
<b>Carrito.Surtidor</b> (0 rows)	19
<b>Carrito.SurtidorEmp_e</b> (0 rows)	19
<b>Carrito.Visita</b> (0 rows)	19
<b>Carrito.VisitaIni</b> (0 rows)	20
<b>common.ManualPars</b> (1 row)	20
<b>common.ManualTitles</b> (4 rows)	20
<b>common.ManualTypes</b> (4 rows)	21
<b>common.Owners</b> (5 rows)	21
<b>common.SuppliersWH</b> (104 rows)	21
<b>common.SuppliersWHLog</b> (59 rows)	22
<b>common.SuppliersWHOperTypes</b> (2 rows)	23
<b>common.SuppliersWHShipTypes</b> (2 rows)	23
<b>common.SuppliersWHStock</b> (7,720 rows)	23
<b>common.SuppliersWHStockHeader</b> (72 rows)	24
<b>config.menu</b> (108 rows)	24
<b>config.menuDetalleRoles</b> (199 rows)	25
<b>config.roles</b> (19 rows)	25
<b>config.usuarios</b> (754 rows)	25
<b>dbo.Apl</b> (27 rows)	26
<b>dbo.apsLineasEspeciales</b> (473 rows)	26
<b>dbo.Art</b> (180,038 rows)	26
<b>dbo.ArtCar_o</b> (0 rows)	27
<b>dbo.ArtUniVta_eq</b> (237 rows)	27
<b>dbo.BitacoraAutRma</b> (20 rows)	28

<b>dbo.Categ</b> (1,108 rows) .....	28
<b>dbo.CatMotivoCambioFP</b> (0 rows) .....	28
<b>dbo.CatMotivoCan</b> (9 rows) .....	28
<b>dbo.Claves</b> (1,494 rows) .....	29
<b>dbo.DespEsp</b> (614,293 rows) .....	29
<b>dbo.DirCteRef</b> (0 rows) .....	29
<b>dbo.Div</b> (19 rows) .....	30
<b>dbo.EmailLayout</b> (18 rows) .....	30
<b>dbo.EmailLayoutLog</b> (0 rows) .....	30
<b>dbo.Estado_d</b> (593 rows) .....	30
<b>dbo.EstatusAutRma</b> (12 rows) .....	31
<b>dbo.FormaPago</b> (15 rows) .....	31
<b>dbo.GciaCateg</b> (250 rows) .....	31
<b>dbo.Hist_Orden_FormaPagoCte</b> (487 rows) .....	31
<b>dbo.IR_OrdenEnvDM</b> (4,927 rows) .....	32
<b>dbo.Linea</b> (11,034 rows) .....	32
<b>dbo.Orden_MotivoCan</b> (71 rows) .....	32
<b>dbo.OrderFacts_BlackhawkTransaction</b> (0 rows) .....	33
<b>dbo.OrderFacts_BlackhawkTransactionDetail</b> (0 rows) .....	33
<b>dbo.OrderFacts_Carrier</b> (4,433 rows) .....	33
<b>dbo.OrderFacts_CarrierCodes</b> (1,797 rows) .....	34
<b>dbo.OrderFacts_CarrierDTS</b> (0 rows) .....	34
<b>dbo.OrderFacts_CreditNotes</b> (0 rows) .....	34
<b>dbo.OrderFacts_methodPayment</b> (4 rows) .....	35
<b>dbo.OrderFacts_Order</b> (614,600 rows) .....	35
<i>Tabla principal con la cabecera d ela orden</i>	
<b>dbo.OrderFacts_OrderPayments</b> (614,600 rows) .....	37
<i>Tabla con la información del cobro de la orden.</i>	
<b>dbo.OrderFacts_OrderProducts</b> (2,657,288 rows) .....	37
<i>Tabla con la lista de productos que deben surtirse en la orden.</i>	
<b>dbo.OrderFacts_OrderShipments</b> (615,790 rows) .....	38
<i>Tabla con la información del envío, y el desglose de los costos.</i>	
<b>dbo.OrderFacts_OrderShipping</b> (615,790 rows) .....	39
<i>Tabla con los datos del costo total del envío.</i>	
<b>dbo.OrderFacts_OrderTotals</b> (614,600 rows) .....	40
<i>Tabla con los totales de la orden.</i>	
<b>dbo.OrderFacts_POS_WebS_Log</b> (1,538,402 rows) .....	40
<b>dbo.OrderFacts_POSClient</b> (614,064 rows) .....	41

<b>dbo.OrderFacts_POSMethodPayment</b> (614,064 rows) .....	41
<b>dbo.OrderFacts_POSOrderStatus</b> (614,064 rows) .....	42
<b>dbo.OrderFacts_POSOrderSupply</b> (518,245 rows) .....	43
<b>dbo.OrderFacts_POSOrderSupplyDetail</b> (7,526,286 rows) .....	43
<b>dbo.OrderFacts_POSOrderSupplySummary</b> (517,941 rows) .....	44
<b>dbo.OrderFacts_POSProducts</b> (7,340,498 rows) .....	44
<b>dbo.OrderFacts_POSPromotions</b> (589,263 rows) .....	45
<b>dbo.OrderFacts_PostalCodes</b> (144,291 rows) .....	46
<b>dbo.OrderFacts_ProductsAddons</b> (2,635,133 rows) .....	47
<b>dbo.OrderFacts_Replication</b> (1,036,142 rows) .....	47
<b>dbo.OrderFacts_Supplier</b> (8,743 rows) .....	48
<b>dbo.OrderFacts_UE</b> (614,295 rows) .....	48
<b>dbo.OrderFacts_UE_CancelCauses</b> (38 rows) .....	52
<b>dbo.OrderFacts_UE_CondCauses</b> (0 rows) .....	53
<b>dbo.OrderFacts_UE_ConsignmentsVehicles</b> (0 rows) .....	53
<b>dbo.OrderFacts_UE_DevolCauses</b> (5 rows) .....	53
<b>dbo.OrderFacts_UE_ItemsSupplied</b> (7,389,576 rows) .....	54
<b>dbo.OrderFacts_UE_ItemsToSupply</b> (2,670,513 rows) .....	55
<b>dbo.OrderFacts_UE_JSON</b> (2,955 rows) .....	56
<b>dbo.OrderFacts_UE_Kardex</b> (8,245,691 rows) .....	56
<b>dbo.OrderFacts_UE_Kardex_Items</b> (20,605,131 rows) .....	59
<b>dbo.OrderFacts_UE_Kardex&gt;Returns</b> (0 rows) .....	59
<b>dbo.OrderFacts_UE_Kardex_RMA</b> (36,452 rows) .....	60
<b>dbo.OrderFacts_UE_Kardex_Tracking</b> (50,703 rows) .....	60
<b>dbo.OrderFacts_UE_Kardex_TrackingManual</b> (0 rows) .....	61
<b>dbo.OrderFacts_UE_Kardex_Transportista</b> (0 rows) .....	62
<b>dbo.OrderFacts_UE_Kardex_XML</b> (669,125 rows) .....	62
<b>dbo.OrderFacts_UE_OrderPaymentLOG</b> (2,889 rows) .....	63
<b>dbo.OrderFacts_UE_OrderPaymentPDP</b> (19,741 rows) .....	63
<b>dbo.OrderFacts_UE_PackageContents</b> (84 rows) .....	64
<b>dbo.OrderFacts_UE_PaymentCanceled</b> (6,732 rows) .....	64
<b>dbo.OrderFacts_UE_PriceAdjItems</b> (124,994 rows) .....	64
<b>dbo.OrderFacts_UE_PriceAdjOrder</b> (13,066 rows) .....	65
<b>dbo.OrderFacts_UE_ShipmentLocksWMS</b> (4 rows) .....	66
<b>dbo.OrderFacts_UE_ShipmentPackingWMS</b> (7 rows) .....	66
<b>dbo.OrderFacts_UE_ShipmentRequestsFromWMS</b> (1,131 rows) .....	66
<b>dbo.OrderFacts_UE_ShipmentTracking</b> (6,528 rows) .....	67
<b>dbo.OrderFacts_UE_ShipmentUCCFromWMS</b> (1,168 rows) .....	68

<b>dbo.OrderFacts_UE_StatusCodes</b> (8 rows) .....	68
<b>dbo.OrderFacts_UE_TrackingConfig</b> (4 rows) .....	68
<b>dbo.OrderFacts_UE_TrackingDetail</b> (7,469 rows) .....	69
<b>dbo.OrderFacts_UE_TrackingHeader</b> (6,176 rows) .....	69
<b>dbo.OrderFacts_UE_TrackingHeaderManual</b> (0 rows) .....	70
<b>dbo.OrderFacts_UE_TrackingRates</b> (6,058 rows) .....	71
<b>dbo.OrderFacts_UE_TrackingRatesCosts</b> (6,058 rows) .....	71
<b>dbo.OrderFacts_UE_Transition</b> (615,590 rows) .....	72
<b>dbo.OrderFacts_UE_XML</b> (614,294 rows) .....	72
<b>dbo.OrganigramaTdasSAD</b> (705 rows) .....	73
<b>dbo.Pasillo_LineaFarmaciaEtica</b> (193 rows) .....	73
<b>dbo.PasilloLado</b> (2 rows) .....	73
<b>dbo.PasilloLineaBase</b> (587,311 rows) .....	73
<b>dbo.PasilloTipo</b> (2 rows) .....	74
<b>dbo.PasilloUN_Categ_d</b> (0 rows) .....	74
<b>dbo.PasilloUN_d</b> (21,745 rows) .....	74
<b>dbo.PasilloUN_Linea_d</b> (784,052 rows) .....	75
<b>dbo.Poblacion_d</b> (5,555 rows) .....	75
<b>dbo.SF_OrderStatus</b> (125,501 rows) .....	76
<b>dbo.SF_ShipmentStatus</b> (126,378 rows) .....	76
<b>dbo.SF_ShipmentStatusCancellationInfo</b> (19 rows) .....	76
<b>dbo.SF_ShipmentStatusItems</b> (24 rows) .....	77
<b>dbo.SF_ShipmentStatusReturnInfo</b> (6 rows) .....	77
<b>dbo.SOT_Message</b> (1,910,258 rows) .....	77
<b>dbo.SOT_MessageResponse</b> (1,909,312 rows) .....	78
<b>dbo.SOT_MessageResponseText</b> (1,909,312 rows) .....	78
<b>dbo.SOT_MessageStat</b> (4 rows) .....	79
<b>dbo.SOT_MessageWebApi</b> (5 rows) .....	79
<b>dbo.SOT_OrderFulfillment</b> (166,078 rows) .....	79
<b>dbo.SOT_OrderFulfillment_d</b> (1,395,099 rows) .....	80
<b>dbo.SOT_OrderList</b> (139,875 rows) .....	80
<b>dbo.SOT_OrderList_d</b> (166,639 rows) .....	80
<b>dbo.System_Log</b> (902 rows) .....	81
<b>dbo.tbl_Catalogo_Checklist</b> (74 rows) .....	81
<b>dbo.tbl_Catalogo_MotivosRMA</b> (32 rows) .....	81
<b>dbo.tbl_Catalogo_SolicitudesRMA</b> (5 rows) .....	82
<b>dbo.tbl_Descarga_Order_SF</b> (143,361 rows) .....	82
<b>dbo.tbl_envioCorreo</b> (73 rows) .....	82

<b>dbo.tbl_History_SF</b> (43,366 rows)	83
<b>dbo.tbl_OrdenCancelada</b> (37 rows)	83
<b>dbo.tbl_OrdenCancelada_Detalle</b> (33 rows)	83
<b>dbo.tbl_OrdenFotosRMA</b> (6 rows)	83
<b>dbo.tbl_OrdenRetorno_Detalle</b> (18 rows)	84
<b>dbo.tbl_WorkFlow_Devolucion</b> (20 rows)	84
<b>dbo.TYC_OrdenStat</b> (16 rows)	84
<b>dbo.TYC_OrderFulfillment_Log</b> (762 rows)	84
<b>dbo.TYC_OrderHeader</b> (603,920 rows)	85
<b>dbo.TYC_OrderProducts</b> (2,656,539 rows)	85
<b>dbo.TYC_OrderProductsComments</b> (520,652 rows)	86
<b>dbo.TYC_OrdersComments</b> (115,954 rows)	87
<b>dbo.TYC_SurtidorEmp_e</b> (0 rows)	87
<b>dbo.UN</b> (2,734 rows)	87
<b>dbo.UnCobertura</b> (9,050 rows)	88
<b>dbo.UNFarmaciaCobertura</b> (62 rows)	88
<b>dbo.UniMedida</b> (51 rows)	89
<b>dbo.UNInfo_Cat</b> (66 rows)	89
<b>dbo.UNPc</b> (8,240 rows)	89
<b>dbo.UnPerm</b> (921 rows)	90
<b>dbo.UnPerm_Info</b> (29,449 rows)	90
<b>tms.Almacen</b> (0 rows)	90
<b>tms.AlmacenTipoLogistica</b> (867 rows)	91
<b>tms.almacenTMS</b> (867 rows)	91
<b>tms.AlmacenTransportista</b> (0 rows)	92
<b>tms.Atributos_Seguro_Y_Empaque</b> (0 rows)	92
<b>tms.ClaseEnvio</b> (2 rows)	92
<b>tms.CobZon</b> (0 rows)	92
<b>tms.CodigosPostales_Por_Almacen</b> (2,411,534 rows)	93
<b>tms.CotizacionPaqueteria</b> (0 rows)	94
<b>tms.EntidadSurtidora</b> (0 rows)	94
<b>tms.EntidadSurtidoraTipoLogistica</b> (0 rows)	95
<b>tms.FormatoTienda</b> (4 rows)	95
<b>tms.Gastos</b> (6 rows)	95
<b>tms.GastoVehiculo</b> (0 rows)	96
<b>tms.KgDinero</b> (0 rows)	96
<b>tms.menu</b> (45 rows)	96
<b>tms.menuDetalleRoles</b> (38 rows)	97

<b>tms.Paqueteria</b> (0 rows) .....	97
<b>tms.ParametrosDias</b> (1 row) .....	97
<b>tms.Plazas</b> (223 rows) .....	98
<b>tms.PromocionesCostoEnvio</b> (1,015 rows) .....	98
<b>tms.Proveedor</b> (0 rows) .....	101
<b>tms.RangosTiemposExcepciones</b> (0 rows) .....	102
<b>tms.roles</b> (1 row) .....	103
<b>tms.tbl_Operador</b> (0 rows) .....	103
<b>tms.Tienda</b> (0 rows) .....	103
<b>tms.TiendasCostoEnvio</b> (4 rows) .....	104
<b>tms.TiendasLogistica</b> (938 rows) .....	105
<b>tms.TiendasLogisticaTemp</b> (0 rows) .....	105
<b>tms.TipoAlmacen</b> (0 rows) .....	105
<b>tms.TipoCatalogo</b> (2 rows) .....	106
<b>tms.TipoEntregas</b> (5 rows) .....	106
<b>tms.TipoEntregasCatalogo</b> (7 rows) .....	106
<b>tms.TipoEntregasCategoria</b> (5 rows) .....	106
<b>tms.TipoEnvio</b> (7 rows) .....	107
<b>tms.TipoEnvioRelacion</b> (4 rows) .....	107
<b>tms.TipoEnvioTienda</b> (2 rows) .....	107
<b>tms.TipoLogistica</b> (6 rows) .....	108
<b>tms.TipoLogisticaCatalogo</b> (6 rows) .....	108
<b>tms.TipoServicio</b> (2 rows) .....	109
<b>tms.TipoVehiculo</b> (4 rows) .....	109
<b>tms.Transportista</b> (8 rows) .....	109
<b>tms.TransportistaCodigoPostal</b> (0 rows) .....	110
<b>tms.TransportistaPlazas</b> (208,645 rows) .....	110
<b>tms.TransportistaPlazasDeleted</b> (356,809 rows) .....	111
<b>tms.TransportistaPlazasDestinos</b> (840 rows) .....	111
<b>tms.TransportistaRangosFijos</b> (28 rows) .....	111
<b>tms.TransportistaRangosFijosDeleted</b> (0 rows) .....	112
<b>tms.TransportistaRangosPesos</b> (273 rows) .....	112
<b>tms.TransportistaRangosPesosDeleted</b> (21 rows) .....	113
<b>tms.TransportistaTipoLogistica</b> (8 rows) .....	113
<b>tms.TransportistaZonaCostos</b> (231 rows) .....	113
<b>tms.TransportistaZonaPlazas</b> (175,068 rows) .....	114
<b>tms.Unidad</b> (0 rows) .....	114
<b>tms.usuarios</b> (13 rows) .....	114



<b>tms.Vehiculo</b> ( <i>0 rows</i> ) .....	115
<b>tms.Zona</b> ( <i>0 rows</i> ) .....	115
<b>tms.Zonas</b> ( <i>7 rows</i> ) .....	115

## Tables:

**Table Carrito.Apdo** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Ids_Num_Apdo	int			
	Fol_Apdo	int			
	Imp_Anticipo	decimal(16,2)			
	Imp_AnticipoIva	decimal(16,2)			
	Bit_ApdoLocal	binary(1)			
	Fec_Movto	datetime			

### Indexes:

**PK\_Apdo** (Primary Key) (Clustered)

Ids\_Num\_Apdo

**Table Carrito.ArtCar\_Canje\_e** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Car	int			
<b>PK, FK</b>	id_Num_Sku	int			
	Cantidad_Unidades	decimal(9,3)			
	Cant_PuntosCanje	int			
	Id_Num_PromCanje	int		X	
	Fec_Movto	smalldatetime			

### Indexes:

**PK\_ARTCAR\_CANJE\_E** (Primary Key)

Id\_Num\_Car  
id\_Num\_Sku

### References:

**Carrito.ArtCar\_d** (Id\_Num\_Car, id\_Num\_Sku)

**Table Carrito.ArtCar\_d** (37,482 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Car	int			
<b>PK</b>	id_Num_Sku	int			
<b>FK</b>	Id_Num_ArtCar_Tipo	tinyint			
	Num_SkuRef	int		X	
	Cant_Unidades	decimal(9,3)			
	Cant_Surtida	decimal(9,3)		X	
	Precio_VtaNormal	decimal(16,2)			
	Precio_VtaOferta	decimal(16,2)			
	Dcto	decimal(16,2)			
	Impto	decimal(16,2)			
	Bit_SkuObligadoComp	binary(1)			
	Bit_SkuObligadoSurt	binary(1)			
	Fec_Movto	datetime			
	Desc_art	varchar(100)		X	
	Cve_UnVta	nchar(10)		X	
	Num_CodBarra	decimal(14,0)		X	

**Indexes:****PK\_ARTCAR\_D** (Primary Key) (Clustered)Id\_Num\_Car  
id\_Num\_Sku**References:****Carrito.ArtCarTipo** (Id\_Num\_ArtCar\_Tipo)**Carrito.Car** (Id\_Num\_Car)**Referenced by:****Carrito.ArtCar\_Canje\_e** (Id\_Num\_Car, id\_Num\_Sku)**Carrito.ArtCar\_e** (Id\_Num\_Car, id\_Num\_Sku)**Carrito.ArtCar\_o** (Id\_Num\_Car, id\_Num\_Sku)**Carrito.ArtCar\_Obser** (Id\_Num\_Car, id\_Num\_Sku)**Carrito.ArtCar\_Prom** (Id\_Num\_Car, id\_Num\_Sku)**Carrito.ArtCar\_Prom\_e** (Id\_Num\_Car, id\_Num\_Sku)**Table Carrito.ArtCar\_e** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Car	int			
<b>PK, FK</b>	id_Num_Sku	int			
	Num_CodBarra	decimal(14,0)			
	Num_Dpto	smallint			
	Num_Linea	smallint			
	Num_Categ	smallint			
	Num_Marca	smallint		X	
	Num_UniVta	smallint			
	Desc_Art	varchar(255)			
	Upc	numeric(14,0)			
	Cve_UnVta	varchar(15)			

**Indexes:****PK\_ARTCAR\_E** (Primary Key) (Clustered)Id\_Num\_Car  
id\_Num\_Sku**References:****Carrito.ArtCar\_d** (Id\_Num\_Car, id\_Num\_Sku)**Table Carrito.ArtCar\_o** (1,567 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Car	int			
<b>PK, FK</b>	id_Num_Sku	int			
	Bit_Piezas	binary(1)		X	
	Cant_Piezas	decimal(9,3)		X	
	Cve_Madurez	tinyint			
	Cve_Tamano	tinyint			
	Fec_Movto	datetime			

	Fact_Conv	decimal(9,3)		X	
--	-----------	--------------	--	---	--

#### Indexes:

**PK\_ARTCAR\_O** (Primary Key) (Clustered)

Id\_Num\_Car  
id\_Num\_Sku

#### References:

**Carrito.ArtCar\_d** (Id\_Num\_Car, id\_Num\_Sku)

#### Table Carrito.ArtCar\_Obser (37,128 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Car	int			
<b>PK, FK</b>	id_Num_Sku	int			
<b>PK</b>	Id_Cnsc_ArtCar_Obser	bigint			
	Desc_ArtCarObser	varchar(255)			
	Fec_Movto	datetime			

#### Indexes:

**PK\_ARTCAR\_OBSER** (Primary Key) (Clustered)

Id\_Num\_Car  
id\_Num\_Sku  
Id\_Cnsc\_ArtCar\_Obser

#### References:

**Carrito.ArtCar\_d** (Id\_Num\_Car, id\_Num\_Sku)

#### Table Carrito.ArtCar\_Prom (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Car	int			
<b>PK, FK</b>	id_Num_Sku	int			
	Id_Num_Div	tinyint			
	Id_Num_Dpto	smallint			
	Id_Num_Fam	smallint			
	Id_Num_GciaCateg	smallint			
	Id_Num_Categ	smallint			
	Id_Num_Linea	smallint			
	Id_Num_Proveedor	int			
	Imp_Compra	decimal(16,2)			
	Cant_Prom	decimal(9,3)			

#### Indexes:

**PK\_ARTCAR\_PROM** (Primary Key) (Clustered)

Id\_Num\_Car  
id\_Num\_Sku

#### References:

**Carrito.ArtCar\_d** (Id\_Num\_Car, id\_Num\_Sku)

#### Table Carrito.ArtCar\_Prom\_e (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Car	int			
<b>PK, FK</b>	id_Num_Sku	int			
	Puntos_Adic	int			
	Puntos_Canje	int			
	Precio_Canje	money			
	Puntos_ACanjea	int			
	Porc_Desc	decimal(4,3)			

#### Indexes:

**PK\_ARTCAR\_PROM\_E** (Primary Key) (Clustered)

Id\_Num\_Car  
id\_Num\_Sku

#### References:

**Carrito.ArtCar\_d** (Id\_Num\_Car, id\_Num\_Sku)

#### Table Carrito.ArtCarTipo (8 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_ArtCar_Tipo	tinyint			
	Desc_ArtCar_Tipo	varchar(40)			
	Abrev_ArtCar_Tipo	varchar(20)			
	Fec_Movto	datetime			

#### Indexes:

**PK\_ARTCARTIPO** (Primary Key) (Clustered)

Id\_Num\_ArtCar\_Tipo

#### Referenced by:

**Carrito.ArtCar\_d** (Id\_Num\_ArtCar\_Tipo)

#### Table Carrito.CalEntrega (9,439 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	id_Num_SrvEntrega	tinyint			
<b>PK, FK</b>	Id_Num_Un	smallint			
<b>PK, FK</b>	Id_Num_Orden	int			
<b>PK</b>	Fec_Entrega	datetime			
	Fec_Movto	datetime			

#### Indexes:

**PK\_CALENTREGA** (Primary Key) (Clustered)

id\_Num\_SrvEntrega  
Id\_Num\_Un  
Id\_Num\_Orden  
Fec\_Entrega

#### References:

**Carrito.CapEntrega** (id\_Num\_SrvEntrega, Id\_Num\_Un)

**Carrito.Orden** (*Id\_Num\_Orden*)

**Table Carrito.CapEntrega** (1,616 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	id_Num_SrvEntrega	tinyint			
<b>PK</b>	Id_Num_Un	smallint			
	Capacidad	tinyint			
	Fec_Movto	datetime			

**Indexes:**

**PK\_CapEntrega** (*Primary Key*) (*Clustered*)

id\_Num\_SrvEntrega  
Id\_Num\_Un

**Referenced by:**

**Carrito.CalEntrega** (*id\_Num\_SrvEntrega, Id\_Num\_Un*)

**Table Carrito.Car** (10,646 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Car	int			
	Id_Num_Visita	numeric(18,0)			
<b>FK</b>	Id_Num_Apl	smallint			
	Id_Num_UN	smallint			
	Fec_Movto	datetime			

**Indexes:**

**PK\_CAR** (*Primary Key*) (*Clustered*)

Id\_Num\_Car

**References:**

**dbo.Apl** (*Id\_Num\_Apl*)

**Referenced by:**

**Carrito.ArtCar\_d** (*Id\_Num\_Car*)

**Carrito.CarObs** (*Id\_Num\_Car*)

**Carrito.Orden** (*Id\_Num\_Car*)

**Table Carrito.CarObs** (10,484 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Car	int			
<b>PK</b>	ID_Cnsc_CarObs	smallint			
	Desc_CarObs	varchar(255)			
	Fec_Movto	datetime			

**Indexes:**

**PK\_CAROBS** (*Primary Key*) (*Clustered*)

Id\_Num\_Car  
ID\_Cnsc\_CarObs

#### References:

**Carrito.Car** (*Id\_Num\_Car*)

#### **Table Carrito.CarRedondeo\_e** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Car	int			
	Bit_AplicarRedondeo	bit			
	Fec_Movto	smalldatetime			

#### Indexes:

**PK\_CarRedondeo\_e** (*Primary Key*) (*Clustered*)

Id\_Num\_Car

#### **Table Carrito.Cte** (66,395 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Cte	int			
	Nom_Cte	varchar(30)			
	Ap_Paterno	varchar(30)			
	Ap_Materno	varchar(30)			
	Pregunta	varchar(30)			
	Cve_Respuesta	varchar(30)			
	Fec_Movto	datetime			

#### Indexes:

**PK\_CTE** (*Primary Key*) (*Clustered*)

Id\_Num\_Cte

#### Referenced by:

**Carrito.DirCte** (*Id\_Num\_Cte*)

**Carrito.Email** (*Id\_Num\_Cte*)

**Carrito.FormaPagoCte\_d** (*Id\_Num\_Cte*)

**Carrito.Orden** (*Id\_Num\_Cte*)

**Carrito.Visita** (*Id\_Num\_Cte*)

#### **Table Carrito.Desp** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Orden	int			
	Id_Num_Surtidor	smallint			
	Fec_IniSrt	datetime		X	
	Fec_IniPago	datetime		X	
	Fec_Pago	datetime		X	
	Fec_AsigTrasp	datetime		X	
	Fec_ConfEnt	datetime		X	
	Fec_Ent	datetime		X	

	Desc_Recep	varchar(255)		X	
	Num_Bolsas	smallint		X	
	Cliente_ID	varchar(60)		X	
	Id_Num_UN	smallint		X	

#### Indexes:

**PK\_Desp** (Primary Key) (Clustered)

Id\_Num\_Orden

#### **Table Carrito.DirCte** (86,669 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Cte	int			
<b>PK</b>	Id_Cnsc_DirCTe	int			
<b>FK</b>	Id_Num_DirTipo	tinyint			
<b>FK</b>	Ids_Num_Edo	tinyint			
	Calle	varchar(40)			
	Nom_DirCTe	varchar(40)			
	Num_Ext	varchar(10)			
	Num_Int	varchar(10)			
	Ciudad	varchar(40)			
	Cod_Postal	varchar(8)			
	Colonia	varchar(40)			
	Telefono	varchar(40)			
	Bit_Eliminado	binary(1)			
	Fec_Movto	datetime			
	Latitud	varchar(50)		X	Carrito.df_Latitud
	Longitud	varchar(50)		X	Carrito.df_Longitud
	Referencia	varchar(255)		X	

#### Indexes:

**PK\_DIRCTE** (Primary Key) (Clustered)

Id\_Num\_Cte  
Id\_Cnsc\_DirCTe

#### References:

**Carrito.Cte** (Id\_Num\_Cte)

**Carrito.DirTipo** (Id\_Num\_DirTipo)

**Carrito.Edo** (Ids\_Num\_Edo)

#### Referenced by:

**Carrito.DirCte\_e** (Id\_Cnsc\_DirCTe, Id\_Num\_Cte)

**Carrito.DirEnt** (Id\_Cnsc\_DirCTe, Id\_Num\_Cte)

#### **Table Carrito.DirCte\_e** (64 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Cte	int			
<b>PK, FK</b>	Id_Cnsc_DirCTe	int			
	Nom_Direccion	varchar(40)		X	
	Extension	char(10)		X	
<b>FK</b>	Id_Num_TipoDirCte	tinyint		X	



**Indexes:****PK\_DIRCTE\_E** (Primary Key) (Clustered)Id\_Num\_Cte  
Id\_Cnsc\_DirCTe**References:****Carrito.DirCte** (Id\_Cnsc\_DirCTe, Id\_Num\_Cte)**Carrito.DirCte\_Tipo** (Id\_Num\_TipoDirCte)**Table Carrito.DirCte\_Tipo** (3 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_TipoDirCte	tinyint			
	Desc_TipoDirCte	char(40)			
	Bit_Eliminado	bit			
	Fec_Movto	datetime			

**Indexes:****PK\_DirCte\_Tipo** (Primary Key) (Clustered)

Id\_Num\_TipoDirCte

**Referenced by:****Carrito.DirCte\_e** (Id\_Num\_TipoDirCte)**Table Carrito.DirCteRef** (37 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	id_Num_Cte	int			
<b>PK</b>	id_Cnsc_Dir	int			
	ref_Dir	varchar(250)			
	Fec_Movto	datetime			
	latitud_dir	decimal(12,8)		X	
	longitud_dir	decimal(12,8)		X	

**Indexes:****PK\_DirCteRef** (Primary Key) (Clustered)id\_Num\_Cte  
id\_Cnsc\_Dir**Table Carrito.DirEnt** (9,368 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Orden	int			
<b>PK, FK</b>	Id_Num_Cte	int			
<b>PK, FK</b>	Id_Cnsc_DirCTe	int			

**Indexes:****PK\_DIRENT** (Primary Key) (Clustered)

Id\_Num\_Orden  
Id\_Num\_Cte  
Id\_Cnsc\_DirCTe

#### References:

**Carrito.DirCte** (*Id\_Cnsc\_DirCTe, Id\_Num\_Cte*)

**Carrito.Orden** (*Id\_Num\_Orden*)

#### **Table Carrito.DirTipo** (3 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_DirTipo	tinyint			
	Desc_DirTipo	varchar(40)			
	Abrev_DirTipo	varchar(20)			
	Fec_Movto	datetime			

#### Indexes:

**PK\_DIRTIPO** (*Primary Key*) (*Clustered*)

Id\_Num\_DirTipo

#### Referenced by:

**Carrito.DirCte** (*Id\_Num\_DirTipo*)

#### **Table Carrito.Dpto** (159 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Dpto	smallint			
	Desc_Dpto	varchar(40)			
	Abrev_Dpto	varchar(10)			
	Fec_Alta	smalldatetime			
	Id_Num_Div	tinyint			
	Id_Num_GpoDpto	tinyint			
	Bit_Detallista	bit			
	UserId	smallint			
	Fec_Movto	smalldatetime			
	Fec_ArriboDestino	smalldatetime			

#### Indexes:

**PK\_Dpto** (*Primary Key*) (*Clustered*)

Id\_Num\_Dpto

#### **Table Carrito.ecCCOrdenTda\_d** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Orden	int			
<b>PK</b>	Ids_Num_UN	smallint			
	Id_Num_OrdenStat	smallint			
	Cant_TotArtSurtidos	smallint			
	Imp_TotOrdenSurtido	money			
	UserId	varchar(30)			
	Fec_Movto	smalldatetime			
	Fec_ArriboCorp	smalldatetime			

**Indexes:****PK\_ecCCOrdenTda\_d** (Primary Key) (Clustered)

Id\_Num\_Orden  
 Ids\_Num\_UN

**Table Carrito.Edo** (32 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Ids_Num_Edo	tinyint			
	Nom_Edo	varchar(40)			
	Abrev_Edo	varchar(4)			
	Fec_Movto	datetime			

**Indexes:****PK\_Edo** (Primary Key) (Clustered)

Ids\_Num\_Edo

**Referenced by:****Carrito.DirCte** (Ids\_Num\_Edo)**Table Carrito.Email** (66,219 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_Email	varchar(100)			
<b>FK</b>	Id_Num_Cte	int			
	Cve_Acceso	varchar(20)			
	Fec_Movto	datetime			
	TarjetaLealtad	varchar(100)		X	

**Indexes:****nci\_wi\_Email\_FA69A716F07DDA61C5E10DCB6149C30B**

Id\_Num\_Cte  
 Id\_Email (Included)  
 TarjetaLealtad (Included)

**References:****Carrito.Cte** (Id\_Num\_Cte)**Table Carrito.FletesUn** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Un	smallint			
<b>PK</b>	Id_Num_SrvEntrega	tinyint			
<b>PK</b>	Id_Num_CoverDomTipo	tinyint			
<b>PK</b>	Id_Num_CodBarra	decimal(14,0)			
<b>PK</b>	LimiteInf_CP	decimal(5,0)			
<b>PK</b>	LimiteSup_CP	decimal(5,0)			
<b>PK</b>	Id_Num_SKU	int			
<b>PK</b>	LimiteInf	decimal(10,2)			
<b>PK</b>	LimiteSup	decimal(10,2)			
	Id_Num_NumMed	smallint			

	Comision	decimal(3,2)			
	Bit_Eliminado	bit			
	Fec_Movto	smalldatetime			

#### Indexes:

##### **PK\_Table\_1** (Primary Key) (Clustered)

Id\_Num\_Un  
 Id\_Num\_SrvEntrega  
 Id\_Num\_CoverDomTipo  
 Id\_Num\_CodBarra  
 LimiteInf\_CP  
 LimiteSup\_CP  
 Id\_Num\_SKU  
 LimiteInf  
 LimiteSup

#### **Table Carrito.FleteTipo** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	ID_Num_FleteTipo	tinyint			
	Desc_FleteTipo	varchar(40)			
	Abrev_FleteTipo	varchar(20)			
	Fec_Movto	datetime			

#### Indexes:

##### **PK\_FLETETIPO** (Primary Key) (Clustered)

ID\_Num\_FleteTipo

#### **Table Carrito.FormaPago** (15 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_FormaPago	smallint			
	Desc_FormaPago	varchar(40)			
	Abrev_FormaPago	varchar(20)			
	Porc_Comision	decimal(6,5)			
	Proceso	varchar(20)		X	
	Fec_Movto	datetime			

#### Indexes:

##### **PK\_FORMAPAGO** (Primary Key) (Clustered)

Id\_Num\_FormaPago

#### Referenced by:

**Carrito.FormaPagoCte\_d** (Id\_Num\_FormaPago)

#### **Table Carrito.FormaPagoCte\_d** (4,579 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Cte	int			
<b>PK</b>	Id_Cnsc_FormaPagoCte_d	int			
<b>FK</b>	Id_Num_FormaPago	smallint			
	Cuenta	varchar(40)		X	
	Vec	varchar(10)		X	

	Nip	varchar(10)		X	
	Bit_FormaEliminada	decimal(16,2)			
	Banco	varchar(40)		X	
	Num_Cheque	varchar(10)		X	
	Fec_Movto	datetime			
	Cuenta_enc	varchar(44)		X	
	Vec_enc	varchar(24)		X	
	Nip_enc	varchar(24)		X	
	IdKey	varchar(40)		X	

#### Indexes:

**PK\_FORMAPAGOCTE\_D** (Primary Key) (Clustered)

Id\_Num\_Cte  
Id\_Cnsc\_FormaPagoCte\_d

#### References:

**Carrito.Cte** (Id\_Num\_Cte)

**Carrito.FormaPago** (Id\_Num\_FormaPago)

#### Referenced by:

**Carrito.OrdenPago** (Id\_Cnsc\_FormaPagoCte\_d, Id\_Num\_Cte)

#### Table Carrito.Ftxt\_ArtDesc (0 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_Num_Sku	int			
	Num_TipoDesc	tinyint			
	desc_art	char(255)			
	Ftxt_art	char(255)			
	Id_Num_linea	smallint			
	Id_Num_Marca	smallint		X	
	Id_Num_UniVta	smallint		X	
	Fec_Movto	smalldatetime			

#### Table Carrito.IdCte (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_IdCteTipo	tinyint			
<b>PK</b>	Id_Num_Cte	int			
	Cve_IdCte	varchar(40)			
	Fec_Movto	datetime			

#### Indexes:

**PK\_IdCte** (Primary Key) (Clustered)

Id\_Num\_IdCteTipo  
Id\_Num\_Cte

#### Table Carrito.OMS\_OrderExtraction (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Orden	int			
	Id_Num_OrdenStat	tinyint			

<b>PK</b>	id_OMS_status	tinyint			
<b>PK</b>	Fec_OMS_download	datetime			
	Id_Num_UN	smallint			Carrito.DF_OMS_Order_Id_Nu_23942C2E

#### Indexes:

**PK\_OMS\_Order** (Primary Key) (Clustered)

Id\_Num\_Orden  
id\_OMS\_status  
Fec\_OMS\_download

#### Table Carrito.OMS\_StoreDeploy (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_UN	smallint			Carrito.DF_OMS_Store_Id_Nu_24885067
<b>PK</b>	id_OMS_deployed	bit			
	Fec_OMS_download	datetime			
	Date_OMS_start	datetime			

#### Indexes:

**PK\_OMS\_Stores** (Primary Key) (Clustered)

id\_OMS\_deployed  
Id\_Num\_UN

#### Table Carrito.Orden (9,900 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Orden	int			
<b>FK</b>	Id_Num_Car	int			
<b>FK</b>	Id_Num_Cte	int			
<b>FK</b>	Id_Num_OrdenStat	tinyint			
<b>FK</b>	Id_Num_OrdenTipo	tinyint			
	Ids_Num_Apdo	int		X	
<b>FK</b>	id_Num_SrvEntrega	tinyint			
	imp_Mcia	decimal(16,2)		X	
	imp_MciaIva	decimal(16,2)		X	
	imp_Flete	decimal(16,2)		X	
	imp_FleteIva	decimal(16,2)		X	
	imp_Comision	decimal(16,2)		X	
	imp_ComisionIva	decimal(16,2)		X	
	Bit_EntregaCompleta	binary(1)		X	
	Fec_Movto	datetime		X	

#### Indexes:

**PK\_ORDEN** (Primary Key) (Clustered)

Id\_Num\_Orden

#### References:

**Carrito.Car** (Id\_Num\_Car)

**Carrito.Cte** (Id\_Num\_Cte)

**Carrito.OrdenStat** (Id\_Num\_OrdenStat)

**Carrito.OrdenTipo** (Id\_Num\_OrdenTipo)

**Carrito.SrvEntrega** (*id\_Num\_SrvEntrega*)

**Referenced by:**

**Carrito.CalEntrega** (*Id\_Num\_Orden*)

**Carrito.DirEnt** (*Id\_Num\_Orden*)

**Carrito.Orden\_e** (*Id\_Num\_Orden*)

**Carrito.OrdenHist** (*Id\_Num\_Orden*)

**Carrito.OrdenObser** (*Id\_Num\_Orden*)

**Carrito.OrdenPago** (*Id\_Num\_Orden*)

**Carrito.OrdenProp\_e** (*Id\_Num\_Orden*)

**Table Carrito.Orden\_e** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Orden	int			
	Id_Num_Car	int			
	Id_Num_UN	smallint			
	Fecx_Orden	smalldatetime			

**Indexes:**

**PK\_ORDEN\_E** (*Primary Key*) (*Clustered*)

Id\_Num\_Orden

**References:**

**Carrito.Orden** (*Id\_Num\_Orden*)

**Table Carrito.OrdenAtrib\_d** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	ID_Num_OrdenAtrib	smallint			
<b>PK</b>	Id_Num_Orden	int			
<b>PK</b>	Cve_Atributo	varchar(255)			
	Fec_Movto	smalldatetime			

**Indexes:**

**PK\_OrdenAtrib\_d** (*Primary Key*) (*Clustered*)

ID\_Num\_OrdenAtrib

Id\_Num\_Orden

Cve\_Atributo

**Table Carrito.OrdenCte** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Orden	int			
	Id_Num_Cte	int		X	
	Id_Num_OrdenStat	tinyint		X	
	FechaEntrega	smalldatetime		X	
	Id_Num_Car	int		X	
	Id_Num_Un	int		X	
	Bit_StatusRec	bit		X	

	Bit_StatusOrden	smallint		X	
	Bit_Procesado	bit		X	
	Fec_Movto	datetime		X	

#### Indexes:

**PK\_\_OrdenCte\_\_13DDFE1E11F4E700** (Primary Key) (Clustered)

Id\_Num\_Orden

#### **Table Carrito.OrdenHist** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Orden	int			
<b>PK, FK</b>	Id_Num_OrdenStat	tinyint			
<b>PK</b>	ID_Fec_OrdenStat	datetime			
	Desc_Motivo	varchar(50)		X	

#### Indexes:

**PK\_ORDENHIST** (Primary Key) (Clustered)

Id\_Num\_Orden

Id\_Num\_OrdenStat

ID\_Fec\_OrdenStat

#### References:

**Carrito.Orden** (Id\_Num\_Orden)

**Carrito.OrdenStat** (Id\_Num\_OrdenStat)

#### **Table Carrito.OrdenMoVil\_d** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Orden	int			
	Bit_UsaMovil	bit		X	
	Fec_Movto	smalldatetime		X	

#### Indexes:

**PK\_\_OrdenMoV\_\_13DDFE1E2E9ECB10** (Primary Key) (Clustered)

Id\_Num\_Orden

#### **Table Carrito.OrdenObser** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Orden	int			
<b>PK</b>	Id_Cnsc_OrdenObser	tinyint			
	Desc_OrdenObser	varchar(255)			
	Fec_Movto	datetime			

#### Indexes:

**PK\_ORDENOBSE** (Primary Key) (Clustered)

Id\_Num\_Orden

Id\_Cnsc\_OrdenObser

#### References:



**Carrito.Orden** (*Id\_Num\_Orden*)

**Table Carrito.OrdenPago** (9,489 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Cte	int			
<b>PK, FK</b>	Id_Cnsc_FormaPagoCte_d	int			
<b>PK, FK</b>	Id_Num_Orden	int			
<b>PK</b>	Id_Cnsc_PagoOrden	int			
<b>PK</b>	Fecx_Movto	smalldatetime			
	Imp_Pago	decimal(16,2)			
	Num_Status	tinyint			
	Bit_Eliminado	binary(1)			

**Indexes:**

**PK\_ORDENPAGO** (*Primary Key*) (*Clustered*)

Id\_Num\_Cte  
Id\_Cnsc\_FormaPagoCte\_d  
Id\_Num\_Orden  
Id\_Cnsc\_PagoOrden  
Fecx\_Movto

**nci\_wi\_OrdenPago\_75FE8DD13FF8400491808C052F9A899C**

Id\_Num\_Orden

**References:**

**Carrito.FormaPagoCte\_d** (*Id\_Cnsc\_FormaPagoCte\_d, Id\_Num\_Cte*)

**Carrito.Orden** (*Id\_Num\_Orden*)

**Table Carrito.OrdenProp** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	ID_Num_OrdenProp	smallint			
	Desc_OrdenProp	varchar(100)			
	Abrev_OrdenProp	varchar(20)			
	Fec_Movto	datetime			

**Indexes:**

**PK\_ORDENPROP** (*Primary Key*) (*Clustered*)

ID\_Num\_OrdenProp

**Referenced by:**

**Carrito.OrdenProp\_e** (*ID\_Num\_OrdenProp*)

**Table Carrito.OrdenProp\_e** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	ID_Num_OrdenProp	smallint			
<b>PK, FK</b>	Id_Num_Orden	int			
	Num_Ref	int		X	
	Desc_Param	varchar(255)		X	
	Fec_Movto	datetime			

**Indexes:****PK\_ORDENPROP\_E** (Primary Key) (Clustered)ID\_Num\_OrdenProp  
Id\_Num\_Orden**References:****Carrito.Orden** (Id\_Num\_Orden)**Carrito.OrdenProp** (ID\_Num\_OrdenProp)**Table Carrito.OrdenStat** (18 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_OrdenStat	tinyint			
	Desc_OrdenStat	varchar(40)			
	Abrev_OrdenStat	varchar(20)			
	Fec_Movto	datetime			

**Indexes:****PK\_OrdenStat\_1** (Primary Key) (Clustered)

Id\_Num\_OrdenStat

**Referenced by:****Carrito.Orden** (Id\_Num\_OrdenStat)**Carrito.OrdenHist** (Id\_Num\_OrdenStat)**Table Carrito.OrdenTipo** (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_OrdenTipo	tinyint			
	Desc_OrdenTipo	varchar(40)			
	Abrev_OrdenTipo	varchar(20)			
	Fec_Movto	datetime			

**Indexes:****PK\_OrdenTipo** (Primary Key) (Clustered)

Id\_Num\_OrdenTipo

**Referenced by:****Carrito.Orden** (Id\_Num\_OrdenTipo)**Table Carrito.Rec\_Estado** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Pais	smallint			
<b>PK</b>	Id_Num_Estado	smallint			
	Nom_Estado	varchar(40)			
	Bit_Eliminado	bit			
	Fec_Movto	datetime			

**Indexes:****PK\_REC\_ESTADO** (Primary Key) (Clustered)Id\_Num\_Pais  
Id\_Num\_Estado**References:****Carrito.Rec\_Pais** (Id\_Num\_Pais)**Table Carrito.Rec\_Pais** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Pais	smallint			
	Nom_Pais	varchar(40)			
	Bit_Eliminado	bit			
	Fec_Movto	datetime			

**Indexes:****PK\_REC\_PAIS** (Primary Key) (Clustered)

Id\_Num\_Pais

**Referenced by:****Carrito.Rec\_Estado** (Id\_Num\_Pais)**Table Carrito.spmPais** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Pais	tinyint			
	Nom_Pais	varchar(40)			
	Abrev_Pais	char(3)			
	UserId	smallint			
	Fec_Movto	smalldatetime			Carrito.DF__spmPais__Fec_Mov__13D2C5B1

**Indexes:****PK\_SPMPAIS** (Primary Key) (Clustered)

Id\_Num\_Pais

**Table Carrito.SrvEntrega** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	id_Num_SrvEntrega	tinyint			
	Desc_SrvEntrega	varchar(40)			
	Abrev_Entrega	varchar(20)			
	Fec_Movto	datetime			

**Indexes:****PK\_SRVENTREGA** (Primary Key) (Clustered)

id\_Num\_SrvEntrega

**Referenced by:**

**Carrito.Orden** (*id\_Num\_SrvEntrega*)

**Table Carrito.Surtidor** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Surtidor	smallint			
<b>PK, FK</b>	Id_Num_Un	smallint			
	Nom_Surtidor	varchar(40)			
	Stat_Surtidor	tinyint			
	Fec_Movto	datetime			

**Indexes:**

**PK\_SURTIDOR** (*Primary Key*) (*Clustered*)

Id\_Num\_Un  
Id\_Num\_Surtidor

**References:**

**dbo.UnPerm** (*Id\_Num\_Un*)

**Table Carrito.SurtidorEmp\_e** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Emp	int			
<b>PK</b>	Id_Num_Un	smallint			
<b>PK</b>	Id_Num_Surtidor	smallint			
	Fec_Movto	smalldatetime			
	Ind_EmpExt	tinyint		X	

**Indexes:**

**PK\_SurtidorEmp\_e\_1** (*Primary Key*) (*Clustered*)

Id\_Num\_Emp  
Id\_Num\_Un  
Id\_Num\_Surtidor

**Table Carrito.Visita** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Visita	numeric(18,0)	X		
<b>FK</b>	ID_Fecx_VisitaIni	smalldatetime			
<b>FK</b>	Id_Num_Cte	int		X	
	SessionID	varchar(128)			
	Num_dirip	varchar(40)		X	
	Nom_Browser	varchar(40)		X	
	Nom_BrowserVer	varchar(40)		X	
	Nom_PagOrig	varchar(100)		X	
	Fec_Movto	datetime			

**Indexes:**

**PK\_VISITA** (*Primary Key*) (*Clustered*)

Id\_Num\_Visita

**References:**

**Carrito.Cte** (*Id\_Num\_Cte*)

**Carrito.VisitaIni** (*ID\_Fecx\_VisitaIni*)

**Table Carrito.VisitaIni** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	ID_Fecx_VisitaIni	smalldatetime			
	Fec_Movto	smalldatetime			

**Indexes:**

**PK\_VisitaIni** (*Primary Key*) (*Clustered*)

ID\_Fecx\_VisitaIni

**Referenced by:**

**Carrito.Visita** (*ID\_Fecx\_VisitaIni*)

**Table common.ManualPars** (1 row)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	id	int			
	shortDesc	varchar(15)			
	LongDesc	varchar(max)		X	
	creationDate	datetime			
	creationId	nvarchar(50)			

**Indexes:**

**PK\_ManualPars** (*Primary Key*) (*Clustered*)

id

**Table common.ManualTitles** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idManual	int			
<b>PK, FK</b>	idOwner	int			
	manualTitle	varchar(100)			
	manualsubTitle	varchar(250)			
	manualVersion	varchar(100)		X	
	bitEnable	bit			
	manualFilename	varchar(500)		X	
<b>PK</b>	manualFileType	nvarchar(60)			
	manualFile	varbinary(max)		X	
	creationDate	datetime			
	creationId	nvarchar(50)			

**Indexes:**

**PK\_manualTitles** (*Primary Key*) (*Clustered*)

idManual  
idOwner  
manualFileType

**References:**

**common.Owners** (*idOwner*)

**Table common.ManualTypes** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idManual	int			
	ManualDesc	varchar(80)		X	
	creationDate	datetime			
	creationId	nvarchar(50)			

**Indexes:**

**PK\_manualTypes** (*Primary Key*) (*Clustered*)

idManual

**Table common.Owners** (5 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idOwner	int			
	ownerName	varchar(250)			
	bitEnable	bit			
	creationDate	datetime			
	creationId	nvarchar(50)			
	url	varchar(500)		X	
	IdTipoCatalogo	int		X	

**Indexes:**

**PK\_owners** (*Primary Key*) (*Clustered*)

idOwner

**Referenced by:**

**common.ManualTitles** (*idOwner*)

**common.SuppliersWH** (*idOwner*)

**common.SuppliersWHStock** (*idOwner*)

**common.SuppliersWHStockHeader** (*idOwner*)

**Table common.SuppliersWH** (104 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idSupplierWH	bigint			
	supplierName	varchar(250)			
<b>PK</b>	idSupplierWHCode	bigint			
	SupplierWHName	varchar(250)			
<b>FK</b>	idOwner	int			
	addressStreet	varchar(85)		X	
	addressNumberExt	varchar(50)		X	
	addressNumberInt	varchar(50)		X	
	addressCity	varchar(50)		X	
	addressPostalCode	varchar(50)		X	
	addressState	varchar(50)		X	
	addressReference1	varchar(85)		X	

addressReference2	varchar(85)		X	
commInfoName	varchar(85)		X	
operInfoName	varchar(85)		X	
operInfoPhone	varchar(50)		X	
operInfoEmail	varchar(50)		X	
commInfoPhone	varchar(50)		X	
commInfoEmail	varchar(50)		X	
updateDateStock	datetime		X	
bitEnable	bit			
enableCause	varchar(250)		X	
creationDate	datetime			
creationId	nvarchar(50)			
updateDate	datetime		X	
updateId	nvarchar(50)		X	
idOperType	smallint		X	
idShipType	smallint		X	
bitVehicles	bit		X	
IdTipoLogistica	int		X	
addressCol	varchar(75)		X	
reference	varchar(250)		X	
operInfoExt	varchar(20)		X	
commInfoExt	varchar(20)		X	

#### Indexes:

**PK\_suppliers** (Primary Key) (Clustered)

idSupplierWH  
idSupplierWHCode

#### References:

**common.Owners** (idOwner)

#### Referenced by:

**common.SuppliersWHLog** (idSupplierWH, idSupplierWHCode)

**common.SuppliersWHStock** (idSupplierWH, idSupplierWHCode)

**common.SuppliersWHStockHeader** (idSupplierWH, idSupplierWHCode)

**dbo.OrderFacts\_CreditNotes** (idSupplierWH, idSupplierWHCode)

#### Table **common.SuppliersWHLog** (59 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idLog	bigint			
<b>FK</b>	idSupplierWH	bigint			
<b>FK</b>	idSupplierWHCode	bigint			
	bitEnable	bit			
	enableCause	varchar(250)			
	updateDate	datetime			
	updateId	nvarchar(50)			

#### Indexes:

**PK\_supplierslog** (Primary Key) (Clustered)

idLog

#### References:

**common.SuppliersWH** (*idSupplierWH, idSupplierWHCode*)

**Table common.SuppliersWHOperTypes** (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idOperType	bigint			
	OperTypeDesc	varchar(80)			
	bitEnable	bit			
	CreationDate	datetime			
	CreationId	nvarchar(50)			

**Indexes:**

**PK\_SuppliersWHOperTypes** (*Primary Key*) (*Clustered*)

idOperType

**Table common.SuppliersWHShipTypes** (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idShipType	bigint			
	ShipTypeDesc	varchar(80)			
	bitEnable	bit			
	CreationDate	datetime			
	CreationId	nvarchar(50)			

**Indexes:**

**PK\_SuppliersWHShipTypes** (*Primary Key*) (*Clustered*)

idShipType

**Table common.SuppliersWHStock** (7,720 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	idSupplierWH	bigint			
<b>PK, FK</b>	idSupplierWHCode	bigint			
<b>PK, FK</b>	idOwner	int			
	ProductSKU	int		X	
<b>PK</b>	barCode	bigint			
	productName	varchar(175)		X	
	productCategoryId	varchar(175)		X	
	stockLevel	decimal(18,4)		X	
	qtyStockSafety	decimal(18,4)		X	
	qtyStockForSale	decimal(18,4)		X	
	qtyStockReserved	decimal(18,4)		X	
	ProductType	varchar(50)		X	
	dimmensionLarge	decimal(18,4)		X	
	dimmensionHeight	decimal(18,4)		X	
	dimmensionWidth	decimal(18,4)		X	
	dimmensionWeight	decimal(18,4)		X	
	dimmensionWeightVol	decimal(18,4)		X	
	dimmensionWeightReal	decimal(18,4)		X	
	productStatus	varchar(25)		X	
	productMaterialCost	money		X	
	productCreationDate	datetime		X	



	idSupplierOrigin	int		X	
	idSupplierOriginName	varchar(250)		X	
	bitEnable	bit			
	StockDate	date			
	StockTime	time			
	bitInsertDMOk	nchar(10)			

#### Indexes:

**PK\_suppliersstock** (Primary Key) (Clustered)

idSupplierWH  
idSupplierWHCode  
idOwner  
barCode

#### References:

**common.Owners** (idOwner)

**common.SuppliersWH** (idSupplierWH, idSupplierWHCode)

#### Table common.SuppliersWHStockHeader (72 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	idSupplierWH	bigint			
<b>PK, FK</b>	idSupplierWHCode	bigint			
<b>PK, FK</b>	idOwner	int			
	bitEnable	bit			
	stockLevel	decimal(18,4)		X	
	stockCodes	decimal(18,4)		X	
	StockDate	date			
	StockTime	time			

#### Indexes:

**PK\_suppliersstockheader** (Primary Key) (Clustered)

idSupplierWH  
idSupplierWHCode  
idOwner

#### References:

**common.Owners** (idOwner)

**common.SuppliersWH** (idSupplierWH, idSupplierWHCode)

#### Table config.menu (108 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	menuId	int			
	descripcion	varchar(30)		X	
	descripcionCorta	varchar(50)		X	
	padreId	int		X	
	posicion	int		X	
	icono	varchar(50)		X	
	habilitado	bit		X	
	url	varchar(150)		X	
	esMenu	bit		X	
	target	nvarchar(15)		X	

	controller	nvarchar(50)		X	
	action	nvarchar(50)		X	

#### Indexes:

**PK\_menu** (Primary Key) (Clustered)

menuId

#### **Table config.menuDetalleRoles** (199 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	id	int			
	rol	varchar(50)			
	menuId	int			
	habilitado	bit		X	
	fechaAlta	datetime			
	autor	varchar(10)			
	fechaModificacion	datetime		X	
	modificadoPor	varchar(10)		X	

#### Indexes:

**PK\_menuDetalleRoles** (Primary Key) (Clustered)

id

#### **Table config.roles** (19 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idRol	int			
	nombreRol	varchar(50)		X	
	descripcion	varchar(254)		X	
	activo	bit		X	
	fechaAlta	datetime		X	
	usuarioAlta	char(8)		X	
	fechaModificacion	datetime		X	
	usuarioModificacion	char(8)		X	

#### Indexes:

**PK\_roles** (Primary Key) (Clustered)

idRol

#### **Table config.usuarios** (754 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idUsuario	int			
	nombre	nvarchar(250)		X	
	activo	bit		X	
	fechaCreacion	datetime		X	config.DF_usuarios_fechaCreacion
	autor	nvarchar(10)		X	
	modificadoPor	nvarchar(10)		X	
	fechaModificacion	datetime		X	
	usuario	nvarchar(50)		X	
	rol	varchar(50)		X	
	IdOwner	int		X	

	IdTienda	bigint		X	
	IdCarrier	int		X	

#### Indexes:

**PK\_usuarios** (Primary Key) (Clustered)

idUsuario

#### Table **dbo.Apl** (27 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Apl	smallint			
	Desc_Apl	varchar(100)			
	Abrev_Apl	varchar(40)			
	Fec_Movto	datetime			

#### Indexes:

**PK\_APL** (Primary Key) (Clustered)

Id\_Num\_Apl

#### Referenced by:

**Carrito.Car** (Id\_Num\_Apl)

#### Table **dbo.apsLineasEspeciales** (473 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Linea	smallint			
	Desc_Pasillo	varchar(80)		X	

#### Indexes:

**PK\_\_apsLinea\_\_3D4125B6FC0D8FE4** (Primary Key) (Clustered)

Id\_Num\_Linea

#### Table **dbo.Art** (180,038 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_Num_SKU	int			
	Num_CodBarra	decimal(14,0)			
	Fec_Alta	smalldatetime			
	Id_Num_Linea	smallint			
	Id_Num_UniVta	tinyint		X	
	Id_Num_Pais	tinyint			
	Id_Num_Marca	smallint		X	
	Id_Num_LineaProd	tinyint		X	
	Id_Num_Presentacion	tinyint		X	
	Id_Num_Dpto	smallint			
	Id_Num_StatusArt	tinyint			
	Bit_ArtReconstruido	bit			
	Bit_ArtComp	bit			
	Bit_ArtVta	bit			
	Bit_ReqBasculaPOS	bit			
	Bit_ReqBasculaRec	bit			
	Bit_ReqBasculaEmplayar	bit			

Bit_RecUniVta	bit			
Bit_ReqTecUniVendidas	bit			
Bit_ImportDirect	bit			
Id_Cnsc_ProdBase	smallint			
Bit_DesgloseTalla	bit			
Bit_DesgloseColor	bit			
Bit_ArtImportado	bit			
Bit_PrecUnit	bit			
Desc_Modelo	char(40)		X	
Id_Num_TiempoGtia	tinyint		X	
Fec_Movto	smalldatetime			
UserId	smallint			
Fec_ArriboDestino	smalldatetime			
Desc_Art	varchar(175)		X	
UnidadMedida	varchar(3)		X	

#### Indexes:

##### idx\_Art\_NumBarra

Num\_CodBarra

##### idx\_Art\_SKU

Id\_Num\_SKU

#### Table **dbo.ArtCar\_o** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Car	int			
<b>PK</b>	id_Num_Sku	int			
	Bit_Piezas	binary(1)		X	
	Cant_Piezas	decimal(9,3)		X	
	Cve_Madurez	tinyint			
	Cve_Tamano	tinyint			
	Fec_Movto	datetime			

#### Indexes:

##### PK\_ARTCAR\_O (Primary Key) (Clustered)

Id\_Num\_Car  
id\_Num\_Sku

#### Table **dbo.ArtUniVta\_eq** (237 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Sku	int			
	Num_UniMedidaBase	smallint		X	
	Num_UniMedidaEqiv	smallint		X	
	Relacion	decimal(6,3)		X	
	Bit_PermiteFraccion	binary(1)		X	
	Fec_Movto	smalldatetime		X	

#### Indexes:

##### PK\_ArtUniVta\_eq (Primary Key) (Clustered)

Id\_Num\_Sku

**Table dbo.BitacoraAutRma** (20 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdBitacora	int	X		
	IdEstatusAut	int		X	
	UsuarioMovto	nvarchar(50)		X	
	Comentario	nvarchar(100)		X	
	FechaMovto	datetime		X	
	orderId	varchar(20)		X	
	Id_cancelacion	int		X	

**Indexes:**

**PK\_BitacoraAutRma** (Primary Key) (Clustered)

IdBitacora

**Table dbo.Categ** (1,108 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Categ	smallint			
	Id_Num_GciaCateg	smallint			
	Desc_Categ	varchar(40)			
	Abrev_Categ	varchar(10)			
	Bit_MuestraPag	bit		X	
	UserId	smallint			
	Fec_Movto	smalldatetime			
	Fec_ArriboDestino	smalldatetime			dbo.DF__Categ__Fec_Arrib__0D44F85C

**Indexes:**

**Categ\_PK** (Primary Key) (Clustered)

Id\_Num\_Categ

**Table dbo.CatMotivoCambioFP** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_MotCmbFP	tinyint			
	Desc_MotCmbFP	char(100)			
	Bit_Eliminado	bit			
	Fec_Movto	smalldatetime			

**Indexes:**

**PK\_CATMOTIVOCAMBIOFP** (Primary Key) (Clustered)

Id\_Num\_MotCmbFP

**Table dbo.CatMotivoCan** (9 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_MotCan	tinyint			
	Desc_MotCan	varchar(100)			
	Bit_Eliminado	bit			

	Fec_Movto	smalldatetime			
--	-----------	---------------	--	--	--

#### Indexes:

**PK\_CATMOTIVOCAN** (Primary Key) (Clustered)

Id\_Num\_MotCan

#### Referenced by:

**dbo.Orden\_MotivoCan** (Id\_Num\_MotCan)

#### Table **dbo.Claves** (1,494 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_UN	smallint			
<b>PK</b>	Id_Num_TipoClave	smallint			
	Clave	varchar(20)		X	
	Fec_Movto	datetime		X	

#### Indexes:

**PK\_CLAVES** (Primary Key) (Clustered)

Id\_Num\_UN

Id\_Num\_TipoClave

#### Table **dbo.DespEsp** (614,293 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Orden	int			
	Fec_AsigEsp	datetime		X	
	Fec_SrtEsp	datetime		X	
	Fec_PagoEsp	datetime		X	
	Fec_AsigTraspEsp	datetime		X	
	CantArtOrden	smallint		X	
	CantPzasOrden	smallint		X	
	CantArt_Fresco	smallint		X	
	CantArt_Seco	smallint		X	
	Fec_Movto	datetime		X	

#### Indexes:

**PK\_DESPESP** (Primary Key) (Clustered)

Id\_Num\_Orden

#### Table **dbo.DirCteRef** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	id_Num_Cte	int			
<b>PK</b>	id_Cnsc_Dir	int			
	ref_Dir	varchar(250)			
	Fec_Movto	datetime			
	latitud_dir	decimal(12,8)		X	
	longitud_dir	decimal(12,8)		X	

**Indexes:****PK\_DirCteRef** (Primary Key) (Clustered)id\_Num\_Cte  
id\_Cnsc\_Dir**Table dbo.Div** (19 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Div	tinyint			
	Desc_Div	varchar(40)			
	Abrev_Div	varchar(10)			
	UserId	smallint			
	Fec_Movto	smalldatetime			
	Fec_ArriboDestino	smalldatetime			

**Indexes:****Div\_PK** (Primary Key) (Clustered)

Id\_Num\_Div

**Table dbo.EmailLayout** (18 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id	int	X		
	Subject	varchar(150)		X	
	Message	varchar(max)		X	
	IdPlantilla	varchar(150)		X	

**Indexes:****PK\_\_EmailLay\_\_3214EC07A90AEF05** (Primary Key) (Clustered)

Id

**Table dbo.EmailLayoutLog** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id	int	X		
	Message	varchar(max)		X	
	CreatedDate	datetime		X	

**Indexes:****PK\_\_EmailLay\_\_3214EC0763699295** (Primary Key) (Clustered)

Id

**Table dbo.Estado\_d** (593 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Pais	tinyint			
<b>PK</b>	Id_Num_Estado	tinyint			
	Nom_Estado	varchar(40)			
	Abrev_Estado	char(3)			
	UserId	smallint			

	Fec_Movto	smalldatetime			
--	-----------	---------------	--	--	--

#### Indexes:

**Estado\_d\_PK** (Primary Key) (Clustered)

Id\_Num\_Pais  
Id\_Num\_Estado

#### Table dbo.EstatusAutRma (12 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdEstatusAut	int			
	Desc_Est	nvarchar(50)		X	
	IdProceso	int		X	
	IdAccion	int		X	

#### Indexes:

**PK\_EstatusAutRma** (Primary Key) (Clustered)

IdEstatusAut

#### Table dbo.FormaPago (15 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_FormaPago	smallint			
	Desc_FormaPago	varchar(40)			
	Abrev_FormaPago	varchar(20)			
	Porc_Comision	decimal(6,5)			
	Proceso	varchar(20)		X	
	Fec_Movto	datetime			

#### Indexes:

**PK\_FORMAPAGO** (Primary Key) (Clustered)

Id\_Num\_FormaPago

#### Table dbo.GciaCateg (250 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_GciaCateg	smallint			
	Id_Num_Div	tinyint			
	Desc_GciaCateg	varchar(40)			
	Abrev_GciaCateg	varchar(10)			
	Bit_MuestraPag	bit			
	UserId	smallint		X	
	Fec_Movto	smalldatetime		X	
	Fec_ArriboDestino	smalldatetime			dbo.DF__GciaCateg__Fec_A__0E391C95

#### Indexes:

**GciaCateg\_PK** (Primary Key) (Clustered)

Id\_Num\_GciaCateg

#### Table dbo.Hist\_Orden\_FormaPagoCte (487 rows)



	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Orden	int			
<b>PK</b>	Id_Num_Cte	int			
<b>PK</b>	Id_Cnsc_FormaPagoCte_d	tinyint			
<b>PK</b>	Fec_CambioFP	datetime			
	Id_Num_MotCmbFP	tinyint			
	Obs_CambioFP	varchar(255)		X	

#### Indexes:

**PK\_HIST\_ORDEN\_FORMAPAGOCTE** (Primary Key) (Clustered)

Id\_Num\_Orden  
Id\_Num\_Cte  
Id\_Cnsc\_FormaPagoCte\_d  
Fec\_CambioFP

#### Table **dbo.IR\_OrdenEnvDM** (4,927 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderNo	int			
<b>PK</b>	CnscOrder	bigint			
	IndProc	binary(1)		X	
	Fec_Movto	datetime		X	

#### Indexes:

**PK\_\_IR\_Orden\_\_56D9DF1B9F71A705** (Primary Key) (Clustered)

OrderNo  
CnscOrder

#### Table **dbo.Linea** (11,034 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Linea	smallint			
	Id_Num_Fam	smallint			
	Id_Num_Categ	smallint			
	Desc_Linea	varchar(40)			
	Abrev_Linea	varchar(10)			
	UserId	smallint			
	Fec_Movto	smalldatetime			
	Fec_ArriboDestino	smalldatetime			dbo.DF__Linea__Fec_Arrib__0F2D40CE

#### Indexes:

**Linea\_PK** (Primary Key) (Clustered)

Id\_Num\_Linea

#### Table **dbo.Orden\_MotivoCan** (71 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Orden	int			
<b>PK</b>	Id_Num_OrdenStat	tinyint			
<b>PK</b>	ID_Fec_OrdenStat	datetime			
<b>FK</b>	Id_Num_MotCan	tinyint			

**Indexes:****PK\_ORDEN\_MOTIVOCAN** (Primary Key) (Clustered)

Id\_Num\_Orden  
 Id\_Num\_OrdenStat  
 ID\_Fec\_OrdenStat

**References:****dbo.CatMotivoCan** (Id\_Num\_MotCan)**Table dbo.OrderFacts\_BlackhawkTransaction** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	sessionId	nvarchar(100)			
	Status	tinyint			

**Indexes:****PK\_OrderFacts\_BlackhawkTransaction** (Primary Key)

sessionId

**Table dbo.OrderFacts\_BlackhawkTransactionDetail** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	sessionId	nvarchar(100)			
<b>PK</b>	requestId	nvarchar(100)			
	Status	tinyint			
	PayloadResponse	nvarchar(max)			

**Indexes:****PK\_OrderFacts\_BlackhawkTransactionDetail** (Primary Key)

sessionId  
 requestId

**Table dbo.OrderFacts\_Carrier** (4,433 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_Carrier	int	X		
	Name	varchar(60)		X	
	Id_Num_UN	int		X	
	Fec_Movto	smalldatetime		X	
	Activo	bit		X	
	Id_Num_Empleado	varchar(13)		X	

**Indexes:****idx\_Carrier\_id**

Id\_Carrier

**idx\_Carrirer\_name**

Name

**nci\_wi\_OrderFacts\_Carrier\_428158623E612FD9C44779CC1FD8CCB3**

Id\_Num\_UN

**nci\_wi\_OrderFacts\_Carrier\_5D0E0E14B3105EB6DED002E32134170A**

Activo  
Fec\_Movto *(Included)*  
Id\_Carrier *(Included)*  
Id\_Num\_Empleado *(Included)*  
Id\_Num\_UN *(Included)*  
Name *(Included)*

**Table dbo.OrderFacts\_CarrierCodes** (1,797 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	StoreNum	int			
<b>PK</b>	BarCode	bigint			
	ProductId	int			
	CreatedDate	datetime			dbo.DF__OrderFact__Creat__10216507

**Indexes:**

**OrderFacts\_CarrierCodes\_PK** *(Primary Key) (Clustered)*

StoreNum  
BarCode

**Table dbo.OrderFacts\_CarrierDTS** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Carrier	int	X		
	Name	varchar(60)		X	
	Id_Num_UN	int		X	
	Fec_Movto	smalldatetime		X	
	Activo	bit		X	
	Id_Num_Empleado	varchar(13)		X	

**Indexes:**

**PK\_OrderFacts\_CarrierDTS** *(Primary Key) (Clustered)*

Id\_Carrier

**idx\_CarrierDTSEmpleado**

Id\_Num\_Empleado

**idx\_CarrierDTSNumUnEmpleado**

Id\_Num\_UN  
Id\_Num\_Empleado

**Table dbo.OrderFacts\_CreditNotes** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderNo	int			
<b>PK</b>	CnscOrder	bigint			
<b>FK</b>	idSupplierWH	bigint			
<b>FK</b>	idSupplierWHCode	bigint			
	UENo	varchar(25)			
	total	money			
	creditNoteNo	int			

	creditNoteTotal	money			
	creditNoteCause	varchar(250)			
	creationDate	datetime			
	creationId	nvarchar(50)			

#### Indexes:

**PK\_orderfacts\_creditnotes** (Primary Key) (Clustered)

OrderNo  
CnscOrder

#### References:

**common.SuppliersWH** (idSupplierWH, idSupplierWHCode)

#### Table **dbo.OrderFacts\_methodPayment** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdConsecutivo	int	X		
	PaymentMethodDesc	varchar(40)			
	Id_Num_FormaPago	smallint			
	Desc_FormaPago	varchar(40)			
	Abrev_FormaPago	varchar(20)			
	CreatedDate	datetime			
	CreatedUser	nvarchar(25)			

#### Indexes:

**PK\_methodPayment** (Primary Key) (Clustered)

IdConsecutivo

**idx\_OrderFacts\_FormaPago**

Id\_Num\_FormaPago  
PaymentMethodDesc

**idx\_OrderFacts\_methodPayment**

PaymentMethodDesc  
Id\_Num\_FormaPago

#### Table **dbo.OrderFacts\_Order** (614,600 rows)

*Tabla principal con la cabecera d ela orden*

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	CnscOrder	bigint			
	OrderNo	int			
	OrderDate	date			
	OrderTime	time			
	CreatedBy	varchar(25)		X	
	StoreNumber	smallint			
	OriginalOrderNo	int			
	Currency	varchar(3)		X	
	CustomerLocale	varchar(20)		X	
	Taxation	varchar(10)		X	
	InvoiceNo	varchar(20)		X	
	CustomerName	varchar(90)		X	
	CustomerEmail	varchar(100)		X	

FirstName	varchar(30)		X	
LastName	varchar(60)		X	
Address1	varchar(175)		X	
Address2	varchar(175)		X	
City	varchar(40)		X	
PostalCode	varchar(8)		X	
StateCode	varchar(40)		X	
CountryCode	varchar(5)		X	
Phone	varchar(40)		X	
CompanyName	varchar(30)		X	
RFC	varchar(14)		X	
OrderStatus	varchar(10)		X	
ShippingStatus	varchar(12)		X	
ConfirmationStatus	varchar(13)		X	
PaymentStatus	varchar(10)		X	
CurrentOrderNo	int			
RemoteHost	varchar(40)		X	

## Indexes:

**PK\_orderfacts\_order** (*Primary Key*) (*Clustered*)

CnscOrder

**IDX\_OrderStore**

OrderNo  
StoreNumber

**IX\_NonClusteredIndex\_OFOrderByStoreOrder**

StoreNumber  
OrderNo

**nci\_wi\_OrderFacts\_Order\_81E9979987A53388044093D4618B4FBA**

OriginalOrderNo  
Address1 (*Included*)  
Address2 (*Included*)  
City (*Included*)  
CompanyName (*Included*)  
ConfirmationStatus (*Included*)  
CountryCode (*Included*)  
CreatedBy (*Included*)  
Currency (*Included*)  
CurrentOrderNo (*Included*)  
CustomerEmail (*Included*)  
CustomerLocale (*Included*)  
CustomerName (*Included*)  
FirstName (*Included*)  
InvoiceNo (*Included*)  
LastName (*Included*)  
OrderDate (*Included*)  
OrderNo (*Included*)  
OrderStatus (*Included*)  
OrderTime (*Included*)  
PaymentStatus (*Included*)  
Phone (*Included*)  
PostalCode (*Included*)  
RemoteHost (*Included*)  
RFC (*Included*)  
ShippingStatus (*Included*)  
StateCode (*Included*)  
StoreNumber (*Included*)  
Taxation (*Included*)

## Referenced by:

**dbo.OrderFacts\_OrderPayments** (*CnscOrder*)

**dbo.OrderFacts\_OrderProducts** (CnscOrder)  
**dbo.OrderFacts\_OrderShipments** (CnscOrder)  
**dbo.OrderFacts\_OrderShipping** (CnscOrder)  
**dbo.OrderFacts\_OrderTotals** (CnscOrder)  
**dbo.OrderFacts\_POSClient** (CnscOrder)  
**dbo.OrderFacts\_POSMethodPayment** (CnscOrder)  
**dbo.OrderFacts\_POSOrderStatus** (CnscOrder)  
**dbo.OrderFacts\_POSOrderSupply** (CnscOrder)  
**dbo.OrderFacts\_POSOrderSupplyDetail** (CnscOrder)  
**dbo.OrderFacts\_POSOrderSupplySummary** (CnscOrder)  
**dbo.OrderFacts\_POSProducts** (CnscOrder)  
**dbo.OrderFacts\_POSPromotions** (CnscOrder)  
**dbo.OrderFacts\_ProductsAddons** (CnscOrder)  
**dbo.TYC\_OrderHeader** (CnscOrder)  
**dbo.TYC\_OrderProducts** (CnscOrder)  
**dbo.TYC\_OrderProductsComments** (CnscOrder)  
**dbo.TYC\_OrdersComments** (CnscOrder)

## **Table dbo.OrderFacts\_OrderPayments** (614,600 rows)

*Tabla con la información del cobro de la orden.*

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	CardType	varchar(40)		X	
	CardNumber	varchar(40)		X	
	CardHolder	varchar(90)		X	
	CardToken	varchar(255)		X	
	ExpirationMonth	tinyint		X	
	ExpirationYear	smallint		X	
	Amount	decimal(18,4)		X	
	ProcessorId	varchar(20)			
	TransactionId	varchar(40)		X	

### **Indexes:**

**PK\_orderfacts\_orderpayments** (Primary Key) (Clustered)

CnscOrder

**IDX\_orderfacts\_orderpayments**

CnscOrder

### **References:**

**dbo.OrderFacts\_Order** (CnscOrder)

## **Table dbo.OrderFacts\_OrderProducts** (2,657,288 rows)

Tabla con la lista de productos que deben surtir en la orden.

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
<b>PK</b>	ProdItemPosition	int			
<b>PK</b>	ProdItemProductId	int			
	NetPrice	decimal(18,4)		X	
	Tax	decimal(18,4)		X	
	ProdItemGrossPrice	decimal(18,4)		X	
	ProdItemBasePrice	decimal(18,4)		X	
	ProdItemLineitemText	varchar(175)		X	
	ProdItemTaxBasis	decimal(18,4)		X	
	ProdItemProductName	varchar(175)		X	
	ProdItemQuantity	decimal(18,3)		X	
	ProdItemUnit	varchar(10)		X	
	ProdItemTaxRate	decimal(4,2)		X	
	ProdItemShipmentId	varchar(75)			
	ProdItemGift	bit		X	
	PriceAdjNetPrice	decimal(18,4)		X	
	PriceAdjTax	decimal(18,4)		X	
	PriceAdjGrossPrice	decimal(18,4)		X	
	PriceAdjBasePrice	decimal(18,4)		X	
	PriceAdjLineitemText	varchar(100)		X	
	PriceAdjTaxBasis	decimal(18,4)		X	
	PriceAdjPromotionId	varchar(100)		X	
	PriceAdjCampaignId	varchar(100)		X	
	PriceAdjAdditionalPoints	int		X	
	PriceAdjRedemptionPoints	int		X	
	ProdItemBarcode	bigint			

## Indexes:

**PK\_orderfacts\_orderproducts** (Primary Key) (Clustered)

CnscOrder  
ProdItemPosition  
ProdItemProductId

**IDX\_orderfacts\_orderproducts**

CnscOrder

**IX\_NonClusteredIndex\_OFOrderProductsByOrder**

CnscOrder  
ProdItemBarcode

**nci\_wi\_OrderFacts\_OrderProducts\_B6A06146267C72F5A293B2FB4D3DD9FA**

ProdItemBarcode

## References:

**dbo.OrderFacts\_Order** (CnscOrder)

## Table **dbo.OrderFacts\_OrderShipments** (615,790 rows)

Tabla con la información del envío, y el desglose de los costos.

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			

<b>PK</b>	ShipmentId	varchar(75)			
	ShippingStatus	varchar(25)			
	ShippingMethod	varchar(25)			
	DeliveryDate	date			
	DeliveryTime	time			
	ShipAddressFirstName	varchar(40)		X	
	ShipAddressLastName	varchar(60)		X	
	ShipAddressAddress1	varchar(175)		X	
	ShipAddressAddress2	varchar(175)		X	
	ShipAddressReference	varchar(250)		X	
	ShipAddressGeolocation	varchar(100)		X	
	ShipAddressCity	varchar(40)		X	
	ShipAddressPostalCode	varchar(8)		X	
	ShipAddressStateCode	varchar(40)		X	
	ShipAddressCountryCode	varchar(5)		X	
	ShipAddressPhone	varchar(40)		X	
	Gift	bit		X	
	TotalsMerchNetPrice	decimal(18,4)		X	
	TotalsMerchTax	decimal(18,4)		X	
	TotalsMerchGrossPrice	decimal(18,4)		X	
	TotalsAdjustMerchNetPrice	decimal(18,4)		X	
	TotalsAdjustMerchTax	decimal(18,4)		X	
	TotalsAdjustMerchGrossPrice	decimal(18,4)		X	
	TotalShipNetPrice	decimal(18,4)		X	
	TotalShipTax	decimal(18,4)		X	
	TotalShipGrossPrice	decimal(18,4)		X	
	TotalAdjustShipNetPrice	decimal(18,4)		X	
	TotalAdjustShipTax	decimal(18,4)		X	
	TotalAdjustShipGrossPrice	decimal(18,4)		X	
	TotalOrderNetPrice	decimal(18,4)		X	
	TotalOrderTax	decimal(18,4)		X	
	TotalOrderGrossPrice	decimal(18,4)		X	

#### Indexes:

**PK\_orderfacts\_ordershipments** (Primary Key) (Clustered)

CnscOrder  
ShipmentId

**IDX\_orderfacts\_ordershipments**

CnscOrder

#### References:

**dbo.OrderFacts\_Order** (CnscOrder)

#### Table **dbo.OrderFacts\_OrderShipping** (615,790 rows)

Tabla con los datos del costo total del envío.

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
<b>PK</b>	ShipmentId	varchar(75)			
	NetPrice	decimal(18,4)		X	
	Tax	decimal(18,4)		X	
	GrossPrice	decimal(18,4)		X	
	BasePrice	decimal(18,4)		X	
	LineitemText	varchar(50)		X	



	TaxBasis	decimal(18,4)		X	
	ItemId	varchar(50)			
	TaxRate	decimal(4,2)		X	

#### Indexes:

**PK\_orderfacts\_ordershipping** (Primary Key) (Clustered)

CnscOrder  
ShipmentId

**IDX\_orderfacts\_ordershipping**

CnscOrder

#### References:

**dbo.OrderFacts\_Order** (CnscOrder)

#### Table dbo.OrderFacts\_OrderTotals (614,600 rows)

Tabla con los totales de la orden.

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	TotalsMerchNetPrice	decimal(18,4)		X	
	TotalsMerchTax	decimal(18,4)		X	
	TotalsMerchGrossPrice	decimal(18,4)		X	
	TotalsAdjustMerchNetPrice	decimal(18,4)		X	
	TotalsAdjustMerchTax	decimal(18,4)		X	
	TotalsAdjustMerchGrossPrice	decimal(18,4)		X	
	TotalShipNetPrice	decimal(18,4)		X	
	TotalShipTax	decimal(18,4)		X	
	TotalShipGrossPrice	decimal(18,4)		X	
	TotalAdjustShipNetPrice	decimal(18,4)		X	
	TotalAdjustShipTax	decimal(18,4)		X	
	TotalAdjustShipGrossPrice	decimal(18,4)		X	
	TotalOrderNetPrice	decimal(18,4)		X	
	TotalOrderTax	decimal(18,4)		X	
	TotalOrderGrossPrice	decimal(18,4)		X	

#### Indexes:

**PK\_orderfacts\_ordertotals** (Primary Key) (Clustered)

CnscOrder

**IDX\_orderfacts\_ordertotals**

CnscOrder

#### References:

**dbo.OrderFacts\_Order** (CnscOrder)

#### Table dbo.OrderFacts\_POS\_WebS\_Log (1,538,402 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdCnsc	int	X		
	DescriptionLog	varchar(250)		X	
	DateLog	datetime		X	

**Indexes:****PK\_\_OrderFac\_\_389F13FC1835B551** (Primary Key) (Clustered)

IdCnsc

**Table dbo.OrderFacts\_POSClient** (614,064 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	OrderNo	int			
	CustomerNo	int		X	
	CustomerFirstName	varchar(30)		X	
	CustomerLastname1	varchar(30)		X	
	CustomerLastname2	varchar(30)		X	
	CustomerPersonalId	varchar(40)		X	
	CustomerTotalPoints	int		X	
	UeNo	varchar(25)		X	

**Indexes:****PK\_orderfacts\_posclient** (Primary Key)

CnscOrder

**IDX\_orderfacts\_posclient**

CnscOrder

**IX\_NonClusteredIndex\_OFPOSClientByOrder**

OrderNo

**References:****dbo.OrderFacts\_Order** (CnscOrder)**Table dbo.OrderFacts\_POSMethodPayment** (614,064 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	OrderNo	int			
	PaymentMethodId	smallint		X	
	PaymentMethodDesc	varchar(40)		X	
	PaymentMethodAccount	varchar(40)		X	
	PaymentMethodAmount	money		X	
	PaymentMethodExpDate	varchar(10)		X	
	PaymentMethodBitEncrypted	bit		X	
	PaymentMethodEncryptAccount	varchar(44)		X	
	PaymentMethodEncryptExpDate	varchar(24)		X	
	PaymentMethodIdKey	varchar(40)		X	
	UeNo	varchar(25)		X	

**Indexes:****PK\_orderfacts\_posmethodpayment** (Primary Key)

CnscOrder

**IDX\_orderfacts\_posmethodpayment**

CnscOrder

**IX\_NonClusteredIndex\_OFPOSMethodPaymentByOrder**

OrderNo

**References:****dbo.OrderFacts\_Order** (*CnscOrder*)**Table dbo.OrderFacts\_POSOrderStatus** (614,064 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	OrderNo	int			
	StoreNum	int		X	
	OrderStatus	tinyint		X	
	OrderStatusDesc	varchar(40)		X	
	OrderDateMov	datetime		X	
	OrderRounding	tinyint		X	
	BitMercurioProcessed	bit			dbo.DF__OrderFact__BitMe__11158940
	OrderTYCStatus	tinyint			dbo.DF__OrderFact__Order__1209AD79
	MethodPaymentID	smallint		X	
	MethodPaymentShort	varchar(20)		X	
	FreightType	varchar(10)		X	
	OrderStatusStore	smallint		X	
	OrderQtyItems	smallint		X	
	OrderQtyPieces	smallint		X	
	FreshQty	smallint		X	
	DryQty	smallint		X	
	OrdenAtrib	smallint		X	
	CashPay	money		X	
	VouchersPay	money		X	
	SrvID	smallint		X	
	SrvDesc	varchar(40)		X	
	UeNo	varchar(25)		X	

**Indexes:****PK\_orderfacts\_posstatus** (*Primary Key*)

CnscOrder

**IDX\_orderfacts\_posstatus**

CnscOrder

**IX\_NonClusteredIndex\_OFPOSOrderStatusByOrder**

OrderNo

**nci\_wi\_OrderFacts\_POSOrderStatus\_419C7570D8404E9F1EEDB79D065E51C1**

OrderStatus  
 BitMercurioProcessed  
 CnscOrder (*Included*)  
 FreightType (*Included*)  
 OrderNo (*Included*)  
 SrvID (*Included*)

**nci\_wi\_OrderFacts\_POSOrderStatus\_C222DE791FB5F998914077D406DC3E5D**

OrderStatus  
 CnscOrder *(Included)*  
 OrderStatusDesc *(Included)*  
 SrvID *(Included)*

#### References:

**dbo.OrderFacts\_Order** *(CnscOrder)*

#### **Table dbo.OrderFacts\_POSOrderSupply** (518,245 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	OrderNo	int			
	OrderTotal	money		X	
	OrderPoints	smallint		X	
	OrderCashier	smallint		X	
	OrderCashRegister	smallint		X	
	OrderTransactionId	smallint		X	
	UeNo	varchar(25)		X	

#### Indexes:

**PK\_orderfacts\_posordersupply** *(Primary Key)*

CnscOrder

**IDX\_orderfacts\_posordersupply**

CnscOrder

**nci\_wi\_OrderFacts\_POSOrderSupply\_31EC021D91145D88475AA3322B513C65**

OrderNo

#### References:

**dbo.OrderFacts\_Order** *(CnscOrder)*

#### **Table dbo.OrderFacts\_POSOrderSupplyDetail** (7,526,286 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
<b>PK</b>	PosBarcode	bigint			
	OrderNo	int			
	OrderQuantityPerItem	decimal(9,3)		X	
	OrderPricePerItem	money		X	
	UeNo	varchar(25)		X	

#### Indexes:

**PK\_orderfacts\_posordersupplydetail** *(Primary Key)*

CnscOrder  
 PosBarcode

**IDX\_orderfacts\_posordersupplydetail**

CnscOrder

**IX\_NonClusteredIndex\_OFPOSOrderSupplyDetailByOrder**

OrderNo

PosBarcode

**nci\_wi\_OrderFacts\_POSOrderSupplyDetail\_0F7527D7B30335CE5D98B35ECF115629**

OrderNo  
CnscOrder  
OrderPricePerItem *(Included)*  
OrderQuantityPerItem *(Included)*  
PosBarcode *(Included)*

**References:**

**dbo.OrderFacts\_Order** *(CnscOrder)*

**Table dbo.OrderFacts\_POSOrderSupplySummary** (517,941 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	OrderNo	int			
	OrderQuantityTotal	smallint		X	
	OrderPriceTotal	money		X	
	UeNo	varchar(25)		X	

**Indexes:**

**PK\_orderfacts\_posordersupplysummary** *(Primary Key)*

CnscOrder

**IDX\_orderfacts\_posordersupplysummary**

CnscOrder

**nci\_wi\_OrderFacts\_POSOrderSupplySummary\_31EC021D91145D88475AA3322B513C65**

OrderNo

**References:**

**dbo.OrderFacts\_Order** *(CnscOrder)*

**Table dbo.OrderFacts\_POSProducts** (7,340,498 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
<b>PK</b>	PosBarcode	bigint			
	OrderNo	int			
	PosProductDescription	varchar(175)		X	
	PosQuantity	decimal(9,3)		X	
	PosPriceNormalSale	money		X	
	PosPriceOfferSale	money		X	
	PosRounding	tinyint		X	
	PosBitBestPrice	bit		X	
	PosBitProductSupplied	bit		X	
	PosBitRecApproved	bit		X	
	PosObservID	smallint		X	
	PosObservDesc	varchar(255)		X	
	PosLineNumber	smallint		X	
	UeNo	varchar(25)		X	

## Indexes:

### **PK\_orderfacts\_posproducts** (*Primary Key*)

CnscOrder  
PosBarcode

### **IDX\_orderfacts\_posproducts**

CnscOrder

### **IX\_NonClusteredIndex\_OFPOSProductsByOrder**

OrderNo  
PosBarcode

### **nci\_wi\_OrderFacts\_POSProducts\_60C442B8F7F5B654FC108BFDA33F7E59**

OrderNo  
UeNo  
CnscOrder (*Included*)  
PosBarcode (*Included*)  
PosBitBestPrice (*Included*)  
PosBitProductSupplied (*Included*)  
PosBitRecApproved (*Included*)  
PosPriceNormalSale (*Included*)  
PosPriceOfferSale (*Included*)  
PosProductDescription (*Included*)  
PosQuantity (*Included*)  
PosRounding (*Included*)

### **nci\_wi\_OrderFacts\_POSProducts\_C991572DC2635336A5A99F3485215C97**

CnscOrder  
PosBitProductSupplied  
OrderNo (*Included*)  
PosBarcode (*Included*)  
PosBitBestPrice (*Included*)  
PosBitRecApproved (*Included*)  
PosLineNumber (*Included*)  
PosObservDesc (*Included*)  
PosObservID (*Included*)  
PosPriceNormalSale (*Included*)  
PosPriceOfferSale (*Included*)  
PosProductDescription (*Included*)  
PosQuantity (*Included*)  
PosRounding (*Included*)  
UeNo (*Included*)

## References:

**dbo.OrderFacts\_Order** (*CnscOrder*)

### **Table dbo.OrderFacts\_POSPromotions** (589,263 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
<b>PK</b>	PosBarcode	bigint			
	OrderNo	int			
	PosAdditionalPoints	int		X	
	PosAccumPointsExch	decimal(18,2)		X	
	PosRedemptionPoints	int		X	
	PosAmountExch	money		X	
	PosPercentApplied	decimal(18,2)		X	
	UeNo	varchar(25)		X	

## Indexes:

### **PK\_orderfacts\_pospromotions** (*Primary Key*)

CnscOrder  
PosBarcode

### **IDX\_orderfacts\_pospromotions**

CnscOrder

### **IX\_NonClusteredIndex\_OFPOSPromotionsByOrder**

OrderNo  
PosBarcode

## References:

### **dbo.OrderFacts\_Order** (*CnscOrder*)

## **Table dbo.OrderFacts\_PostalCodes** (144,291 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	cnscPostalCode	bigint			
	Country	varchar(2)			
	Language	varchar(2)			
	PostalCode	nvarchar(6)			
	Region1Code	nvarchar(6)		X	
	Region1Name	varchar(80)		X	
	Region2Code	nvarchar(6)		X	
	Region2Name	varchar(80)		X	
	Region3Code	nvarchar(6)		X	
	Region3Name	varchar(80)		X	
	Region4Code	nvarchar(6)		X	
	Region4Name	varchar(80)		X	
	LocalityCode	nvarchar(6)		X	
	LocalityType	varchar(40)		X	
	Locality	varchar(80)		X	
	SubLocalityCode	nvarchar(6)		X	
	SubLocalityType	varchar(40)		X	
	SubLocality	varchar(80)		X	
	Latitude	nvarchar(15)		X	
	Longitude	nvarchar(15)		X	
	Altitude	nvarchar(15)		X	
	TimeZone	varchar(40)		X	
	UTC	varchar(20)		X	
	DST	varchar(20)		X	
	CreationDate	datetime			
	CreationId	nvarchar(25)			
	Abrev_Estado	char(3)		X	

## Indexes:

### **PK\_OrderFacts\_PostalCodes** (*Primary Key*)

cnscPostalCode

### **nci\_wi\_OrderFacts\_PostalCodes\_04CAB4E57CDBDCCFA8605B548A3AFECD**

PostalCode  
Latitude (*Included*)

Longitude (*Included*)

**Table dbo.OrderFacts\_ProductsAddons** (2,635,133 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	OrderNo	int			
<b>PK</b>	PosBarcode	bigint			
	ProductId	int			
	BaseQuantity	decimal(9,3)		X	
	BasePrice	money		X	
	BaseUnitMeasure	varchar(10)		X	
	ReqQuantity	decimal(9,3)		X	
	ReqPrice	money		X	
	ReqUnitMeasure	varchar(10)		X	
	ModifiedByUser	bit		X	dbo.DF__OrderFact__Modif__12FDD1B2

**Indexes:**

**PK\_OrderFacts\_ProductsAddons** (*Primary Key*)

CnscOrder  
PosBarcode

**nci\_wi\_OrderFacts\_ProductsAddons\_40A10D564D2DD80426F8C64CB7AC6A75**

ModifiedByUser  
OrderNo  
PosBarcode  
BaseUnitMeasure (*Included*)  
ReqQuantity (*Included*)  
ReqUnitMeasure (*Included*)

**nci\_wi\_OrderFacts\_ProductsAddons\_5EE8376244AEAB4498339BD8D9EEE4A5**

OrderNo  
PosBarcode  
ProductId  
BaseUnitMeasure (*Included*)  
ReqQuantity (*Included*)  
ReqUnitMeasure (*Included*)

**References:**

**dbo.OrderFacts\_Order** (*CnscOrder*)

**Table dbo.OrderFacts\_Replication** (1,036,142 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderNo	int			dbo.DF__OrderFact__Order__473C8FC7
<b>PK</b>	StoreNum	int			dbo.DF__OrderFact__Store__4830B400
	bitReplActive	bit			
	UpdateDate	datetime			

**Indexes:**

**PK\_OrderFacts\_Replication** (*Primary Key*) (*Clustered*)

OrderNo  
StoreNum

**nci\_wi\_OrderFacts\_Replication\_41D45392C5C7F61050366B7DBB458893**



bitReplActive  
UpdateDate (Included)

**Table dbo.OrderFacts\_Supplier** (8,743 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_Supplier	int	X		
	Name	varchar(60)		X	
	Id_Num_UN	int		X	
	Fec_Movto	smalldatetime		X	
	Activo	bit		X	
	Id_Num_Empleado	varchar(13)		X	

**Indexes:**

**idx\_Supplier\_id**

Id\_Supplier

**idx\_Supplier\_name**

Name

**nci\_wi\_OrderFacts\_Supplier\_B1C1A35E478876301BD9D0BC6275A16E**

Id\_Num\_UN  
Activo

**Table dbo.OrderFacts\_UE** (614,295 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderNo	int			
<b>PK</b>	CnscOrder	bigint			
	StoreNum	int			
	UeNo	varchar(25)			
<b>FK</b>	StatusUe	tinyint			
	OrderDate	date			
	OrderTime	time			
	OrderDeliveryDate	date			
	OrderDeliveryTime	time			
	CreatedBy	varchar(25)		X	
	DeliveryType	varchar(20)			
	UeType	varchar(20)			
	IsPickingManual	bit			
	CustomerNo	int		X	
	CustomerName	varchar(90)		X	
	Phone	varchar(40)		X	
	Address1	varchar(60)		X	
	Address2	varchar(40)		X	
	City	varchar(40)		X	
	StateCode	varchar(40)		X	
	PostalCode	varchar(8)		X	
	Reference	varchar(250)		X	
	NameReceives	varchar(90)		X	
	Total	money		X	
	NumPoints	int		X	
	NumCashier	int		X	
	NumPos	int		X	
	TransactionId	varchar(25)		X	

MethodPayment	varchar(25)		X	
CardNumber	varchar(20)		X	
ShipperName	varchar(90)		X	
ShippingDate	datetime		X	
TransactionNo	varchar(25)		X	
TrackingNo	varchar(25)		X	
NumBags	int		X	
NumCoolers	int		X	
NumContainers	int		X	
Terminal	varchar(15)		X	
DeliveryDate	date		X	
DeliveryTime	time		X	
IdReceive	varchar(90)		X	
NameReceive	varchar(90)		X	
Comments	varchar(50)		X	
Id_Supplier	int		X	
PickingDateEnd	date		X	
PickingTimeEnd	time		X	
PaymentDateEnd	date		X	
PaymentTimeEnd	time		X	
PackingDate	date		X	
PackingTime	time		X	
CancelOrderDate	date		X	
CancelOrderTime	time		X	
CarrierDate	date		X	
CarrierTime	time		X	
CancelCause	varchar(50)		X	
idOwner	int		X	
BitRMA	bit		X	
OrderRMA	int		X	
UeNoRMA	varchar(25)		X	
BitBigT	bit		X	
SplitMethod	smallint		X	
OriginType	int		X	
idSupplierWH	bigint		X	
idSupplierWHCode	bigint		X	
SupplierName	varchar(250)		X	
SupplierWHName	varchar(250)		X	
CarrierIDCotize	int		X	
CarrierCostCotize	money		X	
CarrierIDFinal	int		X	
CarrierCostFinal	money		X	
WHPickedDate	date		X	
WHPickedTime	time		X	
ShippingEstDate	date		X	
ShippingEstTime	time		X	
ConsignmentType	varchar(40)		X	

#### Indexes:

##### **PK\_orderfacts\_ue** (Primary Key)

OrderNo  
CnscOrder

##### **IDX\_UE\_StoreOrderCnsc**

StoreNum  
OrderNo

CnscOrder

**IDX\_UE\_TrakingOrderNo**

TrackingNo  
OrderNo

**IX\_NonClusteredIndex\_OFUEByStoreOrder**

StoreNum  
OrderNo

**nci\_wi\_OrderFacts\_UE\_1F63C34E7B523E7857C0A2A1E1AF0192**

UeNo

**nci\_wi\_OrderFacts\_UE\_34E0589722B8648184AAB3FFA7BFA5F5**

StatusUe  
Address1 *(Included)*  
Address2 *(Included)*  
BitBigT *(Included)*  
BitRMA *(Included)*  
CancelCause *(Included)*  
CancelOrderDate *(Included)*  
CancelOrderTime *(Included)*  
CardNumber *(Included)*  
CarrierCostCotize *(Included)*  
CarrierCostFinal *(Included)*  
CarrierDate *(Included)*  
CarrierIDCotize *(Included)*  
CarrierIDFinal *(Included)*  
CarrierTime *(Included)*  
City *(Included)*  
CnscOrder *(Included)*  
Comments *(Included)*  
ConsignmentType *(Included)*  
CreatedBy *(Included)*  
CustomerName *(Included)*  
CustomerNo *(Included)*  
DeliveryDate *(Included)*  
DeliveryTime *(Included)*  
DeliveryType *(Included)*  
Id\_Supplier *(Included)*  
idOwner *(Included)*  
IdReceive *(Included)*  
idSupplierWH *(Included)*  
idSupplierWHCode *(Included)*  
IsPickingManual *(Included)*  
MethodPayment *(Included)*  
NameReceive *(Included)*  
NameReceives *(Included)*  
NumBags *(Included)*  
NumCashier *(Included)*  
NumContainers *(Included)*  
NumCoolers *(Included)*  
NumPoints *(Included)*  
NumPos *(Included)*  
OrderDate *(Included)*  
OrderDeliveryDate *(Included)*  
OrderDeliveryTime *(Included)*  
OrderNo *(Included)*  
OrderRMA *(Included)*  
OrderTime *(Included)*  
OriginType *(Included)*  
PackingDate *(Included)*  
PackingTime *(Included)*  
PaymentDateEnd *(Included)*  
PaymentTimeEnd *(Included)*  
Phone *(Included)*  
PickingDateEnd *(Included)*  
PickingTimeEnd *(Included)*  
PostalCode *(Included)*

Reference *(Included)*  
ShipperName *(Included)*  
ShippingDate *(Included)*  
ShippingEstDate *(Included)*  
ShippingEstTime *(Included)*  
SplitMethod *(Included)*  
StateCode *(Included)*  
StoreNum *(Included)*  
SupplierName *(Included)*  
SupplierWHName *(Included)*  
Terminal *(Included)*  
Total *(Included)*  
TrackingNo *(Included)*  
TransactionId *(Included)*  
TransactionNo *(Included)*  
UeNo *(Included)*  
UeNoRMA *(Included)*  
UeType *(Included)*  
WHPickedDate *(Included)*  
WHPickedTime *(Included)*

**nci\_wi\_OrderFacts\_UE\_5BA933EACABE6127A6E42C4E323CCE13**

UeType  
ConsignmentType  
CnscOrder *(Included)*  
CustomerName *(Included)*  
DeliveryDate *(Included)*  
DeliveryTime *(Included)*  
DeliveryType *(Included)*  
idSupplierWH *(Included)*  
idSupplierWHCode *(Included)*  
OrderDate *(Included)*  
OrderNo *(Included)*  
OrderTime *(Included)*  
PaymentDateEnd *(Included)*  
PaymentTimeEnd *(Included)*  
PickingDateEnd *(Included)*  
PickingTimeEnd *(Included)*  
StatusUe *(Included)*  
StoreNum *(Included)*  
UeNo *(Included)*  
UeNoRMA *(Included)*

**nci\_wi\_OrderFacts\_UE\_6816E322D356D6FC0D8C9BDEC767D4DE**

UeType  
CarrierDate  
CarrierTime *(Included)*  
DeliveryDate *(Included)*  
DeliveryTime *(Included)*  
DeliveryType *(Included)*  
IdReceive *(Included)*  
NameReceive *(Included)*  
OrderNo *(Included)*  
ShipperName *(Included)*  
StatusUe *(Included)*  
TransactionNo *(Included)*  
UeNo *(Included)*

**nci\_wi\_OrderFacts\_UE\_768E14FDF5AD51FB189D3362FFAD99C3**

StoreNum  
OrderDate  
CnscOrder *(Included)*  
CreatedBy *(Included)*  
Id\_Supplier *(Included)*  
IsPickingManual *(Included)*  
OrderDeliveryDate *(Included)*  
OrderDeliveryTime *(Included)*  
OrderNo *(Included)*  
OrderTime *(Included)*  
PaymentDateEnd *(Included)*

PaymentTimeEnd (*Included*)

**nci\_wi\_OrderFacts\_UE\_B9035AA999FA7A5D2CA6B4A3DE627B14**

OrderNo  
UeNo  
ConsignmentType  
UeType  
Comments (*Included*)  
CustomerNo (*Included*)  
NameReceive (*Included*)  
OrderDate (*Included*)  
OrderDeliveryDate (*Included*)  
OrderDeliveryTime (*Included*)  
OrderTime (*Included*)  
ShipperName (*Included*)  
StatusUe (*Included*)  
StoreNum (*Included*)

**nci\_wi\_OrderFacts\_UE\_C80DCE8481EA906A9D3D0B276945C7FB**

CnscOrder

**nci\_wi\_OrderFacts\_UE\_E630C8ACA5004554A8228B95AFFA40C9**

StoreNum  
OrderDate  
CreatedBy (*Included*)  
DeliveryDate (*Included*)  
DeliveryTime (*Included*)  
Id\_Supplier (*Included*)  
OrderDeliveryDate (*Included*)  
OrderDeliveryTime (*Included*)  
OrderNo (*Included*)  
PaymentDateEnd (*Included*)  
PaymentTimeEnd (*Included*)  
PickingDateEnd (*Included*)  
PickingTimeEnd (*Included*)  
StatusUe (*Included*)  
UeNo (*Included*)  
UeType (*Included*)

**References:**

**dbo.OrderFacts\_UE\_StatusCodes** (*StatusUe*)

**Referenced by:**

**dbo.OrderFacts\_UE\_ItemsSupplied** (*CnscOrder, OrderNo*)

**dbo.OrderFacts\_UE\_ItemsToSupply** (*CnscOrder, OrderNo*)

**dbo.OrderFacts\_UE\_JSON** (*CnscOrder, OrderNo*)

**dbo.OrderFacts\_UE\_Kardex\_Returns** (*CnscOrder, OrderNo*)

**dbo.OrderFacts\_UE\_Kardex\_RMA** (*CnscOrder, OrderNo*)

**dbo.OrderFacts\_UE\_XML** (*CnscOrder, OrderNo*)

**Table dbo.OrderFacts\_UE\_CancelCauses** (38 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdCause	bigint			
	Cause_Desc	varchar(100)			
	idOwner	int			
	Bit_deleted	bit			
	CreatedDate	datetime			
	CreatedBy	nvarchar(40)			

**Indexes:****PK\_ORDERFACTS\_UE\_CANCELCAUSES** (Primary Key) (Clustered)

IdCause

**Table dbo.OrderFacts\_UE\_CondCauses** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdCause	bigint			dbo.DF__OrderFact__IdCau__542C7691
	Cause_Desc	varchar(100)			
	idOwner	int			
	Bit_deleted	bit			
	CreatedDate	datetime			
	CreatedBy	nvarchar(40)			

**Indexes:****PK\_\_OrderFac\_\_6251A5FFA5CD58F9** (Primary Key) (Clustered)

IdCause

**Table dbo.OrderFacts\_UE\_ConsignmentsVehicles** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	OrderNo	int			
<b>PK</b>	CnscOrder	bigint			
	idOwner	int			
<b>PK</b>	idSupplierWH	bigint			
<b>PK</b>	idSupplierWHCode	bigint			
<b>PK</b>	SerialId	nvarchar(75)			
	BateryId	nvarchar(75)		X	
	EntryBy	nvarchar(100)		X	
	EntryDate	datetime		X	
	PetitionId	nvarchar(75)		X	
	MotorId	nvarchar(75)		X	
	RepuveId	nvarchar(75)		X	
	Year	nvarchar(4)		X	
	ColorId	nvarchar(75)		X	
	ModelId	nvarchar(75)		X	
	BrandId	nvarchar(75)		X	
	CylinderCapacityId	nvarchar(75)		X	
	CreatedId	nvarchar(25)			
	CreatedDate	datetime			

**Indexes:****PK\_orderfacts\_ue\_kardex\_Vehicles** (Primary Key)

UeNo  
OrderNo  
CnscOrder  
idSupplierWH  
idSupplierWHCode  
SerialId

**Table dbo.OrderFacts\_UE\_DevolCauses** (5 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdCause	bigint			dbo.DF__OrderFact__IdCau__55209ACA
	Cause_Desc	varchar(100)			
	idOwner	int			
	Bit_deleted	bit			
	CreatedDate	datetime			
	CreatedBy	nvarchar(40)			

#### Indexes:

**PK\_\_OrderFac\_\_6251A5FF0C7CFF62** (Primary Key) (Clustered)

IdCause

#### **Table dbo.OrderFacts UE\_ItemsSupplied** (7,389,576 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	OrderNo	int			
<b>PK, FK</b>	CnscOrder	bigint			
<b>PK</b>	ItemCnsc	smallint			
	ProductId	int			
	Barcode	bigint			
	ProductName	varchar(175)			
	Quantity	decimal(18,3)		X	
	Price	money		X	
	Observations	varchar(175)			
	UnitMeasure	varchar(20)			
	PriceOrigin	money		X	
	AssignedWeight	decimal(18,3)		X	
	ItemReturned	bit		X	

#### Indexes:

**PK\_OrderFacts\_UE\_ItemsSupplied** (Primary Key)

OrderNo  
CnscOrder  
ItemCnsc

**IDX\_OrderFacts\_UE\_ItemsSupplied**

OrderNo  
CnscOrder

**IX\_NonClusteredIndex\_OFUEItemsSuppliedByOrder**

OrderNo  
Barcode

**nci\_wi\_OrderFacts\_UE\_ItemsSupplied\_1D1F4672DCDD9EF5A09DAF668A5CCB09**

CnscOrder  
OrderNo  
AssignedWeight (Included)  
Barcode (Included)  
ItemCnsc (Included)  
ItemReturned (Included)  
Observations (Included)  
Price (Included)  
PriceOrigin (Included)  
ProductId (Included)  
ProductName (Included)  
Quantity (Included)

UnitMeasure (Included)

**nci\_wi\_OrderFacts\_UE\_ItemsSupplied\_5BB77A9C658AA6954EE417B0BF2F3D13**

OrderNo  
AssignedWeight (Included)  
Barcode (Included)  
CnscOrder (Included)  
ItemCnsc (Included)  
ItemReturned (Included)  
Observations (Included)  
Price (Included)  
PriceOrigin (Included)  
ProductId (Included)  
ProductName (Included)  
Quantity (Included)  
UnitMeasure (Included)

**nci\_wi\_OrderFacts\_UE\_ItemsSupplied\_633681C6C1783CCD5B50D254DB644550**

OrderNo  
CnscOrder  
Barcode (Included)  
ItemCnsc (Included)  
Observations (Included)  
Price (Included)  
ProductId (Included)  
ProductName (Included)  
Quantity (Included)  
UnitMeasure (Included)

**nci\_wi\_OrderFacts\_UE\_ItemsSupplied\_79F394DEF1C7525F61DFD966B536862E**

CnscOrder  
OrderNo  
AssignedWeight (Included)  
Barcode (Included)  
Observations (Included)  
Price (Included)  
PriceOrigin (Included)  
ProductId (Included)  
ProductName (Included)  
Quantity (Included)  
UnitMeasure (Included)

**References:**

**dbo.OrderFacts\_UE** (CnscOrder, OrderNo)

**Table dbo.OrderFacts\_UE\_ItemsToSupply** (2,670,513 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	OrderNo	int			
<b>PK, FK</b>	CnscOrder	bigint			
<b>PK</b>	ItemCnsc	smallint			
	ProductId	int			
	Barcode	bigint			
	ProductName	varchar(175)		X	
	Quantity	decimal(18,3)		X	
	Price	money		X	
	Observations	varchar(175)		X	
	UnitMeasure	varchar(20)			
	ItemSupplied	bit			
	PriceOrigin	money		X	
	AssignedWeight	decimal(18,3)		X	
	ItemReturned	bit		X	
	ReturnedComment	varchar(100)		X	



## Indexes:

### **PK\_orderfacts\_ue\_itemstosupply** (Primary Key)

OrderNo  
CnscOrder  
ItemCnsc

### **IDX\_orderfacts\_ue\_itemstosupply**

OrderNo  
CnscOrder

### **IX\_NonClusteredIndex\_OFUEItemsToSupplyByOrder**

OrderNo  
Barcode

### **nci\_wi\_OrderFacts\_UE\_ItemsToSupply\_C80DCE8481EA906A9D3D0B276945C7FB**

CnscOrder

### **nci\_wi\_OrderFacts\_UE\_ItemsToSupply\_F422EACB05CA4B952FC3E62CBE375B6E**

OrderNo  
CnscOrder  
ItemSupplied  
AssignedWeight (Included)  
Barcode (Included)  
ItemCnsc (Included)  
ItemReturned (Included)  
Observations (Included)  
Price (Included)  
PriceOrigin (Included)  
ProductId (Included)  
ProductName (Included)  
Quantity (Included)  
ReturnedComment (Included)  
UnitMeasure (Included)

## References:

**dbo.OrderFacts\_UE** (CnscOrder, OrderNo)

## **Table dbo.OrderFacts\_UE\_JSON** (2,955 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	OrderNo	int			
	UeNo	varchar(25)			
<b>PK, FK</b>	CnscOrder	bigint			
	OrderJSON	varchar(max)		X	

## Indexes:

### **PK\_orderfacts\_ue\_json** (Primary Key)

OrderNo  
CnscOrder

## References:

**dbo.OrderFacts\_UE** (CnscOrder, OrderNo)

## **Table dbo.OrderFacts\_UE\_Kardex** (8,245,691 rows)

	Column	Data Type	Identity	Nullable	Default
--	--------	-----------	----------	----------	---------

<b>PK</b>	OrderCnscKardex	bigint			
	OrderNo	int			
	CnscOrder	bigint			
	StoreNum	int			
	UeNo	varchar(25)			
<b>FK</b>	StatusUe	tinyint			
	OrderDate	date			
	OrderTime	time			
	OrderDeliveryDate	date			
	OrderDeliveryTime	time			
	CreatedBy	varchar(25)		X	
	DeliveryType	varchar(20)			
	UeType	varchar(20)			
	IsPickingManual	bit			
	CustomerNo	int		X	
	CustomerName	varchar(90)		X	
	Phone	varchar(40)		X	
	Address1	varchar(60)		X	
	Address2	varchar(40)		X	
	City	varchar(40)		X	
	StateCode	varchar(40)		X	
	PostalCode	varchar(8)		X	
	Reference	varchar(250)		X	
	NameReceives	varchar(90)		X	
	Total	money		X	
	NumPoints	int		X	
	NumCashier	int		X	
	NumPos	int		X	
	TransactionId	varchar(25)		X	
	MethodPayment	varchar(25)		X	
	CardNumber	varchar(20)		X	
	ShipperName	varchar(90)		X	
	ShippingDate	datetime		X	
	TransactionNo	varchar(25)		X	
	TrackingNo	varchar(25)		X	
	NumBags	int		X	
	NumCoolers	int		X	
	NumContainers	int		X	
	Terminal	varchar(15)		X	
	DeliveryDate	date		X	
	DeliveryTime	time		X	
	IdReceive	varchar(90)		X	
	NameReceive	varchar(90)		X	
	Comments	varchar(50)		X	
	OrderMovementCode	varchar(5)		X	
	OrderMovementDate	datetime		X	
	Id_Supplier	int		X	
	Supplier_Name	varchar(60)		X	
	PickingDateEnd	date		X	
	PickingTimeEnd	time		X	
	PaymentDateEnd	date		X	
	PaymentTimeEnd	time		X	
	PackingDate	date		X	
	PackingTime	time		X	
	CancelOrderDate	date		X	
	CancelOrderTime	time		X	
	CarrierDate	date		X	
	CarrierTime	time		X	

	CancelCause	varchar(50)		X	
	idOwner	int		X	
	BitRMA	bit		X	
	OrderRMA	int		X	
	UeNoRMA	varchar(25)		X	
	BitBigT	bit		X	
	SplitMethod	smallint		X	
	OriginType	int		X	
	idSupplierWH	bigint		X	
	idSupplierWHCode	bigint		X	
	SupplierName	varchar(250)		X	
	SupplierWHName	varchar(250)		X	
	CarrierIDCotize	int		X	
	CarrierCostCotize	money		X	
	CarrierIDFinal	int		X	
	CarrierCostFinal	money		X	
	WHPickedDate	date		X	
	WHPickedTime	time		X	
	ShippingEstDate	date		X	
	ShippingEstTime	time		X	
	ConsignmentType	varchar(40)		X	

## Indexes:

### **PK\_orderfacts\_ue\_kardex** (Primary Key)

OrderCnscKardex

### **IDX\_UE\_OrderMovementDate**

OrderNo  
CnscOrder  
OrderMovementDate

### **idx\_UEKardexMovement**

StoreNum  
OrderNo  
OrderMovementCode  
OrderMovementDate

### **IX\_NonClusteredIndex\_OFUEKardexByStoreOrder**

StoreNum  
OrderNo

### **IX\_NonClusteredIndex\_OFUEKardexByStoreStatusOrder**

StoreNum  
StatusUe  
OrderNo

### **nci\_wi\_OrderFacts\_UE\_Kardex\_116340665BB290C58F430220B7FEB14C**

OrderMovementCode  
StoreNum  
OrderMovementDate (Included)  
OrderNo (Included)

### **nci\_wi\_OrderFacts\_UE\_Kardex\_3F4D81830795F5EB28AC28EB597CB014**

StatusUe  
StoreNum  
CnscOrder  
OrderMovementDate (Included)

## nci\_wi\_OrderFacts\_UE\_Kardex\_D94E9D2EC1FEFC9B77074B7A0F66B340

StatusUe  
OrderDate  
OrderMovementDate *(Included)*  
OrderNo *(Included)*  
OrderTime *(Included)*  
StoreNum *(Included)*

### References:

**dbo.OrderFacts\_UE\_StatusCodes** *(StatusUe)*

### Referenced by:

**dbo.OrderFacts\_UE\_Kardex\_Items** *(OrderCnscKardex)*

**dbo.OrderFacts\_UE\_Kardex\_XML** *(OrderCnscKardex)*

### Table dbo.OrderFacts\_UE\_Kardex\_Items (20,605,131 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	OrderCnscKardex	bigint			
<b>PK</b>	ItemCnsc	smallint			
	OrderNo	int			
	CsncOrder	bigint			
	ProductId	int			
	Barcode	bigint			
	ProductName	varchar(175)		X	
	Quantity	decimal(18,3)		X	
	Price	money		X	
	Observations	varchar(175)		X	
	UnitMeasure	varchar(20)			
	ItemSupplied	bit			
	PriceOrigin	money		X	
	AssignedWeight	decimal(18,3)		X	

### Indexes:

**PK\_OrderFacts\_UE\_Kardex\_Items** *(Primary Key)*

OrderCnscKardex  
ItemCnsc

**IDX\_OrderCnsc**

OrderNo  
CsncOrder  
OrderCnscKardex

**IDX\_OrderFacts\_UE\_Kardex\_Items**

OrderCnscKardex

**nci\_wi\_OrderFacts\_UE\_Kardex\_Items\_2586A8499DC966C6A5B37892A1A72075**

CsncOrder

### References:

**dbo.OrderFacts\_UE\_Kardex** *(OrderCnscKardex)*

### Table dbo.OrderFacts\_UE\_Kardex>Returns (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	OrderNo	int			
<b>PK, FK</b>	CnscOrder	bigint			
	UeNo	varchar(25)			
<b>PK</b>	IdEvidence	bigint	X		
	Evidence	image		X	
	CreatedDate	datetime			
	CreationUser	nvarchar(25)			

#### Indexes:

**PK\_orderfacts\_kardex\_returns** (Primary Key) (Clustered)

OrderNo  
CnscOrder  
IdEvidence

**idx\_orderfacts\_kardex\_returns**

OrderNo  
UeNo  
CreatedDate

#### References:

**dbo.OrderFacts\_UE** (CnscOrder, OrderNo)

#### Table **dbo.OrderFacts\_UE\_Kardex\_RMA** (36,452 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	OrderNo	int			
<b>PK, FK</b>	CnscOrder	bigint			
	UeNo	varchar(25)			
	RMAType	smallint			
	CancelCause	varchar(80)			
	IdRMA	bigint			
	CancelReqDate	date			
	CancelReqTime	time			
	TrackingNo	varchar(50)		X	
	InfoSentDate	date		X	
	InfoSentTime	time		X	
	PickedDate	date		X	
	PickedTime	time		X	
	WHDeliveredDate	date		X	
	WHDeliveredTime	time		X	

#### Indexes:

**PK\_orderfacts\_kardex\_rma** (Primary Key) (Clustered)

OrderNo  
CnscOrder

#### References:

**dbo.OrderFacts\_UE** (CnscOrder, OrderNo)

#### Table **dbo.OrderFacts\_UE\_Kardex\_Tracking** (50,703 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	UeNo	varchar(25)			

<b>PK</b>	OrderNo	int			
<b>PK</b>	CnscOrder	bigint			
<b>PK</b>	CnscTracking	bigint			dbo.DF__OrderFact__CnscT__42B7D1CC
	idOwner	int		X	
	idSupplierWH	bigint		X	
	idSupplierWHCode	bigint		X	
<b>PK</b>	IdTracking	nvarchar(25)			
	IdTrackingService	nvarchar(25)		X	
	TrackingServiceName	varchar(100)		X	
	eventDateTime	datetime		X	
	eventId	varchar(10)		X	
	eventDescriptionSPA	varchar(180)		X	
	eventPlaceAcronym	varchar(180)		X	
	eventPlaceName	varchar(180)		X	
	exceptionCode	varchar(10)		X	
	exceptionCodeDescriptionSPA	varchar(180)		X	
	exceptionCodeDetails	varchar(180)		X	
	createdDate	datetime			

#### Indexes:

##### **PK\_OrderFacts\_UE\_Kardex\_Tracking** (Primary Key)

UeNo  
OrderNo  
CnscOrder  
IdTracking  
CnscTracking

##### **IDX\_OrderFacts\_ByOrderIdTrackingDate**

UeNo  
OrderNo  
IdTracking  
createdDate

##### **IDX\_OrderFacts\_ByOrderIdTrackingServiceDate**

UeNo  
OrderNo  
IdTrackingService  
createdDate

#### **Table dbo.OrderFacts\_UE\_Kardex\_TrackingManual** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idKardex	bigint	X		
	UeNo	varchar(25)			
	OrderNo	int			
	idOwner	int		X	
	idSupplierWH	bigint		X	
	idSupplierWHCode	bigint		X	
	IdTracking	nvarchar(25)			
	TrackingType	nvarchar(25)		X	
	TrackingServiceStatus	nvarchar(60)		X	
	CreationDate	datetime			
	CreationId	nvarchar(25)			
	TrackingURL	varchar(1000)		X	

#### Indexes:

**PK\_OrderFacts\_UE\_Kardex\_TrackingManual** (Primary Key)

idKardex

**idx\_OrderFacts\_UE\_Kardex\_TrackingManual**

UeNo  
OrderNo  
IdTracking

**Table dbo.OrderFacts\_UE\_Kardex\_Transportista** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idKardexTranportista	bigint	X		
	OrderNo	int			
	UeNo	varchar(25)			
	CsncOrder	bigint			
	IdTransportista	bigint			
	Description	varchar(250)		X	
	DatetimeNotif	datetime		X	
	CreationDatetime	datetime		X	
	CreationUser	nvarchar(25)		X	

**Indexes:****PK\_OrderFacts\_UE\_Kardex\_Transportista** (Primary Key)

idKardexTranportista

**idx\_orderfacts\_ue\_KardexOrder**

OrderNo  
UeNo  
CsncOrder  
idKardexTranportista

**idx\_orderfacts\_ue\_KardexTransportista**

IdTransportista  
OrderNo  
UeNo  
CsncOrder  
idKardexTranportista

**idx\_orderfacts\_ue\_KardexUeNo**

UeNo  
CsncOrder  
idKardexTranportista

**idx\_orderfacts\_ue\_KardexUeNoDate**

UeNo  
CsncOrder  
CreationDatetime

**idx\_orderfacts\_ue\_KardexUeNoNotif**

UeNo  
CsncOrder  
DatetimeNotif

**Table dbo.OrderFacts\_UE\_Kardex\_XML** (669,125 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	OrderCnscKardex	bigint			

	OrderNo	int		X	
	CnscOrder	bigint			
	OrderMessage	xml			

#### Indexes:

##### **PK\_OrderFacts\_UE\_Kardex\_XML** (Primary Key)

OrderCnscKardex

##### **IDX\_OrderFacts\_UE\_Kardex\_XML**

OrderCnscKardex

##### **IDX\_OrderXml**

OrderNo  
CnscOrder  
OrderCnscKardex

#### References:

**dbo.OrderFacts\_UE\_Kardex** (OrderCnscKardex)

#### **Table dbo.OrderFacts\_UE\_OrderPaymentLOG** (2,889 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	PaymentLOGId	bigint			dbo.DF__OrderFact__Payme__77EAB41A
<b>PK</b>	OCAPOFilename	nvarchar(180)			
	OCAPODate	datetime		X	

#### Indexes:

##### **PK\_OrderFacts\_UE\_OrderPaymentLOG** (Primary Key)

PaymentLOGId  
OCAPOFilename

##### **idx\_OrderFacts\_UE\_OrderPaymentLOG**

OCAPOFilename  
PaymentLOGId

#### **Table dbo.OrderFacts\_UE\_OrderPaymentPDP** (19,741 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	PaymentRecordId	bigint			dbo.DF__OrderFact__Payme__741A2336
<b>PK</b>	OrderNo	int			
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	OrderId	int			
	Respuesta	varchar(100)			
	Estatus	varchar(40)			
	Fec_Movto	smalldatetime			
	OrderPurchase	nvarchar(40)		X	
	OrderPurchaseStatus	nvarchar(40)		X	
	OrderPurchaseDate	datetime		X	
	OrderPurchaseCancelDate	datetime		X	
	OrderPurchaseCancelcause	nvarchar(40)		X	
	BitActivo	bit		X	



**Indexes:****PK\_OrderFacts\_UE\_OrderPaymentPDP** (Primary Key)

PaymentRecordId  
OrderNo  
UeNo  
OrderId

**nci\_wi\_OrderFacts\_UE\_OrderPaymentPDP\_F1A4DEB531F4EC586B435223C3894488**

OrderNo  
UeNo  
OrderId

**Table dbo.OrderFacts\_UE\_PackageContents** (84 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	PackageId	bigint	X		
<b>PK</b>	PackageName	varchar(40)			
<b>PK</b>	IdOwner	int			
	createdDate	datetime			
	createdUser	varchar(50)			

**Indexes:****PK\_OrderFacts\_UE\_PackageContents** (Primary Key)

PackageId  
PackageName  
IdOwner

**Table dbo.OrderFacts\_UE\_PaymentCanceled** (6,732 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderNo	int			
<b>PK</b>	PaymentType	char(10)			
	ResultText	char(20)		X	
	Fec_Movto	smalldatetime		X	

**Indexes:****PK\_\_OrderFac\_\_41F24B53E94ED716** (Primary Key) (Clustered)

OrderNo  
PaymentType

**Table dbo.OrderFacts\_UE\_PriceAdjItems** (124,994 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderNo	int			
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	CnscOrder	bigint			
<b>PK</b>	ProductId	int			
<b>PK</b>	Barcode	bigint			
<b>PK</b>	ItemCnsc	int			
	createdBy	varchar(100)		X	
	creationDate	datetime		X	
	custom	bit		X	
	itemText	varchar(255)		X	

	manual	bit		X	
	price	money		X	
	priceAdjustmentId	varchar(100)		X	
	promotionId	varchar(255)		X	

#### Indexes:

##### **PK\_OrderFacts\_UE\_PriceAdjItems** (Primary Key)

OrderNo  
UeNo  
CnscOrder  
ProductId  
Barcode  
ItemCnsc

##### **nci\_OrderFactsUEPriceAdjByOrderNoBarcode**

OrderNo  
Barcode  
ProductId

##### **nci\_OrderFactsUEPriceAdjByOrderNoProductId**

OrderNo  
ProductId  
Barcode

##### **nci\_OrderFactsUEPriceAdjByUeNoBarcode**

UeNo  
Barcode  
ProductId

##### **nci\_OrderFactsUEPriceAdjByUeNoProductId**

UeNo  
ProductId  
Barcode

#### **Table dbo.OrderFacts\_UE\_PriceAdjOrder** (13,066 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderNo	int			
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	CnscOrder	bigint			
<b>PK</b>	ItemCnsc	int			
	couponId	varchar(100)		X	
	creationDate	datetime		X	
	custom	bit		X	
	itemText	varchar(255)		X	
	manual	bit		X	
	price	money		X	
	priceAdjustmentId	varchar(100)		X	
	promotionId	varchar(255)		X	

#### Indexes:

##### **PK\_OrderFacts\_UE\_PriceAdjOrder** (Primary Key)

OrderNo  
UeNo  
CnscOrder  
ItemCnsc

**nci\_OrderFactsUEPriceAdjByUeNo**

UeNo  
OrderNo

**Table dbo.OrderFacts\_UE\_ShipmentLocksWMS** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idCnscLock	bigint	X		
<b>PK</b>	IdPackingCode	nvarchar(3)			
	IdPackingType	nvarchar(25)			
	LockLength	bit		X	
	LockWidth	bit		X	
	LockHeight	bit		X	
	LockWeight	bit		X	
	createdDate	datetime			
	createdUser	nvarchar(25)			
	bitPorcentaje	bit		X	

**Indexes:****PK\_OrderFacts\_UE\_ShipmentLocksWMS** (Primary Key)

idCnscLock  
IdPackingCode

**Table dbo.OrderFacts\_UE\_ShipmentPackingWMS** (7 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idCnscPacking	bigint	X		
<b>PK</b>	IdPackingCode	nvarchar(3)			
	IdPackingType	nvarchar(25)			
	PackageLength	decimal(14,2)		X	
	PackageWidth	decimal(14,2)		X	
	PackageHeight	decimal(14,2)		X	
	PackageWeight	decimal(14,2)		X	
	BitActivo	bit		X	
	createdDate	datetime			
	createdUser	nvarchar(25)			

**Indexes:****PK\_OrderFacts\_UE\_ShipmentPackingWMS** (Primary Key)

idCnscPacking  
IdPackingCode

**Table dbo.OrderFacts\_UE\_ShipmentRequestsFromWMS** (1,131 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idShipmentWMS	bigint			dbo.DF__OrderFact__idShi__1E45672C
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	OrderNo	int			
<b>PK</b>	CnscOrder	bigint			
	idOwner	int		X	
	idSupplierWH	bigint		X	
	idSupplierWHCode	bigint		X	
	cantidad	int		X	

cita	nvarchar(200)		X	
codigoPostal	nvarchar(5)		X	
colonia	nvarchar(200)		X	
contacto	nvarchar(200)		X	
direccion	nvarchar(200)		X	
fechaLimite	nvarchar(30)		X	
montoAsegurado	nvarchar(40)		X	
poblacion	nvarchar(200)		X	
razonSocial	nvarchar(200)		X	
referencia2	nvarchar(200)		X	
referencia3	nvarchar(200)		X	
referencia4	nvarchar(200)		X	
referencia5	nvarchar(200)		X	
referencia6	nvarchar(200)		X	
referencia7	nvarchar(200)		X	
servicio	nvarchar(40)		X	
telefono	nvarchar(20)		X	
siglasCliente	nvarchar(40)		X	
createdDate	datetime			
createdUser	nvarchar(25)			
bitProcesado	bit		X	

#### Indexes:

##### **PK\_OrderFacts\_UE\_ShipmentRequestsFromWMS** (Primary Key)

UeNo  
OrderNo  
CnscOrder  
idShipmentWMS

#### **Table dbo.OrderFacts\_UE\_ShipmentTracking** (6,528 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	OrderNo	int			
<b>PK</b>	CnscOrder	bigint			
<b>PK</b>	ShipmentId	varchar(75)			
	idOwner	int		X	
	idSupplierWH	bigint		X	
	idSupplierWHCode	bigint		X	
	deliveryOptionID	varchar(75)		X	
	IdTipoLogistica	int		X	
	IdTipoEnvio	int		X	
	IdTipoServicio	int		X	
	Id_TipoEntrega	int		X	
	IdTransportista	bigint		X	
	IdZona	bigint		X	
	deliveryOptionName	varchar(75)		X	
	displayName	varchar(75)		X	
	shipmentIdTracking	varchar(75)		X	
	shipmentType	varchar(75)		X	
	shippingPrice	money		X	
	CreationDate	datetime			
	CreationId	nvarchar(25)			

#### Indexes:

**PK\_OrderFacts\_UE\_ShipmentTracking** (Primary Key)

UeNo  
OrderNo  
CnscOrder  
ShipmentId

**Table dbo.OrderFacts\_UE\_ShipmentUCCFromWMS** (1,168 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idShipmentWMS	bigint			
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	OrderNo	int			
	CnscOrder	bigint			
<b>PK</b>	ucc	nvarchar(100)			
	createdDate	datetime			
	createdUser	nvarchar(25)			
	bitProcesado	bit		X	

**Indexes:**

**PK\_OrderFacts\_UE\_ShipmentUCCFromWMS** (Primary Key)

UeNo  
OrderNo  
ucc  
idShipmentWMS

**Table dbo.OrderFacts\_UE\_StatusCodes** (8 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	StatusUe	tinyint			
	StatusDescription	varchar(75)			
	CreatedBy	varchar(50)			
	CreatedDate	datetime			

**Indexes:**

**PK\_orderfacts\_ue\_statuscodes** (Primary Key) (Clustered)

StatusUe

**Referenced by:**

**dbo.OrderFacts\_UE** (StatusUe)

**dbo.OrderFacts\_UE\_Kardex** (StatusUe)

**Table dbo.OrderFacts\_UE\_TrackingConfig** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	carrier	varchar(25)			
<b>PK</b>	type	int			
<b>PK</b>	country	varchar(25)			
<b>PK</b>	company	varchar(25)			
	weightUnit	varchar(10)			
	lengthUnit	varchar(10)			
	printFormat	varchar(25)			
	printSize	varchar(25)			

**Indexes:****PK\_OrderFacts\_UE\_TrackingConfig** (Primary Key)

carrier  
type  
country  
company

**Table dbo.OrderFacts\_UE\_TrackingDetail** (7,469 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	OrderNo	int			
<b>PK</b>	CnscOrder	bigint			
<b>PK</b>	IdTracking	nvarchar(25)			
	ProductId	int		X	
<b>PK</b>	Barcode	bigint			
	ProductName	varchar(175)		X	
	CreationDate	datetime			
	CreationId	nvarchar(25)			
	PackageCondition	varchar(70)		X	
	ItemReturned	bit		X	
	Cause_Desc	varchar(100)		X	
<b>PK</b>	TrackingDetailId	bigint	X		

**Indexes:****PK\_orderfacts\_ue\_trackingdetail** (Primary Key)

UeNo  
OrderNo  
CnscOrder  
IdTracking  
Barcode  
TrackingDetailId

**Table dbo.OrderFacts\_UE\_TrackingHeader** (6,176 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	OrderNo	int			
<b>PK</b>	CnscOrder	bigint			
	idOwner	int		X	
	idSupplierWH	bigint		X	
	idSupplierWHCode	bigint		X	
<b>PK</b>	IdTracking	nvarchar(25)			
	TrackingType	nvarchar(25)		X	
	PackageType	nvarchar(20)		X	
	PackageLength	decimal(14,2)		X	
	PackageWidth	decimal(14,2)		X	
	PackageHeight	decimal(14,2)		X	
	PackageWeight	decimal(14,2)		X	
	IdTrackingService	nvarchar(25)		X	
	TrackingServiceName	varchar(100)		X	
	TrackingDate	date		X	
	TrackingTIME	time		X	
	TrackingExpDate	date		X	
	TrackingExpTIME	time		X	
	ShippingCost	money		X	

	CreationDate	datetime			
	CreationId	nvarchar(25)			
	TrackingServiceStatus	nvarchar(60)		X	
	TrackingDeliveryDate	date		X	
	TrackingDeliveryTime	time		X	
	TrackingDeliveredTo	varchar(90)		X	
	PackageCondition	varchar(70)		X	
	TrackingServiceType	nvarchar(50)		X	
	contentType	varchar(40)		X	
	amount	decimal(18,3)		X	
	Insurance	money		X	
	declaredValue	money		X	
	pdf	varbinary(max)		X	
	IdTrackingServiceShort	varchar(20)		X	
	serviceId	varchar(10)		X	
	serviceDescriptionSPA	varchar(80)		X	
	customerNumver	varchar(20)		X	
	originAcronym	varchar(10)		X	
	originName	varchar(40)		X	
	destinationAcronym	varchar(10)		X	
	destinationName	varchar(40)		X	
	zipCode	varchar(10)		X	
	reference	varchar(50)		X	
	costsCentre	varchar(20)		X	
	trackUrl	nvarchar(max)		X	
	labelUrl	nvarchar(max)		X	
	guiaProceso	tinyint		X	dbo.DF__OrderFact__guiaP__61E66462

## Indexes:

### **PK\_orderfacts\_ue\_trackingheader** (Primary Key)

UeNo  
OrderNo  
CnscOrder  
IdTracking

### **nci\_wi\_OrderFacts\_UE\_TrackingHeader\_B02EFCBD0423CCC3E27A2297CD32485E**

IdTrackingService  
TrackingServiceName (Included)  
TrackingServiceStatus (Included)

## **Table dbo.OrderFacts\_UE\_TrackingHeaderManual** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	OrderNo	int			
	idOwner	int		X	
	idSupplierWH	bigint		X	
	idSupplierWHCode	bigint		X	
<b>PK</b>	IdTracking	nvarchar(25)			
	TrackingType	nvarchar(25)		X	
	TrackingServiceStatus	nvarchar(60)		X	
	CreationDate	datetime			
	CreationId	nvarchar(25)			
	TrackingURL	varchar(1000)		X	

**Indexes:****PK\_OrderFacts\_UE\_TrackingHeaderManual** (Primary Key)

UeNo  
OrderNo  
IdTracking

**Table dbo.OrderFacts\_UE\_TrackingRates** (6,058 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderNo	int			
<b>PK</b>	UeNo	varchar(25)			
<b>PK</b>	cotizeId	bigint			dbo.DF__OrderFact__cotiz__355DD6AE
	createdDate	datetime			
	createdUser	varchar(50)			
	Carrier	varchar(100)			
	Service	varchar(100)			
	serviceDescription	varchar(100)			
	Zone	varchar(100)			
	deliveryEstimate	varchar(100)			
	deliverydate	date			
	deliverytime	time			
	dateDifference	int			
	timeUnit	varchar(100)			
	quantity	int		X	
	basePrice	money		X	
	extendedFare	money		X	
	insurance	money		X	
	additionalServices	money		X	
	totalPrice	money		X	
	currency	varchar(100)		X	
	customKey	bit		X	
	importFee	money		X	
	taxes	money		X	
	cashOnDeliveryCommission	money		X	
	cashOnDeliveryAmount	money		X	
	customKeyCost	money		X	
	smsCost	money		X	
	whatsappCost	money		X	

**Indexes:****PK\_OrderFacts\_UE\_TrackingRates** (Primary Key)

OrderNo  
UeNo  
cotizeId

**idx\_OrderFacts\_UE\_TrackingRates**

OrderNo  
UeNo  
Carrier

**Table dbo.OrderFacts\_UE\_TrackingRatesCosts** (6,058 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	OrderNo	int			
<b>PK</b>	UeNo	varchar(25)			



<b>PK</b>	cotizeId	bigint			
<b>PK</b>	cotizeIdCost	bigint			dbo.DF__OrderFact__cotiz__383A4359
	quantity	int		X	
	basePrice	money		X	
	extendedFare	money		X	
	insurance	money		X	
	additionalServices	money		X	
	totalPrice	money		X	
	currency	varchar(100)		X	
	customKey	bit		X	
	cashOnDeliveryCommission	money		X	
	cashOnDeliveryAmount	money		X	
	customKeyCost	money		X	
	smsCommission	money		X	
	importFee	money		X	
	taxes	money		X	
	whatsappCommission	money		X	
	folio	varchar(100)		X	

#### Indexes:

##### **PK\_OrderFacts\_UE\_TrackingRatesCosts** (Primary Key)

OrderNo  
UeNo  
cotizeId  
cotizeIdCost

#### **Table dbo.OrderFacts\_UE\_Transition** (615,590 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	CnscOrder	bigint			
<b>PK</b>	OrderNo	int			
<b>PK</b>	UeNo	varchar(25)			
	OrderNoPOS	bigint			
	CreationDate	datetime		X	

#### Indexes:

##### **PK\_orderfacts\_ue\_transition** (Primary Key)

OrderNo  
UeNo  
CnscOrder

##### **nci\_wi\_OrderFacts\_UE\_Transition\_1F63C34E7B523E7857C0A2A1E1AF0192**

UeNo

##### **nci\_wi\_OrderFacts\_UE\_Transition\_4C04A28E7389FE0F354239E82EC532FF**

OrderNoPOS  
OrderNo (Included)  
UeNo (Included)

#### **Table dbo.OrderFacts\_UE\_XML** (614,294 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	OrderNo	int			
<b>PK, FK</b>	CnscOrder	bigint			
	OrderMessage	xml		X	

**Indexes:**

**PK\_orderfacts\_ue\_xml** (Primary Key)

OrderNo  
CnscOrder

**IDX\_orderfacts\_ue\_xml**

OrderNo  
CnscOrder

**References:**

**dbo.OrderFacts\_UE** (CnscOrder, OrderNo)

**Table dbo.OrganigramaTdasSAD** (705 rows)

	Column	Data Type	Identity	Nullable	Default
	DirFormato	varchar(100)		X	
	Formato	varchar(100)		X	
	Director	varchar(100)		X	
	Region	varchar(100)		X	
	IdNumUn	int		X	
	Tienda	varchar(150)		X	

**Table dbo.Pasillo\_LineaFarmaciaEtica** (193 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Linea	smallint			
	Fec_Movto	smalldatetime			

**Indexes:**

**PK\_\_Pasillo\_\_0B7514D1B540F776** (Primary Key) (Clustered)

Id\_Num\_Linea

**Table dbo.PasilloLado** (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_PasilloLado	tinyint			
	Nom_PasilloLado	char(40)			
	Bit_Eliminado	bit			
	Fec_Movto	smalldatetime			

**Indexes:**

**PK\_PASILLOLADO** (Primary Key)

Id\_Num\_PasilloLado

**Referenced by:**

**dbo.PasilloUN\_d** (Id\_Num\_PasilloLado)

**Table dbo.PasilloLineaBase** (587,311 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_UN	smallint			
<b>PK</b>	Id_Num_Linea	smallint			

#### Indexes:

**PK\_\_PasilloL\_\_6BB8899E3C37F801** (Primary Key) (Clustered)

Id\_Num\_UN  
Id\_Num\_Linea

#### **Table dbo.PasilloTipo** (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_PasilloTipo	tinyint			
	Nom_PasilloTipo	char(40)			
	Bit_Eliminado	bit			
	Fec_Movto	smalldatetime			

#### Indexes:

**PK\_PASILLOTIPO** (Primary Key)

Id\_Num\_PasilloTipo

#### Referenced by:

**dbo.PasilloUN\_d** (Id\_Num\_PasilloTipo)

#### **Table dbo.PasilloUN\_Categ\_d** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Un	smallint			
<b>PK, FK</b>	Id_Cnsc_Pasillo	smallint			
<b>PK</b>	Id_Num_Categ	smallint			
	Num_Orden	smallint			
	Fec_Movto	smalldatetime			

#### Indexes:

**PK\_PASILLOUN\_CATEG\_D** (Primary Key)

Id\_Num\_Un  
Id\_Cnsc\_Pasillo  
Id\_Num\_Categ

#### References:

**dbo.PasilloUN\_d** (Id\_Cnsc\_Pasillo, Id\_Num\_Un)

#### **Table dbo.PasilloUN\_d** (21,745 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Un	smallint			
<b>PK</b>	Id_Cnsc_Pasillo	smallint			
<b>FK</b>	Id_Num_PasilloTipo	tinyint			
<b>FK</b>	Id_Num_PasilloLado	tinyint			
	Nom_Pasillo	char(80)			
	Num_Orden	smallint			

	Bit_Eliminado	bit			
	Fec_Movto	smalldatetime			

#### Indexes:

**PK\_PASILLOUN\_D** (Primary Key)

Id\_Num\_Un  
Id\_Cnsc\_Pasillo

#### References:

**dbo.PasilloLado** (Id\_Num\_PasilloLado)

**dbo.PasilloTipo** (Id\_Num\_PasilloTipo)

#### Referenced by:

**dbo.PasilloUN\_Categ\_d** (Id\_Cnsc\_Pasillo, Id\_Num\_Un)

**dbo.PasilloUN\_Linea\_d** (Id\_Cnsc\_Pasillo, Id\_Num\_Un)

#### Table **dbo.PasilloUN\_Linea\_d** (784,052 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Num_Un	smallint			
<b>PK, FK</b>	Id_Cnsc_Pasillo	smallint			
<b>PK</b>	Id_Num_Linea	smallint			
	Num_Orden	smallint			
	Fec_Movto	datetime			

#### Indexes:

**PK\_PASILLOUN\_LINEA\_D** (Primary Key)

Id\_Num\_Un  
Id\_Cnsc\_Pasillo  
Id\_Num\_Linea

#### References:

**dbo.PasilloUN\_d** (Id\_Cnsc\_Pasillo, Id\_Num\_Un)

#### Table **dbo.Poblacion\_d** (5,555 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Ids_Num_Poblacion	smallint			
	Id_Num_Pais	tinyint			
	Id_Num_Estado	tinyint			
	Id_Num_Poblacion	smallint			
	Nom_Poblacion	varchar(70)			
	Abrev_Poblacion	varchar(10)			
	Cod_AreaTelPoblacion	varchar(3)			
	UserId	smallint			
	Fec_Movto	smalldatetime			

#### Indexes:

**Poblacion\_d\_PK** (Primary Key) (Clustered)

Ids\_Num\_Poblacion

**Table dbo.SF\_OrderStatus** (125,501 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	orderId	char(20)			
	status	char(20)		X	
	messageStatus	smallint		X	
	fecMovto	smalldatetime		X	

**Indexes:**

**PK\_\_SF\_Order\_\_0809335DBBFB0A00** (Primary Key) (Clustered)

orderId

**INDX\_orderMessageStatus**

messageStatus

**Table dbo.SF\_ShipmentStatus** (126,378 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	orderId	char(20)			
<b>PK</b>	shipmentId	char(20)			
	shipmentAlias	char(20)		X	
	status	char(20)		X	
	carrierName	char(80)		X	
	trackingURL	varchar(255)		X	
	deliveryDate	char(20)		X	
	ticketNumber	char(80)		X	
	invoiceID	char(20)		X	
	fecMovto	smalldatetime		X	

**Indexes:**

**PK\_\_SF\_Shipm\_\_0C7B24DD3A0F746C** (Primary Key) (Clustered)

orderId  
shipmentId

**INDX\_shipmentAlias**

shipmentAlias

**Table dbo.SF\_ShipmentStatusCancellationInfo** (19 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	orderId	char(20)			
<b>PK</b>	shipmentId	char(20)			
	shipmentAlias	char(20)		X	
<b>PK</b>	itemID	char(20)			
	cancelledQuantity	char(10)		X	
	caseNo	char(20)		X	
	shipmentNo	char(40)		X	
	date	char(20)		X	
	reason	varchar(200)		X	
	solution	varchar(200)		X	
	status	varchar(200)		X	
	statusDate	char(20)		X	
	fecMovto	smalldatetime		X	

**Indexes:****PK\_\_SF\_Shipm\_\_472D85F5769B5EA4** (Primary Key) (Clustered)

orderId  
shipmentId  
itemID

**Table dbo.SF\_ShipmentStatusItems** (24 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	orderId	char(20)			
<b>PK</b>	shipmentId	char(20)			
	shipmentAlias	char(20)		X	
<b>PK</b>	itemID	char(20)			
	itemAction	char(20)		X	
	cancellationNotification	char(80)		X	
	returnNotification	char(80)		X	
	fecMovto	smalldatetime		X	

**Indexes:****PK\_\_SF\_Shipm\_\_472D85F5F17B07A9** (Primary Key) (Clustered)

orderId  
shipmentId  
itemID

**Table dbo.SF\_ShipmentStatusReturnInfo** (6 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	orderId	char(20)			
<b>PK</b>	shipmentId	char(20)			
	shipmentAlias	char(20)		X	
<b>PK</b>	itemID	char(20)			
	returnedQuantity	char(10)		X	
	caseNo	char(20)		X	
	shipment	char(40)		X	
	date	char(20)		X	
	reason	varchar(200)		X	
	solution	varchar(200)		X	
	status	varchar(200)		X	
	statusDate	char(20)		X	
	packageQuantity	char(10)		X	
	trackingNo	varchar(200)		X	
	orderNo	char(20)		X	
	fecMovto	smalldatetime		X	

**Indexes:****PK\_\_SF\_Shipm\_\_472D85F5D3A49CF3** (Primary Key) (Clustered)

orderId  
shipmentId  
itemID

**Table dbo.SOT\_Message** (1,910,258 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Cnsc_SOTMessage	int	X		
<b>FK</b>	Id_Num_SOTMessageStat	tinyint		X	
	Id_Num_Orden	int		X	
	Id_Num_UN	int		X	
	Num_SOTMessage	smallint		X	
	Fec_Movto	datetime		X	

#### Indexes:

**PK\_\_SOT\_Mess\_\_37A541A781708EE3** (Primary Key) (Clustered)

Id\_Cnsc\_SOTMessage

**nci\_wi\_SOT\_Message\_2636F33EAB0FF24C884E7218E668329A**

Id\_Num\_SOTMessageStat  
Id\_Num\_Orden  
Num\_SOTMessage  
Id\_Num\_UN

#### References:

**dbo.SOT\_MessageStat** (Id\_Num\_SOTMessageStat)

#### Referenced by:

**dbo.SOT\_MessageResponse** (Id\_Cnsc\_SOTMessage)

**dbo.SOT\_MessageResponseText** (Id\_Cnsc\_SOTMessage)

**dbo.SOT\_OrderFulfillment** (Id\_Cnsc\_SOTMessage)

**dbo.SOT\_OrderList** (Id\_Cnsc\_SOTMessage)

#### Table dbo.SOT\_MessageResponse (1,909,312 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Cnsc_SOTMessage	int			
	Response_SOTMessage	varchar(255)		X	
	Fec_Movto	smalldatetime		X	

#### Indexes:

**PK\_\_SOT\_Mess\_\_37A541A77131AD26** (Primary Key) (Clustered)

Id\_Cnsc\_SOTMessage

#### References:

**dbo.SOT\_Message** (Id\_Cnsc\_SOTMessage)

#### Table dbo.SOT\_MessageResponseText (1,909,312 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Cnsc_SOTMessage	int			
	Response_Text	text		X	
	Fec_Movto	smalldatetime		X	

#### Indexes:

**PK\_\_SOT\_Mess\_\_37A541A7094EBA72** (Primary Key) (Clustered)

Id\_Cnsc\_SOTMessage

**References:**

**dbo.SOT\_Message** (Id\_Cnsc\_SOTMessage)

**Table dbo.SOT\_MessageStat** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_SOTMessageStat	tinyint			
	Nom_SOTMessageStat	char(20)		X	
	Fec_Movto	smalldatetime		X	

**Indexes:**

**PK\_\_SOT\_Mess\_\_BF5F2587807A456D** (Primary Key) (Clustered)

Id\_Num\_SOTMessageStat

**Referenced by:**

**dbo.SOT\_Message** (Id\_Num\_SOTMessageStat)

**Table dbo.SOT\_MessageWebApi** (5 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_WebApi	smallint			
	Nom_WebApi	varchar(80)		X	
	URL_WebApi	varchar(255)		X	
	AuthorizationScheme	varchar(80)		X	
	AuthorizationToken	varchar(80)		X	
	Fec_Movto	smalldatetime		X	

**Indexes:**

**PK\_\_SOT\_Mess\_\_194900DDA2BDFE76** (Primary Key) (Clustered)

Id\_Num\_WebApi

**Table dbo.SOT\_OrderFulfillment** (166,078 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Cnsc_SOTMessage	int			
	Bit_Error	bit			
	Mensaje	varchar(255)			
	Id_Supplier	int			
	SurtidorNombre	varchar(40)			
	Id_Num_UN	int			
	Id_Num_Orden	int			
	Fec_Movto	smalldatetime			

**Indexes:**

**PK\_SOT\_ORDERFULFILLMENT** (Primary Key) (Clustered)

Id\_Cnsc\_SOTMessage



**nci\_wi\_SOT\_OrderFulfillment\_3D6EF51A680447FC072C9273D4A3F935**

Id\_Num\_Orden  
Id\_Num\_UN

**References:**

**dbo.SOT\_Message** (*Id\_Cnsc\_SOTMessage*)

**Referenced by:**

**dbo.SOT\_OrderFulfillment\_d** (*Id\_Cnsc\_SOTMessage*)

**Table dbo.SOT\_OrderFulfillment\_d** (1,395,099 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Cnsc_SOTMessage	int			
<b>PK</b>	Id_Cns_Fulfillment	smallint			
	Id_Num_Sku	int			
	Id_Num_CodBarra	bigint			
	Prec_Normal	money			
	Prec_Oferta	money			
	Prec_Vigente	money			
	Cant_Surtida	decimal(14,3)			
	Bit_Agregado	bit			
	Num_SkuSustituto	int		X	

**Indexes:**

**PK\_SOT\_ORDERFULFILLMENT\_D** (*Primary Key*)

Id\_Cnsc\_SOTMessage  
Id\_Cns\_Fulfillment

**References:**

**dbo.SOT\_OrderFulfillment** (*Id\_Cnsc\_SOTMessage*)

**Table dbo.SOT\_OrderList** (139,875 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Cnsc_SOTMessage	int			
	Bit_Error	bit			
	Mensaje	varchar(255)			
	Fec_Movto	smalldatetime			

**Indexes:**

**PK\_SOT\_ORDERLIST** (*Primary Key*) (*Clustered*)

Id\_Cnsc\_SOTMessage

**References:**

**dbo.SOT\_Message** (*Id\_Cnsc\_SOTMessage*)

**Referenced by:**

**dbo.SOT\_OrderList\_d** (*Id\_Cnsc\_SOTMessage*)

**Table dbo.SOT\_OrderList\_d** (166,639 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	Id_Cnsc_SOTMessage	int			
<b>PK</b>	Id_Num_Orden	int			
	Num_ListOrderStat	tinyint			
	Id_Supplier	int			
	SurtidorNombre	varchar(40)			
	Id_Num_UN	int			
	EstadoClave	varchar(10)			
	EstadoDescripcion	varchar(40)			
	BitMercurioProcessed	bit			dbo.DF__SOT_Order__BitMe__13F1F5EB

#### Indexes:

**PK\_SOT\_ORDERLIST\_D** (Primary Key) (Clustered)

Id\_Cnsc\_SOTMessage  
Id\_Num\_Orden

**nci\_wi\_SOT\_OrderList\_d\_75FE8DD13FF8400491808C052F9A899C**

Id\_Num\_Orden

**nci\_wi\_SOT\_OrderList\_d\_A3AD68ADC35E448E9DBC482EFB590E95**

Num\_ListOrderStat  
BitMercurioProcessed  
Id\_Num\_UN (Included)

#### References:

**dbo.SOT\_OrderList** (Id\_Cnsc\_SOTMessage)

#### Table **dbo.System\_Log** (902 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Log_Id	int	X		
	Nombre_proc	varchar(25)			
	Sistema	varchar(15)			
	Resultados	varchar(max)		X	
	Parametros	varchar(max)		X	
	PC_Name	varchar(30)			
	Fecha_Insercion	datetime			dbo.DF_Argo_Log_Fecha_Insercion

#### Indexes:

**PK\_Argo\_Log** (Primary Key) (Clustered)

Log\_Id

#### Table **dbo.tbl\_Catalogo\_Checklist** (74 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_Cancelacion	int			
	Id_Pregunta	int			
	ProductId	int			
	Respuesta	bit			

#### Table **dbo.tbl\_Catalogo\_MotivosRMA** (32 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Padre	smallint			
<b>PK</b>	Id_Motivo	smallint			
	Descripcion_Motivo	char(150)			
	Bit_Eliminado	bit			
	UserId	char(20)			
	Fec_Movto	smalldatetime			

#### Indexes:

**PK\_\_tbl\_Cata\_\_0E50BC872A20F76D** (Primary Key) (Clustered)

Id\_Padre  
Id\_Motivo

#### Table dbo.tbl\_Catalogo\_SolicitudesRMA (5 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Padre	int			
	Descripcion_Padre	char(150)		X	
	Bit_Eliminado	bit		X	
	UserId	char(20)		X	
	Fec_Movto	smalldatetime		X	

#### Indexes:

**PK\_\_tbl\_Catalogo\_SolicitudesRMA** (Primary Key) (Clustered)

Id\_Padre

#### Table dbo.tbl\_Descarga\_Order\_SF (143,361 rows)

	Column	Data Type	Identity	Nullable	Default
	id_order_d	int	X		
	order_no	varchar(20)		X	
	orderJson	varchar(max)		X	
	bit_envio	bit		X	
	fec_movto	smalldatetime		X	
	responseCO	varchar(max)		X	
	SF_Json	text		X	

#### Indexes:

**nci\_wi\_tbl\_Descarga\_Order\_SF\_4538655D9C797563CA572BBB9B3EEE70**

order\_no  
bit\_envio (Included)

#### Table dbo.tbl\_envioCorreo (73 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_envio	int	X		
	OrderReferenceNumber	varchar(20)		X	
	correo	varchar(30)		X	
	fec_movto	datetime		X	

**Indexes:****PK\_tbl\_envioCorreo** (Primary Key) (Clustered)

Id\_envio

**IX\_tbl\_envioCorreo**OrderReferenceNumber  
correo**Table dbo.tbl\_History\_SF** (43,366 rows)

	Column	Data Type	Identity	Nullable	Default
	id_insert	int	X		
	order_no	varchar(20)		X	
	jsonRequest	varchar(max)		X	
	response	varchar(max)		X	
	fec_movto	smalldatetime		X	

**Table dbo.tbl\_OrdenCancelada** (37 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_cancelacion	int	X		
	orderId	varchar(20)		X	
	clientId	int		X	
	clientEmail	varchar(100)		X	
	clientPhone	varchar(15)		X	
	jsonRequest	varchar(max)		X	
	bit_Envio	bit		X	
	accion	varchar(8)		X	
	fec_movto	smalldatetime		X	
	EstatusRma	tinyint		X	dbo.DF_tbl_OrdenCancelada_EstatusRma
	Origen	nvarchar(20)		X	
	ProcesoAut	int		X	dbo.DF_tbl_OrdenCancelada_ProcesoAut
	IdProceso	int		X	
	IdTSolicitud	int		X	
	IdTmovimiento	int		X	

**Table dbo.tbl\_OrdenCancelada\_Detalle** (33 rows)

	Column	Data Type	Identity	Nullable	Default
	orderId	varchar(20)		X	
	shipmentId	varchar(20)		X	
	position	int		X	
	productId	decimal(12,2)		X	
	newProductQuantity	decimal(12,2)		X	
	cancellationReason	varchar(200)		X	
	cancellationComment	varchar(200)		X	
	Id_cancelacion	int		X	

**Table dbo.tbl\_OrdenFotosRMA** (6 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_fotoRMA	bigint	X		
	ordenRMA	bigint			

	FotoURL	varchar(400)			
	createdDate	datetime			dbo.DF__tbl_Orden__creat__7894BF90
	createdUser	nvarchar(15)			dbo.DF__tbl_Orden__creat__7988E3C9

#### Indexes:

**PK\_\_tbl\_OrdenFotosRMA** (Primary Key) (Clustered)

Id\_fotoRMA

#### Table **dbo.tbl\_OrdenRetorno\_Detalle** (18 rows)

	Column	Data Type	Identity	Nullable	Default
	orderId	varchar(20)		X	
	shipmentId	varchar(20)		X	
	position	int		X	
	productId	decimal(12,2)		X	
	newProductQuantity	int		X	
	isBonusProduct	bit		X	
	parentProductID	decimal(12,2)		X	
	returnReason	varchar(200)		X	
	returnComment	varchar(200)		X	
	Id_cancelacion	int		X	

#### Table **dbo.tbl\_WorkFlow\_Devolucion** (20 rows)

	Column	Data Type	Identity	Nullable	Default
	IdFlujo	int		X	
	IdTSolicitud	int		X	
	IdTMovimiento	int		X	
	IdProcesoFinaliza	int		X	
	Foto	bit		X	
	IdProcesoFoto	int		X	
	DiasVigencia	int		X	
	MontoAutorizacion	decimal(18,2)		X	

#### Table **dbo.TYC\_OrdenStat** (16 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_OrdenStat	tinyint			
	Desc_OrdenStat	varchar(40)			
	Abrev_OrdenStat	varchar(20)			
	Fec_Movto	datetime			

#### Indexes:

**PK\_ORDENSTAT** (Primary Key) (Clustered)

Id\_Num\_OrdenStat

#### Table **dbo.TYC\_OrderFulfillment\_Log** (762 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdCnsc	bigint	X		
	DescriptionLog	varchar(250)		X	
	CreatedLogDate	datetime		X	

	Id_Num_Orden	int		X	
	Id_Cnsc_SOTMessage	int		X	
	Fec_Movto	smalldatetime		X	
	Id_Cns_Fulfillment	smallint		X	
	Id_Num_Sku	int		X	
	Id_Num_CodBarra	bigint		X	
	Prec_Normal	money		X	
	Prec_Oferta	money		X	
	Prec_Vigente	money		X	
	Cant_Surtida	decimal(14,3)		X	
	Bit_Agregado	bit		X	
	Num_SkuSustituto	int		X	

#### Indexes:

**PK\_\_TYC\_Orde\_\_389F13FC2E78609D** (Primary Key) (Clustered)

IdCnsc

#### Table **dbo.TYC\_OrderHeader** (603,920 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	OrderNo	int			
	Id_Supplier	int		X	
	SurtidorNombre	varchar(40)		X	
	SurtidorTipo	int		X	
	Id_Num_UN	int		X	
	ClienteNombre	varchar(90)		X	
	ClienteTelefono	varchar(40)		X	
	ContadorArticulos	int		X	
	SumaArticulos	int		X	
	FechaEntrega	varchar(10)		X	
	HoraEntrega	varchar(16)		X	
	EstatusClave	tinyint		X	
	EstatusDescripcion	varchar(40)		X	
	UeNo	varchar(25)		X	

#### Indexes:

**PK\_tyc\_orderheader** (Primary Key) (Clustered)

CnscOrder

**IDX\_tyc\_orderheader**

CnscOrder

**IX\_NonClusteredIndex\_TYCOrderHeaderByOrder**

OrderNo

#### References:

**dbo.OrderFacts\_Order** (CnscOrder)

#### Table **dbo.TYC\_OrderProducts** (2,656,539 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			

<b>PK</b>	BarCode	bigint			
	OrderNo	int			
	ProductId	int		X	
	PasilloId	int		X	
	PasilloNombre	char(80)		X	
	EsPasilloSurtidoEspecial	bit		X	
	Descripcion	varchar(255)		X	
	ArticuloFoto	varchar(255)		X	
	PrecioNormal	money		X	
	PrecioOferta	money		X	
	PrecioVigente	money		X	
	CantidadPedida	decimal(9,3)		X	
	CantidadSurtida	decimal(9,3)		X	
	UnidadVentaPedida	varchar(15)		X	
	UnidadVentaSurtida	varchar(15)		X	
	Existencia	int		X	
	Sustituto	bit		X	
	Agregado	bit		X	
	Orden_Linea	int		X	
	Id_Num_Dpto	smallint		X	
	Id_Num_Linea	smallint		X	
	UeNo	varchar(25)		X	

#### Indexes:

**PK\_tyc\_orderproducts** (Primary Key) (Clustered)

CnscOrder  
BarCode

**IDX\_tyc\_orderproducts**

CnscOrder

**IX\_NonClusteredIndex\_TYCOrderProductsByOrderBarcode**

OrderNo  
BarCode

#### References:

**dbo.OrderFacts\_Order** (CnscOrder)

#### **Table dbo.TYC\_OrderProductsComments** (520,652 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
<b>PK</b>	BarCode	bigint			
	OrderNo	int			
	ProductId	int		X	
<b>PK</b>	Id_Cnsc_ArtCar_Obser	tinyint			
	Desc_ArtCarObser	varchar(255)		X	
	UeNo	varchar(25)		X	

#### Indexes:

**PK\_tyc\_orderproductscomments** (Primary Key) (Clustered)

CnscOrder  
BarCode  
Id\_Cnsc\_ArtCar\_Obser

**nci\_wi\_TYC\_OrderProductsComments\_A7E5E826130CC5AD9E8146C272AB6202**

OrderNo  
 BarCode  
 ProductId (*Included*)

**References:**

**dbo.OrderFacts\_Order** (*CnscOrder*)

**Table dbo.TYC\_OrdersComments** (115,954 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	CnscOrder	bigint			
	OrderNo	int			
<b>PK</b>	Id_Cnsc_CarObs	smallint			
	Desc_CarObs	varchar(255)		X	
	UeNo	varchar(25)		X	

**Indexes:**

**PK\_tyc\_orderscomments** (*Primary Key*) (*Clustered*)

CnscOrder  
 Id\_Cnsc\_CarObs

**nci\_wi\_TYC\_OrdersComments\_317157749813E180AA97C4B2020E6F28**

OrderNo  
 Id\_Cnsc\_CarObs

**References:**

**dbo.OrderFacts\_Order** (*CnscOrder*)

**Table dbo.TYC\_SurtidorEmp\_e** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Emp	int			
<b>PK</b>	Id_Num_Un	int			
<b>PK</b>	Id_Supplier	int			
	Fec_Movto	smalldatetime			
	Ind_EmpExt	tinyint		X	

**Indexes:**

**PK\_SURTIDOREMP\_E** (*Primary Key*) (*Clustered*)

Id\_Num\_Emp  
 Id\_Supplier  
 Id\_Num\_Un

**Table dbo.UN** (2,734 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Ids_Num_UN	smallint			
<b>UK</b>	Id_Num_Empresa	tinyint			
<b>UK</b>	Id_Num_UN	smallint			
<b>UK</b>	Desc_UN	varchar(70)			
	Abrev_UN1	varchar(10)			
	Abrev_UN2	varchar(5)			



	Calle	varchar(40)			
	Num_Ext	varchar(10)			
	Num_Int	varchar(10)		X	
	Colonia	varchar(40)		X	
	Num_CP	decimal(5,0)			
	Ids_Num_Poblacion	smallint			
	Id_Cve_TipoUN	char(3)			
	Id_Num_Plaza	smallint			
	Stipo_UN	tinyint			
	Fec_Movto	smalldatetime			
	Id_Num_Region	smallint			dbo.DF__UN__Id_Num_Regio__15DA3E5D
	Abrev_UN3	varchar(3)		X	
	IdTipoFormato	int		X	
	Direccion	varchar(70)		X	
	Director	varchar(70)		X	
	Region	varchar(70)		X	
	Latitud	decimal(12,6)		X	
	Longitud	decimal(12,6)		X	
	CodigosPostales	varchar(max)		X	

#### Indexes:

**UN\_PK** (Primary Key) (Clustered)

Ids\_Num\_UN

**DESC\_UN\_NCU\_AK** (Unique)

Desc\_UN

**SK\_NCU\_AK** (Unique)

Id\_Num\_Empresa

Id\_Num\_UN

**nci\_wi\_UN\_3BDDFFE99FB4E5591B21DE33E47436DA**

Id\_Cve\_TipoUN

Desc\_UN (Included)

Id\_Num\_UN (Included)

Ids\_Num\_Poblacion (Included)

#### Table **dbo.UnCobertura** (9,050 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_CoverDom	tinyint			
<b>PK</b>	Id_Num_Un	smallint			
<b>PK</b>	Id_Num_CP	numeric(6,0)			
	Fec_Movto	datetime			

#### Indexes:

**PK\_UNCOBERTURA** (Primary Key) (Clustered)

Id\_Num\_CoverDom

Id\_Num\_Un

Id\_Num\_CP

**idx\_cpCobertura**

Id\_Num\_CP

#### Table **dbo.UNFarmaciaCobertura** (62 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_UN	smallint			
<b>PK</b>	Id_Num_CP	numeric(6,0)			
	Bit_Eliminado	bit			
	Fec_Movto	smalldatetime			

#### Indexes:

**PK\_UNFARMACIACOBERTURA** (Primary Key) (Clustered)

Id\_Num\_UN  
Id\_Num\_CP

#### **Table dbo.UniMedida** (51 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_UniMedida	tinyint			
	Cve_UniMedida	char(2)			
	Abrev_UniMedida	varchar(3)			
	Abrev_UniMedidaIngles	varchar(3)			
	Desc_UniMedidaSingular	varchar(20)			
	Desc_UniMedidaSingularIngles	varchar(20)			
	Desc_UniMedidaPlural	varchar(20)			
	Desc_UniMedidaPluralIngles	varchar(20)			
	Bit_UniMedidaStd	bit			
	UserId	smallint			
	Fec_Movto	smalldatetime			
	Fec_ArriboDestino	smalldatetime			dbo.DF__UniMedida__Fec_A__16CE6296

#### Indexes:

**UniMedida\_PK** (Primary Key) (Clustered)

Id\_Num\_UniMedida

#### **Table dbo.UNInfo\_Cat** (66 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_UNInfo	smallint			
	UnInfo_Desc	char(100)		X	
	UnInfo_Abrev	char(40)		X	
	Fec_Movto	smalldatetime		X	

#### Indexes:

**PK\_\_UNInfo\_C\_\_8D5619775A580927** (Primary Key) (Clustered)

Id\_Num\_UNInfo

#### **Table dbo.UNPc** (8,240 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Un	smallint			
<b>PK</b>	IP	varchar(15)			
	NombrePC	varchar(50)		X	
	DescPC	varchar(80)		X	
	Bit_Eliminado	bit		X	

	Fec_Movto	datetime		X	
--	-----------	----------	--	---	--

#### Indexes:

**PK\_UNPC** (Primary Key) (Clustered)

Id\_Num\_Un  
IP

#### Table **dbo.UnPerm** (921 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Un	smallint			
	PosSrv	char(20)			
	TdaSrv	char(20)			
	Un_Nom	char(50)		X	
	Nom_Ciudad	char(70)		X	
	Abrev_Ciudad	char(10)		X	
	Nom_Estado	char(40)		X	
	Abrev_Estado	char(10)		X	
	Bit_ADom	binary(1)		X	
	Bit_Express	binary(1)		X	
	Bit_EnTienda	binary(1)		X	
	Bit_Activa	binary(1)		X	
	Fec_Movto	datetime		X	

#### Indexes:

**PK\_UNPERM** (Primary Key) (Clustered)

Id\_Num\_Un

#### Referenced by:

**Carrito.Surtidor** (Id\_Num\_Un)

#### Table **dbo.UnPerm\_Info** (29,449 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_Num_Un	smallint			
<b>PK</b>	Id_Num_UnInfo	smallint			
	UnPerm_Info	char(100)			
	Fec_Movto	smalldatetime			

#### Indexes:

**PK\_UNPERM\_INFO** (Primary Key) (Clustered)

Id\_Num\_Un  
Id\_Num\_UnInfo

#### Table **tms.Almacen** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>UK, FK</b>	IdEntidadSurtidora	bigint			
<b>PK</b>	IdAlmacen	bigint			

**Indexes:****PK\_Almacen** (Primary Key) (Clustered)

IdAlmacen

**IX\_EntidadSurtidora** (Unique)

IdEntidadSurtidora

**References:****tms.EntidadSurtidora** (IdEntidadSurtidora)**Referenced by:****tms.AlmacenTransportista** (IdTransportista -> IdEntidadSurtidora)**Table tms.AlmacenTipoLogistica** (867 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idOwner	int			
<b>PK</b>	idSupplierWH	bigint			
<b>PK</b>	idSupplierWHCode	bigint			
<b>PK</b>	IdTipoLogistica	int			
	FechaCreacion	datetime		X	
	UsuarioCreacion	nvarchar(50)		X	
	FechaUltModif	datetime		X	
	UsuarioUltModif	nvarchar(50)		X	

**Indexes:****PK\_AlmacenTipoLogistica** (Primary Key) (Clustered)

idOwner  
idSupplierWH  
idSupplierWHCode  
IdTipoLogistica

**Table tms.almacenTMS** (867 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idOwner	int			
<b>PK</b>	idSupplierWH	bigint			
<b>PK</b>	idSupplierWHCode	bigint			
	ServicioEstandar	bit			
	ServicioExpress	bit			
	TiempoSurtido	int		X	
	BitActivo	bit		X	
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2		X	
	UsuarioUltModif	varchar(20)		X	

**Indexes:****PK\_almacenTMS** (Primary Key) (Clustered)

idOwner  
idSupplierWH  
idSupplierWHCode

**Table tms.AlmacenTransportista** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	IdTransportista	bigint			
<b>PK</b>	IdEntidadAlmacen	int			

**Indexes:****PK\_AlmacenTransportista** (Primary Key) (Clustered)

IdTransportista  
IdEntidadAlmacen

**References:****tms.Almacen** (IdTransportista -> IdEntidadSurtidora)**tms.Transportista** (IdTransportista)**Table tms.Atributos\_Seguro\_Y\_Empaque** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_AtributosSYE	int	X		
	Id_CategoriaArt	varchar(18)		X	
	Precio_Fact	decimal(12,4)		X	
	Seguro_Trans	varchar(25)		X	
	Porc_VS_Costo_Fact	decimal(12,4)		X	
	Porc_adic_por_empaque	decimal(12,4)		X	
	Usuario	varchar(25)		X	
	Fec_Creacion	smalldatetime		X	
	Fec_Movto	smalldatetime		X	
	BitActivo	bit		X	

**Indexes:****PK\_Atributos\_Seguro\_Y\_Empaque** (Primary Key) (Clustered)

Id\_AtributosSYE

**Table tms.ClaseEnvio** (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdClase	int	X		
	Desc_ClaseEnvio	nvarchar(50)		X	
	BitActivo	bit		X	
	CreateDate	datetime		X	
	Created_User	nvarchar(15)		X	
	FecMovto	datetime		X	
	Modified_User	nvarchar(15)		X	

**Indexes:****PK\_ClaseEnvio** (Primary Key) (Clustered)

IdClase

**Table tms.CobZon** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	ID	int	X		
	NoProveedor	int		X	
	CpOrigen	nvarchar(6)		X	
	CoberturaBigT	nvarchar(100)		X	
	CoberturaPyM	nvarchar(100)		X	
	CodigoPostal	nvarchar(6)		X	
	Zonas	nvarchar(100)		X	
	TiemposEntregaBT	nvarchar(100)		X	
	TiemposEntregaPyM	nvarchar(100)		X	
	Municipio	nvarchar(100)		X	
	Estado	nvarchar(100)		X	
	SiglasPlaza	nvarchar(100)		X	
	Lunes	nvarchar(100)		X	
	Martes	nvarchar(100)		X	
	Miercoles	nvarchar(100)		X	
	Jueves	nvarchar(100)		X	
	Viernes	nvarchar(100)		X	
	Sabado	nvarchar(100)		X	
	Domingo	nvarchar(100)		X	
	Periodicidad	nvarchar(100)		X	
	EsOcurreForzoso	nvarchar(100)		X	
	Reexpedicion	nvarchar(100)		X	
	GarantiaMax	nvarchar(100)		X	

#### Indexes:

**PK\_CobZon** (Primary Key) (Clustered)

ID

#### **Table tms.CodigosPostales\_Por\_Almacen** (2,411,534 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_CP	int	X		
	idSupplierWH	bigint		X	
	Latitud	decimal(12,4)		X	
	Longitud	decimal(12,4)		X	
	CP	int		X	
	Usuario_Creation	varchar(20)		X	
	Fecha_Creacion	smalldatetime		X	
	BitActivo	bit		X	
	Fecha_Modificacion	smalldatetime		X	
	Usuario_Modificacion	varchar(20)		X	
	IdTipoLogistica	int		X	
	idOwner	int		X	
	idSupplierWHCode	bigint		X	

#### Indexes:

**PK\_CodigosPostalesPorAlmacen** (Primary Key) (Clustered)

Id\_CP

**idx\_CodigosPostalesPorAlmacen**

idSupplierWH  
idSupplierWHCode

CP

**idx\_CodigosPostalesPorOwner**

idOwner  
idSupplierWH  
CP

**nci\_wi\_CodigosPostales\_Por\_Almacen\_FE85AE79C08853B766E96FAB9F0F0902**

BitActivo  
CP  
idOwner  
idSupplierWH (*Included*)

**Table tms.CotizacionPaqueteria** (0 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_Cotizacion	int	X		
	Id_proveedor	bigint		X	
	descripcionServicioField	varchar(25)		X	
	tipoEnvioResField	int		X	
	aplicaCotizacionField	varchar(25)		X	
	tarifaBaseField	decimal(14,2)		X	
	cCTarifaBaseField	decimal(14,2)		X	
	cargosExtraField	decimal(14,2)		X	
	sobrePesoField	decimal(14,2)		X	
	cCSobrePesoField	decimal(14,2)		X	
	costoTotalField	decimal(14,2)		X	
	pesoField	decimal(14,2)		X	
	aplicaServicioField	varchar(25)		X	

**Table tms.EntidadSurtidora** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdEntidadSurtidora	bigint	X		
<b>FK</b>	IdTipoAlmacen	int			
	TiempoSurtido	int		X	
	Paqueteria	bit			
	BigTicket	bit			
	ServicioEstandar	bit			
	ServicioExpress	bit			
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2			
	UsuarioUltModif	varchar(20)			

**Indexes:**

**PK\_EntidadSurtidora** (*Primary Key*) (*Clustered*)

IdEntidadSurtidora

**References:**

**tms.TipoAlmacen** (*IdTipoAlmacen*)

**Referenced by:**

**tms.Almacen** (*IdEntidadSurtidora*)

**tms.EntidadSurtidoraTipoLogistica** (*IdEntidadSurtidora*)

**tms.Proveedor** (*IdEntidadSurtidora*)

**tms.Tienda** (*IdEntidadSurtidora*)

**tms.Unidad** (*IdEntidadSurtidora*)

**Table tms.EntidadSurtidoraTipoLogistica** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	IdEntidadSurtidora	bigint			
<b>PK, FK</b>	IdTipoLogistica	int			

**Indexes:**

**PK\_EntidadSurtidoraTipoLogistica** (*Primary Key*) (*Clustered*)

IdEntidadSurtidora  
IdTipoLogistica

**References:**

**tms.EntidadSurtidora** (*IdEntidadSurtidora*)

**tms.TipoLogistica** (*IdTipoLogistica*)

**Table tms.FormatoTienda** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTipoFormato	int			
	Desc_TipoFormato	varchar(50)		X	
	BitActivo	bit		X	
	CreateDate	datetime		X	
	Created_User	nvarchar(15)		X	
	FecMovto	datetime		X	
	Modified_User	nvarchar(15)		X	

**Indexes:**

**PK\_FormatoTienda** (*Primary Key*) (*Clustered*)

IdTipoFormato

**Table tms.Gastos** (6 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdGasto	int			
	Desc_Gasto	nvarchar(100)		X	
	Activo	bit		X	
	FecCreacion	datetime		X	tms.DF_Gastos_FecCreacion
	FecMovto	datetime		X	
	Created_User	nvarchar(15)		X	
	Modified_User	nvarchar(15)		X	

**Indexes:**

**PK\_Gastos** (*Primary Key*) (*Clustered*)

IdGasto



**Table tms.GastoVehiculo** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdConsecutivo	bigint	X		
	IdGasto	int			
	Id_Vehiculo	int			
	FecGasto	datetime		X	
	Kilometraje	int		X	
	CantidadGasto	money		X	
	CreateDate	datetime		X	
	created_user	nvarchar(15)		X	
	FecMovto	datetime		X	
	modified_user	nvarchar(50)		X	
	activo	bit		X	

**Indexes:****PK\_GastoVehiculo** (Primary Key) (Clustered)

IdConsecutivo

**idx\_GastoVehiculo**

IdGasto  
Id\_Vehiculo  
FecGasto

**Table tms.KgDinero** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	ID	int	X		
	A1	nvarchar(50)		X	
	A2	nvarchar(50)		X	
	A3	nvarchar(50)		X	
	A4	nvarchar(50)		X	
	A5	nvarchar(50)		X	
	A6	nvarchar(50)		X	
	A7	nvarchar(50)		X	
	PorcCliente	nvarchar(50)		X	
	B1	nvarchar(50)		X	
	B2	nvarchar(50)		X	
	B3	nvarchar(50)		X	
	B4	nvarchar(50)		X	
	B5	nvarchar(50)		X	
	B6	nvarchar(50)		X	
	B7	nvarchar(50)		X	
	KG	nvarchar(50)		X	

**Indexes:****PK\_KgDinero** (Primary Key) (Clustered)

ID

**Table tms.menu** (45 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	menuId	int			

	descripcion	varchar(30)		X	
	descripcionCorta	varchar(50)		X	
	padreId	int		X	
	posicion	int		X	
	icono	varchar(50)		X	
	habilitado	bit		X	
	url	varchar(150)		X	
	esMenu	bit		X	
	target	nvarchar(15)		X	
	controller	nvarchar(50)		X	
	action	nvarchar(50)		X	

#### Indexes:

**PK\_menu** (Primary Key) (Clustered)

menuId

#### Table **tms.menuDetalleRoles** (38 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	id	int			
	rol	varchar(50)			
	menuId	int			
	habilitado	bit		X	
	fechaAlta	datetime			
	autor	varchar(10)			
	fechaModificacion	datetime		X	
	modificadoPor	varchar(10)		X	

#### Indexes:

**PK\_menuDetalleRoles** (Primary Key) (Clustered)

id

#### Table **tms.Paqueteria** (0 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_paqueteria	int	X		
	Id_Proveedor	bigint		X	
	peso	decimal(12,4)		X	

#### Table **tms.ParametrosDias** (1 row)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdParametro	int			
	DiasParametro1	int		X	
	DiasParametro2	int		X	
	DiasParametro3	int		X	

#### Indexes:

**PK\_ParametrosDias** (Primary Key) (Clustered)

IdParametro

**Table tms.Plazas** (223 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdPlaza	int	X		
	Desc_Plaza	nvarchar(50)		X	
	BitActivo	bit		X	
	CreateDate	datetime		X	
	Created_User	nvarchar(15)		X	
	FecMovto	datetime		X	
	Modified_User	nvarchar(15)		X	
	cve_Plaza	nvarchar(3)		X	

**Indexes:****PK\_Plazas** (Primary Key) (Clustered)

IdPlaza

**Table tms.PromocionesCostoEnvio** (1,015 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	cnscPromo	bigint	X		
	IdTipoCatalogo	int			
	IdOwner	int		X	
	IdFormatoTienda	int		X	
	PostalCodeOrig	varchar(50)		X	
	PostalCodeDestino	varchar(50)		X	
	CiudadOrig	varchar(50)		X	
	CiudadDest	varchar(50)		X	
	EdoOrig	varchar(50)		X	
	EdoDest	varchar(50)		X	
	IdSupplierWH	bigint		X	
	SupplierName	varchar(250)		X	
	IdTransportista	bigint		X	
	NombreTransportista	varchar(60)		X	
	IdTipoEnvio	int		X	
	IdTipoServicio	int		X	
	Cve_CategSAP	varchar(18)		X	
	Desc_CategSAP	varchar(40)		X	
	Cve_GciaCategSAP	varchar(18)		X	
	Desc_GciaCategSAP	varchar(40)		X	
	Material_MATNR	char(18)		X	
	Id_Num_CodBarra	bigint		X	
	Nombre_SKU	varchar(175)		X	
	PesoMinimo	decimal(16,3)		X	
	PesoMaximo	decimal(16,3)		X	
	IdTipoLogistica	int		X	
	MesesSinIntereses	int		X	
	ComprasMayor	money		X	
	ComprasMenor	money		X	
	FechaInicioPromo	date			
	HoraInicioPromo	time			
	FechaFinPromo	date			
	HoraFinPromo	time			
	CostoEspecial	money		X	
	TarifaDesc	decimal(7,3)		X	
	FechaCreacion	date			
	HoraCreacion	time			

	UsuarioCreacion	nvarchar(25)			
	FechaUltModif	date		X	
	HoraUltModif	time		X	
	UsuarioUltModif	nvarchar(25)		X	
	BitActivo	bit			
	idOrdenEjecucion	int		X	

## Indexes:

### **PK\_PromocionesCostoEnvio** (Primary Key) (Clustered)

cnsPromo

### **idx\_PromocionesTipoCatAlm**

IdTipoCatalogo  
IdOwner  
FechaCreacion  
HoraCreacion

### **idx\_PromocionesTipoCatAlmFormato**

IdTipoCatalogo  
IdOwner  
IdFormatoTienda  
FechaCreacion  
HoraCreacion

### **idx\_PromocionesTipoCatCDDest**

IdTipoCatalogo  
CiudadDest  
FechaCreacion  
HoraCreacion

### **idx\_PromocionesTipoCatCDOOrig**

IdTipoCatalogo  
CiudadOrig  
CiudadDest  
FechaCreacion  
HoraCreacion

### **idx\_PromocionesTipoCatCPDest**

IdTipoCatalogo  
PostalCodeDestino  
FechaCreacion  
HoraCreacion

### **idx\_PromocionesTipoCatCPOrig**

IdTipoCatalogo  
PostalCodeOrig  
PostalCodeDestino  
FechaCreacion  
HoraCreacion

### **idx\_PromocionesTipoCatCveSAP**

IdTipoCatalogo  
Cve\_CategSAP  
FechaCreacion  
HoraCreacion

### **idx\_PromocionesTipoCatCveSubSAP**

IdTipoCatalogo  
Cve\_GciaCategSAP  
Desc\_GciaCategSAP

FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatDescSAP**

IdTipoCatalogo  
Desc\_CategSAP  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatEAN**

IdTipoCatalogo  
Id\_Num\_CodBarra  
Nombre\_SKU  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatEdoOrig**

IdTipoCatalogo  
EdoOrig  
EdoDest  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatEnvServ**

IdTipoCatalogo  
IdTipoEnvio  
IdTipoServicio  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatFechas**

IdTipoCatalogo  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatIdSup**

IdTipoCatalogo  
IdSupplierWH  
SupplierName  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatIdTrans**

IdTipoCatalogo  
IdTransportista  
NombreTransportista  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatLog**

IdTipoCatalogo  
PesoMaximo  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatMatSAP**

IdTipoCatalogo  
Material\_MATNR  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatOrigDest**

IdTipoCatalogo

EdoDest  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatPesoMax**

IdTipoCatalogo  
PesoMaximo  
IdTipoLogistica  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatPesoMin**

IdTipoCatalogo  
PesoMinimo  
PesoMaximo  
IdTipoLogistica  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatServ**

IdTipoCatalogo  
IdTipoServicio  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatSKU**

IdTipoCatalogo  
Nombre\_SKU  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatSubSAP**

IdTipoCatalogo  
Desc\_GciaCategSAP  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatSup**

IdTipoCatalogo  
SupplierName  
FechaCreacion  
HoraCreacion

**idx\_PromocionesTipoCatTrans**

IdTipoCatalogo  
NombreTransportista  
FechaCreacion  
HoraCreacion

**Table tms.Proveedor (0 rows)**

	Column	Data Type	Identity	Nullable	Default
<b>UK, FK</b>	IdEntidadSurtidora	bigint			
<b>PK</b>	IdProveedor	bigint			

**Indexes:**

**PK\_Proveedor** (Primary Key) (Clustered)

IdProveedor

**IX\_Proveedor\_EntidadSurtidora** (*Unique*)

IdEntidadSurtidora

**References:****tms.EntidadSurtidora** (*IdEntidadSurtidora*)**Table tms.RangosTiemposExcepciones** (*0 rows*)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	cnsDef	bigint	X		
	Prioridad	int			
	IdTipoCatalogo	int			
	IdOwner	int		X	
	IdSupplierWH	bigint		X	
	SupplierName	varchar(250)		X	
	IdTipoLogistica	int		X	
	IdTransportista	bigint		X	
	NombreTransportista	varchar(60)		X	
	DiasExtra	int			
	FechaInicioPromo	date			
	HoraInicioPromo	time			
	FechaFinPromo	date			
	HoraFinPromo	time			
	FechaCreacion	date			
	HoraCreacion	time			
	UsuarioCreacion	nvarchar(25)			
	FechaUltModif	date		X	
	HoraUltModif	time		X	
	UsuarioUltModif	nvarchar(25)		X	
	BitActivo	bit			

**Indexes:****PK\_RangosTiemposExcepciones** (*Primary Key*) (*Clustered*)

cnsDef

**idx\_RangosTiemposLog**

Prioridad  
IdTipoCatalogo  
IdTipoLogistica  
IdTransportista

**idx\_RangosTiemposOwner**

Prioridad  
IdTipoCatalogo  
IdOwner  
IdSupplierWH

**idx\_RangosTiemposPrior**

Prioridad  
IdTipoCatalogo

**idx\_RangosTiemposSupplier**

Prioridad  
IdTipoCatalogo  
IdSupplierWH

## idx\_RangosTiemposTrans

Prioridad  
IdTipoCatalogo  
IdTransportista

**Table tms.roles** (1 row)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idRol	int			
	nombreRol	varchar(50)		X	
	descripcion	varchar(254)		X	
	activo	bit		X	
	fechaAlta	datetime		X	
	usuarioAlta	char(8)		X	
	fechaModificacion	datetime		X	
	usuarioModificacion	char(8)		X	

### Indexes:

**PK\_roles** (Primary Key) (Clustered)

idRol

**Table tms.tbl\_Operador** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_operador	int	X		
	Id_supplier	int		X	
	Id_usuario	varchar(20)		X	
	fec_movto	smalldatetime		X	

### Indexes:

**PK\_tbl\_Operador** (Primary Key) (Clustered)

Id\_operador

**IDX\_tbl\_Operador**

Id\_supplier  
Id\_usuario

**Table tms.Tienda** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>UK, FK</b>	IdEntidadSurtidora	bigint			
<b>PK</b>	IdNumUM	smallint			

### Indexes:

**PK\_Tienda** (Primary Key) (Clustered)

IdNumUM

**IX\_TiendaEntidadSurtidora** (Unique)

IdEntidadSurtidora

### References:



**tms.EntidadSurtidora** (*IdEntidadSurtidora*)

**Table tms.TiendasCostoEnvio** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdConsecutivo	bigint	X		
	StoreNum	int		X	
	NomTienda	varchar(70)		X	
	Direccion	varchar(70)		X	
	IdTipoFormato	int		X	
	Director	varchar(70)		X	
	Region	varchar(70)		X	
	CostoEnvio	money			
	BitActivo	bit		X	
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2		X	
	UsuarioUltModif	varchar(20)		X	

**Indexes:**

**PK\_TiendasCostoEnvio** (*Primary Key*) (*Clustered*)

IdConsecutivo

**idx\_Region**

Region

**idx\_TiendasDirector**

StoreNum  
Director  
Region

**idx\_TiendasDirectorRegion**

Director  
Region

**idx\_TiendasDirFormato**

StoreNum  
Direccion  
IdTipoFormato  
Director  
Region

**idx\_TiendasDirFormatoDirector**

Direccion  
IdTipoFormato  
Director  
Region

**idx\_TiendasFormato**

StoreNum  
IdTipoFormato  
Director  
Region

**idx\_TiendasFormatoDirector**

IdTipoFormato

Director  
Region

**idx\_TiendasRegion**

StoreNum  
Region

**Table tms.TiendasLogistica** (938 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTipoEntrega	int	X		
	StoreNum	int			
	IdTipoEnvio	int			
	TiempoEnvio	int		X	
	CostoEnvio	money		X	
	BitActivo	bit		X	
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2		X	
	UsuarioUltModif	varchar(20)		X	

**Indexes:**

**PK\_TiendasLogistica** (Primary Key) (Clustered)

IdTipoEntrega

**Table tms.TiendasLogisticaTemp** (0 rows)

	Column	Data Type	Identity	Nullable	Default
	StoreNum	int			
	IdTipoEnvio	int			
	TiempoEnvio	int		X	
	CostoEnvio	money		X	
	BitActivo	bit		X	
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2		X	
	UsuarioUltModif	varchar(20)		X	

**Table tms.TipoAlmacen** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTipoAlmacen	int	X		
	TipoAlmacen	varchar(50)			
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2			
	UsuarioUltModif	varchar(20)			

**Indexes:**

**PK\_TipoAlmacen** (Primary Key) (Clustered)

IdTipoAlmacen

**Referenced by:**

**tms.EntidadSurtidora** (*IdTipoAlmacen*)

**Table tms.TipoCatalogo** (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTipoCatalogo	int	X		
	TipoCatalogo	varchar(150)			
	FechaCreacion	datetime			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime			
	UsuarioUltModif	varchar(20)			

**Indexes:**

**PK\_TipoCatalogo** (*Primary Key*) (*Clustered*)

IdTipoCatalogo

**Table tms.TipoEntregas** (5 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_TipoEntrega	int	X		
	Descripcion	varchar(50)		X	
	TipoCatalogo	varchar(50)		X	
	Id_TipoAlmacen	int		X	
	Id_CategoriaArt	varchar(18)		X	
	Peso_min	decimal(12,4)		X	
	Peso_max	decimal(12,4)		X	
	Usuario	varchar(25)		X	
	Fec_Creacion	smalldatetime		X	
	Fec_Movto	smalldatetime		X	
	BitActivo	bit		X	

**Table tms.TipoEntregasCatalogo** (7 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_TipoEntrega	int			
<b>PK</b>	TipoCatalogo	varchar(30)			
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2			
	UsuarioUltModif	varchar(20)			
	BitActivo	bit		X	

**Indexes:**

**PK\_TipoEntregasCatalogo** (*Primary Key*) (*Clustered*)

Id\_TipoEntrega  
TipoCatalogo

**Table tms.TipoEntregasCategoria** (5 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_TipoEntrega	int			

<b>PK</b>	Id_CategoriaArt	varchar(18)			
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2			
	UsuarioUltModif	varchar(20)			
	BitActivo	bit		X	

#### Indexes:

**PK\_TipoEntregasCategoria** (Primary Key) (Clustered)

Id\_TipoEntrega  
Id\_CategoriaArt

#### Table tms.TipoEnvio (7 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTipoEnvio	int			
	Desc_TipoEnvio	nvarchar(50)		X	
	BitActivo	bit		X	
	CreateDate	datetime		X	
	Created_User	nvarchar(15)		X	
	FecMovto	datetime		X	
	Modified_User	nvarchar(15)		X	
	Clase	int		X	
	PesoMinimo	decimal(10,2)		X	
	PesoMaximo	decimal(10,2)		X	

#### Indexes:

**PK\_TipoEnvio** (Primary Key) (Clustered)

IdTipoEnvio

**IDX\_TipoEnvio**

Clase  
IdTipoEnvio

#### Table tms.TipoEnvioRelacion (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdRel	int	X		
	Cve_Rel	nvarchar(3)			
	IdTipoEnvio	bigint			
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			

#### Indexes:

**PK\_TipoEnvioRelacion** (Primary Key) (Clustered)

IdRel

**IDX\_TipoEnvioRelacion**

Cve\_Rel  
IdTipoEnvio

#### Table tms.TipoEnvioTienda (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTipoEnvio	int			
	Desc_TipoEnvio	nvarchar(50)		X	
	BitActivo	bit		X	
	CreateDate	datetime		X	
	Created_User	nvarchar(15)		X	
	FecMovto	datetime		X	
	Modified_User	nvarchar(15)		X	
	Clase	int		X	

#### Indexes:

**PK\_TipoEnvioTienda** (Primary Key) (Clustered)

IdTipoEnvio

#### **Table tms.TipoLogistica** (6 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTipoLogistica	int	X		
	TipoLogistica	varchar(60)			
	MinPesoVolumetrico	decimal(8,2)			
	MaxPesoVolumetrico	decimal(8,2)			
	MaxCosto	decimal(10,2)			
	TipoArticulo	varchar(30)		X	
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2			
	UsuarioUltModif	varchar(20)			
	BitActivo	bit		X	

#### Indexes:

**PK\_TipoLogistica** (Primary Key) (Clustered)

IdTipoLogistica

#### Referenced by:

**tms.EntidadSurtidoraTipoLogistica** (IdTipoLogistica)

#### **Table tms.TipoLogisticaCatalogo** (6 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTipoLogistica	int			
<b>PK</b>	TipoCatalogo	varchar(30)			
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2			
	UsuarioUltModif	varchar(20)			
	BitActivo	bit		X	

#### Indexes:

**PK\_TipoLogisticaCatalogo** (Primary Key) (Clustered)

IdTipoLogistica

**Table tms.TipoServicio** (2 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTipoServicio	int			
	Desc_TipoServicio	nvarchar(50)		X	
	BitActivo	bit		X	
	CreateDate	datetime		X	
	Created_User	nvarchar(15)		X	
	FecMovto	datetime		X	
	Modified_User	nvarchar(15)		X	

**Indexes:**

**PK\_TipoServicio** (Primary Key) (Clustered)

IdTipoServicio

**Table tms.TipoVehiculo** (4 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	Id_TipoVehiculo	int	X		
	Descipcion	varchar(50)		X	
	Estatus	bit		X	
	Fec_Movto	smalldatetime		X	
	Modified_User	nvarchar(25)		X	
	Comentarios	varchar(100)		X	

**Indexes:**

**PK\_TipoVehiculo** (Primary Key) (Clustered)

Id\_TipoVehiculo

**Table tms.Transportista** (8 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTransportista	bigint			
	Nombre	varchar(60)		X	
	TarifaFija	bit			
	CostoTarifaFija	decimal(10,2)			
	Prioridad	int			
	NivelServicio	decimal(6,2)			
	FactorPaqueteria	decimal(6,2)		X	
	LimitePaqueteria	decimal(6,2)		X	
	PorcAdicPaquete	decimal(6,2)			
	DiasVigenciaGuias	int		X	
	UsuarioCreacion	varchar(20)		X	
	FechaUltModif	smalldatetime		X	
	UsuarioUltModif	varchar(20)		X	
	BitActivo	bit		X	
	IdTipoLogistica	int		X	
	FechaCreacion	smalldatetime		X	

**Indexes:**

**PK\_Transportista** (Primary Key) (Clustered)

IdTransportista

**Referenced by:**

**tms.AlmacenTransportista** (IdTransportista)

**tms.TransportistaCodigoPostal** (IdTransportista)

**Table tms.TransportistaCodigoPostal** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK, FK</b>	IdTransportista	bigint			
<b>PK</b>	EstadoCodigo	nvarchar(6)			
<b>PK</b>	CiudadCodigo	nvarchar(6)			
<b>PK</b>	MunicipioCodigo	nvarchar(6)			
<b>PK</b>	ColoniaCodigo	nvarchar(6)			
<b>PK</b>	CodigoPostal	nvarchar(6)			
	Paqueteria	bit			
	BigTicket	bit			
	ServicioEstandar	bit			
	ServicioExpress	bit			
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2			
	UsuarioUltModif	varchar(20)			

**Indexes:**

**PK\_TransportistaCodigoPostal\_1** (Primary Key) (Clustered)

IdTransportista  
EstadoCodigo  
CiudadCodigo  
MunicipioCodigo  
ColoniaCodigo  
CodigoPostal

**References:**

**tms.Transportista** (IdTransportista)

**Table tms.TransportistaPlazas** (208,645 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTransportista	bigint			
	IdPlaza	bigint			
	Desc_Plaza	varchar(60)		X	
<b>PK</b>	PostalCode	nvarchar(6)			
<b>PK</b>	IdTipoEnvio	bigint			
	bitDeleted	bit		X	
	DeletedDate	smalldatetime		X	
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			
<b>PK</b>	cve_Plaza	nvarchar(3)			

**Indexes:**

**PK\_TransportistaPlazas** (Primary Key) (Clustered)

IdTransportista  
PostalCode  
IdTipoEnvio  
cve\_Plaza

**nci\_wi\_TransportistaPlazas\_E14BB92FA3FA1C58175A663C01717B5B**

cve\_Plaza  
IdTransportista  
bitDeleted

**Table tms.TransportistaPlazasDeleted** (356,809 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdConsecutivo	bigint	X		
	IdTransportista	bigint			
	IdPlaza	bigint			
	Desc_Plaza	varchar(60)		X	
	PostalCode	nvarchar(6)			
	IdTipoEnvio	bigint			
	bitDeleted	bit		X	
	DeletedDate	smalldatetime		X	
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			
	cve_Plaza	nvarchar(3)			

**Indexes:**

**PK\_TransportistaPlazasDeleted** (Primary Key) (Clustered)

IdConsecutivo

**IDX\_TransportistaPlazasDeleted**

IdTransportista  
PostalCode  
IdTipoEnvio

**Table tms.TransportistaPlazasDestinos** (840 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTransportista	bigint			
<b>PK</b>	Cve_Plaza	nvarchar(3)			
	EsOrigen	bit			
	EsDestino	bit			
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			

**Indexes:**

**PK\_TransportistaPlazasDestinos** (Primary Key) (Clustered)

IdTransportista  
Cve\_Plaza

**Table tms.TransportistaRangosFijos** (28 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTransportista	bigint			
<b>PK</b>	IdZona	bigint			



<b>PK</b>	PesoInicio	decimal(14,3)			
<b>PK</b>	PesoFin	decimal(14,3)			
	CostoFijo	money			
<b>PK</b>	bitDeleted	bit			
	DeletedDate	smalldatetime		X	
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			
	TiempoEnvio	int		X	

#### Indexes:

##### **PK\_TransportistaRangosFijos** (Primary Key) (Clustered)

IdTransportista  
IdZona  
PesoInicio  
PesoFin  
bitDeleted

#### **Table tms.TransportistaRangosFijosDeleted** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdConsecutivo	bigint	X		
	IdTransportista	bigint			
	IdZona	bigint			
	PesoInicio	decimal(14,3)			
	PesoFin	decimal(14,3)			
	CostoFijo	money			
	bitDeleted	bit			
	DeletedDate	smalldatetime		X	
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			

#### Indexes:

##### **PK\_TransportistaRangosFijosDeleted** (Primary Key) (Clustered)

IdConsecutivo

#### **Table tms.TransportistaRangosPesos** (273 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTransportista	bigint			
<b>PK</b>	PesoInicio	decimal(14,3)			
<b>PK</b>	PesoFin	decimal(14,3)			
	PorcentajeInicialCliente	decimal(5,2)			
<b>PK</b>	bitDeleted	bit			
	DeletedDate	smalldatetime		X	
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			

#### Indexes:

##### **PK\_TransportistaRangosPesos** (Primary Key) (Clustered)

IdTransportista  
PesoInicio  
PesoFin  
bitDeleted

**Table tms.TransportistaRangosPesosDeleted** (21 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdConsecutivo	bigint	X		
	IdTransportista	bigint			
	PesoInicio	decimal(14,3)			
	PesoFin	decimal(14,3)			
	PorcentajeInicialCliente	decimal(5,2)			
	bitDeleted	bit			
	DeletedDate	smalldatetime		X	
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			

**Indexes:****PK\_TransportistaRangosPesosDeleted** (Primary Key) (Clustered)

IdConsecutivo

**IDX\_TransportistaRangosPesosDeleted**IdTransportista  
PesoInicio  
PesoFin**Table tms.TransportistaTipoLogistica** (8 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTransportista	bigint			
<b>PK</b>	IdTipoLogistica	int			
	FechaCreacion	datetime		X	
	UsuarioCreacion	nvarchar(50)		X	
	FechaUltModif	datetime		X	
	UsuarioUltModif	nvarchar(50)		X	

**Indexes:****PK\_TransportistaTipoLogistica** (Primary Key) (Clustered)IdTransportista  
IdTipoLogistica**Table tms.TransportistaZonaCostos** (231 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdZona	bigint			
	CargoGasolina	money			
	PrecioExtraPeso	money			
	PrecioInicial	money			
	Otros	money			
<b>PK</b>	IdTransportista	bigint			
<b>PK</b>	IdTipoenvio	bigint			
<b>PK</b>	IdTipoServicio	bigint			
	diasEntrega	int			
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			

**Indexes:****PK\_TransportistaZonaCostos** (Primary Key) (Clustered)

IdZona  
IdTransportista  
IdTipoenvio  
IdTipoServicio

**IDX\_TransportistaZonaCostos**

IdTransportista  
IdTipoenvio  
IdTipoServicio

**Table tms.TransportistaZonaPlazas** (175,068 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdTransportista	bigint			
<b>PK</b>	Cve_PlazaOrigen	nvarchar(3)			
<b>PK</b>	Cve_PlazaDestino	nvarchar(3)			
<b>PK</b>	IdZona	bigint			
	CreatedId	nvarchar(20)			
	CreatedDate	smalldatetime			

**Indexes:****PK\_TransportistaZonaPlazas** (Primary Key) (Clustered)

IdTransportista  
Cve\_PlazaOrigen  
Cve\_PlazaDestino  
IdZona

**Table tms.Unidad** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdUnidad	varchar(20)			
<b>PK, FK</b>	IdEntidadSurtidora	bigint			
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2			
	UsuarioUltModif	varchar(20)			

**Indexes:****PK\_Unidad** (Primary Key) (Clustered)

IdUnidad  
IdEntidadSurtidora

**References:**

**tms.EntidadSurtidora** (IdEntidadSurtidora)

**Table tms.usuarios** (13 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	idUsuario	int			
	nombre	nvarchar(250)		X	
	activo	bit		X	

fechaCreacion	datetime		X	
autor	nvarchar(10)		X	
modificadoPor	nvarchar(10)		X	
fechaModificacion	datetime		X	
usuario	nvarchar(50)		X	
rol	varchar(50)		X	
IdOwner	int		X	
IdTienda	bigint		X	

#### Indexes:

**PK\_usuarios** (Primary Key) (Clustered)

idUsuario

#### **Table tms.Vehiculo** (0 rows)

	Column	Data Type	Identity	Nullable	Default
	Id_Vehiculo	int	X		
	Descripcion	varchar(150)		X	
	Placas	varchar(15)		X	
	Motor	varchar(30)		X	
	Estatus	bit		X	
	Fec_Movto	smalldatetime		X	
	created_user	varchar(15)		X	
	modified_user	varchar(15)		X	
	Id_TipoVehiculo	int		X	
	Marca	varchar(40)		X	
	Anio	nvarchar(4)		X	
	IdOwner	int		X	
	IdTienda	bigint		X	

#### **Table tms.Zona** (0 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdZona	int			
	Descripcion	varchar(60)			
	Latitud	decimal(10,6)			
	Longitud	decimal(10,6)			
	FechaCreacion	datetime2			
	UsuarioCreacion	varchar(20)			
	FechaUltModif	datetime2			
	UsuarioUltModif	varchar(20)			

#### Indexes:

**PK\_Zona** (Primary Key) (Clustered)

IdZona

#### **Table tms.Zonas** (7 rows)

	Column	Data Type	Identity	Nullable	Default
<b>PK</b>	IdZona	int			
	Desc_Zona	nvarchar(50)		X	
	BitActivo	bit		X	
	CreateDate	datetime		X	

	Created_User	nvarchar(15)		X	
	FecMovto	datetime		X	
	Modified_User	nvarchar(15)		X	

**Indexes:**

**PK\_Zonas** (*Primary Key*) (*Clustered*)

IdZona