

AS 08-2023: THE APPOINTMENT OF SERVICE PROVIDERS FOR THE SUPPLY, DELIVERY AND OFF-LOADING OF ELECTRICAL ITEMS (ACCESSORIES) ON AN AS AND WHEN REQUIRED BASIS FROM DATE

ANNEXURE N

Bld 58			
ITEM NO	DESCRIPTION	UNIT OF MEASURE	OFFERED AND OWN RATES (EXCL.VAT)
1.	BATTERIES		
1.1	BATTERIES 1.5 V MED SIZE "C" PANASONIC OR EQUIVALENT	EACH	R 55.19
1.2	BATTERIES 1.5V PENLIGHT "DURACELL PLUS" AA OR EQUIVALENT	EACH	R 55.19
1.3	BATTERIES PP9 9 VOLT DURACELL OR EQUIVALENT	EACH	R 93.22
1.4	BATTERIES SIZE AAA;1.5 VOLT; DURACELL OR EQUIVALENT	EACH	R 76.88
1.5	BATTERIES; NON-RECHARGEABLE; LEAKPROOF; HIGH PERFORMANCE; 1.5 VOLT; SIZE AA DURACELL OR EQUIVALENT	EACH	R 51.84
1.6	BATTERIES; NON-RECHARGEABLE FOR USE WITH SIZE D TORCHES; 1.5 VOLT; HEAVY DUTY DURACELL OR EQUIVALENT	EACH	R 58.84
1.7	BATTERIS MEDIUM SIZE LR14-MN1400 DURACELL OR EQUIVALENT	EACH	R 54.91
1.8	DURACELL BATTERIES NON-RECHARGEABLE LEAKPROOF HIGH PERFORMANCE 1.5 VOLT SIZE C R14CC OR EQUIVALENT	EACH	R 69.45
1.9	DURACELL PROCELL 9V MN 1604 6LR61 BATTERIES OR EQUIVALENT	EACH	R 77.00
1.10	PENLIGHT BATTERIES RECHARGEABLE SIZE AA OR EQUIVALENT	EACH	R 103.95

2	WOODEN STAY GUARDS			
2.1	WOODEN STAY GUARDS (OR PLASTIC) OR EQUIVALENT	EACH	R	900.00
3	WIRES			
3.1	"FLEX 3 CORE 1.5mm PVC "CABTYRE" 100m PER COIL OR EQUIVALENT	EACH	R	2 705.51
3.2	WIRE - PVC 16MM - BLACK (SUPPLY PER 100M ROLL) OR EQUIVALENT	ROLL	R	5 775.00
3.3	WIRE 2.5 MM WHITE P V C SINGLE CORE OR EQUIVALENT	EACH	R	2 581.47
3.4	WIRE BLACK 16 MM PVC SINGLE CORE_ (SUPPLY PER 100M (ROLL) OR EQUIVALENT	EACH	R	5 261.05
3.5	WIRE BLUE PVC 2.5MM (SINGLE CORE SABS) OR EQUIVALENT	EACH	R	2 775.33
3.6	WIRE CABTYRE 3-CORE 0.75MM BLACK OR EQUIVALENT	EACH	R	1 481.50
3.7	WIRE CAPTYRE 2.5MM X 3 CORE PVC BLACK OR EQUIVALENT	EACH	R	2 422.90
3.8	WIRE EARTH 2.5 MM X 100M ROLLS (COPPER) OR EQUIVALENT	EACH	R	2 632.73
3.9	WIRE EARTH 35MM STRANDED BARE COPPER (MULTI CORE) OR EQUIVALENT	METRE	R	3 037.75
3.10	WIRE GP 2.5mm BLACK 100m PER ROLL OR EQUIVALENT	METRE	R	939.45

3.11	WIRE GP 2.5mm BLUE 100m PER ROLL OR EQUIVALENT	METRE	R	2 202.08
3.12	WIRE GP 2.5mm GREEN & YELLOW 100m PER ROLL OR EQUIVALENT	METRE	R	955.57
3.13	WIRE GP 2.5mm GREY 100m PER ROLL OR EQUIVALENT	METRE	R	871.70
3.14	WIRE GP 2.5mm RED 100m PER ROLL OR EQUIVALENT	METRE	R	903.73
3.15	WIRE GP 2.5mm WHITE 100m PER ROLL OR EQUIVALENT	METRE	R	1 000.44
3.16	WIRE GP 4mm BLACK 100m PER ROLL OR EQUIVALENT	METRE	R	2 098.98
3.17	WIRE GP 4mm BLUE 100m PER ROLL OR EQUIVALENT	METRE	R	1 648.46
3.18	WIRE GP 4mm GREEN & YELLOW 100m PER ROLL OR EQUIVALENT	METRE	R	2 072.97
3.19	WIRE GP 4mm RED 100m PER ROLL OR EQUIVALENT	METRE	R	1 831.76
3.20	WIRE GP 4mm WHITE 100m PER ROLL OR EQUIVALENT	METRE	R	1 602.30
3.21	WIRE PVC 6 MM (COPPER) BLACK AND RED OR EQUIVALENT	COIL	R	3 580.38
3.22	WIRE PVC 1.5 MM (COPPER)20 BLACK / 20 RED OR EQUIVALENT	EACH	R	871.03
3.23	WIRE PVC 1.5MM BLACK (SUPPLY PER 100M ROLL) OR EQUIVALENT	ROLL	R	989.25
3.24	WIRE PVC 1.5MM RED (SUPPLY PER 100M ROLL) OR EQUIVALENT.	ROLL	R	1 107.14
3.25	WIRE PVC 16 MM (COPPER) BLACK OR EQUIVALENT.	EACH	R	3 874.00
3.26	WIRE PVC 16MM BLUE OR EQUIVALENT	EACH	R	6 707.09
3.27	WIRE PVC 16MM WHITE OR EQUIVALENT	EACH	R	6 615.81
3.28	WIRE PVC 2.5MM BLACK (SOPPLY PER 100M ROLL) OR EQUIVALENT.	ROLL	R	1 593.23
3.29	WIRE PVC 2.5MM RED (SUPPLY PER 100M ROLL) OR EQUIVALENT.	ROLL	R	1 472.31
3.30	WIRE PVC 8MM GREEN AND YELLOW OR EQUIVALENT	EACH	R	3 341.40

3.31	WIRE PVC COVERED - 16 MM X 100 M COILS - RED SEE NEW UNIT MEASUREMENT OR EQUIVALENT	METRE	R	4 077,51
3.32	WIRE PVC COVERED - 16 MM X 100 M COILS - BLUE OR EQUIVALENT	METRE	R	6 073,11
3.33	WIRE PVC COVERED - 16 MM X 100 M COILS - YELLOW OR EQUIVALENT	METRE	R	3 991,29
3.34	WIRE PVC COVERED - 1.5 MM X 100 M COILS - RED OR EQUIVALENT	METRE	R	3 406,44
3.35	WIRE PVC COVERED - 10 MM X 100 M COILS - A.W.P. HARD DRAWN - RED OR EQUIVALENT	METRE	R	2 659,64
3.36	WIRE PVC COVERED - 2.5 MM X 100 M COILS - RED OR EQUIVALENT	METRE	R	1 020,01
3.37	WIRE PVC COVERED - 4 MM X 100 M COILS - RED OR EQUIVALENT	METRE	R	1 875,43
3.38	WIRE PVC COVERED - 6 MM X 100 M COILS - BLACK OR EQUIVALENT	METRE	R	2 325,94
3.39	WIRE PVC COVERED - 6 MM X 100 M COILS - RED OR EQUIVALENT	METRE	R	2 268,87
3.40	WIRE PVC COVERED 16MM*100M BLACK COIL OR EQUIVALENT	EACH	R	3 663,97
3.41	WIRE PVC COVERED 16MM*100M BLUE COIL OR EQUIVALENT	EACH	R	6 412,92
3.42	WIRE PVC COVERED 16MM*100M RED COIL OR EQUIVALENT	EACH	R	6 398,36
3.43	WIRE PVC COVERED 16MM*100MM WHITE COILS OR EQUIVALENT	EACH	R	6 108,75
3.44	WIRE PVC COVERED 2.5MM*100MM BLUE COIL OR EQUIVALENT	EACH	R	1 068,19
3.45	WIRE PVC COVERED 4MM*100M RED COIL OR EQUIVALENT	EACH	R	1 921,02
3.46	WIRE PVC COVERED 6MM*100MM BLACK COIL OR EQUIVALENT.	EACH	R	2 953,14
3.47	WIRE PVC COVERED 6MM*100MM RED COIL OR EQUIVALENT	EACH	R	1 686,92
3.48	WIRE PVC COVERED 4MM*100MM BLACK COIL OR EQUIVALENT	EACH	R	2 275,82
3.49	WIRE RED 16MM PVC SINGLE CORE_ (SUPPLY PER 100M ROLL) OR EQUIVALENT	EACH	R	6 292,02
3.50	WIRE YELLOW AND GREEN 2.5MM SINGLE CORE STRANDED COPPER CONDUCTOR PVC INSULATED OR EQUIVALENT.	ROLL	R	1 452,66
3.51	WIRE-PVC 16MM - RED (SUPPLY PER 100M ROLL) OR EQUIVALENT.	EACH	R	6 741,29
3.52	POLY-PHASE-4WIRE, ELECTRONIC TYPE MULTI-FUNCTION DEMAND METERS; RATED AT SA(SA) 100/240VAC/DC METER MUST BE MICROPROCESSOR BASED FOR 4-QUADRANT OPERATION WITH A LIQUID CRYSTAL DISPLAY/METER SHALL BE PROGRAMMABLE FOR ALL EKURHULENI METROPOLITAN MUNICIPALITY TARIFFS, INCLUDING ESKOM BASED TIME-OFF-USE TARIFFS; AND ACCOMMODATE AN INTERNAL OR EXTERNAL CELLULAR MODEM.TWO AUXILIARY INPUTS ARE REQUIRED OR EQUIVALENT	EACH	R	5 253,70
3.53	PVC POWER TAPE 20 MM RED; YELLOW; BLUE; BLACK OR EQUIVALENT	EACH	R	222,68
3.54	WIRE INSULATED COPPER 6MM 600/1000 V 100M ROLL RED AND BLACK OR EQUIVALENT	ROLL	R	2 100,06
3.55	WIRE PANEL 2.5MM SINGLE FLEX GREEN; WHITE; RED; BLACK; BLUE OR EQUIVALENT	ROLL	R	1 455,89
3.56	WIRE PVC - CABTYRE FLEX - 1 MM X 3 CORE - 100 M COILS OR EQUIVALENT	METRE	R	1 366,46
3.57	WIRE PVC 1.5 MM RED & BLACK OR EQUIVALENT	EACH	R	1 188,16
3.58	WIRE PVC 16MM BLACK OR EQUIVALENT	EACH	R	5 374,57
3.59	WIRE PVC 4MM RED & BLACK OR EQUIVALENT	EACH	R	2 067,22

4	BALLASTS			
4.1	BALLAST - 250W (PARMAR GOLD SEAL CHOKE) CAT.NO.HS25 O H OR EQUIVALENT	EACH	R	420,73
4.2	BALLAST FOR USE WITH 125WATT; MERCURY VAPOUR; 200_230V IN 10V STEPS; WITH 160MM FIXING CENTRES; TO SABS 1266/1979 AS AMENDED (PARRY M25 XB) OR EQUIVALENT	EACH	R	297,46
4.3	BALLAST FOR USE WITH 195W SOX LAMPS; 200-250V IN 10V STEPS; MAX 115MM HIGH; 110MM WIDE AND 308MM LONG WITH 150MM FIXING CENTRES TO SABS 1266/1979; OR EQUIVALENT	EACH	R	250,00
4.4	BALLAST HPS 100W OR EQUIVALENT	EACH	R	300,00
4.5	BALLAST NK250T (HELVAR)230V 250W OR EQUIVALENT	EACH	R	350,00
4.6	BALLAST TRIDONIC OMBIS 70W 230V 50HZ OR EQUIVALENT	EACH	R	297,52
4.7	BALLAST; 150-WATT HIGH PRESSURE SODIUM (MAGNETIC REGULATOR TYPE) PLUS MINUS 10% LINE VOLTAGE AND PLUS MINUS 60% LINE DP; SAGE LU150.220/55V OR EQUIVALENT.	EACH	R	469,12
4.8	BALLAST; FOR 2 X 75W FLUORESCENT TUBE; 2.4M (QUIET AND TO SABS 890/1977) 220V HPF (0.9); INSTANT START; 350MM FIXING CENTRES; 50MM HIGH AND 80MM CJM OR EQUIVALENT	EACH	R	258,95
4.9	BALLAST; FOR 400 WATT; 100V; HPS LAMP; 200 TO 230V IN 10V STEPS; 115MM HIGH X 110MM WIDE X 160MM FIXING CENTRES; TO SABS 1266/1979 (PARRY HS 400 B) OR EQUIVALENT.	EACH	R	670,00
4.10	BALLAST; FOR 70 WATT; 30V HPS LAMPS; 200_230V; (PARRY HS 70 B). OR EQUIVALENT	EACH	R	328,97
4.11	BALLASTS FOR 400 WHP SODIUM LP OR EQUIVALENT	EACH	R	789,49
4.12	BALLASTS FOR USE WITH 1000W; HPS LAMPS; AUTO REGULATOR; 220V LAMP ARC VOLTAGE; 220V +- 10%; AND TO SUSTAIN 50% LINE DP FOR 4 SEC; (LUCALOX LU OR EQUIVALENT	EACH	R	847,00
4.13	BALLASTS FOR USE WITH 250WATT; MERCURY VAPOUR LAMPS; 200 TO 230V IN 10V STEPS WITH 160MM FIXING CENTRES; TO SABS 1266/1979 AS AMENDED (PARRY M250 XB) OR EQUIVALENT.	EACH	R	412,83
4.14	BALLASTS FOR USE WITH 400 WATT; MERCURY VAPOUR LAMPS; 200-230V IN 10V STEPS WITH 160MM FIXING CENTRES TO SABS 1266/1979 AS AMENDED (PARRY M OR EQUIVALENT	EACH	R	807,83
4.15	BALLASTS; FOR USE WITH 250W; 100V; HPS VAPOUR LAMPS OR EQUIVALENT; BEARING SABS 1266 MARK (SIMILAR TO PARRY HS 250B WITH 200V; 210V; 220V AND 230V TAPPINGS) OR EQUIVALENT	EACH	R	417,91
4.16	BALLST 70-WATT SODIUM HIGH PRESSURE CAT NO HS70 X B 200/230 OR EQUIVALENT	EACH	R	352,42
4.17	BALLAST; FOR 400 WATT; 100V HPS LAMP; OPEN WOUND TRANSFORMER (GE LU 400) OR EQUIVALENT	EACH	R	990,00
4.18	BALLASTS HPS 150W OR EQUIVALENT	EACH	R	450,00
5	BOWL			
5.1	"BOWL FITTING 8" COMPLETE OR EQUIVALENT	EACH	R	150,00
5.2	"BOWL GLASS 8" OR EQUIVALENT	EACH	R	150,00
5.3	BOWLS 125W MERCURY(GEC) OR EQUIVALENT	EACH	R	220,00
5.4	BOWLS LEXAN TYPE 109 OR EQUIVALENT	EACH	R	250,00

6	DRILL BITS			
6.1	DRILL BIT MASONARY MITCO 10MM OR EQUIVALENT	EACH	R	55.29
6.2	DRILL BIT MASONARY MITCO 12MM OR EQUIVALENT	EACH	R	62.88
6.3	DRILL BIT MASONARY MITCO 6MM OR EQUIVALENT	EACH	R	36.45
6.4	DRILL BIT MASONARY MITCO 8MM OR EQUIVALENT	EACH	R	42.69
6.5	DRILL BIT STEEL MITCO 10.5MM OR EQUIVALENT	EACH	R	66.10
6.6	DRILL BIT STEEL MITCO 10MM OR EQUIVALENT	EACH	R	81.58
6.7	DRILL BIT STEEL MITCO 11.5MM OR EQUIVALENT	EACH	R	74.16
6.8	DRILL BIT STEEL MITCO 11MM OR EQUIVALENT	EACH	R	71.03
6.9	DRILL BIT STEEL MITCO 12MM OR EQUIVALENT	EACH	R	91.78
6.10	DRILL BIT STEEL MITCO 2.5MM OR EQUIVALENT	EACH	R	26.21
6.11	DRILL BIT STEEL MITCO 2MM OR EQUIVALENT	EACH	R	25.81
6.12	DRILL BIT STEEL MITCO 3.5MM OR EQUIVALENT	EACH	R	44.37
6.13	DRILL BIT STEEL MITCO 3MM OR EQUIVALENT	EACH	R	51.38
6.14	DRILL BIT STEEL MITCO 4.5MM OR EQUIVALENT	EACH	R	38.59
6.15	DRILL BIT STEEL MITCO 4MM OR EQUIVALENT	EACH	R	39.18
6.16	DRILL BIT STEEL MITCO 5.5MM OR EQUIVALENT	EACH	R	46.23
6.17	DRILL BIT STEEL MITCO 5MM OR EQUIVALENT	EACH	R	55.06
6.18	DRILL BIT STEEL MITCO 6.5MM OR EQUIVALENT	EACH	R	56.57
6.19	DRILL BIT STEEL MITCO 6MM OR EQUIVALENT	EACH	R	58.91
6.20	DRILL BIT STEEL MITCO 7.5MM OR EQUIVALENT	EACH	R	55.90
6.21	DRILL BIT STEEL MITCO 7MM OR EQUIVALENT	EACH	R	52.22
6.22	DRILL BIT STEEL MITCO 8.5MM OR EQUIVALENT	EACH	R	67.18
6.23	DRILL BIT STEEL MITCO 8MM OR EQUIVALENT	EACH	R	80.68
6.24	DRILL BIT STEEL MITCO 9.5MM OR EQUIVALENT	EACH	R	72.33
6.25	DRILL BIT STEEL MITCO 9MM OR EQUIVALENT	EACH	R	66.68
6.26	DRILLS PILOT FOR HOLE SAW OR EQUIVALENT	EACH	R	99.73

7	FERRULES			
7.1	FERRULES 2.5MM OR EQUIVALENT	EACH	R	100,37
7.2	FERRULES 95MM ALUMINIUM TO 70MM COPPER XGX 95B70 OR EQUIVALENT	EACH	R	112,42
7.3	FERRULES ALUM 120MM OR EQUIVALENT	EACH	R	80,00
7.4	FERRULES ALUM 150MM OR EQUIVALENT	EACH	R	128,89
7.5	FERRULES ALUM 185MM OR EQUIVALENT	EACH	R	122,58
7.6	FERRULES ALUM 70MM OR EQUIVALENT	EACH	R	33,88
7.7	FERRULES ALUMINIUM 240MM FOR 4 CORE - STONE STAMCO R OR EQUIVALENT	EACH	R	51,12
7.8	FERRULES ALUMINIUM 50MM OR EQUIVALENT	EACH	R	105,70
7.9	FERRULES ALUMINIUM 95 MM X G8-95 OR EQUIVALENT	EACH	R	54,19
7.10	FERRULES ALUMINIUM TO COPPER 50 X 16 MM OR EQUIVALENT	EACH	R	93,35
7.11	FERRULES ALUMINIUM TO COPPER 95 X 50 XGX OR EQUIVALENT	EACH	R	71,36
7.12	FERRULES COPPER 10MM, MUST BE 25MM LONG OR EQUIVALENT.	EACH	R	16,47
7.13	FERRULES COPPER 120MM STONE STAMCOR OR EQUIVALENT	EACH	R	75,75
7.14	FERRULES COPPER 150-50MM REDUCING STONE STAMCOR OR EQUIVALENT	EACH	R	180,09
7.15	FERRULES COPPER 150MM OR EQUIVALENT	EACH	R	178,76
7.16	FERRULES COPPER 150MM XLPE OR EQUIVALENT	EACH	R	178,36
7.17	FERRULES COPPER 16MM, MUST BE 32MM LONG OR EQUIVALENT.	EACH	R	19,33
7.18	FERRULES COPPER 185-150MM PILC REDUCING XLPE STONESTAMCOR OR EQUIVALENT	EACH	R	219,49
7.19	FERRULES COPPER 185MM OR EQUIVALENT	EACH	R	145,46
7.20	FERRULES COPPER 185MM PILC OR EQUIVALENT	EACH	R	144,80
7.21	FERRULES COPPER 2.5MM STONE STAMCOR OR EQUIVALENT	EACH	R	37,34
7.22	FERRULES COPPER 300M XLPE STONESTAMCOR OR EQUIVALENT	EACH	R	324,33
7.23	FERRULES COPPER 50MM XLPE STONE STAMCOR OR EQUIVALENT	EACH	R	101,98
7.24	FERRULES COPPER 6MM STONE STAMCOR OR EQUIVALENT	EACH	R	38,66
7.25	FERRULES COPPER 70-50MM XLPE PILC REDUCING STONESTAMCOR OR EQUIVALENT	EACH	R	106,49
7.26	FERRULES COPPER 70MM PILC STONE STAMCOR OR EQUIVALENT	EACH	R	45,22
7.27	FERRULES COPPER 70MM XLPE OR EQUIVALENT	EACH	R	84,66
7.28	FERRULES METAL 150MM - 185MM ALLUMINIUM OR EQUIVALENT	EACH	R	103,95
7.29	FERRULES METAL 300MM - 500MM ALLUMINIUM OR EQUIVALENT	EACH	R	330,00
7.30	FERRULES METAL 50MM - 70MM ALLUMINIUM OR EQUIVALENT	EACH	R	148,38

7.31	FERRULES, CRIMPING 120 MM OR EQUIVALENT	EACH	R	24,79
7.32	FERRULES, CRIMPING 150 MM OR EQUIVALENT	EACH	R	70,31
7.33	"COPPER STRIP, 1" X 1/8" OR EQUIVALENT	EACH	R	213,00
7.34	CRIMPING FERRULES 2,5MM OR EQUIVALENT	EACH	R	42,18
7.35	CRIMPING FERRULES; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; 120MM2 OR EQUIVALENT	EACH	R	143,31
7.36	CRIMPING FERRULES; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 4 MM2 CONDUCTOR OR EQUIVALENT.	EACH	R	68,51
7.37	CRIMPING FERRULES; ELECTRO TINNED; HIGH CONDUCTIVITY COPPER; FOR 70 MM2 CONDUCTOR (SOLID CENTRE) OR EQUIVALENT.	EACH	R	117,04
7.38	CRIMPING FERRULES; ELECTRO TINNED HIGH CONDUCTIVITY COPPER FOR 95MM CONDUCTOR OR EQUIVALENT.	EACH	R	97,71
7.39	CRIMPING FERRULES; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 35MM CONDUCTOR; MUST BE 38MM LONG OR EQUIVALENT.	EACH	R	59,39
7.40	CRIMPING FERRULES; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 25MM CONDUCTOR; MUST BE 38MM LONG OR EQUIVALENT.	EACH	R	50,81
7.41	CRIMPING FERRULES; ELECTRO TINNER HIGH CONDUCTIVITY COPPER; FOR 185 MM2 CONDUCTOR OR EQUIVALENT	EACH	R	144,04
7.42	FERRULES ALUMINIUM XGB-25 18 PE XME35 OR EQUIVALENT	EACH	R	77,54
7.43	FERRULES BI-METAL REDUCING 4 X 185MM2 CU CABLE TO 4 X 185MM2 AL CABLE STONE STAMCOR OR EQUIVALENT.	EACH	R	189,01
7.44	FERRULES BI-METAL REDUCING 4 X 95MM2 CU CABLE TO 4 X 70MM2 AL CABLE STONE STAMCOR OR EQUIVALENT	EACH	R	144,83
7.45	FERRULES CABLES VARIOUS OR EQUIVALENT	EACH	R	72,04
7.46	FERRULES COPPER 10MM OR EQUIVALENT	EACH	R	16,47
7.47	FERRULES COPPER 2,5 MM OR EQUIVALENT	EACH	R	24,21
7.48	FERRULES COPPER 95MM OR EQUIVALENT	EACH	R	91,98
7.49	FERRULES COPPER XLPE 240MM OR EQUIVALENT	EACH	R	270,00
7.50	FERRULES CRIMP 10 MM CU OR EQUIVALENT	EACH	R	28,86

7.51	FERRULES CRIMP 50.0 MM CU OR EQUIVALENT	EACH	R	44.93
7.52	FERRULES CRIMPING - 10 MM OR EQUIVALENT	EACH	R	28.91
7.53	FERRULES CRIMPING - 6 MM OR EQUIVALENT	EACH	R	50.24
7.54	FERRULES CRIMPING - 1.5 MM OR EQUIVALENT	EACH	R	47.21
7.55	FERRULES CRIMPING - 150 MM OR EQUIVALENT	EACH	R	111.50
7.56	FERRULES CRIMPING - 50 MM OR EQUIVALENT	EACH	R	50.48
7.57	FERRULES CRIMPING 1.5MM OR EQUIVALENT	EACH	R	28.57
7.58	FERRULES CRIMPING 150MM OR EQUIVALENT	EACH	R	105.19
7.59	FERRULES CRIMPING 2MM OR EQUIVALENT	EACH	R	44.29
7.60	FERRULES CRIMPING 50MM OR EQUIVALENT	EACH	R	46.48
7.61	FERRULES CRIMPING 6 MM COPPER OR EQUIVALENT	EACH	R	47.98
7.62	FERRULES FOR ALUMINIUM CABLE 120MM OR EQUIVALENT	EACH	R	90.01
7.63	FERRULES ALUMINUM 70MM X G8-70 OR EQUIVALENT	EACH	R	67.00
7.64	FERRULES ALUMINIUM - COPPER 16 MM X GX 16A 16 OR EQUIVALENT	EACH	R	50.41
7.65	TORQUE SHEAR CONNECTOR 3 IN SET. COPPER 185MM - 30MM OR EQUIVALENT.	EACH	R	680.00
7.66	TORQUE SHEAR CONNECTORS 3 OF IN SET. COPPER 500mm - 630MM OR EQUIVALENT	EACH	R	670.00
7.67	TORQUE SHEAR FERRULES 120MM X 185MM OR EQUIVALENT	EACH	R	690.00
7.68	TORQUE SHEAR OFF FERRULES; 185MM TO 400MM. OR EQUIVALENT	EACH	R	720.00
7.69	TORQUE SHEAR OFF FERRULES; 25MM TO 95MM. OR EQUIVALENT	EACH	R	240.00
7.70	TORQUE SHEAR OFF FERRULES; 95MM TO 240MM. OR EQUIVALENT	EACH	R	525.22
8	FLUORESCENT FITTINGS			
8.1	FLUORESCENT FITTINGS; 1.22M X 2 TUBES; COMMERCIAL TYPE; INDIVIDUALLY 40W 55M RESONANT START BALLAST AND BEARING THE SABS 11191976 OR EQUIVALENT.	EACH	R	610.49
9	FLUORESCENT TUBES			
9.1	FLUORESCENT TUBES 2.4 METER SINGLE PIN OR EQUIVALENT	EACH	R	363.95
9.2	TUBES FLUORESCENT BI-PIN 30WATT 0.9M OSRAM OR EQUIVALENT	EACH	R	264.14
9.3	TUBES FLUORESCENT RAPID START 1.8M COOL WHITE PHILIPS (6 FT) OR EQUIVALENT	EACH	R	363.62
9.4	TUBES FLUORESCENT SUMLINE BI-PIN TLD39W 1.2METRE COOLWHITE SABS2 - 4FT OSRAM/GE. OR EQUIVALENT	EACH	R	364.30

10	BOLT AND NUTS			
10.1	BRASS SCREWS & NUTS M6 X 25 OR EQUIVALENT	EACH	R	83,71
10.2	BRASS SCREWS & NUTS M6 X 25 OR EQUIVALENT	PACKET	R	384,25
10.3	BRASS SCREWS NUTS M5 X 50 OR EQUIVALENT	PACKET	R	413,11
10.4	BRASS SCREWS NUTS M6 X 50 OR EQUIVALENT	EACH	R	113,23
10.5	BOLTS AND NUTS; M10 X 25MM; MS CADMIUM PLATED; TO SABS 135 AND BS 1706:DTD 904 C OR EQUIVALENT.	EACH	R	162,63
10.6	BOLTS AND NUTS; M10 X 30MM; MS CADMIUM PLATED; TO SABS 135 AND BS 1706:DTD 904C OR EQUIVALENT.	EACH	R	66,39
10.7	BOLTS AND NUTS; M10 X 40MM; MS HOT DIP GALVANISED; HEX HEAD; TO SABS 135 AND 763 OR EQUIVALENT	KG	R	120,00
10.8	BOLTS AND NUTS; M10 X 75 MM; MS HOT DIP GALVANISED; HEX HEAD; TO SABS 135 AND 763 OR EQUIVALENT	KG	R	1 050,53
10.9	BOLTS AND NUTS; M12 X 30MM; CADMIUM PLATED TO SABS 135 AND BS 1706:DTD 904C OR EQUIVALENT	EACH	R	187,30
10.10	BOLTS AND NUTS; M12 X 35MM; CADMIUM PLATED TO SABS 135 AND BS 1706:DTD 904C OR EQUIVALENT.	EACH	R	120,00
10.11	BOLTS AND NUTS; M12 X 40MM; MS HOT DIP GALVANISED; HEX HEAD; TO SABS 135 AND 763 (50 KG REQUIRED) OR EQUIVALENT	KG	R	172,56
10.12	BOLTS AND NUTS; M12 X 50MM; CADMIUM PLATED; TO SABS 135 AND BS 1706:DTD 904C OR EQUIVALENT.	EACH	R	433,06
10.13	BOLTS AND NUTS; M12 X 90MM; MS HOT DIP GALVANISED; HEX HEAD; TO SABS 135 AND 763 OR EQUIVALENT	KG	R	138,88
10.14	BOLTS AND NUTS GALVANISED 10 X 30 HT 100 PER PACKET OR EQUIVALENT	PACKET	R	371,65
11	INSULATORS			
11.1	"SHACKLE INSULATOR; TYPE "M" C/W STRAPS AND BOLT SIZE S.2; WITH TWO M16 X 140MM BOLTS AND NUTS AND 250 X 50 X 5 MM STRAPS) OR EQUIVALENT	EACH	R	188,89
11.2	"SHACKLE INSULATOR; TYPE "N" C/W STRAPS AND BOLT SIZE S.1 AND TWO M16 X 140MM BOLTS AND NUTS AND 200 X 38 X 3MM STRAPS OR EQUIVALENT	EACH	R	223,71
11.3	"SHACKLE INSULATOR; TYPE "P" C/W STRAPS AND BOLT SIZE S.O.5; WITH ONE M12 X 140MM BOLT AND ONE M12 X 25MM BOLT; TWO NUTS AND 200 X 32 X 3 MM STRAPS OR EQUIVALENT	EACH	R	247,03
11.4	"SHACKLE INSULATOR; TYPE "R" C/W STRAPS AND BOLT SIZE S.O.3; WITH ONE M10 X 25MM; ONE M10 X 90MM BOLTS AND NUTS AND 150 X 25 X 15MM STRAPS OR EQUIVALENT	EACH	R	223,05
11.5	PIN INSULATOR; 380V; C/W PIN AND FELT WASHERS; TYPE P.1. SABS 161/1955 OR EQUIVALENT.	EACH	R	162,85

12	CABLE TIES		
12.1	150MM CABLE TIES BLACK 3.5MM CB2 OR EQUIVALENT	EACH	R 45.16
12.2	200MM CABLE TIES BLACK 4.8MM CB3 OR EQUIVALENT	EACH	R 94.87
12.3	300MM CABLE TIES BLACK 4.5MM WIDTH MCT 30N OR EQUIVALENT	EACH	R 135.50
12.4	CABLE TIES T18R OR EQUIVALENT	EACH	R 26.75
12.5	CABLE TIES T30R OR EQUIVALENT	EACH	R 46.73
12.6	CABLE TIES T50L OR EQUIVALENT	EACH	R 72.20
12.7	CABLE TIES T50R OR EQUIVALENT	EACH	R 58.05
12.8	CLIPS CABLE 5 MM OR EQUIVALENT	EACH	R 31.06
12.9	TIES CABLE T30R 140MM P C T C X 100 OR EQUIVALENT	EACH	R 73.26
12.10	TIES CABLE T120R 300MM P C T S X 100 OR EQUIVALENT	EACH	R 105.14
12.11	100MM CABLE TIES BLACK 2.5MM CB1 OR EQUIVALENT	EACH	R 49.82
13	DOUBLE BOLT		
13.1	DOUBLE BOLT 1/4" (TAP 35-95) OR EQUIVALENT	EACH	R 120.51
13.2	DOUBLE BOLT INSULATING PIERCING CONNECTORS; WATERTIGHT; FULLY INSULATED TO 6KV; FOR USE ON AERIAL BUNDLE CONDUCTOR; MAIN LINE 25MM-95MM AND TAP LINE 2MM-95MM; (PART NO. PC3WP2F, OR EQUIVALENT	EACH	R 80.43
14	HOLE SAW		
14.1	HOLE SAW NO.20 OR EQUIVALENT	EACH	R 153.85
14.2	HOLE SAW NO.25 OR EQUIVALENT	EACH	R 185.34
14.3	HOLE SAW NO.40 OR EQUIVALENT	EACH	R 202.25
14.4	HOLE SAW NO.64 OR EQUIVALENT	EACH	R 304.94
14.5	HOLE SAW NO.79 OR EQUIVALENT	EACH	R 399.01
15	IGNATORS		
15.1	IGNITOR TRIDONIC 45 ES/B 220240 HS/ISON 100-400W TC + 105 CELSIUS 30 IB MAX 4/6A OR EQUIVALENT	EACH	R 470.00
15.2	IGNITORS - SODIUM - H.P. - 400 WATT - CAT H.S. 400 B - TYPE MZN 400 OR EQUIVALENT	EACH	R 220.00
15.3	IGNITORS FOR 400W; 100V HPS LAMP AND PARMAR BALLAST; (BAG TURGI MZN 400 S) OR EQUIVALENT	EACH	R 240.00
15.4	IGNITOR 100-400W SODIUM/35-400W METAL HALIDE OR EQUIVALENT	EACH	R 280.00
15.5	STREETLIGHT IGNITORS OR EQUIVALENT	EACH	R 596.68
17	LAMP HOLDERS		
17.1	LAMP HOLDERS BRASS BATTEN BC WITH STANDARD BACK 65 MM DIA OR EQUIVALENT	EACH	R 104.28
17.2	LAMP HOLDERS PORCELAIN 100-WATT EDISON SCREW OR EQUIVALENT	EACH	R 92.21
17.3	LAMP HOLDERS PORCELAIN BAYONET CAP 100 WATT OR EQUIVALENT	EACH	R 108.55
17.4	LAMP HOLDERS PORCELAIN GOLIATH EDISON SCREW OR EQUIVALENT	EACH	R 126.22
17.5	LAMP HOLDERS; BRASS BC 20 MM E T WITH SHADE RING OR EQUIVALENT	EACH	R 54.31
17.6	LAMP HOLDERS; PORCELAIN; ES BATTEN WITH FKING CENTRES 47.63MM FOR TRAFFIC LIGHT OR EQUIVALENT	EACH	R 72.68
17.7	LAMPS - 50 WATT - HALOGEN - 10 VOLT - TYPE PHILLIPS PXK 22 S - REFERENCE 13523 OR EQUIVALENT	EACH	R 198.02
17.8	LAMP HOLDERS ES BATTEN BRASS OR EQUIVALENT	EACH	R 129.77

18	LAMPS			
18.1	LAMPS 100W HIGH PRESSURE SODIUM (SON PLUS) ELLIPTICAL- COATED WITH AN E40 BASE (ONLY OSRAM, PHILLIPS OR GE LAMPS) OR EQUIVALENT	EACH	R	364,72
18.2	LAMPS 250-WATT GES 220 VOLT SON/T HIGH PRESSURE "SODIUM " OSRAM" OR EQUIVALENT	EACH	R	388,12
18.3	LAMPS SODIUM 70W (SON E) OR EQUIVALENT	EACH	R	336,93
18.4	GLOBES 60-WATT B C CLEAR 230 V OSRAM OR GE. OR EQUIVALENT	EACH	R	159,95
18.5	GLOBES E S 60-WATT CLEAR 220/230 VOLT OR EQUIVALENT	EACH	R	153,70
18.6	GLOBES TORCH 6 VOLT FLANGE TYPE (CRYPTON) OR EQUIVALENT	EACH	R	182,53
18.7	"LAMPS DULUX L 36W LAMPS (2G11)"COOL WHITE" OR EQUIVALENT	EACH	R	194,63
18.8	LAMPS - 500 WATT - HALOGEN - TYPE J - CLEAR 117 MM - 240 / 250 VOLT OR EQUIVALENT	EACH	R	207,37
18.9	LAMPS - STREETLIGHT TYPE NH 110 FLX OR EQUIVALENT	EACH	R	745,55
18.10	LAMPS - STREETLIGHT TYPE NH 220 FLX OR EQUIVALENT	EACH	R	997,39
18.11	LAMPS - 2000 WATT - HPT - METAL HALIDE - 380 V - WITHOUT IGNITOR - PHILLIPS ART NO 9200 718 09202 OR EQUIVALENT	EACH	R	1 948,43
18.12	LAMPS 80W PAR 38 SPOT OR EQUIVALENT	EACH	R	330,79
18.13	LAMPS 100-WATT CONCENTRA R80 OR EQUIVALENT	EACH	R	309,25
18.14	LAMPS 100W BC 250 VOLT CLEAR OR EQUIVALENT	EACH	R	353,33
18.15	LAMPS 14-WATT BC ENERGY SAVER 75W. OR EQUIVALENT	EACH	R	168,28
18.16	LAMPS 14/15W OSRAM / PHILLIPS COOL WHITE E/S ENERG Y SAVER OR EQUIVALENT	EACH	R	176,38
18.17	LAMPS 150W PAR 38 FLOOD OR EQUIVALENT	EACH	R	307,64
18.18	LAMPS 20-WATT ES ENERGY SAVER (100W). OR EQUIVALENT	EACH	R	350,07
18.19	LAMPS 20W BC ENERGY SAVER 100W. OR EQUIVALENT	EACH	R	122,17
18.20	LAMPS 220V-250W G.E.S. TESCA OR EQUIVALENT	EACH	R	257,52
18.21	LAMPS 250V 250 & 400 W HPS SON T OR EQUIVALENT	EACH	R	310,01
18.22	LAMPS 250W TUBULAR METAL HALIDE OR EQUIVALENT	EACH	R	302,20
18.23	LAMPS 400W GES 220V SON/T METAL HALIDE TUB OR EQUIVALENT	EACH	R	120,00
18.24	LAMPS 40W BLUE OR EQUIVALENT	EACH	R	140,00
18.25	LAMPS 40W ES GOLF BALL FROSTED YAMING OR EQUIVALENT	EACH	R	163,01
18.26	LAMPS 40W GREEN OR EQUIVALENT	EACH	R	156,20
18.27	LAMPS 40W ORANGE OR EQUIVALENT	EACH	R	198,09
18.28	LAMPS 40W OSRAM CLAS B FR40 240V E27/ES OR EQUIVALENT	EACH	R	120,00
18.29	LAMPS 40W RED (OSRAM) BC OR EQUIVALENT	EACH	R	140,00
18.30	LAMPS 40W WHITE (OSRAM) BC OR EQUIVALENT	EACH	R	182,39

18.31	LAMPS 40W YELLOW OR EQUIVALENT	EACH	R	151.52
18.32	LAMPS 60-WATT ES 250V CLEAR OR EQUIVALENT	EACH	R	187.48
18.33	LAMPS 70-WATT HIGH PRESSURE WITH BUILT-IN IGNITOR (NAV-E 70 SON-E OR EQUIVALENT	EACH	R	218.01
18.34	LAMPS FLUORESCENT SPIN 70 W 2,4 M OR EQUIVALENT	EACH	R	230.00
18.35	LAMPS GOLF BALL FROSTED 40W BC OR EQUIVALENT	EACH	R	224.74
18.36	LAMPS GU 10 220V DICHROIC OR EQUIVALENT	EACH	R	185.21
18.37	LAMPS H.P. SODIUM ELPTICAL 250W SON. E OR EQUIVALENT	EACH	R	286.89
18.38	LAMPS HALOGEN QUARTS LINE 1500W 220 V OR EQUIVALENT	EACH	R	670.00
18.39	LAMPS HIGH PRESSURE SODIUM 250WATT TUBULAR SON-T ES OR EQUIVALENT	EACH	R	306.90
18.40	LAMPS HIGH PRESSURE SODIUM 400W ES SON/T OR EQUIVALENT	EACH	R	420.00
18.41	LAMPS HIGH PRESSURE SODIUM 400W GES SON/E OR EQUIVALENT	EACH	R	280.00
18.42	LAMPS INCANDESCENT; 100W; 230V; BC CAP COILED COIL FILAMENT - CLEAR IN BOXES OF 100 OR EQUIVALENT	EACH	R	420.00
18.43	LAMPS LU 150/40 LUCALOX HIGH PRESSURE SODIUM OR EQUIVALENT	EACH	R	360.24
18.44	LAMPS LU 150/40 LUCALOX HIGH PRESSURE SODIUM OR EQUIVALENT	EACH	R	240.00
18.45	LAMPS SODIUM 250W (SON-E) OR EQUIVALENT	EACH	R	270.00
18.46	LAMPS SODIUM 400W (SON-T) PHILLIPS/OSRAM. OR EQUIVALENT	EACH	R	280.00
18.47	LAMPS SODIUM LOW PRESSURE 180W 50 X BC OR EQUIVALENT	EACH	R	290.00
18.48	LAMPS STREETLIGHT 150W HIGH PRESSURE SODIUM VAPOURDISCHAE LAM E OR EQUIVALENT	EACH	R	300.00
18.49	LAMPS T26/T27 GY9.5 240V 650W OR EQUIVALENT	EACH	R	310.00
18.50	LAMPS: SODIUM 70WATT 90VOLT CLEAR; ES CAP FOR USE WITH INTERNAL IGNITOR (GE LUCALOX LU 70/90/27 PHILLIPS OR OSRAM OR EQUIVALENT	EACH	R	220.00
18.51	LAMPS; 160W; 220V; BLENDED ES MERCURY MB7U (PHILLIPS MLL) OR EQUIVALENT	EACH	R	420.00
18.52	LAMPS; DULUX OR PL 7 WATT; GE/OSRAM. OR EQUIVALENT	EACH	R	174.20
18.53	LAMPS; INCANDESCENT; 100W; 230V; ES CAP COILED COIL FILAMENT - CLEAR OR EQUIVALENT	EACH	R	223.65
18.54	LAMPS; INCANDESCENT; 15W; 230VOLT; BC CAP PIGMY; CLEAR OR EQUIVALENT	EACH	R	157.20
18.55	LAMPS; INCANDESCENT; 200W; 230V; BC CLEAR OR EQUIVALENT	EACH	R	519.35
18.56	LAMPS; INCANDESCENT; 200W; 230V; ES CLEAR OR EQUIVALENT	EACH	R	561.83
18.57	LAMPS; INCANDESCENT; 60W; 230V; ES CAP COILED COIL FILAMENT - CLEAR OR EQUIVALENT	EACH	R	220.00
18.58	LAMPS; INCANDESCENT; 65/75W; 230V; TRAFFIC SIGNAL; ES CAP; CLEAR OR EQUIVALENT	EACH	R	457.24
18.59	LAMPS; MERCURY VAPOUR; 250 WATT; 100V; - GES TYPE MBU - CLEAR OR EQUIVALENT	EACH	R	304.61
18.60	LAMPS; MERCURY VAPOUR; 125WATT 100V; HQL (STANDARD ELLIPTICAL COATED) PHILLIPS OR OSRAM OR EQUIVALENT	EACH	R	231.03
18.61	LAMPS; QUARTZLINE FILAMENT; 1500 WATT; 230 V; 2150 0 T3ICL OR EQUIVALENT	EACH	R	220.00
18.62	LAMPS 250W HIGH PRESSURE SODIUM VAPOUR; 220V CLEAR GES CAP (SIMILAR TO LUCALOX TYPE 220/40 MAX LENGTH 260MM OSRAM OR GE) OR EQUIVALENT	EACH	R	200.00
18.63	LAMPS; LUCALOX; 400WATT; 100V; HPS LU 400 (UNIVERSAL BURNING POSITION) OSRAM OR GE OR EQUIVALENT	EACH	R	398.82

19	LUGS			
19.1	LUGS 2.5MM X 6MM OR EQUIVALENT	EACH	R	22.38
19.2	LUGS 300 -ALU OR EQUIVALENT	EACH	R	154.61
19.3	LUGS 6MM X 6MM OR EQUIVALENT	EACH	R	9.90
19.4	LUGS ALUM 120MM*12MM OR EQUIVALENT	EACH	R	43.83
19.5	LUGS ALUM 70MM*12MM AL4 PART 3 BS 4579 OR EQUIVALENT	EACH	R	53.59
19.6	LUGS CABLE 10 X 10MM COPPER OR EQUIVALENT	EACH	R	7.46
19.7	LUGS CABLE 120MM X 10MM HOLE OR EQUIVALENT	EACH	R	160.70
19.8	LUGS CABLE 150 MM X 10 MM HOLE OR EQUIVALENT	EACH	R	240.23
19.9	LUGS CABLE 150 X 12 MM COPPER OR EQUIVALENT	EACH	R	234.45
19.10	LUGS CABLE 300MM X 12MM HOLE OR EQUIVALENT	EACH	R	403.77
19.11	LUGS CABLE 39MM X 10MM HOLE OR EQUIVALENT	EACH	R	22.79
19.12	LUGS CABLE 70 MM X 10 MM HOLE OR EQUIVALENT	EACH	R	43.49
19.13	LUGS CABLE 95 MM X 10 MM HOLE OR EQUIVALENT	EACH	R	78.84
19.14	LUGS COPPER 10MM*6MM OR EQUIVALENT	EACH	R	10.81
19.15	LUGS COPPER 120MM*12MM STAMCOR OR EQUIVALENT	EACH	R	177.58
19.16	LUGS COPPER 150MM*10MM OR EQUIVALENT	EACH	R	88.65
19.17	LUGS COPPER 150MM*12MM OR EQUIVALENT	EACH	R	105.90
19.18	LUGS COPPER 150MM*16MM STONE STAMCOR OR EQUIVALENT	EACH	R	124.82
19.19	LUGS COPPER 150MM*20MM OR EQUIVALENT	EACH	R	140.25
19.20	LUGS COPPER 19MM*8MM OR EQUIVALENT	EACH	R	32.32
19.21	LUGS COPPER 185MM X 12MM STONE STAMCOR OR EQUIVALENT	EACH	R	179.24
19.22	LUGS COPPER 185MM*12MM PILC STONE STAMCOR OR EQUIVALENT	EACH	R	163.66
19.23	LUGS COPPER 2.5 MM X 6 MM OR EQUIVALENT	EACH	R	19.57
19.24	LUGS COPPER 2.5MM STONE STAMCOR OR EQUIVALENT	EACH	R	15.06
19.25	LUGS COPPER 2.5MM*6MM STONE STAMCOR OR EQUIVALENT	EACH	R	38.71
19.26	LUGS COPPER 240MM*12MM OR EQUIVALENT	EACH	R	120.00
19.27	LUGS COPPER 240MM*16MM OR EQUIVALENT	EACH	R	170.00
19.28	LUGS COPPER 240MM*20MM OR EQUIVALENT	EACH	R	180.00
19.29	LUGS COPPER 25MM*6MM OR EQUIVALENT	EACH	R	27.15
19.30	LUGS COPPER 25MM*8MM OR EQUIVALENT	EACH	R	27.95

19.31	LUGS COPPER 300MM*12MM XLPE STONESTAMCOR OR EQUIVALENT	EACH	R	153.36
19.32	LUGS COPPER 50MM*12MM OR EQUIVALENT	EACH	R	106.38
19.33	LUGS COPPER 6MM*9MM STONE STAMCOR OR EQUIVALENT	EACH	R	54.18
19.34	LUGS COPPER 70MM*12MM PLC STONE STAMCOR OR EQUIVALENT	EACH	R	44.13
19.35	LUGS COPPER 95MM X 20 OR EQUIVALENT	EACH	R	140.79
19.36	LUGS COPPER 95MM*2 X 12 STONE STAMCOR OR EQUIVALENT	EACH	R	67.13
19.37	LUGS COPPER XLPE 150MM*12MM OR EQUIVALENT	EACH	R	196.15
19.38	LUGS COPPER XLPE 240MM*12MM OR EQUIVALENT	EACH	R	202.46
19.39	LUGS COPPER XLPE 50MM*12MM OR EQUIVALENT	EACH	R	68.97
19.40	LUGS COPPER XLPE 70MM*12MM OR EQUIVALENT	EACH	R	70.59
19.41	LUGS CRIMP ALUMINIUM - COPPER 95MM X GX/95 95MM X 12MM OR EQUIVALENT	EACH	R	114.86
19.42	LUGS CRIMPING 1.5 MM X 6 MM HOLE OR EQUIVALENT	EACH	R	47.30
19.43	LUGS CRIMPING 10 MM X 10 MM HOLE OR EQUIVALENT	EACH	R	33.67
19.44	LUGS CRIMPING 150 MM X 16 MM HOLE OR EQUIVALENT	EACH	R	87.00
19.45	LUGS CRIMPING 16 MM X 6 MM HOLE OR EQUIVALENT	EACH	R	38.38
19.46	LUGS CRIMPING 185 MM X 16 MM HOLE OR EQUIVALENT	EACH	R	120.00
19.47	LUGS CRIMPING 25 MM X6 MM HOLE OR EQUIVALENT	EACH	R	43.57
19.48	LUGS CRIMPING 50 MM X 12 MM HOLE OR EQUIVALENT	EACH	R	40.56
19.49	LUGS CRIMPING 10 MM X 6 MM OR EQUIVALENT	EACH	R	40.43
19.50	LUGS CRIMPING 10 X 6 MM HOLE OR EQUIVALENT	EACH	R	50.85
19.51	LUGS CRIMPING 120 MM X 16 MM OR EQUIVALENT	EACH	R	89.85
19.52	LUGS CRIMPING 120MM X 12MM OR EQUIVALENT	EACH	R	80.90
19.53	LUGS CRIMPING 150 MM X 12 MM OR EQUIVALENT	EACH	R	75.51
19.54	LUGS CRIMPING 150 MM X 16MM OR EQUIVALENT	EACH	R	74.52
19.55	LUGS CRIMPING 150M X 12 MM HOLE OR EQUIVALENT	EACH	R	73.10
19.56	LUGS CRIMPING 16 MM X 8 MM STAMCOR OR EQUIVALENT	EACH	R	35.98
19.57	LUGS CRIMPING 16 X 6 MM OR EQUIVALENT	EACH	R	38.69
19.58	LUGS CRIMPING 16MM X 8MM HOLE OR EQUIVALENT	EACH	R	40.43
19.59	LUGS CRIMPING 16MM*9MM OR EQUIVALENT	EACH	R	68.69
19.60	LUGS CRIMPING 185 MM X 16 MM OR EQUIVALENT	EACH	R	107.77

19.61	LUGS CRIMPING 2.5 MM X 6 MM OR EQUIVALENT	EACH	R	59.60
19.62	LUGS CRIMPING 25 X 10 MM OR EQUIVALENT	EACH	R	64.15
19.63	LUGS CRIMPING 300 MM X 20 MM (COPPER CABLE) OR EQUIVALENT	EACH	R	143.92
19.64	LUGS CRIMPING 4 X 6MM HOLE OR EQUIVALENT	EACH	R	41.13
19.65	LUGS CRIMPING 4MM*10MM OR EQUIVALENT	EACH	R	42.41
19.66	LUGS CRIMPING 50 MM X 12 MM OR EQUIVALENT	EACH	R	48.93
19.67	LUGS CRIMPING 50 X 12 MM HOLE OR EQUIVALENT	EACH	R	47.77
19.68	LUGS CRIMPING 6 MM X 6 MM OR EQUIVALENT	EACH	R	49.46
19.69	LUGS CRIMPING 70MM HYUG ALUMINIUM BICC NRYA 970 OR EQUIVALENT	EACH	R	63.01
19.70	LUGS CRIMPING 95MM X 12MM OR EQUIVALENT	EACH	R	66.73
19.71	LUGS CRIMPING CU 185MM X 20MM OR EQUIVALENT	EACH	R	116.56
19.72	LUGS CRIMPING CU 185MM X 20MM OR EQUIVALENT	EACH	R	116.98
19.73	LUGS 120MM X 12MM ALLUMINIUM OR EQUIVALENT	EACH	R	100.18
19.74	LUGS CRIMPING CU 50MM X 10MM OR EQUIVALENT	EACH	R	75.03
19.75	LUGS CRIMPING DESCO 4MM X 5MM HOLE OR EQUIVALENT	EACH	R	72.00
19.76	LUGS CRIMPING VARIOUS OR EQUIVALENT	EACH	R	413.97
19.77	LUGS CRIMPING; 16MM2 X 6 MM HOLE OR EQUIVALENT.	EACH	R	73.70
19.78	LUGS STAMCAR AL4 185 X 12 OR EQUIVALENT	EACH	R	154.52
19.79	LUGS HOOKBLADES 2 HB OR EQUIVALENT	EACH	R	105.48
19.80	LUGS TERMINAL CABLE 185MM X 12MM HOLE OR EQUIVALENT	EACH	R	164.72
19.81	LUGS WITH PLASTIC SLEEVES 9MM OR EQUIVALENT	EACH	R	71.43
19.82	LUGS CRIMPING 10MM OR EQUIVALENT	EACH	R	67.58
19.83	LUGS 120MM X 12MM ALLUMINIUM OR EQUIVALENT	EACH	R	99.06
19.84	LUGS ALUMINIUM TO COPPER 120MM OR EQUIVALENT	EACH	R	115.48
19.85	TORQUE SHEAR LUGS 120MM X185MM OR EQUIVALENT	EACH	R	220.00
19.86	TORQUE SHEAR LUGS 25MM X 95MM OR EQUIVALENT	EACH	R	146.75
19.87	COPPER CRIMP LUGS 185MM X 20MM HOLE OR EQUIVALENT.	EACH	R	267.52
19.88	COPPER CRIMP LUGS 185MM X 20MM HOLE OR EQUIVALENT.	EACH	R	260.00
19.89	MULTI PLUGS 4X3 PLUG 2X2 POINT SNAPPER (JES32) OR EQUIVALENT	EACH	R	270.00
19.90	TERMINAL LUG; CRIMPING; 150 MM2 ALUMINIUM CONDUCTOR; COPPER LUG; SIMILAR TO KCX 150 OR EQUIVALENT	EACH	R	162.62
19.91	TERMINAL LUG; CRIMPING; 150 MM2 ALUMINIUM CONDUCT OR ALUMINIUM LUG; SIMILAR TO SMEL 150 MM2 OR EQUIVALENT	EACH	R	230.90
19.92	TERMINAL LUG; CRIMPING; 185 MM2 ALUMINIUM CONDUCTOR; COPPER LUG; SIMILAR TO SMEL KCX 185 OR EQUIVALENT	EACH	R	220.00
19.93	TERMINAL LUG; CRIMPING; 300 MM2 ALUMINIUM CONDUCTOR; ALUMINIUM LUG; SIMILAR TO SMEL KC 300 OR EQUIVALENT	EACH	R	230.00
19.94	TERMINAL LUG; CRIMPING; 35 MM2 ALUMINIUM CONDUCTOR; COPPER LUG; SIMILAR TO SMEL KCX 35 OR EQUIVALENT	EACH	R	62.59
19.95	TERMINAL LUG; CRIMPING; 70 MM2 ALUMINIUMCOPPER LUGS SIMILAR TO SMEL XCX70. 70MM2 X12MM OR EQUIVALENT	EACH	R	54.41
19.96	TERMINAL LUG; CRIMPING; 95 MM2 ALUMINIUM CONDUCTOR; COPPER LUG; SIMILAR TO SMEL KCX 95 OR EQUIVALENT	EACH	R	64.82
19.97	TERMINAL LUGS CRIMPING; 240MM2 ALUMINIUM CONDUCTOR COPPER LUG; SIMILAR TO SMEL 240 MM2 OR EQUIVALENT.	EACH	R	114.53
19.98	TERMINAL LUGS; CRIMPING ELECTRO TINNED HIGH CONDUCTIVITY COPPER; 1.5 MM2 CONDUCTOR; 6 MM HOLE OR EQUIVALENT	EACH	R	47.79
19.99	TERMINAL LUGS; CRIMPING; 120MM X 20MM DIAM HOLE OR EQUIVALENT	EACH	R	83.82
19.100	TERMINAL LUGS; CRIMPING; 240 MM2 ALUMINIUM CONDUCT OR ALUMINIUM LUG; SIMILAR TO SMEL 240 MM2 OR EQUIVALENT	EACH	R	139.01

19.101	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; 185MM X 12MM DIA HOLE OR EQUIVALENT.	EACH	R	104,18
19.102	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; 70 X 12MM DIA HOLE OR EQUIVALENT.	EACH	R	60,82
19.103	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 120MM X 12MM DIAMETER HOLE OR EQUIVALENT.	EACH	R	70,52
19.104	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 15MM X 10MM DIAMETER HOLE OR EQUIVALENT.	EACH	R	36,83
19.105	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 16MM X 12MM DIAMETER HOLE OR EQUIVALENT.	EACH	R	37,93
19.106	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 95MM X 16MM DIAMETER HOLE OR EQUIVALENT.	EACH	R	60,36
19.107	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY; COPPER; 95 X 12MM DIA HOLE OR EQUIVALENT.	EACH	R	59,44
19.108	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 70 MM2 CONDUCTOR; X 16 MM DIA HOLE OR EQUIVALENT.	EACH	R	58,49
19.109	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; 4 MM2 CONDUCTOR; WITH 8 MM HOLE OR EQUIVALENT.	EACH	R	44,20
19.110	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 25MM2 CONDUCTOR X 10MM DIA HOLE OR EQUIVALENT.	EACH	R	39,21
19.111	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 35 MM2 CONDUCTOR X 10 MM DIA HOLE OR EQUIVALENT.	EACH	R	43,05
19.112	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 70 MM2 CONDUCTOR; X 10 MM DIA HOLE OR EQUIVALENT.	EACH	R	51,99
19.113	TERMINAL LUGS; CRIMPING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; 25MM X 12MM DIA HOLE OR EQUIVALENT.	EACH	R	37,28
19.114	TERMINAL LUGS; SOLDERING; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; 200 A; 150MM2 CONDUCTOR X 12 MM HOLE OR EQUIVALENT.	EACH	R	90,94
20	FUSES			
20.1	160 AMP NH G02B FUSES OR EQUIVALENT	EACH	R	191,50
20.2	200 AMP NH G02B FUSES OR EQUIVALENT.	EACH	R	240,00
20.3	250 AMP NH G02B FUSES (BUSSMANN) OR EQUIVALENT	EACH	R	270,00
20.4	BUSSMANN SIZE 00; 160AMP; BLADE FUSE; AC500 VOLTS I1= 120KA; DIN 43620 IEC 60269 (BUSSMANN) OR EQUIVALENT	EACH	R	300,00
20.5	"FUSE CARTRIDGE; 100A; 6.9KV. (TYPE "D"; WITH STRIP PIN; TO DRAWING EH1D2) WITH FIXING TAGS; TO BS 2892 PART 1:1975 OR EQUIVALENT	EACH	R	350,00
20.6	"FUSE CARTRIDGE; 140A; 6.9KV. (TYPE "D"; WITH STRIP PIN; TO DRAWING EH1D2) WITH FIXING TAGS; TO BS 2892 PART 1:1975 OR EQUIVALENT	EACH	R	360,00
20.7	"STARTERS 4-80-WATT 220-250 VOLT ST111 "OSRAM OR EQUIVALENT	EACH	R	127,22
20.8	CARRIERS; PORCELAIN; SHROUD TYPE WITH SIDE WEDGES FOR LT CARTRIDGE FUSE LINKS 92MM FIXING CENTRES /PART NO HENLEY 30239 OR EQUIVALENT	EACH	R	288,77
20.9	CARRIERS; SHIELD TYPE WITH SIDE WEDGES FOR LT. CARTRIDGE FUSE LINKS WITH 76.2MM CENTRE PART NO. HENLEY CJ 224 CARRIERS MUST BE ABLE TO FIT IN TO HENLEY CAST IRON BOX SO THAT THE DOORS OF THE HENLEY BOX CAN CLOSE (SHIELDED) OR EQUIVALENT.	EACH	R	384,52
20.10	CARTRIDGES FUSE 160 AMP OR EQUIVALENT	EACH	R	260,14
20.11	DROPOUT FUSES TYPE K 100 AMP (60X60X200) 5 IN A BOX OR EQUIVALENT	EACH	R	550,00
20.12	DROPOUT FUSES TYPE K 63 AMP (60X60X200) 5 IN A BOX OR EQUIVALENT	EACH	R	550,00
20.13	EXPULSION LINKS; 100 AMP; TYPE K; BUTTON HEAD; PART NO FL30K100 OR EQUIVALENT.	EACH	R	495,57
20.14	EXPULSION LINKS; 50 AMP; TYPE K; BUTTON HEAD PART NO FL30K50 OR EQUIVALENT	EACH	R	370,00
20.15	FUSE 4 AMP - TYPE SS - (GEC) OR EQUIVALENT	EACH	R	44,96
20.16	FUSE 10 AMP PORCELAIN - SIZE 6 MM X 25 MM - 250 VOLT OR EQUIVALENT	EACH	R	53,44
20.17	FUSE 5 AMP - PORCELAIN FLYING OR EQUIVALENT	EACH	R	84,77
20.18	FUSE 5 AMP - SHUNT (TIME LAG) - SIZE 48 MM X 14 MM OR EQUIVALENT	EACH	R	86,47
20.19	FUSE 5 AMP - BRUSH NO. 059 - 0112 OR EQUIVALENT	EACH	R	106,44
20.20	FUSE 7.5 AMP - SHUNT (TIME LAG) - SIZE 48 MM X 14 MM OR EQUIVALENT	EACH	R	87,56

20.21	FUSE 100 AMP - KEBXO HIGH TENSION 12 KV - 254 MM LONG X 63.5 MM DIA. (SIBA REF. 3014436) OR EQUIVALENT	EACH	R	535,29
20.22	FUSE 20 AMP - ELEMENT HIGH TENSION UNIVERSAL FAST - EX OR EQUIVALENT	EACH	R	600,00
20.23	FUSE 25 AMP - KEBXO HIGH TENSION 12 KV - 254 MM LONG X 63.5 MM DIA. (SIBA REF. 3014436) OR EQUIVALENT	EACH	R	220,00
20.24	FUSE 31.5 AMP - HIGH VOLTAGE - 11 KV - TYPE B/S S.O.L.N.D OR EQUIVALENT	EACH	R	210,00
20.25	FUSE 40 AMP - ELEMENT HIGH TENSION UNIVERSAL FAST - EX OR EQUIVALENT	EACH	R	190,56
20.26	FUSE 40 AMP - KEBXO HIGH TENSION 12 KV - 254 MM LONG X 63.5 MM DIA. (SIBA REF. 3014436) OR EQUIVALENT	EACH	R	310,00
20.27	FUSE 50 AMP - KEBXO HIGH TENSION 12 KV - 254 MM LONG X 63.5 MM DIA. (SIBA REF. 3014436) OR EQUIVALENT	EACH	R	326,75
20.28	FUSE 65 AMP - ELEMENT HIGH TENSION UNIVERSAL FAST - EX OR EQUIVALENT	EACH	R	139,99
20.29	FUSE 71 AMP - HIGH VOLTAGE - 11 KV - TYPE BS / S.R.L.N.D. OR EQUIVALENT	EACH	R	245,02
20.30	FUSE 80 AMP - KEBXO HIGH TENSION 12 KV - 254 MM LONG X 63.5 MM DIA. (SIBA REF. 3014436) OR EQUIVALENT	EACH	R	320,00
20.31	FUSE 100 AMP - ELEMENT HIGH TENSION UNIVERSAL FAST - EX OR EQUIVALENT	EACH	R	310,00
20.32	FUSE 250 AMP - BS 88 - 5 - 1980 - 415 VOLT AC - 80 KA - JPU 250 A OR EQUIVALENT	EACH	R	300,00
20.33	FUSE 400 AMP - LIST NO. J.P. 400 - H.R.C. OR EQUIVALENT	EACH	R	299,50
20.34	FUSE MK 15 A B.S. 1361 ASTA CERT. (COOKER UNIT FUSE) OR EQUIVALENT	EACH	R	108,96
20.35	FUSE MK 15 A B.S. 1361 ASTA CERT. (COOKER UNIT FUSE) OR EQUIVALENT	EACH	R	93,63
20.36	FUSE CARTRIDGE - 40 AMP 6.6/11KV;359MM LONG X 63.5 MM DIAMETER WITH STRIKER PIN; OIL TYPE FUSE. (12ALMX040) OR EQUIVALENT.	EACH	R	385,90
20.37	FUSE CARTRIDGE - 50 AMP 6.6/11KV;359MM X 63.5MM DIAMETER; WITH STRIKER PIN PART NO (12ALMX050) OR EQUIVALENT.	EACH	R	399,67
20.38	FUSE CARTRIDGE 80AMP 6.6/11KV;359MM X 63.5MM FUSE DIAMETER; WITH STRIKER PIN; PART NO (12ALMX080) OR EQUIVALENT.	EACH	R	355,18
20.39	FUSE CARTRIDGE SLOTTED WEDGE TYPE:200A, 76MM ENTRES; SPEC ED0017 /PART NO 96TY-200 OR EQUIVALENT.	EACH	R	324,81
20.40	FUSE CARTRIDGE: 100A; 6.9KV; 254MM LONG X 63MM DIA." ("TYPE B") WITH STRIKER PIN; TO DRAWING NO E/2 TO BS 2692; PART 1:1975 OR EQUIVALENT	EACH	R	220,00
20.41	FUSE CARTRIDGE: 100A; 6.9KV; 292MM LONG X 65MM DIA." ("TYPE A") WITH STRIKER PIN; TO DRAWING; EHTD TO DIN 43625 OR EQUIVALENT	EACH	R	240,00
20.42	FUSE CARTRIDGE: 125A; 6.9KV; 292MM LONG X 86MM DIA." (TYPE "A" WITH STRIKER PIN; TO DRAWING EHTD 2 O DIN 43625 OR EQUIVALENT	EACH	R	702,16
20.43	FUSE CARTRIDGE: 125A; 6.9KV; 292MM LONG X 86MM DIA." (TYPE "A" WITHOUT STRIKER PIN; TO DRAWING EH 2) TO DIN 43625 OR EQUIVALENT	EACH	R	709,91
20.44	FUSE CARTRIDGE: 140A; 6.9KV; 292MM LONG X 86MM DIA." ("TYPE A") WITH STRIKER PIN; TO DRAWING EHTD 2) DIN 43625 OR EQUIVALENT	EACH	R	794,57
20.45	FUSE CARTRIDGE: 140A; 6.9KV; 359MM LONG X 63.5MM DIA (TYPE "C" WITH STRIKER PIN; TO DRAWING EHTD TO BS 2692 PART 1:1975 OR EQUIVALENT	EACH	R	800,27
20.46	FUSE CARTRIDGE: 160A; 6.9KV; 292MM LONG X 86MM DIA." ("TYPE A") WITH STRIKER PIN; TO DRAWING EHTD TO DIN 43625 OR EQUIVALENT	EACH	R	420,00
20.47	FUSE CARTRIDGE: 160A; 6.9KV; 292MM LONG X 86MM DIA." ("TYPE A") WITHOUT STRIKER PIN; TO DRAWING EH 2 TO DIN 43625 OR EQUIVALENT	EACH	R	440,00
20.48	FUSE CARTRIDGE: 4 AMP; HRC; SIMILAR TO GEC TYPE S54 OR EQUIVALENT	EACH	R	215,97
20.49	FUSE CARTRIDGE: 63 AMP - 6.6/11KV;359MM X 63.5MM DIAMETER WITH STRIKER PIN; PART NO (12ALMX063) OR EQUIVALENT	EACH	R	506,42
20.50	FUSE CARTRIDGE: 63A; 11KV; 254MM LONG X 65MM DIA (TYPE "B" WITH STRIKER PIN; TO DRAWING EHTD 2) TO BS 2692 1 (12OEFMA63) OR EQUIVALENT	EACH	R	506,57

20.51	FUSE CARTRIDGE: 63A; 11KV; 252MM LONG X 53MM DIA; WITH STRIKER PIN; TO DRAWING EH7D 2) TO DIN 43625 KEMKO 63A OR EQUIVALENT	EACH	R	530.97
20.52	FUSE CARTRIDGE: 63A; 12KV; 252MM LONG X 65MM DIA; " (TYPE""A" WITH STRIKER PIN ; TO DRAWING EHT D TO DIN43625 OR EQUIVALENT	EACH	R	600.00
20.53	FUSE CARTRIDGE: 80A; 12KV; 252MM LONG X 65MM DIAMETRE WITH STRIKER PIN TO DIN 43625 OR EQUIVALENT	EACH	R	490.00
20.54	FUSE CARTRIDGE; SLOTTED WEDGE TYPE 100AMP;76MM CENTRES; SPECIFICATION ED 0017/PART NO. 96TY_100 OR EQUIVALENT	EACH	R	329.04
20.55	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 125 AMP; 82.5M M CENTRES; AS PER DETAILED SPECIFICATION ED 0017 / PART NO 95TY-125 OR EQUIVALENT	EACH	R	200.00
20.56	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 150 AMP; 76MM CENTRES; AS PER DETAILED SPECIFICATION ED 0017 / PART NO 96TY-150 OR EQUIVALENT	EACH	R	243.25
20.57	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 150A;82.5MM CENTRES; SPEC ED 0017/PART NO 95TY-150 OR EQUIVALENT	EACH	R	267.90
20.58	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 250A 76MM CENTRES; SPECIFICATION ED0017/ PART NO. 96TY (BUSSMANN) OR EQUIVALENT	EACH	R	424.90
20.59	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 250A 82.5MM CENTRES SPECIFCAN ED0017/ PART NO.95TJ (BUSSMANN) OR EQUIVALENT	EACH	R	367.96
20.60	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 355A 82.5MM CENTRES SPEC ED0017/PART NO.171TN OR EQUIVALENT	EACH	R	423.83
20.61	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 400AMP 82.5MM CENTRES SPEC ED 0017/PART NO 171TN 400. (BUSSMAN) OR EQUIVALENT	EACH	R	469.01
20.62	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 400AMP; 92MM CENTRES; AS PER DETAILED SPECIFICATION ED 0017 / PART NO 386TN-400 OR EQUIVALENT	EACH	R	501.05
20.63	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 500 AMP; 92MM CENTRES; AS PER DETAILED SPECIFICATION ED 0017 / 387TW 500 OR EQUIVALENT	EACH	R	500.00
20.64	FUSE CARTRIDGE; SLOTTED WEDGE TYPE: 630AMP; 92MM CENTRES; AS PER DETAILED SPECIFICATION ED 0017 PART NO 387TW-600 OR EQUIVALENT	EACH	R	1 104.91
20.65	FUSE CARTRIDGE; SLOTTED WEDGE TYPE:300A 300A; 82.5MM CENTRES SPEC ED 0017/ PART NO.385TJ OR EQUIVALENT.	EACH	R	448.11
20.66	FUSE CARTRIDGE; SLOTTED WEDGE TYPE:315A 82.5MM CENTRES; SPECIFICATION ED001/ PART NO. 95TY OR EQUIVALENT	EACH	R	490.00
20.67	FUSE CARTRIDGE:100AMP-6.6KV/254MM *LONG X 63.5MM DIA (TYPE ""B"" WITH STRIKER PIN; TO DRAWING EH7D 2) TO BS 2892 PART 1:1 1975 OR EQUIVALENT	EACH	R	550.00
20.68	FUSE CARTRIDGE:31.5AMP 11KV 359MM X 63.5MM INDIAMETER; WITH STRIKER PIN. PART NO (12ALMXX031.5) OR EQUIVALENT	EACH	R	598.33
20.69	FUSE CARTRIDGE:90A 12KV WITH STRIKER PIN 120HGM90 OR EQUIVALENT	EACH	R	670.00
20.70	FUSE CARTRIDGE; SLOTTED WEDGE TYPE:100A 82.5MM CENTRES SPECIFICATION ED0017/ PART NO. 95TY_100 (BUSSMANN FUSESS) OR EQUIVALENT	EACH	R	404.03

20.71	FUSE CARTRIDGE, SLOTTED WEDGE TYPE,200 82.5MM CENTRES, SPEC ED0017(PART NO 95TY_200 (BUSSMAN) OR EQUIVALENT	EACH	R	700.00
20.72	FUSE ELEMENTS; 75 AMP; TYPE D, DOUBLE TAIL ,PART NO. GEC F 280. OR EQUIVALENT	EACH	R	300.51
20.73	FUSE HOLDERS 75MM OR EQUIVALENT	EACH	R	210.00
20.74	FUSE HOLDERS 83MM OR EQUIVALENT	EACH	R	220.00
20.75	FUSE HOLDERS NS OR EQUIVALENT	EACH	R	120.42
20.76	FUSE HOLDERS, 15 AMP; SIMILAR TO GEC TYPE SSH; SURFACE MOUNTINGS, (BLACK). OR EQUIVALENT	EACH	R	240.00
20.77	FUSE HRC 100 A 3 1/4 FIC WEDGE SLOTTED TYPE (JP) CS OR EQUIVALENT	EACH	R	235.74
20.78	FUSE HRC 200 3/4 F.C. SLOTTED WEDGE A LIST NO 30629 JPU 200 (95 TY) OR EQUIVALENT	EACH	R	270.00
20.79	FUSE HRC 250 AMP 3 1/4 FC SLOTTED WEDGE OR EQUIVALENT	EACH	R	300.00
20.80	FUSE HRC 315 AMP 3 1/4 FC SLOTTED WEDGE JPU 315 A OR EQUIVALENT	EACH	R	310.00
20.81	FUSE HRC 350 AMP 3 1/4 FC SLOTTED WEDGE OR EQUIVALENT	EACH	R	480.66
20.82	FUSE HRC 400 AMP 3 1/4 FC SLOTTED WEDGE OR EQUIVALENT	EACH	R	500.00
20.83	FUSE LINK 100 AMP OR EQUIVALENT	EACH	R	205.92
20.84	FUSE LINKS 30AMP OR EQUIVALENT	EACH	R	235.30
20.85	FUSE UNIT-DROP OUT-11KV, SIMILAR TO PART NO.NCX_360 OR EQUIVALENT .	EACH	R	1 586.82
20.86	FUSE UNITS 400A 380V TP&N; 82.5MM FIXING CENTRES OR EQUIVALENT .	EACH	R	900.00
20.87	FUSE UNITS 600A 380V TP&N (92 MM FIXING CENTRES) C/W M8 EYEBOLTS, SPRINGWASHERS, NUTS; THREE SHIELDED, WEDGE TYPE FUSE CARRIERS;AND A BARE WEDGE TYPE OR EQUIVALENT	EACH	R	700.00
20.88	FUSE WIRE, TINNED COPPER; 0.9MM FUSING CURRENT 69.97 AMPS TO BE ON 500 G ROLLS OR EQUIVALENT.	EACH	R	490.00
20.89	FUSE; CARTRIDGE; 100A; 6.9KV; 292MM LONG X 65MM "DIA (TYPE"A", WITH STRIKER PIN, EH1TD) TO DIN 43 OR EQUIVALENT	EACH	R	550.00
20.90	FUSE; CARTRIDGE; 100A; 6.9KV; 359MM LONG X 63.5MM " DIA; (TYPE "C" WITH STRIKER PIN; TO DRAWING E/ 2) TO BS 2692 PART 1:1975. (OHGMA 100) OR EQUIVALENT	EACH	R	600.00
20.91	FUSE; CARTRIDGE; 125A 6.9KV; 359MM LONG X 63.5MM "DIA (TYPE"C" WITH STRIKER PIN; TO DRAWING EH1TD2 TO BS, 2692 PART 1:1975 OR EQUIVALENT	EACH	R	610.00
20.92	FUSES 100 AMP H T SIBA 12/7.2 KV BS 2692 (REF/ F01 OILTIGHT 63.5MM X 254MM OR EQUIVALENT	EACH	R	700.00
20.93	FUSES 11KV TRANSFORMERS 400KVA 63AMP ,(LONG) OR EQUIVALENT	EACH	R	800.00
20.94	FUSES 200MJ25-6 OR EQUIVALENT	EACH	R	529.17
20.95	FUSES 2AMP FOR NS FUSE HOLDERS OR EQUIVALENT	EACH	R	128.92
20.96	FUSES 6.9KV - 12KV 12OHGMA10 OIL FUSES ,(LONG) OR EQUIVALENT	EACH	R	480.00
20.97	FUSES 6.9KV - 12KV OIL FUSE HIGH VOLTAGE 12OHGMA125,(LONG) OR EQUIVALENT	EACH	R	470.00
20.98	FUSES 6.9KV - 12KV OIL FUSE HIGH VOLTAGE 12OHGMA160, (LONG OR EQUIVALENT)	EACH	R	500.00
20.99	FUSES 6.9KV - 12KV OIL FUSE HIGH VOLTAGE 12OHGMA31.5,(LONG) OR EQUIVALENT	EACH	R	550.00
20.100	FUSES 6.9KV - 12KV OIL FUSE HIGH VOLTAGE 12OHGMA40,(LONG) OR EQUIVALENT	EACH	R	600.00

20.101	FUSES 6.9KV - 12KV OIL FUSE HIGH VOLTAGE 12OHGMA90_(LONG) OR EQUIVALENT	EACH	R	670.00
20.102	FUSES 6.9KV - 12KV OIL FUSE HIGH VOLTAGE 12OHGMA63_(LONG) OR EQUIVALENT	EACH	R	720.00
20.103	FUSES 6.9KV - 12KV OIL FUSE HIGH VOLTAGE 12OHGMA80_(LONG) OR EQUIVALENT	EACH	R	660.00
20.104	FUSES 6.9KV - 12KV OIL FUSE HIGH VOLTAGE 12OHGMA90_(LONG) OR EQUIVALENT	EACH	R	550.00
20.105	FUSES 6.9KV - 12KV OIL FUSES HIGH VOLTAGE 12OHGMA100_(LONG) OR EQUIVALENT	EACH	R	450.00
20.106	FUSES 6.9KV - 12KV OIL FUSES HIGH VOLTAGE 12OHGMA25_(LONG) OR EQUIVALENT	EACH	R	400.00
20.107	FUSES 6.9KV - 12KV OIL FUSES HIGH VOLTAGE 12OHGMA6.3_(LONG) OR EQUIVALENT	EACH	R	350.00
20.108	FUSES 6.9KV-12KV OIL FUSES HVOLTAGE 12OHGMA16_(LONG) OR EQUIVALENT	EACH	R	300.00
20.109	FUSES 609KV - 12KV OIL FUSE HIGH VOLTAGE 12OHGMA20_(LONG) OR EQUIVALENT	EACH	R	490.00
20.110	FUSES 6AMP FOR NS FUSE HOLDERS OR EQUIVALENT	EACH	R	342.49
20.111	FUSES 7AMP-FOR SAKS3 OR EQUIVALENT	EACH	R	297.51
20.112	FUSES CARRIERS 32 AMP TYPE NS LIST NUMBER NS-H 85 88 - 1967 OR EQUIVALENT	EACH	R	328.78
20.113	FUSES EXPULSION HT_30,50,100 AMP OR EQUIVALENT	EACH	R	407.84
20.114	FUSES FOR 11KV TRANSFORMERS 500KVA 80AMP OIL TYPE_(LONG) OR EQUIVALENT	EACH	R	640.00
20.115	FUSES FOR 11KV TRANSFORMERS 1000KVA /150AMP OIL TYPE_(LONG) OR EQUIVALENT	EACH	R	660.00
20.116	FUSES FOR 11KV /TRANSFORMERS 100KVA /16AMP OIL TYPE_(SHORT) OR EQUIVALENT	EACH	R	680.00
20.117	FUSES FOR 11KV TRANSFORMERS 100KVA. 20AMP OIL TYPE_(LONG) OR EQUIVALENT	EACH	R	670.00
20.118	FUSES FOR 11KV TRANSFORMERS 150KVA - 200KVA / 40AMP OIL TYPE_(LONG) OR EQUIVALENT	EACH	R	420.00
20.119	FUSES FOR 11KV TRANSFORMERS 150KVA / 25AMP OIL TYPE_(SHORT) OR EQUIVALENT	EACH	R	470.00
20.120	FUSES FOR 11KV TRANSFORMERS 300KVA - 315KVA / 50AMP OIL TYPE_(LONG) OR EQUIVALENT	EACH	R	500.00
20.121	FUSES FOR 11KV TRANSFORMERS 400KVA /40AMP OIL TYPE_(SHORT) OR EQUIVALENT	EACH	R	550.00
20.122	FUSES FOR 11KV TRANSFORMERS 630KVA 100AMP OIL TYPE_(LONG) OR EQUIVALENT	EACH	R	660.00
20.123	FUSES FOR 11KV TRANSFORMERS 800KVA 125AMP OIL TYPE_(LONG) OR EQUIVALENT	EACH	R	700.00
20.124	FUSES FOR 12KV TRANSFORMERS 1000KVA 100AMP AIR TYPE(LONG) OR EQUIVALENT	EACH	R	770.00
20.125	FUSES FOR 12KV TRANSFORMERS 100KVA 16AMP AIR TYPE_(LONG) OR EQUIVALENT	EACH	R	820.00
20.126	FUSES FOR 12KV TRANSFORMERS 150KVA 20AMP AIR TYPE_(LONG) OR EQUIVALENT	EACH	R	850.00
20.127	FUSES FOR 12KV TRANSFORMERS 200KVA 25AMP AIR TYPE_(LONG) OR EQUIVALENT	EACH	R	2 641.56
20.128	FUSES FOR 12KV TRANSFORMERS 300 - 315KVA 31.5AMP AIR TYPE_(LONG) OR EQUIVALENT	EACH	R	2 751.83
20.129	FUSES FOR 12KV TRANSFORMERS 400KVA 40AMP AIR TYPE_(LONG) OR EQUIVALENT	EACH	R	3 063.37
20.130	FUSES FOR 12KV TRANSFORMERS 500KVA 50AMP AIR TYPE_(LONG) OR EQUIVALENT	EACH	R	3 097.62

20.131	FUSES FOR 12KV TRANSFORMERS 630KVA 63AMP AIR TYPE (LONG) OR EQUIVALENT	EACH	R	2 879.96
20.132	FUSES FOR 12KV TRANSFORMERS 800KVA 80AMP AIR TYPE (LONG) OR EQUIVALENT	EACH	R	2 978.06
20.133	FUSES FOR 7.2KV TRANSFORMERS 1000KVA 160AMP AIR TYPE_(LONG) OR EQUIVALENT	EACH	R	2 615.50
20.134	FUSES FOR 7.2KV TRANSFORMERS 100KVA 20AMP AIR TYPE_(SHORT) OR EQUIVALENT	EACH	R	1 967.53
20.135	FUSES FOR 7.2KV TRANSFORMERS 150KVA - 200KVA 31.5AMP AIR TYPE_(SHORT) OR EQUIVALENT	EACH	R	2 025.10
20.136	FUSES FOR 7.2KV TRANSFORMERS 300KVA - 315KVA 50AMP AIR TYPE(SHORT) OR EQUIVALENT	EACH	R	2 951.94
20.137	FUSES FOR 7.2KV TRANSFORMERS 400KVA 63AMP AIR TYPE (SHORT) OR EQUIVALENT	EACH	R	2 297.40
20.138	FUSES FOR 7.2KV TRANSFORMERS 500KVA 80AMP AIR TYPE SHORT OR EQUIVALENT	EACH	R	3 454.63
20.139	FUSES FOR 7.2KV TRANSFORMERS 630KVA 100AMP AIR TYPE_(SHORT) OR EQUIVALENT	EACH	R	3 352.54
20.140	FUSES FOR 7.2KV TRANSFORMERS 800KVA 125AMP AIR TYPE_(LONG) OR EQUIVALENT	EACH	R	2 414.58
20.141	FUSES HRC 200 AMP 75MM CENTRE OR EQUIVALENT	EACH	R	1 035.38
20.142	FUSES HRC 200 AMP 83MM CENTRE OR EQUIVALENT	EACH	R	816.08
20.143	FUSES HRC 315 AMP 75MM CENTRE OR EQUIVALENT	EACH	R	907.37
20.144	FUSES HRC 315 AMP 83MM CENTRE OR EQUIVALENT	EACH	R	951.02
20.145	FUSES HRC 400 AMP 83MM CENTRE OR EQUIVALENT	EACH	R	990.95
20.146	FUSES LINK F2 50 AMP F350 OR EQUIVALENT	EACH	R	464.53
20.147	FUSES LINKS (EXPULSION) 15AMP OR EQUIVALENT	EACH	R	120.00
20.148	FUSES NS16A OR EQUIVALENT	EACH	R	130.30
20.149	FUSES NS2A OR EQUIVALENT	EACH	R	119.22
20.150	FUSES NS6A OR EQUIVALENT	EACH	R	162.37
20.151	FUSES OIL FILLED SWITCHGEAR RATED CURRENT 50AMPS, RATED VOLTAGES 12KV/254MM LENGTH/63.5 DIAMETER (12OEFMA50) OR EQUIVALENT	EACH	R	220.00
20.152	FUSES; DIN TYPE-NH3, 315AMP (BUSSMANN) OR EQUIVALENT	EACH	R	240.00
20.153	FUSES; DIN TYPE-NH3, 355A OR EQUIVALENT.	EACH	R	270.00
20.154	FUSES; DIN TYPE-NH3, 400A OR EQUIVALENT.	EACH	R	290.00
20.155	FUSES; DIN TYPE-NH3, 630A OR EQUIVALENT.	EACH	R	300.00
20.156	FUSES; ES GLASS PLUG; 10 AMP OR EQUIVALENT	EACH	R	293.06
20.157	FUSES; HIGH VOLTAGE HRC; LINKS 40 AMP OR EQUIVALENT	EACH	R	320.00
20.158	FUSES; OIL FILLED SWITCHGEAR RATED CURRENT 100AMP RATED VOLTAGE 12KV/254MM LENGTH 63.5MM DIAMETER (12OHFMA100) OR EQUIVALENT	EACH	R	490.00
20.159	FUSES; OIL FILLED SWITCHGEAR RATED CURRENT 31.5AMPSRATED VOLTAGE 12KV/254MM LENGTH/63.5MM DIAMETER (CATALOGUE NUMBER 12OEFMA31.5) OR EQUIVALENT	EACH	R	500.00
20.160	FUSES; OIL FILLED SWITCHGEAR; RATED CURRENT 50AMP RATED VOLTAGE 12KV/259MM LENTH 63.5 DIA (10OHGMA50) OR EQUIVALENT	EACH	R	550.00

20.161	FUSES; OIL FILLED SWITCHGEAR; RATED CURRENT 31.5AMP VOLTAGE 12KV 359MM LENTH .63 SDIA (12OHGMA31.5) OR EQUIVALENT	EACH	R	600.00
20.162	FUSES-ON TYPE NH3 500A OR EQUIVALENT;	EACH	R	620.73
20.163	H.R.C. FUSES_200 AMP OR EQUIVALENT	EACH	R	579.40
20.164	HRC FUSE CARTRIDGE; 125A; 6.9KV; OIL TIGHT OR EQUIVALENT	EACH	R	700.00
20.165	HRC FUSE LINKS 1250A; CENTRE TAG; 4 HOLE FIXING; SIMILAR TO GEC 1250 (169MM INNER FIXING CENTRES) AS PER DETAILED SPECIFICATION ED 0017 OR EQUIVALENT	EACH	R	980.00
20.166	HRC FUSE LINKS 500 A; CENTRE TAG; 4 HOLE FIXING TO GEC TT500(169MM INNER FIXING CENTRES) OR EQUIVALENT	EACH	R	220.00
20.167	HRC FUSE LINKS; 1600 A; CENTRE TAG; 4 HOLE FIXING; GEC TUN 1600; (159MM INNER FIXING CENTRES; AS PER DETAILED SPECIFICATION ED 0017 OR EQUIVALENT	EACH	R	210.00
20.168	HRC FUSE LINKS; 160A; CENTRE TAG; 2 HOLE FIXING; SIMILAR TO TF 160 OR EQUIVALENT	EACH	R	220.00
20.169	HRC FUSE LINKS; 200A; CENTRE TAG; 2 HOLE FIXING; SIMILAR TO GEC TF 200 OR EQUIVALENT	EACH	R	300.00
20.170	HRC FUSE LINKS; 355A; 500 VOLT TO 43620 VDE 0636/ 21 OPERATING CLASS GL SPECIFICATIONS; SIMILAR TO G EC NY 2385 OR EQUIVALENT	EACH	R	310.00
20.171	HRC FUSE LINKS; 630A; CENTRE TAG; 4 HOLE FIXING; TO G E CTT630 (169MM INNER FIXING CENTRES) FG630 OR EQUIVALENT	EACH	R	420.00
20.172	HRC FUSE LINKS; 710 A; CENTRE TAG; 4 HOLE FIXING TO TLT 710(169MM INNER FIXING CENTRES) OR EQUIVALENT	EACH	R	490.00
20.173	HRC FUSES 2.4;6.10 AMP OR EQUIVALENT	EACH	R	220.00
20.174	HRC FUSES 32.35;40.63.80; AMP OR EQUIVALENT	EACH	R	230.00
20.175	HRC FUSES; 400 AMP; TO DIN 430620; SIZE 0 OR EQUIVALENT	EACH	R	240.00
20.176	HRC FUSES; POTENTIAL TRANSFORMERS 11 KV; SIMILAR TO GEC 01R; L11062 OR EQUIVALENT	EACH	R	260.00
20.177	ISOLATORS 11 KV SOUTH WALES OR EQUIVALENT	EACH	R	280.00
20.178	LINKS NEUTRAL 30267 OR EQUIVALENT	EACH	R	290.00
20.179	LINKS SOLID; BARE WEDGE (NEUTRAL LINK) 30MM FIXING CENTERS; FOR USE ON 600AMP FUSE RLLAR UNIT OR EQUIVALENT	EACH	R	300.00
20.180	MOSDORFER FUSE HOLDER 1 PHASE SIZE 00 FUSE TO TAKE INCOMING AND 2 OUTGOING CABLES UP TO 95MM OR EQUIVALENT.	EACH	R	310.00
20.181	OIL FUSE 11KV 100A 254MM SHORT/ 120EFMA100 OR EQUIVALENT	EACH	R	2 231.30
20.182	OIL FUSE 11KV 25A 254MM SHORT / 120EFMA25 OR EQUIVALENT	EACH	R	2 136.45
20.183	OIL FUSE 11KV 31.5A 254MM SHORT / 120EFMA 31.5 OR EQUIVALENT	EACH	R	1 914.54
20.184	OIL FUSE 11KV 40A 254MM SHORT / 120EFMA40 OR EQUIVALENT	EACH	R	2 493.08
20.185	OIL FUSE 11KV 50A 254MM SHORT/ 120EFMA50 OR EQUIVALENT	EACH	R	2 111.81
20.186	OIL FUSE 11KV 63A 254MM SHORT/ 120EFMA63 OR EQUIVALENT	EACH	R	2 526.62
20.187	OIL FUSE 11KV 80A 254MM SHORT / 120EFMA80 OR EQUIVALENT	EACH	R	2 134.71
20.188	OIL FUSES HT OHGMA 100 AMP (63MM X 400MM) OR EQUIVALENT	EACH	R	1 386.29
20.189	OIL FUSES HT OHGMA 31.5 AMP (63MM X 400MM) OR EQUIVALENT	EACH	R	1 227.16
20.190	OIL FUSES HT OHGMA 63 AMP (63MM X 400MM) OR EQUIVALENT	EACH	R	1 434.15
20.191	STOVE FUSES SCREW TYPE 6.15;20;25;30 AMP OR EQUIVALENT	EACH	R	1 106.87
20.192	FUSE 450 AMP - TYPE J.S. 450 AMP - 80 KA - 415 VOLT AC - H.R.C. - (GEC) OR EQUIVALENT	EACH	R	1 540.58
20.193	FUSES 11KV FOR T310F 40AMP KEMKO/OHGMA LONG ONE BS 2692-1975 12KVA-20KA 7.2KV-40KA OR EQUIVALENT	EACH	R	2 771.29
20.194	FUSES 40AMP (KEBXO/OEFMA FOR T3 SWITCH OR EQUIVALENT	EACH	R	1 077.49
20.195	HRC FUSE 160 AMP 3 1/4 FC WEDGE SLOTTED LAWSON TYPE OR EQUIVALENT	EACH	R	362.22
21	FUSE CARRIERS			
21.1	FUSE CARRIERS C/J235 OR EQUIVALENT	EACH	R	667.06

22	CABLE GLANDS			
22.1	CABLE GLANDS WITH SHROUDS FOR 20-5MM AND FITTING BOTH 25MM AND 32MM DIA HOLE NO.2 OR EQUIVALENT.	EACH	R	248.80
22.2	CABLE GLANDS WITH SHROUDS FOR 600/1000 PVC INSULATED SWA CABLES 25MM X 4 CORE PRATLEY NO. 3 SPECIFICATION ED 0014 OR EQUIVALENT	EACH	R	337.09
22.3	CABLE GLANDS WITH SHROUDS FOR 600/1000V INSULATED SWA CABLES 70MM/4 CORE PRATLEY NO.5 SPECIFICATION ED 0014 OR EQUIVALENT	EACH	R	599.74
22.4	CABLE GLANDS WITH SHROUDS FOR 600/1000V PVC INSULATED SWA CABLES 35 X 4 CORE NO.4 SPECIFICATION ED 0014 OR EQUIVALENT	EACH	R	501.90
22.5	CABLE GLANDS WITH SHROUDS FOR 600/1000V PVC INSULATED SWA CABLES 185 MM2, 4 CORE PRATLEY NO 8 AS PER DETAILED SPECIFICATION ED 0014 OR EQUIVALENT	EACH	R	420.00
22.6	CABLE GLANDS WITH SHROUDS FOR 600/1000V PVC INSULATED SWA CABLES 4MM; PRATLEY NO 1 SPECIFICATION ED 14 OR EQUIVALENT	EACH	R	267.97
22.7	CABLE GLANDS; WITH SHROUDS; FOR PVC INSULATED SWA CABLES; 185MM X 4 CORE; NO.6 GLAND OR EQUIVALENT	EACH	R	660.00
22.8	CABLE GLANDS; PVC TUFFLON COMPRESSION TYPE; SIZE NO 0; COMPLIES TO SABS 968/970 (WHITE) OR EQUIVALENT	EACH	R	179.80
22.9	GLANDS CABLE CCG NO 0 WITH SHROUDS OR EQUIVALENT.	EACH	R	540.14
22.10	GLANDS CABLE NO 1 CCG OR EQUIVALENT	EACH	R	800.00
22.11	GLANDS CABLE NO 6 CCG OR EQUIVALENT	EACH	R	820.00
22.12	GLANDS CABLE NO.3 CCG OR EQUIVALENT	EACH	R	900.00
22.13	GLANDS CABLE PRATLEY NO 0 OR EQUIVALENT	EACH	R	950.00
22.14	GLANDS CABLE PVC NO.1 OR EQUIVALENT	EACH	R	410.00
22.15	GLANDS CCG A2 NO.0 COMPRESSION OR EQUIVALENT	EACH	R	310.00
22.16	GLANDS CCG BW NO.0 SRANDARD TYPE COMPLETE WITH SHROUDS AND EARTHRING OR EQUIVALENT	EACH	R	189.53
22.17	GLANDS CCG BW NO.1 STANDARD TYPE COMPLETE WITH SHROUD AND EARTHRING OR EQUIVALENT	EACH	R	161.66
22.18	GLANDS CCG BW NO.2 STANDARD TYPE COMPLETE WITH SHROUD AND EARTHRING OR EQUIVALENT	EACH	R	234.73
22.19	GLANDS CCG BW NO.3 STANDARD TYPE COMPLETE WITH SHROUD AND EARTHRING OR EQUIVALENT	EACH	R	305.25
22.20	GLANDS CCG BW NO.4 STANDARD TYPE COMPLETE WITH SHROUD AND EARTHRING OR EQUIVALENT	EACH	R	440.00
22.21	GLANDS CCG BW NO.5 STANDARD TYPE COMPLETE WITH SHROUD AND EARTHRING OR EQUIVALENT	EACH	R	480.00
22.22	GLANDS COMPRESSION WHITE PVC NR 1 OR EQUIVALENT	EACH	R	92.04
22.23	GLANDS NO 1 PVC COMPRESSION OR EQUIVALENT	EACH	R	81.30
22.24	GLANDS PRATLEY NO 0 COMPLETE WITH ONE RUBBER EACH OR EQUIVALENT	EACH	R	111.36
22.25	GLANDS PRATLEY NO 5 POLEMOUNTING COMPLETE WITH TWO OR EQUIVALENT	EACH	R	420.00
22.26	GLANDS PRATLEY NO. 8 C/W ONE RUBBER EACH OR EQUIVALENT	EACH	R	420.00
22.27	GLANDS__CABLE NO 4 CCG OR EQUIVALENT	EACH	R	280.00
22.28	GLANDS_CABLE NO 2 CCG OR EQUIVALENT	EACH	R	210.00
22.29	CABLE GLANDS NO5 CCG WITH RUBBERS OR EQUIVALENT	EACH	R	320.00
22.30	CABLE END BOX; OUTDOOR; INVERTED POLE MOUNTING; 11 KV; FOR UP TO 35 MM2; 1 CORE; PILCOSTA BELTED CABLE; WITH BRASS WIPING GLANDS;INSULATORS;LINE OR EQUIVALENT	EACH	R	420.00
22.31	COMPRES. GLANDS P.V.C. NR 10 OR EQUIVALENT	EACH	R	500.00
22.32	COMPRESSOR GLANDS_NO 2 OR EQUIVALENT	EACH	R	497.84

23	CABLE SEALING			
23.1	CABLE SEALING END CAP 70/30 OR EQUIVALENT	EACH	R	200.53
23.2	CABLE SEALING END CAP FOR CABLES OF OUTER DIAMETER RANGE 45MM - 65MM OR EQUIVALENT.	EACH	R	226.40
23.3	CABLE SEALING END CAP FOR CABLES OF OUTER DIAMETER RANGE 65MM - 95MM OR EQUIVALENT.	EACH	R	257.86
24	CONDUIT BOXES			
24.1	CONDUIT BOXES; 20MM; 1 WAY; CIRCULAR; UPVC BEARING SABS 950-1985 MARK OR EQUIVALENT	EACH	R	220.00
24.2	CONDUIT BOXES; 20MM; 3 WAY; CIRCULAR; UPVC BEARING SABS 950-1985 MARK (WHITE) OR EQUIVALENT	EACH	R	227.05
24.3	CONDUIT BOXES; PRESSED STEEL; 100 X 100 MM FOR FLUSH MOUNTING OR EQUIVALENT	EACH	R	260.00
24.4	CONDUIT BOXES; PRESSED STEEL; 50 X 100MM FOR FLUSH MOUNTING OR EQUIVALENT	EACH	R	280.00
24.5	CONDUIT FEMALE ADAPTORS; 20MM; UPVC BEARING SABS 950-1985 MARK (WHITE); OR EQUIVALENT	EACH	R	182.21
24.6	CONDUIT GALVANISED - SCREWED 20 MM - 4 M LENGTHS OR EQUIVALENT	EACH	R	300.00
24.7	CONDUIT SADDLES; 20MM; 1 WAY; UPVC IN COMPLIANCE WITH SABS 950-1985 MARK. (WHITE); OR EQUIVALENT	EACH	R	107.15
24.8	CONDUIT; UPVC; 20MM BEARING SABS 950-1985 MARK IN 4 METRE LENGTHS(WHITE) OR EQUIVALENT	EACH	R	220.00
24.9	CONDUIT (FLEXIBLE) 110MM (4 INCH) OR EQUIVALENT	EACH	R	230.00

25	CONNECTORS			
25.1	CONNECTION BARS FOR X-FR TERMINALS OR EQUIVALENT	EACH	R	220.00
25.2	CONNECTOR BLOCKS 12 WAY X 15 AMP PVC OR EQUIVALENT	EACH	R	130.00
25.3	CONNECTOR PRATLEY NO2 RED OR EQUIVALENT OR EQUIVALENT	EACH	R	150.00
25.4	CONNECTOR STRIP PLASTIC 10MM SET OF 10 15AMP BLACK OR EQUIVALENT	EACH	R	129.09
25.5	CONNECTOR STRIP PLASTIC 20MM SET OF 10 30AMP BLACK OR EQUIVALENT	EACH	R	150.21
25.6	CONNECTOR STRIP PLASTIC SET OF 10 5 AMP 6MM BLACK OR EQUIVALENT	EACH	R	74.15
25.7	CONNECTORS 99MM REF NO: PC3WP1CF OR EQUIVALENT	EACH	R	152.17
25.8	CONNECTORS FUSE SAKS 3 RED CAP OR EQUIVALENT	EACH	R	230.00
25.9	CONNECTORS PIERCING (BLACK) OR EQUIVALENT	EACH	R	178.96
25.10	CONNECTORS PIERCING BARE NEUTRAL (BLUE) (PC 25-95 (BARE)4-35) OR EQUIVALENT	EACH	R	182.78
25.11	CONNECTORS PRATLEY OR EQUIVALENT	EACH	R	230.86
25.12	CONNECTORS PRATLEY NO 2 BLACK OR EQUIVALENT	EACH	R	181.39
25.13	CONNECTORS PRATLEY PLUS BLACK PLASTIC COVERS SIZE S OR EQUIVALENT	EACH	R	257.57
25.14	CONNECTORS SMALL RSF1 OR EQUIVALENT	EACH	R	189.12
25.15	CONNECTORS SMALL SAK18 OR EQUIVALENT	EACH	R	131.07
25.16	CONNECTORS TERMINAL BAKELITE-MARTCO NO.7 - 3 PHASE COMPL. WITH 4 BOLTS + WINGNUTS CODE : 000323 OR EQUIVALENT	EACH	R	370.00
25.17	CONNECTORS TTD 051 XF OR EQUIVALENT	EACH	R	450.00
25.18	*CONNECTORS TRAFFIC SIGNAL TYPE " Z " (23 POLE TOP TERMINAL BOX) OR EQUIVALENT	EACH	R	720.00
25.19	ABC IPC CONNECTORS OR EQUIVALENT	EACH	R	218.87
25.20	ABC IPC CONNECTORS OR EQUIVALENT	EACH	R	192.06
25.21	PIERCING CONNECTOR 25-95/2.5-35 OR EQUIVALENT	EACH	R	410.97
25.22	TERMINAL CONNECTORS; SHROUDED; NO 2, HOLE 25/64; CONNECTOR WITH SHROUDES OR EQUIVALENT.	EACH	R	234.37
25.23	TERMINAL CONNECTORS; SHROUDED; NO 3, HOLE DIAMETER "1/2" WITH SHROUDES OR EQUIVALENT.	EACH	R	253.35

26	CONTACTORS			
26.1	CONTACTOR 25A 11kv OR EQUIVALENT	EACH	R	540.00
26.2	CONTACTOR LC1 D25 M7 OR EQUIVALENT	EACH	R	530.00
26.3	CONTACTOR MAGNETIC 40A OR EQUIVALENT	EACH	R	400.00
26.4	CONTACTORS 220 VOLT COIL - TYPE DIL 2 M - 22 PLUS AUXILIARY CONTACT UNIT - 22 DIL M OR EQUIVALENT	EACH	R	220.00
26.5	CONTACTORS 24 A OR EQUIVALENT	EACH	R	240.00
26.6	CONTACTORS 30 AMP 3 PHASE 220 VOLT COILS (ALLAN BRADLEY) CAT NO: 100C30F00 OR EQUIVALENT	EACH	R	260.00
26.7	CONTACTORS 32 A OR EQUIVALENT	EACH	R	280.00
26.8	CONTACTORS 60 AMP 3 PHASE 220 V COILS AC3 ALAN BRADLEY BRAND CAT NO: 100-C60F00 / OR CN-65 30KW 80A (AC1)64A (AC3) CONTA. OR EQUIVALENT	EACH	R	290.00
26.9	CONTACTORS DSL6 22E 220V OR EQUIVALENT	EACH	R	300.00
26.10	CONTACTORS FANTINI COSMI HR40 - 220-230V COIL - 38 Ø14 15V 18.5KW CONTACT RATING.MOUNTING DIN RAIL. OR EQUIVALENT	EACH	R	310.00
26.11	CONTACTORS:3PHASE; CONTROL VOLTAGE 230V; 50HZ; 40AMP;400 VOLTS;MAXIMUM HIGHT 100MM MAXIMUM WIDTH 90MM OR EQUIVALENT.	EACH	R	320.00
26.12	CONTACTORS:3PHASE; CONTROL VOLTAGE 230V 50HZ; 80AMP; SPEC ED003 OR EQUIVALENT.	EACH	R	490.00
26.13	CONTRACTORS UCO 20 CODE LCI - D40004 M 5 220 VOLT OR EQUIVALENT	EACH	R	550.00
27	COVER POLES			
27.1	COVER FOR POLE FIBRE GLASS - SMALL COVER OR EQUIVALENT	EACH	R	600.00
27.2	COVER FOR POLE FIBRE GLASS BIG COVER OR EQUIVALENT	EACH	R	700.00
28	DOUBLE BRACKET			
28.1	DOUBLE BRACKET 42 DIA SPIGOT X 150 LONG AS PER DRAWING NO: M-7(C) OR EQUIVALENT	EACH	R	800.00
28.2	DOUBLE SIDE ENTRY BRACKET 88 OD X 150MM DRAWING M-10 OR EQUIVALENT	EACH	R	900.00
29	DOUBLE BOLT			
29.1	DOUBLE BOLT INSULATING PIERCING CONNECTORS; WATERTIGHT; FULLY INSULATED TO 9KV; FOR USE ON AERIAL BUNDLE CONDUCTOR; MAIN LINE 25MM-55MM AND TAP LINE 2MM-55MM; (PART NO. FC3WP22) OR EQUIVALENT.	EACH	R	464.57
29.2	DOUBLE BOLT 1/2" (TAP 35-95) OR EQUIVALENT	EACH	R	260.00

30	EXTENTION BOX			
30.1	EXTENSION BOXES 100 MM X 50 MM OR EQUIVALENT	EACH	R	68,23
30.2	EXTENSION BOXES 100MM X 100MM OPEN BACK OR EQUIVALENT	EACH	R	87,52
30.3	EXTENTION BOX; FOR 16A SOCKET OUTLET 100 X 100 X 38MM (IVORY), OR EQUIVALENT	EACH	R	429,99
31	FLEXIBLE SLEEVE PIPES			
31.1	FLEXIBLE SLEEVE PIPE 110MM X 3.5MM PVC BLACK NEXT TUBE IN 6 METRE LENGTH OR EQUIVALENT.	EACH	R	528,72
31.2	FLEXIBLE SLEEVE PIPE 110MM X 3.5MM PVC BLACK NEX TUBE IN 6 METRE LENGTH OR EQUIVALENT.	EACH	R	534,81
31.3	FLEXIBLE SLEEVE PIPE 160MM X3.5MM PVC BLACK NEX TUBE IN 6 METRE LENGTH OR EQUIVALENT.	EACH	R	220,00
31.4	SLEEVE JOINTING COPPER GRP TYPE OR EQUIVALENT	EACH	R	330,00
31.5	SLEEVES 300- ALU OR EQUIVALENT	EACH	R	416,69
31.6	SLEEVES HEATSHRINK 2.5MM OR EQUIVALENT	EACH	R	359,46
31.7	SLEEVES REPAIR HEAT SHRINK WRAPAROUND 30-125MM X 1000MM (PRODUCT CODE LG1200 125-30-1000) OR EQUIVALENT	EACH	R	570,00
32	INSULATORS			
32.1	INSULATOR - PORCELAIN - FOR 19.14 KV- OR EQUIVALENT	EACH	R	332,99
32.2	INSULATOR - PORCELAIN - PIN 11 KV - HT OR EQUIVALENT	EACH	R	521,48
32.3	INSULATOR - PORCELAIN - PIN 3.5 X 4.5 OR EQUIVALENT	EACH	R	420,00
32.4	INSULATOR - PORCELAIN - PIN FOR .1 ALUMINIUM OR EQUIVALENT	EACH	R	440,00
32.5	INSULATOR - PORCELAIN - PIN FOR .2 ALUMINIUM OR EQUIVALENT	EACH	R	430,00
32.6	INSULATOR - PORCELAIN - SHACKLE FOR .2 ALUMINIUM OR EQUIVALENT	EACH	R	450,00
32.7	INSULATOR - PORCELAIN - SMALL PETICOTE OR EQUIVALENT	EACH	R	578,06
32.8	INSULATOR PORCELAIN - PH P2 OR EQUIVALENT	EACH	R	210,00
32.9	INSULATORS BUSBAR; 33KV PEDESTAL TYPE OR EQUIVALENT	EACH	R	270,00
32.10	INSULATORS SHACKLE PORCELAIN 112 MM C/W STRAP BOLTS & NUTS OR EQUIVALENT	EACH	R	170,00
32.11	INSULATORS SHACKLE PORCELAIN 87 MM C/W STRAP BOLTS AND NUTS OR EQUIVALENT	EACH	R	280,00
33	INSULATING PIERCING CONNECTORS			
33.1	INSULATED CONNECTOR; FOR INSULATED CONDUCTORS ONTO A NEUTRAL OR OVER HEADLINE; BARE ALUMINIUM; TAP LINE; INSULATED COPPER OR ALUMINIUM; REF-BC21F OR EQUIVALENT.	EACH	R	262,25
33.2	INSULATING PIERCING CONNECTORS; WATERTIGHT FULLY INSULATED TO 8KV; FOR USE ON AERIAL BUNDLE CONDUCTORS; MAIN LINE IS TO 95MM; TAP LINE 1.5MM TO 1092 OR EQUIVALENT.	EACH	R	310,00
33.3	INSULATING PIERCING CONNECTORS; WATERTIGHT; FULLY INSULATED TO 8KV; FOR USE ON AERIAL BUNDLE CONDUCTORS;MAIN LINE 25MM TO 95MM AND TAP LINE . 25MM TO 95MM; PART NO. PC3WP1CF OR EQUIVALENT.	EACH	R	320,00
33.4	INSULATING PIERCING CONNECTORS; WATERTIGHT; FULLY INSULATED TO 8KV;FOR USE ON AERIAL BUNDLE CONDUCTORS;MAIN LINE 90_240MM;TAP LINE 90_240MM PART NO.PC6WP2CF (BRAND EBM) OR EQUIVALENT.	EACH	R	511,95
33.5	INSULATION PIERCING CONNECTORS; WATERTIGHT; FULLY INSULATED TO6KV; FOR USE ON AERIAL BUNDLE CONDUCTORS; MAIN LINE 25_95MM;TAP LINE 6_95MM; (PC2_1) (BRAKPAN ONLY PC3WP1CF) OR EQUIVALENT	EACH	R	418,62

34	ISOLATORS			
34.1	ISOLATOR - 100 AMP - TRIPLE POLE WITH CLIPTRAY HEINEMAN SF3 - GO - 415 VOLT - 5 KA - 50 HZ OR EQUIVALENT	EACH	R	420.00
34.2	ISOLATOR - 150 AMP - TRIPLE POLE - HEINEMAN JSNO - 415 VOLT - 25 KA / 525 VOLT - 15 KA OR EQUIVALENT	EACH	R	480.00
34.3	ISOLATOR - 250 AMP - TRIPLE POLE - HEINEMAN LJ 603 - 415 VOLT - 20 KA / 525 VOLT - 15 KA OR EQUIVALENT	EACH	R	490.00
34.4	ISOLATOR - 300 AMP - TRIPLE POLE - HEINEMAN LJ 603 - 440 VOLT - 20 KA OR EQUIVALENT	EACH	R	500.00
34.5	ISOLATOR - 60 AMP - DOUBLE POLE WITH CLIPTRAY HEINEMAN SA2 - GO - 240 VOLT - 2.5 KA - 50 HZ OR EQUIVALENT	EACH	R	466.38
34.6	ISOLATOR - 60 AMP - TRIPLE POLE WITH CLIPTRAY HEINEMAN SA3 - GO - 415 VOLT 2.5 KA - 50 HZ OR EQUIVALENT	EACH	R	519.10
34.7	ISOLATOR 3 POLE ON-LOAD C/W SHROUDS AND MATERIAL OR EQUIVALENT	EACH	R	220.00
34.8	ISOLATOR UNITS OIL 6 600 V 400 A TYPE [IMS] OR EQUIVALENT	EACH	R	230.00
34.9	TRIPLE POLE ISOLATOR; LOAD BREAK; FAULT MAKE; COMPRESSION TYPE; WITH SPRING ASSISTED MECHANISM; 6.9KV; 400A; C/W OPERATING HANDLE OR EQUIVALENT	EACH	R	820.00
35	JOINTING SLEEVES			
35.1	JOINTING SLEEVES; WEAK BACK; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 150MM CONDUCTOR OR EQUIVALENT.	EACH	R	302.65
35.2	JOINTING SLEEVES; WEAK BACK; ELECTRO TINNED HIGH CONDUCTIVITY COPPER; FOR 185 MM2 CONDUCTOR OR EQUIVALENT.	EACH	R	334.17
35.3	JOINTING SLEEVES; WEAK BACK; ELECTRO TINNED; HIGH CONDUCTIVITY COPPER; FOR 70 MM2 CONDUCTOR OR EQUIVALENT	EACH	R	292.21
35.4	SLEEVES JOINTING 1.5 MM STRAIGHT THROUGH OR EQUIVALENT	EACH	R	185.82
35.5	SLEEVES JOINTING 10 MM STRAIGHT THROUGH/STAMCOR OR EQUIVALENT	EACH	R	222.82
35.6	SLEEVES JOINTING 120MM SOLID CENTRE OR EQUIVALENT	EACH	R	331.18
35.7	SLEEVES JOINTING 150 MM SOLID CENTRE OR EQUIVALENT	EACH	R	190.00
35.8	SLEEVES JOINTING 16 MM OPEN CENTRE /STAMCOR OR EQUIVALENT	EACH	R	169.26
35.9	SLEEVES JOINTING 185MM SOLID CENTRE(STAMCOR) OR EQUIVALENT	EACH	R	220.00
35.10	SLEEVES JOINTING 25 MM OPEN CENTRE OR EQUIVALENT	EACH	R	150.28
35.11	SLEEVES JOINTING 300 MM STRAIGHT THROUGH (ALUMINIUM) (TOURQUE SHEAR FERRULE) OR EQUIVALENT	EACH	R	260.00
35.12	SLEEVES JOINTING 300 MM STRAIGHT THROUGH (COPPER) OR EQUIVALENT	EACH	R	280.00
35.13	SLEEVES JOINTING 35 MM SOLID CENTRE OR EQUIVALENT	EACH	R	195.05
35.14	SLEEVES JOINTING 4 MM STRAIGHT THROUGH OR EQUIVALENT	EACH	R	137.65
35.15	SLEEVES JOINTING 50 MM SOLID CENTRE OR EQUIVALENT	EACH	R	248.67
35.16	SLEEVES JOINTING 6 MM STRAIGHT THROUGH OR EQUIVALENT	EACH	R	170.90
35.17	SLEEVES JOINTING 70 MM SOLID CENTRE OR EQUIVALENT	EACH	R	301.59
35.18	SLEEVES JOINTING 95MM SOLID CENTRE OR EQUIVALENT	EACH	R	371.87
35.19	"SLEEVES JOINTING 2.5MM STRAIGHT THROUGH "STAMCOR OR EQUIVALENT	EACH	R	196.66
35.20	10MM SLEEVES OR EQUIVALENT	EACH	R	114.28
35.21	16MM TO 35MM2 FLEXIBLE REPAIR SLEEVE (ZIP JOINT); FOR LV CABLES OR EQUIVALENT.	EACH	R	193.64

36	SOLDERING FLUX			
36.1	*SOLDERING FLUX; ALUMINIUM; "ALUFLUX" IN 150 GRA BOTTLES OR EQUIVALENT.	EACH	R	212.26
37	SMALL POWER DISTRIBUTION BOARD			
37.1	SMALL POWER DISTRIBUTION BOARDS (READY BOARDS) OR EQUIVALENT	EACH	R	920.00
37.2	BOARD READY TYPE AP001/8H- IN COMPLIANCE WITH SABS 1619/1995. BOARD MUST BE FULLY WIRED AND INCLUSIVE OF THE FOLLOWING EQUIPMENT. OR EQUIVALENT	EACH	R	120.00
37.3	BOARDS LOW VOLTAGE DISTRIBUTION OR EQUIVALENT	EACH	R	140.00
37.4	READY BOARD FITTED WITH EML KEYPADS OR EQUIVALENT	EACH	R	160.00
38	SOLVENT CABLE CLEANING			
38.1	SOLVENT CABLE CLEANING 5LT OR EQUIVALENT	EACH	R	180.00
39	PADLOCKS			
39.1	PADLOCK 45MM BLUE NYLON BODY FINISH WITH 40MM LONG STAINLESS-STEEL SHACKLE; KEY ALIKE OR EQUIVALENT	EACH	R	190.00
39.2	PADLOCKS MODLOCK 45MM WITH 40MM COROPROOF SHACKLES RED STAMPED V SUB UNION OR EQUIVALENT	EACH	R	220.00
39.3	PADLOCKS MODLOCKS 45MM WITH 40MM CORO UNION PROOF SHACKLES GREEN STAMPED V METER OR EQUIVALENT.	EACH	R	260.00
39.4	PADLOCKS UNION BRASS 40MM KEYED ALIKE REF: WWM OR EQUIVALENT.	EACH	R	280.00
39.5	PADLOCKS UNION CODE M2 (ELECTRICITY ONLY) PADLOCK MUST BE RED OR EQUIVALENT	EACH	R	300.00
39.6	PADLOCKS UNION CODE M2 (ELECTRICITY ONLY) PADLOCK MUST BE RED OR EQUIVALENT	EACH	R	140.00
39.7	PADLOCKS UNION CODE M1 (ELECTRICITY ONLY) PADLOCK MUST BE GREEN OR EQUIVALENT	EACH	R	160.00
39.8	PADLOCKS VRO BRASS 30MM KEYED ALIKE REF P812. OR EQUIVALENT	EACH	R	180.00
39.9	PADLOCKS VRO BRASS 30MM KEYED ALIKE REF P812. OR EQUIVALENT	EACH	R	220.00
39.10	NIGHT LATCHES UNION 1022 SD; KEY ALIKE REF.WWM OR EQUIVALENT.	EACH	R	240.00
40	PLUGS			
40.1	PLUG TOPS 15 AMP 3PIN SNAPPERS OR EQUIVALENT	EACH	R	66.29
40.2	PLUG TOPS; PVC; 16 AMP; 3 PIN; SIMILAR TO SNAPPER SNPOCL (WHITE) OR EQUIVALENT.	EACH	R	81.50
40.3	PLUGS 15 AMP 100 MM X 100 MM DOUBLE - FLUSH MOUNT C/W COVER PLATES / LITEMASTER OR EQUIVALENT	EACH	R	208.85
40.4	PLUGS 15 AMP 100 MM X 50 MM SINGLE - FLUSH MOUNT C/W COVER PLATE/LITEMASTER OR EQUIVALENT	EACH	R	141.51
40.5	PLUGS INDUSTRIAL 15AMP OR EQUIVALENT	EACH	R	153.23
40.6	*PLUGS 15 AMP INDUSTRIAL - SURFACE MOUNT *-CRABTREE LUMEX/LITEMASTER OR EQUIVALENT	EACH	R	143.91
40.7	*PLUGS JANUS 15 AMP *- DOUBLE RUBBER PLUG* OR EQUIVALENT	EACH	R	129.93
40.8	16AMP HEAVY DUTY RUBBER PLUGTOPS 3 PIN SABS 165/ 1959 250V OR EQUIVALENT	EACH	R	118.10
40.9	WALL PLUGS FISCHER 30 MM X 6 MM S6 ART-NR.50106 OR EQUIVALENT	EACH	R	89.37

41	TAPES			
41.1	"TAPE MARKING, "ELECTRIC CABLE", WITH WW 7 SAFET SHN 150MM X 500 M ROLLS. YELLOW & RED OR EQUIVALENT	EACH	R	450,00
41.2	TAPE - SEMI CONDUCTIVE NO. 13 - 18 MM X 4.5 M ROLL OR EQUIVALENT	EACH	R	321,24
41.3	TAPE - DETECTA - CABLE MARKER - 150 MM X 500 M ROLL OR EQUIVALENT	EACH	R	570,00
41.4	TAPE - LINEN - 20 MM ROLL OR EQUIVALENT	EACH	R	267,56
41.5	TAPE - PVC INSULATION ADHESIVE 3M SCOTCH NO 35 WHITE - 18 MM X 20 M ROLL OR EQUIVALENT	EACH	R	301,72
41.6	TAPE BUFF 48MM OR EQUIVALENT	EACH	R	122,39
41.7	TAPE DENZO 75 MM OR EQUIVALENT	EACH	R	258,01
41.8	TAPE DETECTOR ELECTRICAL MARKING 500M X 150 MM OR EQUIVALENT	EACH	R	580,00
41.9	TAPE ELECTRICAL 18 MM X 20,12M X ,178MM SCOTCH SUPER NO 33+ OR EQUIVALENT	EACH	R	180,28
41.1	TAPE INSULATING 20MM WHITE POWER [NON-STICKY] OR EQUIVALENT	EACH	R	188,83
41.2	TAPE INSULATION ELECTRICAL 20MM (SCOTCH) OR EQUIVALENT	EACH	R	204,34
41.3	TAPE LEAD 50MM WIDE X 1,2MM THICK 5 KG ROLLS OR EQUIVALENT	EACH	R	570,00
41.4	TAPE MASKING 20MM OR EQUIVALENT	EACH	R	123,27
41.5	TAPE MASKING 24MM OR EQUIVALENT	EACH	R	105,24
41.6	TAPE NON-ADHESIVE - BLUE OR EQUIVALENT	EACH	R	113,99
41.7	TAPE NON-ADHESIVE - RED OR EQUIVALENT	EACH	R	113,26
41.8	TAPE NON-ADHESIVE - YELLOW OR EQUIVALENT	EACH	R	135,60
41.9	TAPE PVC ADHESIVE 20MM WIDE GREEN OR EQUIVALENT	EACH	R	142,65
42.1	"TAPE MARKING, "ELECTRIC CABLE", WITH WW 7 SAFET SHN 150MM X 500 M ROLLS. YELLOW & RED OR EQUIVALENT	EACH	R	120,00
42.2	TAPE - SEMI CONDUCTIVE NO. 13 - 18 MM X 4.5 M ROLL OR EQUIVALENT	EACH	R	130,00
42.3	TAPE - DETECTA - CABLE MARKER - 150 MM X 500 M ROLL OR EQUIVALENT	EACH	R	140,00
42.4	TAPE - LINEN - 20 MM ROLL OR EQUIVALENT	EACH	R	220,00
42.5	TAPE - PVC INSULATION ADHESIVE 3M SCOTCH NO 35 WHITE - 18 MM X 20 M ROLL OR EQUIVALENT	EACH	R	280,00
42.6	TAPE BUFF 48MM OR EQUIVALENT	EACH	R	107,47
42.7	TAPE DENZO 75 MM OR EQUIVALENT	EACH	R	277,54
42.8	TAPE DETECTOR ELECTRICAL MARKING 500M X 150 MM OR EQUIVALENT	EACH	R	380,00
42.9	TAPE ELECTRICAL 18 MM X 20,12M X ,178MM SCOTCH SUPER NO 33+ OR EQUIVALENT	EACH	R	170,66
42.10	TAPE INSULATING 20MM WHITE POWER [NON-STICKY] OR EQUIVALENT	EACH	R	194,36
42.11	TAPE INSULATION ELECTRICAL 20MM (SCOTCH) OR EQUIVALENT	EACH	R	182,83
42.12	TAPE LEAD 50MM WIDE X 1,2MM THICK 5 KG ROLLS OR EQUIVALENT	EACH	R	482,63
42.13	TAPE MASKING 20MM OR EQUIVALENT	EACH	R	83,64
42.14	TAPE MASKING 24MM OR EQUIVALENT	EACH	R	89,06
42.15	TAPE NON-ADHESIVE - BLUE OR EQUIVALENT	EACH	R	72,27
42.16	TAPE NON-ADHESIVE - RED OR EQUIVALENT	EACH	R	72,27
42.17	TAPE NON-ADHESIVE - YELLOW OR EQUIVALENT	EACH	R	69,78
42.18	TAPE PVC ADHESIVE 20MM WIDE GREEN OR EQUIVALENT	EACH	R	148,86
42.19	TAPE RUBBER ELECTRICAL SEALING OR EQUIVALENT	EACH	R	172,34

43	TORCHES TO CELL.			
43.1	TORCHES 2 CELL (MAGLITE "D" TYPE) HEAVY-DUTY ALUMINIUM. WATERPROOF/NON-SUBMERSIBLE. SEALED ON/OFF SWITCH. LED-20 168 LUMENS. SHATTER-PROOF POLY CARBONATE LENS. FOCUS FROM SPOTLIGHT TO FLOOD LIGHT OR EQUIVALENT.	EACH	R	300.00
44	STAINLESS STEEL BUCKLES			
44.1	STAINLESS STEEL BUCKLES FOR STAINLESS STEEL STRAPPING (100 P/BX) X 20MM OR EQUIVALENT.	BOX	R	310.00
44.2	STAINLESS STEEL BUCKLES: GRADE 304; FOR USE WITH 19MM WIDE X 0.7MM THICK STAINLESS-STEEL STRAPPING; IN BOXES OF 100 UNITS OR EQUIVALENT.	EACH	R	298.95
44.3	BUCKLES (FOR 19MM STRAP) - PACKET OR EQUIVALENT	EACH	R	369.75
44.4	BUCKLES STAINLESS STEEL 12.70 MM (BAND-IT) (100 PER BOX) OR EQUIVALENT	EACH	R	275.11
44.5	BUCKLES VALUSTRAP 19.5 MM - BAND IT VALUCLIPS (STAINLESS STEEL) CAT. NO. C 156 EDP 13156 - PER BOX OR EQUIVALENT	BOX	R	1 859.98
44.6	BULK METERING KIOSKS 11KV. 200A CIRCUIT BREAKER OR EQUIVALENT.	EACH	R	5 000.00
44.7	STAINLESS STEEL BAND-IT BUCKLES 19 MM CODE 19304 100 PER BOX OR EQUIVALENT.	BOX	R	520.00
45	RODS			
45.1	STAY RODS; M20 X 2.4M LONG; COMPLETE WITH BOW & GALVANISED BASE PLATES; 450MM 450MM X 450MMX5MM TO BS 16 OR EQUIVALENT.	EACH	R	620.00
45.2	"RODS STAY 5/8" OR EQUIVALENT	EACH	R	383.42
45.3	EARTH RODS 20 MICRONS 1.2M (COPPER) SABS 1063.1985 COWELD OR EQUIVALENT	EACH	R	233.48
45.4	EARTH RODS; COPPER BOND TO 250 MICRON; NOMINAL 19MM DIA 1.5M LONG; WITH 16MM ROLLED ISO THREADS ON BOTH ENDS; BEARING SABS OR EQUIVALENT.	EACH	R	140.00
45.5	ROD EARTH COPPER M16 X 1.5 METER OR EQUIVALENT	EACH	R	221.66
45.6	RODS STAY - 8 FT X 20 MM DIA. - GALVANISED WITH BASEPLATE 300 X 300 X 5 MM OR EQUIVALENT	EACH	R	260.00
46	STAY WIRE			
46.1	STAY WIRE 7 X 4 GALV 100 M 1100 MPA OR EQUIVALENT	EACH	R	280.00
46.2	STAY WIRE; STRANDED GALVANISED STEEL; 7/3.25; TENSILE GRADE 700 MPA (45TON) TO BSS 183/1972 (7 X 10 SWG) PER ROLL OR EQUIVALENT.	ROLL	R	300.00
46.3	STAY WIRE; STRANDED GALVANISED STEEL; 7/3.25; TENSILE GRADE 700 MPA (45TON) TO BSS 183/1972 (7 X 10 SWG) IN 50KG ROLLS OR EQUIVALENT.	KG	R	400.00
46.4	STAY WIRE; STRANDED GALVANISED STEEL; 7/4.06 TENSILE GRADE 700 MPA (45 TON) TO BSS 183/1972 (7/8 SWG) IN 50KG ROLLS OR EQUIVALENT.	KG	R	420.00

47	CLAMPS			
47.1	STEEL CLAMPS FOR 16MM WIRE ROPE; TO SABS 813 HEAVY DUTY CROSBY OR EQUIVALENT.	EACH	R	76,97
47.2	STEEL CLAMPS; FOR 10MM WIRE ROPE; TO SABS 813 OR EQUIVALENT	EACH	R	76,06
47.3	STEEL CLAMPS; FOR 13MM WIRE ROPE; TO SABS 813 HEAVY DUTY CROSBY CLAMPS OR EQUIVALENT.	EACH	R	76,17
47.4	STEEL CLAMPS; FOR 6MM WIRE ROPE TO SABS 813 OR EQUIVALENT	EACH	R	79,76
47.5	PARALLEL GROOVE CLAMPS; B1-METALLIC CADMIUM PLATED 3 BOLT TYPE; 3,7MM - 14,3MM; TO BS 1706/DTD 904 C OR EQUIVALENT	EACH	R	232,48
47.6	PARALLEL GROOVE CLAMPS; B1-METALLIC CADMIUM PLATED 1 BOLT TYPE; 9MM TO 15MM BS 1706 DTD 904C. OR EQUIVALENT	EACH	R	170,00
47.7	PARALLEL GROOVE CLAMPS; B1-METALLIC CADMIUM PLATED 2 BOLD TYPE;3,7MM TO 14,3MM; TO BSI 1706/DTD 904C OR EQUIVALENT.	EACH	R	180,00
47.8	POLE CLAMPS; 115MM DIA POLE; HEAVY DUTY TO DRAWING E/LTD 43 HD2 OR EQUIVALENT	EACH	R	200,00
47.9	POLE CLAMPS; 115MM DIA POLE; LIGHT DUTY TO DRAWING E/LTD 43 LD 3 (REV 3) OR EQUIVALENT	EACH	R	281,78
47.10	POLE CLAMPS; 140MM DIA POLE; DOUBLE CHANNEL; BASE CLAMP TO DRAWING E/LTD 102 G OR EQUIVALENT	EACH	R	353,11
47.11	POLE CLAMPS; 165MM DIA POLE; DOUBLE CHANNEL; BASE CLAMP; TO DRAWING E/LTD 102 G OR EQUIVALENT	EACH	R	398,55
47.12	POLE CLAMPS; 90MM DIA POLE; LIGHT DUTY TO DRAWING E/LTD 43 LD2 OR EQUIVALENT.	EACH	R	140,00
47.13	AIRDAC STRAIN CLAMP 4-16MM2 (STA4-16). PLUS, HOUSE SERVICE POLE BRACKET(HSU-2) OR EQUIVALENT.	EACH	R	153,96
47.14	CABLE CLAMPING WOODEN BLOCKS OR EQUIVALENT	EACH	R	424,22
47.15	CLAMP CROSBY 6MM HEAVY DUTY (GOOD QUALITY) OR EQUIVALENT	EACH	R	154,82
47.16	CLAMP CROSBY 8MM OR EQUIVALENT	EACH	R	157,69
47.17	CLAMPS B1- METAL FOR 120 MM WIRE 2674 / 2 G OR EQUIVALENT	EACH	R	520,00
47.18	CLAMPS B1-METAL DULMISON - TYPE 1646 WITH ONE BOLT OR EQUIVALENT	EACH	R	388,15
47.19	CLAMPS B1-METAL DULMISON - TYPE 1646 WITH TWO BOLTS OR EQUIVALENT	EACH	R	406,40
47.20	CLAMPS CROSBY 10MM HD (SUITABLE FOR COPPER WIRE) OR EQUIVALENT	EACH	R	120,00
47.21	CLAMPS CROSBY M 12MM HD OR EQUIVALENT	EACH	R	140,00
47.22	CLAMPS CROSBY WIRE ROPE 13MM OR EQUIVALENT	EACH	R	160,00
47.23	CLAMPS CROSBY 5 MM OR EQUIVALENT	EACH	R	170,00
47.24	CLAMPS GALVANISED IN ACCORDANCE WITH DRAWING CS1A OR EQUIVALENT	EACH	R	200,00
47.25	CLAMPS STRAIN AIRDAC C/W BAIL FOR 10-16 MM CABLE PINR 10-16 OR EQUIVALENT	EACH	R	201,00
47.26	GUY GRIP 7/8 STEEL GALVANISED END FOR 7/4,06 STAYS GSDE 480 OR EQUIVALENT.	EACH	R	202,00
47.27	GUY GRIP FOR 7/2 STAY WIRE (7X145WG (GSDE 240) OR EQUIVALENT.	EACH	R	195,24
47.28	GUY GRIP; DEAD END; GALVANISED STEEL FOR 7/3,25 ST AYS; GSDE 384 OR EQUIVALENT	EACH	R	203,08
47.29	GUY GRIP; DEAD END; GALVANISED STEEL FOR 7/3,25 ST AYS; GSDE 384 OR EQUIVALENT	EACH	R	209,37
47.30	NEUTRAL PINS WITH CLAMP FOR ALUMINIUM CONDUCTOR; T O DRAWING E/STL 105 OR EQUIVALENT	EACH	R	264,83
47.31	STRAIN ASSEMBLY COMPLETE WITH BRACKET FOR 3 X25 + 1 X 54,6 AERIAL BUNDLE CONDUCTOR; SUITABLE STAINLESS STEEL STRAP FIXING BLACK. WITH BRACKET OR EQUIVALENT.	EACH	R	361,79
47.32	STRAIN ASSEMBLY FOR BARE NEUTRAL CARRIER; 35 TO 50MM PA 50 TO 35MM (BLUE STRAIN CLAMP WITH BRACKET OR EQUIVALENT.	EACH	R	444,44
47.33	STRAIN CLAMP + POLE BRACKET (ALM) TO CARRY AERIAL BUNDLE CONDUCTORS (FRENCH SYTEM) 95MM X 3 + 54,6MM INSULATED NEUTRAL + 25MM (STREETLIGHT CORG) OR EQUIVALENT	EACH	R	499,21
47.34	STRAP VALLUSTRAP - NON-MAGNETIC STAINLESS STEEL - 19.05 MM X 30.48 M X .38 TO .43 MM - CAT. C 136 EDP13136 OR EQUIVALENT	EACH	R	600,00
47.35	SUSPENSION CLAMP + POLE BRACKET TO CARRY AERIAL BUNDLE CONDUCTORS (FRENCH SYSTEM) 95MM X 3 + 54,6MM INSULATED NEUTRAL + 25MM (STREETLIGHT) OR EQUIVALENT	EACH	R	210,00
47.36	SUSPENSION CLAMP FOR BARE NEUTRAL CARRIER 35-50MM2 TYPE ES14B; COMPLETE WITH BRACKET CS 10 (BLUE) (PS541MP+CS14) OR EQUIVALENT.	EACH	R	320,00
47.37	CARRIERS SHIELD TYPE WITH CENTRE WEDGES FOR L.T. CATRIDGR FUSE LINKS WITH 82,5MM CENTRE. (CJ 235) OR EQUIVALENT	EACH	R	360,00

48	COMPOUNDS			
48.1	COMPOUND BICC 500G OR EQUIVALENT	EACH	R	165.11
48.2	COMPOUND HENLEY 12KG OR EQUIVALENT	EACH	R	400.00
49	STREETLIGHT CONTROLLERS			
49.1	PHOTO-ELECTRIC STREET LIGHT CONTROLLERS; SPEC ED 0002.MODEL LS16 X 16AMP OR EQUIVALENT.	EACH	R	560.00
50	TAPE BARRIER			
50.1	TAPE BARRIER; WHITE/RED SHEVRON; 75MM X 75 MICRON X 500M ROLLS OR EQUIVALENT.	EACH	R	140.00
50.2	TAPE (DANGER) CABLE DETECTOR OR EQUIVALENT	EACH	R	270.00
50.3	TAPE SPLICING ELECTRIC HV/VOLT OR EQUIVALENT	EACH	R	340.00
50.4	TAPE SPLICING NO23 3M OR EQUIVALENT	EACH	R	360.00
50.5	TAPE SPT 18 MM X 9 M SCOTCH NUMBER 23 (3M PRODUCT) OR EQUIVALENT	ROLL	R	384.50
50.6	TAPE; HT CORONA RESISTANT; 18MM X 9M X 0.76MM; SCOTCH 23. OR EQUIVALENT	ROLL	R	266.21
51	TAPE ADHESIVE SCOTCH			
51.1	TAPE ADHESIVE SCOTCH NO 22 BLACK 38MM OR EQUIVALENT	EACH	R	402.00
51.2	TAPE ADHESIVE SCOTCH NO 23 OR EQUIVALENT	EACH	R	305.33
51.3	PURTY SCOTCHFILL OR EQUIVALENT	EACH	R	399.80
51.4	TAPE SCOTCH BLACK WRAP 50MM WIDE OR EQUIVALENT	ROLL	R	298.66
51.5	TAPE SCOTCH ELECTRICAL CM23 19MM X 9M_X 0.76MM SELF-BONDING ELETTRICAL TAPE OR EQUIVALENT	EACH	R	321.07
51.6	TAPE SCOTCH NR 22 29MM WIDE OR EQUIVALENT	ROLL	R	337.51
51.7	TAPE SCOTCH VINYL ELECTRICAL NO 33 (18MM X 20M X ;177MM) OR EQUIVALENT	EACH	R	292.65
51.8	TAPE SCOTCHFIL PUTTY 38MM OR EQUIVALENT	EACH	R	434.84
51.9	TAPE SCOTCHFILL 3M ELECTRICAL INSULATION PUTTY FORMOISTURE PROOF CONNECTION INSULATION 38MM X 1.5M X3 2MM PER ROLL (3M PRODUCT) OR EQUIVALENT	ROLL	R	507.77
52	TRANSFORMER OIL			
52.1	TRANSFORMER OIL; NEW IN 210 LITRE DRUMS. VIRGIN OIL REQUIRED; OIL MUST BE SABS APPROVED. OR EQUIVALENT.	DRUM	R	900.00
53	CROSSBY CLAMPS			
	"CROSSBY CLAMPS 1/2" HEAVY DUTY DROP FORGE OR EQUIVALENT	EACH	R	339.18
54	BLADES			
54.1	BLADES STANLEY NUMBER 1992 OR EQUIVALENT	EACH	R	189.28
55	CAPACITORS			
55.1	CAPACITORS; POWER FACTOR CORRECTION POLYPROPYLENE FILLED; 25MF; 250V WITH DISCHARGE RESISTANCE; TO SABS 1250/1979. (WITH BARE STUD AND ENCHROUDED OR EQUIVALENT	EACH	R	686.43
55.2	CAPACITORS; POWER FACTOR CORRECTION; POLY PROPELEN E FILLED; 15 MF; 440V WITH DISCHARGE RESISTANCE; TO SABS 1250/1979 (WITH BARE STUD AND ENCHROUDED OR EQUIVALENT	EACH	R	871.10
55.3	CAPACITORS; POWER FACTOR CORRECTION; POLY PROPELENE FILLED; 20 MF; 250 V. WITH DISCHARGE RESISTANCE; TO SABS 1250/1979. (WITH BARE STUD AND ENCHROUDED) OR EQUIVALENT	EACH	R	7 000.00

56	LUMINAIRE STREETLIGHTS			
56.1	LUMINAIRE BULKHEAD, WEATHERPROOF, DECORATIVE, WITH INTERNAL CONTROL GEAR (JUNLUX 7811/2 PL 7 TYPE, (OVAL FITTING OR EQUIVALENT).	EACH	R	1 371.91
56.2	LUMINAIRE FLOOD LIGHT, 400W HIGH PRESSURE SODIUM, FOR USE WITH TUBULAR LAMP, STIRRUP MOUNTED OR EQUIVALENT.	EACH	R	1 720.00
56.3	LUMINAIRE LENSES 129W PLATIC FOR MERCURY VAPOUR FITTINGS COMPLETE WITH STAINLESS STEEL CLIPS OR EQUIVALENT	EACH	R	732.24
56.4	LUMINAIRE STREET LIGHT 400W HIGH PRESSURE SODIUM, SEMI-CUT-OFF; GROUP A, SIDE ENTRY FOR USE WITH TUBAR OR EQUIVALENT.	EACH	R	2 976.98
56.5	LUMINAIRE STREET LIGHT 70W HIGH PRESSURE SODIUM, SEMI-CUT-OFF; GROUP B, SIDE ENTRY WITH INCORPORATED 5amp MCB FOR USE WITH 70W LAMP WITH INTERNAL IGNITOR OR EQUIVALENT.	EACH	R	2 502.64
56.6	LUMINAIRE STREET LIGHT 70W HIGH PRESSURE SODIUM, GROUP B, POST TOP FOR USE WITH 70W LAMP WITH INTERNAL IGNITOR OR EQUIVALENT.	EACH	R	3 029.87
56.7	LUMINAIRE STREET LIGHT 70W HIGH PRESSURE SODIUM, SEMI-CUT-OFF; GROUP B, BOTTOM ENTRY WITH INCORPORATE 5amp MCB FOR USE WITH 70W LAMP WITH INTERNAL IGNITOR OR EQUIVALENT.	EACH	R	2 956.97
56.8	LUMINAIRE STREET LIGHT 70W HIGH PRESSURE SODIUM, SEMI-CUT-OFF; GROUP B, SIDE ENTRY FOR USE WITH 70W LAMP WITH INTERNAL IGNITOR OR EQUIVALENT.	EACH	R	2 596.79
56.9	LUMINAIRE STREET LIGHT 70W HPS GROUP B POST TOP FOR USE WITH 70w LAMP WITH INTERNAL IGNITOR OR EQUIVALENT.	EACH	R	3 126.58
56.10	LUMINAIRE STREETLIGHT 100W HIGH PRESSURE SODIUM, SEMI-CUT-OFF; GROUP B, SIDE ENTRY WITH Incorporated 5amp MCB FOR USE WITH ELLIPTICAL LAMP OR EQUIVALENT.	EACH	R	1 103.20
56.11	LUMINAIRE STREETLIGHT 150-WATT HIGH PRESSURE SODIUM SEMI CUT OFF FOR GROUP A STREET LIGHT SIDE ENTRY FOR USE WITH TUBULAR LAMP OR EQUIVALENT.	EACH	R	1 859.45
56.12	LUMINAIRE STREETLIGHT 250W HIGH PRESSURE SODIUM, SEMI-CUT OFF; GROUP A, SIDE ENTRY INCORPORATED 10amp MCB FOR USE WITH TUBULAR LAMP OR EQUIVALENT.	EACH	R	3 659.29
56.13	LUMINAIRE STREETLIGHT 250W HPS SEMI CUT-OFF GROUP A, BOTTOM ENTRY WITH INCORPORATED 10AMP MCB FOR USE WITH TUBULAR LAMP OR EQUIVALENT.	EACH	R	2 515.46
56.14	LUMINAIRE STREETLIGHT 400W HPS, SEMI CUT OFF, GROUP A, BOTTOM ENTRY WITH INCORPORATED 10AMP MCB FOR USE WITH TUBULAR LAMP OR EQUIVALENT.	EACH	R	3 148.78
56.15	LUMINAIRE, FLOOD LIGHT, 250W HIGH PRESSURE SODIUM FOR USE WITH TUBULAR LAMP, STIRRUP MOUNTED OR EQUIVALENT.	EACH	R	2 325.62
56.16	70-WATT HIGH PRESSURE SODIUM STREETLIGHT CHOKES CODE 70W OMBS HPS OR EQUIVALENT	EACH	R	997.56
56.17	STREET LIGHT LUMINAIRE 400W HPS, SEMI CUT OFF, FOR GROUP A STREET LIGHTING, UPGRADEABLE TO 1000W HPS, FOR USE WITH CLEAR TUBELAR LAMPS C/W GLASSES OR EQUIVALENT.	EACH	R	2 630.86

57	METER TEST BLOCKS		
57.1	METER TEST BLOCKS, 13 WAY, WITH FRONT CONNECTIONS; (SEC TYPE KP0023-008) OR EQUIVALENT	EACH	R 2 603,48
58	METERING BOARDS		
58.1	METERING BOARDS-MEDIUM SINGLE BULK COLOUR TO BE LIGHT STONE OR EQUIVALENT.	EACH	R 4 292,65
58.2	METERING BOARDS-SMALL SINGLE BULK OR EQUIVALENT	EACH	R 120,00
59	MOUNTING BOXES		
59.1	PLASTIC POLE MOUNTING BOXES; FOR 3 P HEINEMANN CIRCUIT BREAKER, PERT NO. SPB-1 WITH KIT D BRACKET, OR EQUIVALENT	EACH	R 720,00
60	PLINTH		
60.1	PLINTH PRE-CAST CONCRETE RING MAIN UNIT (SF8) FOR THE 3 WAY TO DRAWING NO ED_SPEC 018_DRW005 OR EQUIVALENT	EACH	R 1 400,00
60.2	PRE-CAST CONCRETE PLINTH; MINIATURE SUBSTATION FOR THE TYPE B (DRAWING NO. ED-SPEC018-DRW002) OR EQUIVALENT	EACH	R 1 900,00
60.3	PRE-CAST CONCRETE PLINTH; MINIATURE SUBSTATION FOR THE TYPE B (DRAWING NO. ED-SPEC018-DRW002) OR EQUIVALENT	EACH	R 2 000,00
60.4	CONCRETE PLINT FOR RING MAIN UNITS FOR 4 ISOLATORS OR EQUIVALENT	EACH	R 7 014,75
60.5	CONCRETE PLINTH FOR A 20 WAY METERING ENCLOSURE OR EQUIVALENT	EACH	R 9 800,00
60.6	CONCRETE PLINTH FOR SINGLE COMPARTMENT BOUNDARY BOXES ACCORDING TO DRAWING EA TO 258 OR EQUIVALENT.	EACH	R 4 800,00
60.7	CONCRETE PRE-CAST FOUNDATION BLOCKS ACCORDING TO DRAWING S6026 OR EQUIVALENT.	EACH	R 17 000,00
60.8	PRE-CAST CONCRETE PLINTH; RING MAIN UNIT (SF8) FOR THE 4WAY. DRAWING No. ED-SPEC018-DRW006 OR EQUIVALENT.	EACH	R 11 662,58

61	POLES			
61.1	POLE STEEL GALVANISED 9M TO DRAWING NO. M-7A OR EQUIVALENT	EACH	R	4 202.50
61.2	POLE STREET LIGHT 10.8M SHACKLE OR EQUIVALENT.	EACH	R	15 745.63
61.3	POLE; CONCRETE REINFORCED 7.5MM OR EQUIVALENT	EACH	R	6 732.65
61.4	POLE; CONCRETE REINFORCED 9MM X 130MM O.D TOP OR EQUIVALENT	EACH	R	11 036.90
61.5	POLE; CONCRETE POST TOP 4.5MM X 130MM C/W VERTICAL SPIGOT OR EQUIVALENT	EACH	R	4 012.68
61.6	POLES - ROBOT CONCRETE MOUNTED WITH CABLE ENTRANCE (STANDARD AUTOMOT OR TYPE) OR EQUIVALENT	EACH	R	2 821.46
61.7	POLES CAST CONCRETE PRESTRESSED/PARTIALLY PRESTRESSED/REINFORCED FOR TRANSFORMER 10 METRE LONG X 8 KN ULTIMATE TIP LOAD. DRAWING NO EHL/C OR EQUIVALENT	EACH	R	3 221.08
61.8	POLES CAST CONCRETE PRESTRESSED/PARTIALLY PRESTRESSED/REINFORCED FOR TRANSFORMER 10 METRE LONG X 8 KN ULTIMATE TIP LOAD WITH 22MM DIA. PVC OR EQUIVALENT	EACH	R	3 391.30
61.9	POLES DOUBLE OUTREACH OR EQUIVALENT	EACH	R	3 030.89
61.10	POLES FIBRE GLASS 6.9M TYPE 3F/69/5515/42 OR EQUIVALENT	EACH	R	5 972.13
61.11	POLES GALV. 30FT OR EQUIVALENT	EACH	R	4 861.77
61.12	POLES GALV. 27' OR EQUIVALENT	EACH	R	5 141.47
61.13	POLES ROBOT OVERHEAD CANTILEVER AMR 5M COMPLETE WITH 3 ASPECT HALOGEN HEADS ; 3 ASPECT BACKBOARDS; 23 POLE TOP TERMINAL BOXES ; FOUNDATION FRAMES ; OR EQUIVALENT	EACH	R	11 399.77
61.14	POLES STEEL 8.7 METRE X 1.5 POLE AND SINGLE OUTREACH BRCKET; GALVANIZED STEEL. DRAWING NO. M - 14 OR EQUIVALENT	EACH	R	3 164.81
61.15	POLES STEEL DOUBLE OUTREACH 10 M OR EQUIVALENT	EACH	R	18 021.83
61.16	POLES STEEL STREETLIGHT 11.5 METRE POLE AND DOUBLE OUTREACH BRACKET; GALVANIZED STEELDRAWING NO. M - 13 OR EQUIVALENT	EACH	R	6 233.83
61.17	POLES STEEL STREETLIGHT 11.5 METRE + 3 METRE "SINGLE BRACKET C/W BASEPLATESX 12" OR EQUIVALENT	EACH	R	13 203.36
61.18	POLES STEEL STREETLIGHT 11.5 METRE + 3 METRE DOUBLE BRACKET (P 60 PATTERN) C/W BASEPLATES GOOSE NECK DRAWING: EDA136 OR EQUIVALENT	EACH	R	21 259.43
61.19	POLES STEEL STREETLIGHT 5.668 M + 1.005 M DOUBLE BRACKET (ALBATROS STREET) (SEE DRAWING EDA 133) OR EQUIVALENT	EACH	R	11 139.74
61.20	POLES STEEL, DECORATIVE 6 METRE, STRAIGHT; GALVANISED TO DRAWING NO. E/STL 383 OR EQUIVALENT.	EACH	R	5 858.01
61.21	POLES STREETLIGHT - 10.6 M X 0 DEG. L X 2 M SINGLE ARM GALVANISED OR EQUIVALENT	EACH	R	13 658.33
61.22	POLES STREETLIGHT - 10.6 M X 110 MM TOP - PAINTED - STEEL OR EQUIVALENT	EACH	R	2 000.00
61.23	POLES STREETLIGHT - 10.6 M X 15 DEG. L X 2 M SINGLE ARM GALVANISED OR EQUIVALENT	EACH	R	5 000.00
61.24	POLES STREETLIGHT - 10.6 M X 67 MM TOP - STEPPED TUBULAR GALVANISED / COMPLETE WITH CABLE ENTRY ; CORROSION SLEEVE ; ACCESS OPENING ; BASEPLATE OR EQUIVALENT	EACH	R	7 000.00
61.25	POLES STREETLIGHT - 10.75 M - TRANSMISION TYPE VLT 33 - GALVANISED OR EQUIVALENT	EACH	R	8 000.00
61.26	POLES STREETLIGHT - 10.8 M - INTERMEDIATE - GALVANISED OR EQUIVALENT	EACH	R	9 000.00
61.27	POLES STREETLIGHT - 11.0 M X 0 DEG. L X 2 M SINGLE ARM - GALVANISED OR EQUIVALENT	EACH	R	10 000.00
61.28	POLES STREETLIGHT - 11.0 M X 15 DEG. L X 2 M DOUBLE ARM - GALVANISED OR EQUIVALENT	EACH	R	12 000.00
61.29	POLES STREETLIGHT - 11.0 M X 15 DEG. L X 2 M SINGLE ARM - PAINTED OR EQUIVALENT	EACH	R	17 000.00
61.30	POLES STREETLIGHT - 11.6 M X 0 DEG. L X 2.8 M SINGLE ARM - PAINTED OR EQUIVALENT	EACH	R	410.00

61.31	POLES STREETLIGHT - 9.25 M GALVANISED STEEL COM- PLETE WITH BASE PLATE 2 BOLTS AND SPIKE OR EQUIVALENT.	EACH	R	510.00
61.32	POLES STREETLIGHT - 9.6 M X 15 DEG. L X 2 M SINGLE ARM GALVANISED OR EQUIVALENT	EACH	R	610.00
61.33	POLES STREETLIGHT - 11.6 M - 12 SIDED - 76 MM SPIGOT GALV. (CABLE ENTRY; BRACKET; COVERPLATE; BASEPLATE + HOOK BOLTS) OR EQUIVALENT	EACH	R	710.00
61.34	POLES STREETLIGHT - 10.6 M OR EQUIVALENT	EACH	R	820.00
61.35	POLES STREETLIGHT - 11.6 M - GALVANISED - STEPPED TOP 65 MM BASE 236 MM OR EQUIVALENT	EACH	R	900.00
61.36	POLES STREETLIGHT - 11.6 M X 15 DEG. L X 2 M - SINGLE ARM - PAINTED OR EQUIVALENT	EACH	R	1 000.00
61.37	POLES STREETLIGHT - 13.5 M X 15 DEG. L X 2.5 M GALVANISED SINGLE ARM - SPIGOT 42 MM X 130 MM COMPLETE OR EQUIVALENT	EACH	R	4 000.00
61.38	POLES STREETLIGHT 11.5 M SABLE GALV. CONTINUOUSLY TAPERED (GROUNDSLEEVE; BASEPLATE; HOOKBOLTS) + POLETOP NO-SPIKE (10 M MOUNTING HEIGHT) TYPE OR EQUIVALENT	EACH	R	390.00
61.39	POLES STREETLIGHT SINGLE OUTREACH OR EQUIVALENT	EACH	R	620.00
61.40	POLES STREETLIGHT STEEL 30 FT DRAWING P162 9,3 METRE OR EQUIVALENT	EACH	R	470.00
61.41	POLES STREETLIGHT STEEL 4.26M DRAWING P66 OR EQUIVALENT	EACH	R	550.00
61.42	POLES STREETLIGHT STEEL TYPE LTR DRAWING SLB 38B OR EQUIVALENT	EACH	R	660.00
61.43	POLES TRAFFIC ROBOT 4.1 METRE X 140 MM X 3 MM WALL THICKNESS. CABLE ENTRY - 150 MM X 50 MM POSITIONED 600 MM FROM BOTTOM. BASE PLATE - 200 MM X 200 MM OR EQUIVALENT	EACH	R	700.00
61.44	POLES; STEEL HOT DIP GALVANISED; 4M X 76MM OD TOP WITH M10; 7 SIDED NUT; TAMPERPROOF COVER AND WITH PROVISION FOR FUSE BRACKET AND GLAND PLATE. (PTD) OR EQUIVALENT	EACH	R	491.00
61.45	POLES; STEEL; 1.5M CURVED; HOT DIP GALVANISED; SWAG ED AND STEPPED OR SMOOTHLY TAPERED WITH FLANGED BASES; CW BOLT CAGES TO DRAWING E6TL 38C (REV 1) OR EQUIVALENT	EACH	R	472.00
61.46	POLES; STEEL; 9.7M GALVANISED AS PER DRAWING NO M-4 OR EQUIVALENT	EACH	R	482.00
61.47	POLES; STEEL; 9.25M X 90MM TOP; HOT DIP GALVANISED WELDLESS; TUBULAR; 3 SECTION; STRAIGHT TO DWAINO NO M1_1 AND M1_2 OR EQUIVALENT	EACH	R	490.00
61.48	POLES; STEEL; GALVANISED 9 METER AS PER DRAWING NO M1 - 7A OR EQUIVALENT.	EACH	R	500.00
61.49	"POLES GALV. 30 FT 6 1/2 X 5 1/2 X 4 1/2" OR EQUIVALENT	EACH	R	550.00
61.50	POLE DISTRIBUTION STEEL GALVANISED 9.25M TO DRAWIN G NO M-1 AND M1-2 OR EQUIVALENT	EACH	R	600.00
61.51	POLE GALVANISED STEEL 6.0M DRAWING NO. M-3 OR EQUIVALENT	EACH	R	240.00
61.52	POLES STREETLIGHT - BOWMAST - NO BASE PLAT OR EQUIVALENT	EACH	R	360.00
61.53	3CR12 STAINLESS STEEL POLE MOUNTED METER BOX CW; AS PER DRAWING E/TR-201 SPECIFICATION REFERENCE. ED000159; TAIL MUST BE FIVE METERS LONG; WITH STEEL COMPRESION GLAND NO.3 OR EQUIVALENT	EACH	R	420.00
61.54	BRACKET; GALVANISED STEEL; SINGLE 600MM OUTREACH; 15 RAKE; 42MM OUTSIDE DIAMETER TO BE FITTED AGAINST AN 88MM STEEL POLE; DRAWING NO. M12 OR EQUIVALENT	EACH	R	474.80
61.55	BRACKETS CURVED STREETLIGHT 2.1M DRAWING SLB 34D OR EQUIVALENT	EACH	R	880.00
61.56	BRACKETS CURVED STREETLIGHT 2.135 M DRAWING SLB 34A OR EQUIVALENT	EACH	R	900.00
61.57	BRACKETS CURVED STREETLIGHT DRAWING SLB 36 OR EQUIVALENT	EACH	R	490.00
61.58	POLE MOUNTING PLASTIC BOXES TYPE TEQ LNFC 35P WITH STEEL MOUNTING BRACKETS OR EQUIVALENT	EACH	R	560.00
61.59	POLE ROBOT SINGLE OR EQUIVALENT	EACH	R	760.00
61.60	POLE SERVICE CONNECTION BOX WITH L-BRACKET & SCREWS OR EQUIVALENT	EACH	R	880.00

61.61	POLE TOP BOX - 4 WAY OR EQUIVALENT	EACH	R	920.00
61.62	POLE TOP CAP WITH SPIKE OR EQUIVALENT	EACH	R	889.14
61.63	POLE TOP KIT 6 AMP OR EQUIVALENT	EACH	R	142.00
61.64	SLIDES POLEMOUNTING BOX 3 PHASE OR EQUIVALENT	EACH	R	160.00
61.65	SPB1 POLE KITS WITH NO BRACKETS CB1 OR EQUIVALENT	EACH	R	470.00
61.66	STAINLESS STEEL POLE MOUNTED METER BOX 3C12 OR EQUIVALENT	EACH	R	560.00
61.67	STREET LIGHT BRACKET SINGLE FOR TOP OF POLE MOUNTING FOR 80MM TOP POLES AND GENERAL STREET LIGHTING TO DRAWING ESTL 41 (REV 8) OR EQUIVALENT	EACH	R	1 158.03
61.68	STREET LIGHT DOUBLE BRACKET OR EQUIVALENT	EACH	R	1 244.98
61.69	STREET LIGHT POLE STEEL GALVANISED 13.5M DOUBLE SPIGOT 119MM TOP OR EQUIVALENT.	EACH	R	1 400.00
61.70	STREETLIGHT POLE 13.5 GALVANISED TAPER SHAFT DRAWING M-5 OR EQUIVALENT	EACH	R	5 080.63
61.71	STREETLIGHT POLE 13.5M INCLUDING 3M SINGLE CURVED ARM COMPLETE WITH 1M GROUND SLEEVE (EDA70) HOT DIP GALVANIZED TO SABS I.S.O 1461 OR EQUIVALENT	EACH	R	16 706.83
61.72	STREETLIGHT POLE 15M DOUBLE SPIGOT OR EQUIVALENT	EACH	R	8 630.32
61.73	STREETLIGHT POLE 17M DOUBLE SPIGOT OR EQUIVALENT	EACH	R	4 900.00
61.74	STREETLIGHT POLE 8.7M DAWING NO. MI - 4 OR EQUIVALENT	EACH	R	4 200.00
61.75	STREETLIGHT POLE 9M MH W/O BRACKET OR EQUIVALENT	EACH	R	5 700.00
61.76	STREETLIGHT POLE GALVANISED STEEL 4.5M OR EQUIVALENT	EACH	R	3 943.34
61.77	STREETLIGHT POLES 11.5M INCLUDING 1.5M SINGLE CURVED ARM COMPLETE WITH 1M GROUND SLEEVE (EDS103) HOT DIPPED GALVANIZED TO SABS I.S.O 1461 OR EQUIVALENT	EACH	R	7 000.00
61.78	STREETLIGHT POLES STANDARD STRAIGHT 9200MM DRAWING SLB 47 OR EQUIVALENT	EACH	R	8 000.00
61.79	CONCRETE POLE 13 METRE OR EQUIVALENT	EACH	R	9 000.00
61.80	CONCRETE POLE 9.3 METRE OR EQUIVALENT	EACH	R	11 942.59
61.81	STREETLIGHT GALVANISED STEEL POLE 6M OR EQUIVALENT	EACH	R	4 655.39
62	SADDLES			
62.1	SADDLES BLACK 20MM OR EQUIVALENT	EACH	R	108.42
62.2	SADDLES BLACK 25MM OR EQUIVALENT	EACH	R	119.17
62.3	SADDLES FLAT 5MM OR EQUIVALENT	EACH	R	94.84
62.4	SADDLES POLY FIX 8MM ROUND OR EQUIVALENT	EACH	R	100.65
62.5	SADDLES SIMPLEX 20MM OR EQUIVALENT	EACH	R	95.03
62.6	SADDLES SIMPLEX 25MM OR EQUIVALENT	EACH	R	101.35
63	TUBES			
63.1	*FLUORESCENT TUBES SLIMLINE 1.5M 58W "COOL WHITE" OR EQUIVALENT	EACH	R	139.10
63.2	SLIMLINE TUBES 1.8 M SIPIN OR EQUIVALENT	EACH	R	248.03
63.3	TUBES 500W Q1 OR EQUIVALENT	EACH	R	161.68
64	GALVINISED POLE PLATES			
64.1	*GALV POLE PLATES 18" X 18" OR EQUIVALENT	EACH	R	1 065.90
65	ARBORS			
65.1	ARBORS A1 FOR HOLE SAW OR EQUIVALENT	EACH	R	312.21
65.2	ARBORS A2 FOR HOLE SAW OR EQUIVALENT	EACH	R	354.90

66	ARRESTORS		
66.1	ARRESTORS HIGH TENSION OR EQUIVALENT	EACH	R 5 600,00
66.2	ARRESTORS LIGHTING INDOOR WITH BRACKETS & TAILS IAS - 2 HEINEMAN LOW VOLTAGE 250 VOLT OR EQUIVALENT	EACH	R 1 077,76
66.3	ARRESTORS LIGHTING POLE MOUNTING OR EQUIVALENT	EACH	R 886,50
66.4	ARRESTORS LIGHTING POLE MOUNTING OR EQUIVALENT	EACH	R 959,42
66.55	LIGHTNING ARRESTORS 250 AMP 220 VOLT SALA002 IN/OUTDOOR OR EQUIVALENT	EACH	R 855,89
66.6	LIGHTNING ARRESTORS L T OR EQUIVALENT	EACH	R 708,76
66.7	LIGHTNING ARRESTORS METAL OXIDE 12 KV 10 KA (REF NO. HSQ 9510L PART NUMBER HDA-12-R-BDF) FRMA EBERHARDT MARTIN / R242.70 OR EQUIVALENT	EACH	R 1 218,90
67	TUBE SEALING		
67.1	TUBE SEALING BLACK 20MM x 1 METER (WITH GLUE) OR EQUIVALENT	EACH	R 424,83
67.2	TUBE SEALING 10MM X 1M (WITH GLUE) XLP OR EQUIVALENT	EACH	R 310,90
67.3	TUBE SEALING 25MM X 1 METER 3M (WITH GLUE) MVOLTAGE OR EQUIVALENT	EACH	R 466,89
68	TURN BUCKLES		
68.1	TURNBUCKLES GALVANISED 112" X 7" HOOK EYE OR EQUIVALENT	EACH	R 516,25
69	PROTECTIVE STRUCTURE BOX		
69.1	12 WAY PROTECTIVE STRUCTURE BOX COMPLETE OR EQUIVALENT	EACH	R 8 000,00
69.2	16 WAY PROTECTIVE STRUCTURE BOX COMPLETE OR EQUIVALENT	EACH	R 9 000,00
69.3	24 WAY PROTECTIVE STRUCTURE BOX COMPLETE OR EQUIVALENT	EACH	R 41 924,35
69.4	6-WAY PROTECTIVE STRUCTURE BOX COMPLETE OR EQUIVALENT	EACH	R 10 647,36
69.5	9 WAY PROTECTIVE STRUCTURE BOX COMPLETE OR EQUIVALENT	EACH	R 4 000,00
70	LANTERNS		
70.1	125-WATT LANTERNS P2178 OR EQUIVALENT	EACH	R 2 706,66
71	ADAPTOR PLATE		
71.1	ADAPTOR PLATE; SINGLE UNIT; FOR HEINEMANN SA RANGE OR EQUIVALENT	EACH	R 380,70
72	AERIAL BUNDLE CONNECTORS		
72.1	AERIAL BUNDLE CONNECTORS FOR STREETLIGHTS - MAIN (16-95MM) TAP (1.5-10MM) OR EQUIVALENT	EACH	R 386,86
72.2	AERIAL BUNDLE CONNECTORS MAIN (25-95MM) TAP (4-35MM) OR EQUIVALENT	EACH	R 547,44
73	ALLUMINIUM SLEEVES		
73.1	ALUMINIUM SLEEVES; FOR CONNECTING 185 MM2 SOLID ALUMINIUM OR 185 MM2 STRANDED ALUMINIUM CONDUCTORS SIMILAR TO SMEL XG 8 - 185 MM2 OR EQUIVALENT	EACH	R 2 124,69
74	RAIN SLEEVES		
74.1	RAIN SLEEVES FOR TERMINATIONS 120 MM TO 300 MM (3 PER PACKET) OR EQUIVALENT	EACH	R 287,01
74.2	RAIN SLEEVES FOR TERMINATIONS 35 MM TO 95 MM (3 PER PACKET) OR EQUIVALENT	EACH	R 585,50

75	CABLE BOXES		
75.1	BOXES CABLE NO 3 4XWAY COMPLETE WITH FOUR REDUCER S 25MM*30MM OR EQUIVALENT	EACH	R 2 007,12
75.2	BOXES METER 4 WAY (GOLNIX TYPE) COMPLETE W/IT BUSBARAND GALVINISED CHAIS PLATE WITH GRONETS OR EQUIVALENT	EACH	R 5 607,72
75.3	BOXES METER 6 WAY FIBRE GLASS POR8 SINGLE DOOR CW STEEL FACE PLATE TO TAKE 6 CIB AND BUSBAR OR EQUIVALENT	EACH	R 6 980,70
75.4	BOXES METER 1/7 SINGLE PHASE CABLE ENTRY OR EQUIVALENT	EACH	R 1 665,30
75.5	METER BOX 3 PHASE LOW TENSION GALVINIZED OR EQUIVALENT	EACH	R 3 053,71
75.6	METER BOX 6MM MLD STEEL 12-WAY SUPPLY WITH ENCLDS URE WITH LOCKING MECHANISM, PLINTH WITH BASE PLATE AND INSTALTION. A-M (E) 12/2006 OR EQUIVALENT	EACH	R 5 000,00
75.7	METER BOX; 3 PHASE; HOT DIP GALVANISED; TYPE ME3 OR EQUIVALENT.	EACH	R 3 078,91
75.8	METER BOX; BOUNDARY DOUBLE COMPARTMENT TO DRAWING E/LTD 214 M3 DOUBLE SIDED M3 BOUNDARY BOX OR EQUIVALENT.	EACH	R 3 266,86
75.9	METER BOX; BOUNDARY PEDESTAL TYPE; HOT DIP GALVENISED TO DRAWING E/LTD 218 OR EQUIVALENT.	EACH	R 3 649,47
75.10	METER BOXES 9 WAY LOW TENSION WITH BUSBAR AND GALVINISED CHAIS PLATE WITH GRONETS OR EQUIVALENT	EACH	R 8 723,86
75.11	BOXES METER 1/7 SINGLE PHASE CABLE ENTRY OR EQUIVALENT	EACH	R 1 665,30
76	SMALL BOUNDRY BOX		
76.1	BOXES SMALL STEEL BOUNDRY CONNECTION OR EQUIVALENT	EACH	R 5 208,85
77	STEEL BOUNDRY CONNECTION		
77.1	BOXES STEEL BOUNDRY CONNECTION OR EQUIVALENT	EACH	R 12 000,76
78	CRC ELECTRO		
78.1	C R C ELECTRO (2-26) 400G OR EQUIVALENT	EACH	R 474,53
79	CHOKES		
79.1	CHOKE - 400 WATT - SODIUM VAPOUR - PARMAR - CAT NO HS 400 H - 230 VOLT (MUST BE CLOSED TYPE) OR EQUIVALENT	EACH	R 759,89
79.2	CHOKE 230V 250W SODIUM VAPOUR OR EQUIVALENT	EACH	R 929,25
79.3	CHOKES FOR 400 W MVAPOUR CLOSED TYPE OR EQUIVALENT	EACH	R 630,22
79.4	CHOKES SON-T HPS 250-WATT (11RS) NK 250T (230 V) OR EQUIVALENT	EACH	R 768,90
80	COUPLERS		
80.1	COUPLERS 16 AMP; 3 PIN POLYCARBONATE; DOUBLE ENTRY; WHITE (JANUS PLUG) OR EQUIVALENT	EACH	R 203,29

81	CROSS ARMS		
81.1	CROSS ARMS END IN ACCORDANCE WITH DRAWING C14 OR EQUIVALENT	EACH	R 1 194,24
81.2	CROSS ARMS END TERMINAL 4 PIN CUBICAL COMPLETE WITH CLAMPS AS PER DRAWING C12A OR EQUIVALENT	EACH	R 1 418,34
81.3	CROSS ARMS STANDARD INTERMEDIATE GALVANISED IN ACCORDANCE WITH DRAWING C15 OR EQUIVALENT	EACH	R 1 318,61
81.4	CROSSARM 45,72CM, 2 WAY, SHACKLE ARM FOR 90MM POLE TO DRAWING E1TD 102 F1 OR EQUIVALENT	EACH	R 818,13
81.5	CROSSARM: 4 WAY, DOUBLE; SHACKLE ARMS FOR 115MM POLE TO DRAWING E1TD 102 C OR EQUIVALENT	EACH	R 1 789,03
81.6	CROSSARM: 45,72CM, 2 WAY, SHACKLE ARM FOR 115MM POLE, MS CHANNEL TO DRAWING E1TD 102F OR EQUIVALENT	EACH	R 992,36
81.7	CROSSARM: ANGLE ARMS; 90MM AND 115MM POLES; 2 WAY; TO DRAWING E1TD 102E OR EQUIVALENT	EACH	R 1 092,38
81.8	CROSSARM: DOUBLE; 4 WAY; 90MM SHACKLE POLE; TO DRAWING E1TD 102 C1 OR EQUIVALENT	EACH	R 1 252,16
81.9	CROSSARM: FOR LIGHTNING ARRESTERS; 2 WAY; 90MM AND 115MM POLE; TO DRAWING E1TD 102D OR EQUIVALENT	EACH	R 1 128,88
81.10	CROSSARMS STEWARDS & LLOYDS TO DRAWING E1TD 102H OR EQUIVALENT	EACH	R 2 498,45
81.11	CROSSARMS: 2 WAY SQUARE, INTERMEDIATE; FOR 90MM DIA POLES TO DRAWING E1TD 102 H1 OR EQUIVALENT	EACH	R 1 205,29
81.12	CROSSARMS: 4 SHACKLE CONNECTOR ARMS; FOR 90MM AND 115MM POLE TO DRAWING E1TD 102 E1 OR EQUIVALENT	EACH	R 1 339,58
81.13	CROSSBY CLAMPS 5/8 INCH HEAVY DUTY DROP FORGE OR EQUIVALENT	EACH	R 1 212,97
82	EARTH LEAKAGE UNITS		
82.1	EARTH LEAKAGE UNITS 30 AMP 3 PHASE OR EQUIVALENT	EACH	R 2 349,55
82.2	EARTH LEAKAGE UNITS 30A SP_2 1/2 KA OR EQUIVALENT.	EACH	R 4 356,75
82.3	EARTH LEAKAGE UNITS 40 AMP 3 PHASE SF36A / SF35K40 OR EQUIVALENT	EACH	R 3 327,30
82.4	EARTH LEAKAGE UNITS 60 AMP 3 PH SF 36A OR EQUIVALENT	EACH	R 4 463,35
82.5	EARTH LEAKAGE UNITS 60 AMP SINGLE PHASE 5KA OR EQUIVALENT	EACH	R 2 908,65
82.6	EARTH LEAKAGE UNITS: 3 PHASE; 60 AMP; 20 MA; HEINEMANN SF 35B AS PER DETAILED SPECIFICATION ED00008 OR EQUIVALENT.	EACH	R 4 038,22
82.7	EARTH LEAKAGE UNITS, SINGLE PHASE: 60 AMP; 30 MA HEINEMANN SF 15A; AS PER DETAILED SPECIFICATION ED 8 OR EQUIVALENT	EACH	R 4 158,71
83	HANDIGAS (REFILL)		
83.1	GAS PETROLEUM (HANDIGAS) 9KG (REFILL ONLY) OR EQUIVALENT	EACH	R 879,59
84	GAUNTLETS		
84.1	GAUNTLETS - RUBBER ELECTRIC LINESMAN BALTEx - BS - SPEC 697 WHITE (SIZE 9) OR EQUIVALENT	PAIR	R 859,02
85	GENERIC KEYPADS		
85.1	GENERIC KEYPAD (C1U) FOR BS FOOTPRINT OR DIN RAIL (POWER RAIL) 1p OR 3p PREPAYMENT METER MULTICHANNEL PLCTYPE; OPEN INDUSTRY STANDARD; G3 OFDM PLC TECHNOLOGY; ITEM 8, 10 OR 12 MON TENDER A-EEB02017 OR EQUIVALENT	EACH	R 872,52
85.2	GENERIC KEYPAD (C1U) FOR BS FOOTPRINT OR DIN RAIL (POWER RAIL) 1p OR 3p PREPAYMENT METER (COMMUNICATION VIA COMMUNICATION WIRE (PILOT CABLE) OR EQUIVALENT	EACH	R 745,64
85.3	GENERIC KEYPAD (C1U) FOR HEXING BS FOOTPRINT 1P AND 3P PREPAYMENT METER COMMUNICATION VIA PLC (MANS) OR EQUIVALENT	EACH	R 1 350,08
85.4	GENERIC KEYPAD (C1U) FOR HEXING BS FOOTPRINT 1P AND 3P PREPAYMENT METER COMMUNICATION VIA RADIO FREQUENCY (RF) OR EQUIVALENT	EACH	R 1 535,16

86	HEATSHRINK BOOT		
86.1	HEAT SHRINK BOOT FOR 4 CORE CABLE 50MM TO 95MM PVC CABLES OR EQUIVALENT.	EACH	R 417.25
86.2	HEAT SHRINK BOOTS FOR 2 CORE; PVC; 600/1000 VOLT CABLE FROM 4MM2 TO 35MM2; SPECIFICATION ED0013 PART NO. 302K333_3/42 OR EQUIVALENT.	EACH	R 342.68
86.3	HEAT SHRINK BOOTS FOR 3 CORE; PVC; 600/1000 VOLT CABLE FROM 4 MM2 TO 35 MM2; AS PER DETAILED SPECIFICATION ED 0013 /PART NO 402W533_3/42 OR EQUIVALENT	EACH	R 348.58
86.4	HEAT SHRINK BOOTS FOR 4 CORE; PVC; 600/1000 VOLT CABLE FROM 4MM2 TO 35MM2; SPECIFICATION ED0013 PART NO. K033_4/2 OR EQUIVALENT.	EACH	R 403.88
86.5	HEAT SHRINKABLE STRAIGHT THROUGH JOINTS FOR PVC/PVC/SWA/PVC 600/1000V CABLES FROM 4 CORE; 120MM TO 240MM X 4 CORE CABLES; COMPLETE WITH EARTH SOCK & FOUR TORQUE SHEAR FERRULES; (120MM TO 240MM EKUR) OR EQUIVALENT.	EACH	R 1 639.96
87	RUBBER PLUGS		
87.1	JANUS HEAVY DUTY LITEMASTER RUBBER PLUGS OR EQUIVALENT	EACH	R 131.93
88	KIT POLE MOUNTING		
88.1	KIT POLE MOUNTING FOR SINGLE PHASE C/B COMPLETE WITH UNIVERSAL BRACKET OR EQUIVALENT.	EACH	R 1 623.22
88.2	KIT POLE MOUNTING FOR SINGLE PHASE C/B COMPLETE WITH UNIVERSAL BRACKET OR EQUIVALENT	EACH	R 1 708.04
88.3	KIT POLE MOUNTING FOR THREE PHASE - C/B COMPLETE WITH UNIVERSAL BRACKET OR EQUIVALENT	EACH	R 2 112.75
88.4	KIT POLE MOUNTING FOR THREE PHASE C/B COMPLETE WITH UNIVERSAL BRACKET OR EQUIVALENT	EACH	R 2 227.03
88.5	KIT POLE MOUNTING FOR THREE PHASE C/B COMPLETE WITH UNIVERSAL BRACKET OR EQUIVALENT	EACH	R 2 203.77
88.6	POLE MOUNTING KIT SPBL PLUS VERTICAL BRACKETS OR EQUIVALENT.	EACH	R 2 431.03
88.7	POLE MOUNTING LINKS 400 AMP ISOLATOR WITH DOUBLE INSULATORS AND RUBBER HANDLES COMPLETE WITH 3 NUTS OR EQUIVALENT	EACH	R 1 809.55
88.8	POLE MOUNTING PLASTIC BOXES TYPE TEQ LNFC 35P WITH STEEL MOUNTING BRACKETS OR EQUIVALENT	EACH	R 1 817.13
88.9	KIOSK EMM P12 STAINLESS STEEL; WITH DANGER CODE ON THE DOOR E3 190X190 OR EQUIVALENT	EACH	R 150 981.28
88.10	KIOSK H T SWITCHGEAR STEEL; AS PER DETAIL DWG. NO. E/TR 84 AND E/TR 84A OR EQUIVALENT.	EACH	R 6 937.44
88.11	KIOSK VENTILATED WEATHERPROOF AND CORROSION RESISTENT FOR OUTDOOR INSTALLATION (METAL ENCLOSED MIN 2MM THICKNESS SUITABLE REINFORCED) FOR OR EQUIVALENT	EACH	R 5 630.81
88.12	KIOSK VENTILATED WEATHERPROOF AND CORROSION RESISTANT FOR OUTDOOR INSTALLATION (METAL ENCLOSURE MIN 2 MM THICKNESS SUITABLY REINFORCED) FOR 4 OR EQUIVALENT	EACH	R 7 762.53
89	DISTRIBUTION PILLAR BOX		
89.1	L T DISTRIBUTION PILLAR BOX DWARF TYPE - 6 WAY 400 AMP; 220/380V AS PER DETAILED SPECIFICATION ED0009 PART NO BB021 AND FUSE UNIT ETC OR EQUIVALENT.	EACH	R 43 596.97
89.2	L T DISTRIBUTION PILLAR BOX DWARF TYPE 4 WAY 400 AMP 220/380V AS PER DETAILED SPECIFICATION ED 0009 /PART NO BB020 AND FUSE UNIT ETC OR EQUIVALENT.	EACH	R 34 016.42

90	LINE TAPS		
90.1	LINE TAPS MEDIUM OR EQUIVALENT	EACH	R 361.53
90.2	LINE TAPS MO 6 SMALL CADMIUM PLATED OR EQUIVALENT	EACH	R 193.89
90.3	LINE TAPS U.T.E 0 50 MM OR EQUIVALENT	EACH	R 254.00
90.4	LINE TAPS 10L735/40 SIZE 35MM2 BRASS OR EQUIVALENT	EACH	R 342.85
90.5	LINE TAPS; BRASS; CADMIUM PLATED; FOR 35MM COPPER CONDUCTOR MO, 2 TO 5ABC 1706/DTD 904C OR EQUIVALENT	EACH	R 228.72
90.6	LINE TAPS; BRASS; CADMIUM PLATED; FOR 35MM COPPER CONDUCTOR MO 4, TO BS 1706/DTD 904 C. OR EQUIVALENT	EACH	R 193.92
90.7	LINE TAPS; BRASS; CADMIUM PLATED; FOR 70 MM2 COPPER CONDUCTORS; MO 30; TO BS 1706/DTD 904 C. OR EQUIVALENT	EACH	R 389.25
90.8	LINEN TAPE 35MM OR EQUIVALENT	EACH	R 433.76
91	LOCKS		
91.1	LOCKING DEVICES, NO 24605 EMB OR EQUIVALENT	EACH	R 1 458.18
91.2	LOCKNUTS BLACK 20MM OR EQUIVALENT	EACH	R 150.00
91.3	LOCKS BM METER S1 MM BRASS CODE DASTS MC1 UNION OR EQUIVALENT	EACH	R 534.38
91.4	LOCKS BM METER S1 MM BRASS CODE DASTS MC2 UNION OR EQUIVALENT	EACH	R 220.00
92	C T S METERING		
92.1	C.T.S METERING 300/400/500/5 OR EQUIVALENT	EACH	R 350.00
93	C M C ASSEMBLY CODE		
93.1	C.M.C ASSEMBLY CODE: C.M.C-AA-S-0001A M.R.101 OR EQUIVALENT	EACH	R 870.00
93.2	CTS LOW TENSION METERING 0.5% TRIPLE RATIO 200/250/300/5 OR EQUIVALENT	EACH	R 890.00
93.3	CT'S METERING CLASS 0.5% 50/100/150/5 TRIPLE RATIO (LAAGSPANNING) OR EQUIVALENT	EACH	R 2 322.25
94	METER BOX		
94.1	METER BOX 3 PHASE LOW TENSION GALVANIZED OR EQUIVALENT	EACH	R 3 051.46
94.2	METER BOX 6MM MLD STEEL 12-WAY SUPPLY WITH ENCLOSURE WITH LOCKING MECHANISM PLINTH WITH BASE PLATE AND INSTALTION. ITEM 3 ON A-M (E) 122006 OR EQUIVALENT	EACH	R 4 000.00
94.3	METER BOX; 3 PHASE; HOT DIP GALVANISED; TYPE ME3 OR EQUIVALENT.	EACH	R 3 079.91
94.4	METER BOX, BOUNDARY DOUBLE COMPARTMENT TO DRAWING E/LTD 214 MD DOUBLE SIDED W/ BOUNDARY BOX OR EQUIVALENT.	EACH	R 3 233.06
94.5	METER BOX, BOUNDARY PEDESTAL TYPE; HOT DIP GALVENISED TO DRAWING E/LTD 218 OR EQUIVALENT.	EACH	R 3 649.47
94.6	METER BOXES 9 WAY LOW TENSION WITH BUSBAR AND GALVANISED CHAIS PLATE WITH GRONETS OR EQUIVALENT	EACH	R 8 723.86
94.7	SINGLE PHASE DIN RAIL MOUNTED SPLIT PREPAYMENT ELECTRICITY DISPENSER (ED) ONLY COMMUNICATION VIA POWER LINE (PLC) PLUS CUSTOMER INTERFACE UNIT (CIU) TEMS 11a AND 11b OR EQUIVALENT	EACH	R 1 798.03
94.8	SINGLE PHASE SPLIT PREPAYMENT METER BS FOOTPRINT MULTICHANNEL PLC TYPE, OPEN INDUSTRY STANDARD G3 OFDM PLC TECHNOLOGY FOR BIDIRECTIONAL COMMUNICATION BETWEEN THE METER AND THE CIU AND PREFERABLY WITH FUTURE CAPABILITY TO A CONTRACTOR CLASS 1 OR EQUIVALENT.	EACH	R 1 480.95
94.9	SINGLE PHASE SPLIT PREPAYMENT METER DIN RAIL MOUNTED MULTICHANNEL PLC TYPE, OPEN INDUSTRY STANDARD, G3 OFDM PLC TECHNOLOGY FOR BIDIRECTIONAL COMMUNICATIONS BETWEEN THE METER AND THE CIU AND PREFERABLY WITH FUTURE CAPABILITY TO A DATA CONCENTRATOR CLASS 1 OR EQUIVALENT.	EACH	R 1 254.20
94.10	SMART METER- PREPAYMENT AND CREDIT METER CAPABILITY COMMUNICATION via POWER LINE CARRIER (PLC) OPEN INDUSTRY STANDARD G3 OFDM THEM BISA IMS OR EQUIVALENT.	EACH	R 1 513.19

95	METER SINGLE PHASE		
95.1	METER SINGLE PHASE 100A AMP 230/240V ELECTRONIC ENERGY DEMAND METER WITH REMOTE METER READING CAPABILITIES VIA A MODEM (ITEM NO.20 ON CONTRACT) OR EQUIVALENT	EACH	R 2 127.80
95.2	METER SINGLE PHASE SPLIT PREPAID ED OR EQUIVALENT.	EACH	R 1 820.91
95.3	METER SINGLE PHASE SPLIT PREPAID RATED AT 230 V 60 A OR EQUIVALENT.	EACH	R 1 851.50
95.4	METER SINGLE PHASE SPLIT PRE-PAYMENT (DIN RAIL) COMMUNICATION VIA RADIO FREQUENCY (RF WIRELESS) PLUS CIU_ (CONLOG) OR EQUIVALENT	EACH	R 2 138.10
95.5	METER SINGLE PHASE SPLIT PREPAYMENT ELECTRICITY DISPENSERS (ED) ONLY-COMMUNICATION VIA PILOT CABLE GEMINI CSM (BS FOOTPRINT) PLUS CIU OR EQUIVALENT	EACH	R 1 295.87
95.6	METER SINGLE PHASE SPLIT PREPAYMENT ELECTRICITY DISPENSERS (ED) ONLY-COMMUNICATION VIA PILOT CABLE POWER - RAIL WIRED SPLIT METER (DIN RAIL) PLUS CIU OR EQUIVALENT	EACH	R 882.56
95.7	METER THREE PHASE SPLIT PREPAYMENT ELECTRICITY DISPENSERS (ED) ONLY - COMMUNICATION VIA PILOT CABLE POWER PLUS CIU OR EQUIVALENT	EACH	R 1 859.49
96	CUT OUTS		
96.1	CUT OUTS - HEAVY DUTY - TYPE 21 B 22 - 11 KV OR EQUIVALENT	EACH	R 1 911.62
96.2	CUT OUTS YORKSHIRE 50 AMP OR EQUIVALENT	EACH	R 1 997.18
96.3	CUT OUTS YORKSHIRE 60 AMP OR EQUIVALENT	EACH	R 2 875.90
96.4	CUTOUTS 11KV 100AMP OUTDOOR OR EQUIVALENT	EACH	R 1 326.69
97	DIGITAL OVERCURRENT		
97.1	DIGITAL 3 PHASE OVERCURRENT AND EARTH FAULT RELAY WITH SEF AND AUTOCLOSE, ARGUS M OR EQUIVALENT	EACH	R 3 997.09
97.2	DIGITAL 3 PHASE OVERCURRENT AND EARTH FAULT RELAY, ARGUS M OR EQUIVALENT	EACH	R 4 151.88
98	PHOTOCELL CONTROLLER		
98.1	NEMA STANDARD OUTDOOR PHOTOCELL CONTROLLER SOCKET BASE FOR USE WITH PHOTO CONTROLLERS OR EQUIVALENT	EACH	R 601.33
98.2	OUTDOOR PHOTOCELL CONTROLLERS 230V EACH CONTROLLING 1000W DISCHARGE LIGHTNING LOAD 15AMP FULL LOAD (NEMA PHOTO EYES) OR EQUIVALENT	EACH	R 1 578.26
99	SOCKET BASE		
99.1	NEMA STANDARD OUTDOOR SOCKET BASE FOR USE WITH THE " PHOTOCELL CONTROLLERS; EACH SUPPLIED C/W AN "L" MOUNTING BRACKET (TYPE EYE-CM15) OR EQUIVALENT	EACH	R 544.46
100	OUTREACH ARM		
100.1	OUTREACH ARM SINGLE GALVANISED 1.8M CURVED IN ACCORDANCE WITH GUIDE DRAWING M6-7B OR EQUIVALENT	EACH	R 1 314.18
101	PHOTOCELL		
101.1	PHOTO ENTRY CELLS LS 16AMP C/W BASES OR EQUIVALENT	EACH	R 1 191.21
101.2	PHOTOCELL 16A SPECTRUM DAY NIGHT SWITCH (PHOTO CELL) OR EQUIVALENT	EACH	R 584.97
102	PILOT LIGHT		
102.1	PILOTLIGHT AMBER WITH NEON LAMP OR EQUIVALENT	EACH	R 416.76
102.2	PILOTLIGHT GREEN WITH NEON LAMP OR EQUIVALENT	EACH	R 449.65
102.3	PILOTLIGHT RED WITH NEON LAMP OR EQUIVALENT	EACH	R 385.70
103	PIPES		
103.1	PIPES METER BOX 50MM CABLE ENTRY OR EQUIVALENT	EACH	R 621.37
103.2	PIPES UPVC WITH SABS 75I WITH A SOCKET ON END 6M X 110MM DIAMETER X 2.8MM WALL THICKNESS AND HAVE A RUBBER RING IN THE SOCKET THE PIPING IS USED FOR OR EQUIVALENT	EACH	R 669.68
104	SCREWS		
104.1	SCREW & WASHER HEX TEX NO.12*20 OR EQUIVALENT	EACH	R 339.99
104.2	SCREW PIG TAIL TYPE PTS OR EQUIVALENT	EACH	R 384.89

105	SEALS		
105.1	SEAL PLASTIC WHITE WITH NYLON TAIL TO BE USED FOR SEALING ALL TYPES OF ELECTRICITY METERS (COLOUR AS PER NR5096-1:2007) (NO NUMBERS WILL BE RECORDED ON THIS SEAL IT WILL ONLY BE USED TO MARK CIRCUIT BREAKERS) OR EQUIVALENT	EACH	R 1 700.61
105.2	SEAL POLYCARBONATE BLUE WITH WIRE TAIL TO BE USED FOR SEALING OF ALL TYPES OF ELECTRICITY METERS (COLOUR AS PER NR5096) OR EQUIVALENT	EACH	R 1 035.64
105.3	SEAL POLYCARBONATE GREEN WITH WIRE TAIL TO BE USED FOR SEALING ALL TYPES OF ELECTRICITY METERS (COLOUR AS PER NR5096) OR EQUIVALENT	EACH	R 1 810.30
105.4	SEAL POLYCARBONATE ORANGE WITH WIRE TAIL TO BE USED FOR SEALING ALL TYPES OF ELECTRICITY METERS (COLOUR AS PER NR5096) OR EQUIVALENT	EACH	R 1 822.69
105.5	SEAL POLYCARBONATE RED WITH WIRE TAIL TO BE USED FOR SEALING ALL TYPES OF ELECTRICITY METERS (COLOUR AS PER NR5096) OR EQUIVALENT	EACH	R 1 820.22
105.6	SEAL POLYCARBONATE YELLOW WITH WIRE TAIL TO BE USED FOR SEALING ALL TYPES OF ELECTRICITY METERS (COLOUR AS PER NR5096) OR EQUIVALENT	EACH	R 1 455.27
105.7	SEALS LEAD 9.5 MM ROUND OR EQUIVALENT	EACH	R 2 829.16
106	SELF TAPPERS		
106.1	SELF TAPPERS SLOTTED PAN HEADS 4.2*10MM OR EQUIVALENT	EACH	R 120.62
106.2	SELF TAPPERS SLOTTED PAN HEADS 4.2*19MM OR EQUIVALENT	EACH	R 138.77
106.3	SELF TAPPERS SLOTTED PAN HEADS 4.2*25MM OR EQUIVALENT OR EQUIVALENT	EACH	R 289.79
107	RING MAIN UNIT		
107.1	RING MAIN METERING UNIT 11KV OUTPUT FROM TEE OFF FUSE SWITCH OR EQUIVALENT	EACH	R 22 000.00
107.2	RING MAIN UNIT 11 KV (T3/OF) OR EQUIVALENT	EACH	R 23 000.00
107.3	RING MAIN UNIT 11KV IN KIOSK 200A C/BREAKER CB; SD; SD TYPE C OUTDOOR OR EQUIVALENT	EACH	R 24 000.00
107.4	RING MAIN UNIT 11KV IN KIOSK 200A C/BREAKER SD; SD; CB; SD OR EQUIVALENT	EACH	R 2 900.00
107.5	RING MAIN UNIT 11KV INDOOR TYPE A - SD; SD; SD OR EQUIVALENT	EACH	R 3 500.00
107.6	RING MAIN UNIT 11KV TYPE C; SD; CB; SD - INDOOR 200A CIRCUIT BREAKER OR EQUIVALENT	EACH	R 4 000.00
107.7	RING MAIN UNIT IN KIOSK 11KV SD; SD; SD OUTDOOR (3WAY) OR EQUIVALENT.	EACH	R 6 000.00
107.8	RING MAIN UNIT TYPE B 11KV; 630A SD; SD; SD; SD; INDOOR OR EQUIVALENT.	EACH	R 30 000.00
107.9	RING MAIN UNIT TYPE B 11KV; 630A SD; SD; SD; SD; OUTDOOR IN KIOSK OR EQUIVALENT	EACH	R 40 000.00
107.10	RING MAIN UNIT TYPE C 11kv; 630A CB; SD; SD; OUTDOOR IN KIOSK OR EQUIVALENT	EACH	R 50 000.00
107.11	RING MAIN UNIT TYPE C 11kv; 630A CB; SD; SD INDOOR OR EQUIVALENT	EACH	R 140 000.00
107.12	RING MAIN UNIT TYPE D 11kv; 630A CB; SD; SD; SD OUTDOOR OR EQUIVALENT	EACH	R 150 000.00
107.13	RING MAIN UNIT TYPE E 11kv 200A CB; CB; SD; SD OUTDOOR IN KIOSK OR EQUIVALENT	EACH	R 160 000.00
107.14	RING MAIN UNIT TYPE E 630A CB CB SD SD OUTDOOR IN KIOSK OR EQUIVALENT	EACH	R 220 000.00
107.15	RING MAIN UNITS 11KV ULTRA COMPACT COMPLETE WITH FUSES 3*40AMP ONE OPERATING HANDLE 3 DUST CAPS BRACKET TO ACCOMMODATE HANDLE AND DUST CAPS OR EQUIVALENT.	EACH	R 143 763.88
107.16	TYP E - 11 KV SD; CB; CB; SD RING MAIN UNIT - INDOOR 200A CIRCUIT BREAKER OR EQUIVALENT	EACH	R 252 192.69

108	STAINLESS STEEL STRAPPING			
108.1	STAINLESS STEEL STRAPPING 20 MM X 5 MM X 30M ROLL OR EQUIVALENT	ROLL	R	1 498.48
108.2	STAINLESS STEEL STRAPPING 30 PER BOX X 20MM OR EQUIVALENT	BOX	R	1 916.72
108.3	STEEL STRAPPING SEALS; 19 MM X 204 MM; TYPE RST GALVANISED OR EQUIVALENT.	EACH	R	957.74
108.4	STEEL STRAPPING; 19MM X 0.508MM GALVANISED TO BE SUPPLIED IN 4 - 15KG ROLLS OR EQUIVALENT.	ROLL	R	602.87
108.5	STRAPPING BANDIT STAINLESS STEEL 12.70MM X 30.00M X 0.70MM (REF C32454) OR EQUIVALENT	EACH	R	936.22
108.6	STRAPPING STAINLESS STEEL 16 MM X 30 METERS - BAND THICKNESS : 55 MM GRADE 304 - STOCK NRS304S16 OR EQUIVALENT	EACH	R	5 000.00
108.7	STREET LIGHT BRACKET DOUBLE ; FOR TOP OF POLE MOUNTING FOR 90MM TOP POLES AND GENERAL STREET LIGHTNING TO DRAWING E/STL 41A (REV 7) OR EQUIVALENT	EACH	R	1 389.81
109	SUSPENSION ASSEMBLY			
109.1	SUSPENSION ASSEMBLY; COMPLETE WITH BRACKET FOR 3 X 25 + 1 X 54.6 AERIAL BUNDLE CONDUCTOR; SUITABLE FOR STAINLESS STEEL STRAPPING (BLACK) (BRAND EBM) OR EQUIVALENT.	EACH	R	1 222.77
109.2	SUSPENSION CLAMP - POLE BRACKET TO CARRY AERIAL BUNDLE CONDUCTORS (FRENCH SYSTEM); 85MM X 3 + 54.6MM INSULATED NEUTRAL + 25MM (STREETLIGHT) OR EQUIVALENT	EACH	R	1 143.85
110	SWITCHED SOCKET			
110.1	SWITCHED SOCKET; 16 AMP; 3 PIN DOUBLE SHUTTERED; TO FIT 100 X100 MM WALL BOX; C/W IVORY STEEL PLATE AND BEARING SABS 163/164 MARK CRABTREE (DOU_SOC) OR EQUIVALENT	EACH	R	496.09
110.2	SWITCHED SOCKET; 16 AMP; 3 PIN SINGLE; SHUTTERED; TO FIT 100MM X 100MM WALL BOX; C/W IVORY STEEL PLATES AND BEARING SABS 163/164 MARK (2IN_SOC) OR EQUIVALENT.	EACH	R	474.34
110.3	SWITCHED SOCKET; 16 AMP; 3 PIN; TOGGLE PROTECTED; FITTED IN A IVORY 120MM X 85MM X 83MM BOX; INDUSTRIAL TYPE; AND BEARING SABS 163/164 MARK OR EQUIVALENT.	EACH	R	414.91
111	SWITCH LIGHT			
111.1	SWITCHES LIGHT 16 AMP 1 LEVER 1 WAY FLUSH MOUNT C/W COVER PLATE OR EQUIVALENT	EACH	R	345.28
111.2	SWITCHES LIGHT 16 AMP 2 LEVER 1 WAY FLUSH MOUNT C/W COVER PLATE OR EQUIVALENT	EACH	R	304.00
111.3	SWITCH LIGHT FLUSH ISALEVER OR EQUIVALENT	EACH	R	377.90
111.4	SWITCH LIGHT INDUSTRIAL AC 1 LEVER 16A 250V OR EQUIVALENT	EACH	R	361.16
112	SWITCHGEAR			
112.1	SWITCHGEAR - BREAKER CIRCUIT OIL 6.6 KV 400 AMP OR EQUIVALENT	EACH	R	10 682.59
112.2	SWITCHGEAR - BREAKER CIRCUIT OIL H.T. 3 PHASE WITHOUT METERING OR EQUIVALENT	EACH	R	11 654.67
112.3	SWITCHGEAR - BREAKER CIRCUIT OIL WITH METERING OR EQUIVALENT	EACH	R	11 452.90
112.4	SWITCHGEAR - RMU - 3 PANEL H.T. WITH METERING OR EQUIVALENT	EACH	R	4 200.00
112.5	SWITCHGEAR - RMU - INTERSWITCH 3 WAY TYPE B20 - CODE 112 OR EQUIVALENT	EACH	R	5 200.00
112.6	SWITCHGEAR - RMU - TIGER NX3F TYPE (500918) WITH METERING UNIT NO.9005 OR EQUIVALENT	EACH	R	6 200.00
112.7	SWITCHGEAR - SWITCH - SWITCHFUSE - TYPE 500920 - HAWKER SIDDELEY - TIGER X2F OR EQUIVALENT	EACH	R	7 800.00
112.8	SWITCHGEAR - SWITCH GENERAL PURPOSE TYPE K1 - 12 KV - NORMAL CURRENT 630 AMP - CONTRACT NO. 7 E 3946/1 OR EQUIVALENT	EACH	R	8 000.00
112.9	SWITCHGEAR - UNIT - METERING H.T. FOR T3 OR EQUIVALENT	EACH	R	8 100.00
112.10	SWITCHGEAR - UNIT METERING - FREE STANDING OR EQUIVALENT	EACH	R	8 500.00

113	WACO STRIPS			
113.1	WACO STRIPS LARGE 15AMP OR EQUIVALENT OR EQUIVALENT	EACH	R	153.30
113.2	WACO STRIPS SMALL 5AMP OR EQUIVALENT	EACH	R	109.11
114	WALL SWITCH			
114.1	WALL SWITCH; FOR FLUSH MOUNTING; 16 AMP; 1 LEVER; 1 WAY; C/W IVORY STEEL COVER PLATE; UP/DOWN SWITCHING ACTION; TO FIT 100 X 50 MM WALL BOX; OR EQUIVALENT	EACH	R	136.91
114.2	WALL SWITCH; FOR FLUSH MOUNTING; 16 AMP; 2 LEVER; 1 WAY; C/W IVORY STEEL COVER PLATE; UP/DOWN SWITCHING ACTION; TO FIT 50 X 50MM WALL BOX OR EQUIVALENT.	EACH	R	127.80
114.3	WALL SWITCH; FOR FLUSH MOUNTING; 16 AMP; 3 LEVER; 1 WAY; C/W IVORY STEEL COVER PLATE; UP/DOWN SWITCHING ACTION; TO FIT 500 X 100 MM WALL BOX; BEARING OR EQUIVALENT	EACH	R	143.10
115	WASHER CADMIUM			
115.1	WASHER CADMIUM PLATED FOR 10MM BOLT OR EQUIVALENT	EACH	R	55.18
115.2	WASHER CADMIUM PLATED FOR 12MM BOLT OR EQUIVALENT	EACH	R	56.77
115.3	WASHERS BRIGHT STEEL 26MM X 6MM HOLE OR EQUIVALENT	EACH	R	143.15
115.4	WASHERS; 10MM CADMIUM PLATED; DIA OF HOLE 10.9MM; * OUTSIDE DIA 21MM; THICKNESS 2.2MM; (IMP SIZE 9/8) OR EQUIVALENT	EACH	R	209.88
115.5	SPRING WASHER CADMIUM PLATED FOR 10MM BOLT OR EQUIVALENT	EACH	R	115.31
115.6	SPRING WASHER CADMIUM PLATED FOR 12MM BOLT OR EQUIVALENT	EACH	R	119.57
116	STREETLIGHT ENCLOSURES			
116.1	STREETLIGHT ENCLOSURE 110mm OR EQUIVALENT	EACH	R	351.87
116.2	STREETLIGHT ENCLOSURE 160mm OR EQUIVALENT	EACH	R	368.96

117	HEATSHRINK CABLE END CAPS			
117.1	HEAT SHRINK CABLE END CAPS FOR SEALING PVC/PVC/SWA/PVC ; 600/1000V AND PILCOSTA, 600/1000V CABLES WITH OD OF BETWEEN 45MM AND 65MM OR EQUIVALENT.	EACH	R	137,23
117.2	HEAT SHRINK CABLE END CAPS FOR SEALING PVC/PVC/SWA/PVC; 600/1000V AND PILCOSTA, 600/1000V CABLES WITH OD OF BETWEEN 65MM AND 95MM OR EQUIVALENT.	EACH	R	173,38
117.3	HEAT SHRINK END KITS, 70-95 MM ² - 4 CORE PVC CABLE AS PER DETAILED SPECIFICATION ED 0013 OR EQUIVALENT.	EACH	R	310,14
117.4	HEAT SHRINK END KITS, FOR 4 CORE PAPER CABLE - 185 MM ² TO 300 MM ² , AS PER DETAILED SPECIFICATION ED 13 OR EQUIVALENT	EACH	R	1 337,90
117.5	HEAT SHRINK SEALING CAPS NO. C5524 (50MM - 25MM) (SIGMA FORM) (EC201 35/15) OR EQUIVALENT	EACH	R	235,63
117.6	HEAT SHRINK SEALING CAPS NO. SCC110 25 - 13 MM) SIGMAFORM (EC301 55/24) OR EQUIVALENT	EACH	R	255,11
117.7	HEAT SHRINK SEALING CAPS NO. C5338 (93 - 38MM) "X 120 MM " SIGMA FORM" OR EQUIVALENT	EACH	R	368,21
117.8	HEAT SHRINK STRAIGHT THROUGH JOINT KITS FOR SINGLECORE 33KV PLC 300MM TO 630MM WITH DUAL EXTRUSION SLEEVE AND TORQUE SHEAR FERRULES OR EQUIVALENT.	EACH	R	1 295,90
117.9	CAP SHRINKIT - C 9338 (CODE : LDICAP 75 - 32) (OLD CODE TYPE S.G.E285) OR EQUIVALENT.	EACH	R	339,77
117.10	CAP SHRINKIT - LD / CAP 35 - 15 (OLD TYPE CODE SSC 150) OR EQUIVALENT.	EACH	R	559,39
117.11	CAP SHRINKIT - LD / CAP 55 - 25 (OLD CODE TYPE SG E265) OR EQUIVALENT.	EACH	R	624,77
118	HEATSHRINK TUBING			
118.1	HEAT SHRINK TUBING FOR CORE PROTECTION OF PVC 600/1000V CABLES FROM 4 MM ² TO 35 MM ² AS PER DETAILED SPECIFICATION ED 003 / PART NO - RNF-300-12/4 OR EQUIVALENT	METRE	R	279,84
118.2	HEAT SHRINK TUBING FOR CORE PROTECTION OF PVC 600/1000V CABLES FROM 70 MM ² TO 150 MM ² AS PER DETAILED SPECIFICATION ED 0013 /PART NO CGPT-25/13-0 OR EQUIVALENT	METRE	R	282,70
118.3	HEAT SHRINK TUBING FOR SEALING BETWEEN THE HEAT SH RINK CORE PROTECTION AND THE LUG ON PAPER 600/1000 V CABLE FROM 185 MM ² TO 300 MM ² , AS PER DETAILED OR EQUIVALENT	METRE	R	583,38