#### **Stack Information**

Name: Project ofi2004

Description: Description of ofi2004.

Version: 3.0

Date Created: 2021-11-04T15:19:00.625

Git Commit: 1e84b5100e09d9b6c5ea1b6c2ccee8957391beec

Git Tag: ods-generated-v3.0-3.0-0b11-D

Git URL: https://bitbucket/scm/ofi2004/ofi2004-release.git

OpenShift Cluster API URL: https://openshift-sample

Created by Jenkins Job Name: ofi2004-cd/ofi2004-cd-release-master

Created by Jenkins Build Number: 666
Target environment: dev

## Configuration and Installation Testing Report for 'Project ofi2004'

#### **TABLE OF CONTENTS**

- 1 PURPOSE
- 2 SCOPE
- **3 ROLES AND RESPONSIBILITIES**
- **4 OVERVIEW OF TECHNICAL ARCHITECTURE**
- **5 TEST CASES**
- **6 CIT DISCREPANCY REPORT**
- 7 CONCLUSION
- 8 <u>DEFINITIONS AND ABBREVIATIONS</u>
  - 8.1 DEFINITIONS
  - **8.2 ABBREVIATIONS**
- 9 REFERENCE DOCUMENTS
- **10 DOCUMENT HISTORY**
- 11 TEST CASES TEST GROUP 01 COMPONENTS
  - 11.1 SERVER
  - 11.2 VERIFICATION OF COMPUTER ROOM CONDITIONS
  - 11.3 REPOSITORY TYPE
- 12 TEST CASES TEST GROUP 02 SYSTEM LEVEL
  - 12.1 OPERATIONAL DOCUMENTS ON SYSTEM LEVEL
  - 12.2 CONFIGURATION DATABASE CMDB

# 13 ATTACHMENTS 13.1 XUNIT XML DOCUMENTS

#### 1 PURPOSE

The purpose of the Configuration and Installation Testing Report (hereafter referred to as CIT for Installation Qualification) is to check the performance of installation activities, demonstrating that the installation performed for all system hardware, network components, system software, application software, client desktop, and associated peripherals was performed according to the System and Software Design Specification including Source Code Review Report taking into account the manufacturer and software supplier specifications. Furthermore the existence of all needed documents for the operation of the system will be checked.

For details, please see System and Software Design Specification including Source Code Review Report, referenced in the 'Reference Documents' section.

#### 2 SCOPE

Configuration and Installation Testing for software components will be performed, based on the below components:

Component Name	Repository Type
thefirst	ods
thesecond	ods
spock	ods-test
release	ods

Attention: Chapters 12 and 13 of the original LeVA template do not apply, since they are not relevant if documentation is generated in an automated way.

Curabitur molestie, massa sed condimentum posuere, tellus elit ornare nibh, eget interdum orci mauris convallis libero. Sed et metus id odio pellentesque tincidunt. Aenean at iaculis felis. Phasellus et ante consequat, eleifend nibh at, porttitor orci. Pellentesque tempus nibh elementum, laoreet urna a, tempus augue. Quisque dictum, lacus mollis laoreet congue, velit leo mollis eros, vel imperdiet tortor mauris sit amet arcu. Praesent euismod imperdiet nisi sed tincidunt. Maecenas commodo faucibus massa, sit amet lobortis lectus eleifend id. Fusce dignissim, metus sed vulputate ultricies, quam nulla molestie diam, ac condimentum arcu felis vel nisl. Nunc maximus ex quis neque ultrices, elementum volutpat metus fringilla. Praesent suscipit eleifend augue, at aliquet metus finibus sit amet. Sed tristique mattis aliquet.

## **3 ROLES AND RESPONSIBILITIES**

Role	Responsibility	
Jenkins (Technical Role)	To run the verification of the system, execute tests if applicable and collect all the needed information.	
Test Administrator	In case of full automation (and no further test cases) - N/A, otherwise Test Administrators will supervise the Administrator execution of the test by the Testers and will review the test cases.	
Tester	In case of full automation (and no further test cases) - N/A, otherwise Testers will execute the test cases and document the results.	

#### 4 OVERVIEW OF TECHNICAL ARCHITECTURE

This Report considers correctly all relevant content of the System and Software Design Specification including Source Code Review Report - see section *Reference Documents*. The referenced System and Software Design Specification including Source Code Review Report is generated within the same Jenkins Build Run as this IVP/R - so consistency, and traceability is always given. The report will provide the actually referenced version.

### **5 TEST CASES**

Automated test cases contained within the application components mentioned in the scope section were executed at this point.

Other test cases:

Test case	SSDS Ref	Passed (Y/N)
OFI2004-139: test for RA MODIFIED	OFI2004-137	Y

Additional Tests implemented and executed: 2

### **6 CIT DISCREPANCY REPORT**

No discrepancies found.

#### **7 CONCLUSION**

Having completed the execution of the CIT Plan of 'Project ofi2004' and assessed the activities and respective outcomes, the conclusion drawn is as follows:

Complete	It is determined that all steps of the Installation Tests have been
success, no discrepancies	successfully executed and signature of this report verifies that the tests have been performed according to the plan. No discrepancies occurred.

## 8 DEFINITIONS AND ABBREVIATIONS

#### 8.1 **DEFINITIONS**

Term	Definition
Jenkins	Build engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)
xUnit	Unit testing framework, aggregaults across multiple languages

#### 8.2 ABBREVIATIONS

Abbreviation	Meaning
ODS	OpenDevStack
EDP	Enterprise Development Platform

#### 9 REFERENCE DOCUMENTS

- System and Software Design Specification including Source Code Review Plan (version BI-IT-DEVSTACK / 4-WIP)
- Overall Development Test Report (version BI-IT-DEVSTACK / 4-WIP)
- Overall Technical Installation Report (version BI-IT-DEVSTACK / 4-WIP)

### 10 DOCUMENT HISTORY

The following table provides extra history of the document.

Version	Date	Author	Reference
	SCurabitur molestie, massa sed condimentum posuere, tellus elit ornare nibh, eget interdum orci mauris convallis libero. Sed et metus id odio pellentesque tincidunt. Aenean at iaculis felis. Phasellus et ante consequat, eleifend nibh at, porttitor orci. Pellentesque tempus nibh elementum, laoreet urna a, tempus augue. Quisque dictum, lacus mollis laoreet congue, velit leo mollis eros, vel imperdiet tortor mauris sit amet arcu. Praesent euismod imperdiet nisi sed tincidunt. Maecenas commodo faucibus massa, sit amet lobortis lectus eleifend id. Fusce dignissim, metus sed vulputate ultricies, quam nulla molestie diam, ac condimentum arcu felis vel nisl. Nunc maximus ex quis neque ultrices, elementum volutpat metus fringilla. Praesent suscipit eleifend augue, at aliquet metus finibus sit amet. Sed tristique mattis aliquet.		

#### 11 TEST CASES TEST GROUP 01 COMPONENTS

#### 11.1 SERVER

Containers are volatile, that means the underlying platform decides depending on resource usage and consumption - where (on which server(s)) and how a container is run. Only the TIR (that is created as part of the installation) contains the information where a pod was located at that point in time - hence we leave this information out of the CIT, which is generated at a later point in time.

#### 11.2 VERIFICATION OF COMPUTER ROOM CONDITIONS

Containers are volatile, that means the underlying platform decides depending on resource usage and consumption - where (on which server(s)) and how a container is run.

Only the TIR (that is created as part of the installation) contains the information where a pod was located at that point in time - hence we leave this information out of the CIT, which is generated at a later point in time.

#### 11.3 REPOSITORY TYPE

#### 11.3.1 ODS

Repository Type	Test case	Test steps
ods	OFI2004-139: test for RA MODIFIED	1 a

#### 11.3.2 ODS-SERVICE

N/A

#### 12 TEST CASES TEST GROUP 02 SYSTEM LEVEL

#### • 12.1 OPERATIONAL DOCUMENTS ON SYSTEM LEVEL

Operational documents at system level:

#### **System level monitoring:**

Config Item	Description	Items Doc Id (Plan / Report)
BI-IT-Container- PAAS	Theplatform that runs ODS based applications	<ul><li>Plan ID:</li><li>Release date:</li><li>Report ID:</li><li>Release date:</li></ul>

#### System level backup:

Config Item	Description	Items Doc Id (Plan / Report)
BI-IT-Container- PAAS	The platform that runs ODS based applications	<ul><li>Plan ID:</li><li>Release date:</li><li>Report ID:</li><li>Release date:</li></ul>

#### System level restore/recovery:

Config Item	Description	Items Doc Id (Plan / Report)
BI-IT-Container- PAAS	The platform that runs ODS based applications	<ul><li>Plan ID:</li><li>Release date:</li><li>Report ID:</li><li>Release date:</li></ul>

#### **System Operational instructions:**

Config Item	Description	Items Doc Id (Plan / Report)
-------------	-------------	---------------------------------

BI-IT-Container- PAAS	The platform that runs ODS based applications	<ul><li>Plan ID:</li><li>Release date:</li><li>Report ID:</li><li>Release date:</li></ul>
--------------------------	---	---

#### **Service Agreement:**

Config Item	Description	Items Doc Id
		<ul><li>Document ID:</li><li>Release date:</li></ul>

#### AAP/IAP/TAP:

Config Item	Description	Items Doc Id
		<ul><li>Document ID:</li><li>Release date:</li></ul>

#### • 12.2 CONFIGURATION DATABASE CMDB

Configuration Data of Config Item 'Project ofi2004' is correct and verified

Role assignment: Check if name of contact persons are entered to CMDBWeb: IT System Lead Validation Manager System Owner CSV&C function	Document, if a Role Assignment Log is required and available and all entries in CMDB are correct (RAL) < If no RAL is required, a rational must be provided e.g. in the Qualification Plan > < If for Infrastructure Systems we do not have a RAL available, please ensure correct entries in CMDBWeb anyway and state in Observed result >	Curabitur molestie, massa sed condimentum posuere, tellus elit ornare nibh, eget interdum orci mauris convallis libero. Sed et metus id odio pellentesque tincidunt. Aenean at iaculis felis. Phasellus et ante consequat, eleifend nibh at, porttitor orci. Pellentesque tempus nibh elementum, laoreet urna a, tempus augue. Quisque dictum, lacus mollis laoreet congue, velit leo mollis eros, vel imperdiet tortor mauris sit amet arcu. Praesent euismod imperdiet nisi sed tincidunt. Maecenas commodo faucibus massa, sit amet lobortis lectus eleifend id. Fusce dignissim, metus sed vulputate ultricies, quam nulla molestie diam, ac condimentum arcu felis vel nisl. Nunc maximus ex quis neque ultrices, elementum volutpat metus fringilla. Praesent suscipit eleifend augue, at aliquet metus finibus sit amet. Sed tristique mattis aliquet.	
Related components: Check if components are related to Environments as described in System Design Specification.	Components are related to Environments as listed in System Design Specification	CMDB entries are correct  ☐ Yes ☐ No	

Emergency class: Check if emergency class is correctly set according to the related specification document	Emergency class per environment (env) is correctly set <enter class="" defined="" environment="" number="" per=""> Productive env: class Validation env: class Training env: class</enter>	Productive env: Validation env: Training env:	
GxP relevance	GxP relevance is set to 'yes'	Actual setting in CMDB:	
Support category: Check if support category is correctly set according to the related specification document	Support category per environment (env) is correctly set <enter category="" defined="" environment="" number="" per=""> Productive env: class Validation env: class Training env: class</enter>	Productive env: Validation env: Training env:	

#### 13 ATTACHMENTS

#### 13.1 XUNIT XML DOCUMENTS

The information included in this test results provides the xUnit XML results of the execution of the system Project ofi2004 created by Jenkins Job Name ofi2004-cd/ofi2004-cd-release-master and Jenkins Build Number 666.

#### junitResultsIVR.xml

```
<?xml version='1.0' ?>
     <testsuites name="my-suites" tests="4" failures="1" errors="1">
       <testsuite name="my-suite-1" tests="2" failures="0" errors="1" skipped="0"
timestamp="2020-03-08T20:49:53Z">
         cproperties>
            roperty name="my-property-a" value="my-property-a-value"/>
         </properties>
         <testcase name="JIRA1 my-testcase-1" classname="app.MyTestCase1"
status="Succeeded" time="1"/>
         <testcase name="JIRA2_my-testcase-2" classname="app.MyTestCase2"
status="Error" time="2">
           <error type="my-error-type" message="my-error-message">This is an error.
</error>
         </testcase>
       </testsuite>
       <testsuite name="my-suite-2" tests="2" failures="1" errors="0" skipped="1"
timestamp="2020-03-08T20:50:53Z">
         <testcase name="JIRA3 my-testcase-3" classname="app.MyTestCase3"
status="Failed" time="3">
            <failure type="my-failure-type" message="my-failure-message">This is a
failure.</failure>
         </testcase>
         <testcase name="JIRA4 my-testcase-4" classname="app.MyTestCase4"
status="Missing" time="4">
            <skipped/>
         </testcase>
       </testsuite>
       <testsuite name="my-suite-3" tests="1" failures="0" errors="0" skipped="0"
timestamp="2020-03-08T20:51:53Z">
         <testcase name="my-testcase-5" classname="app.MyTestCase5"
status="Succeeded" time="5"/>
       </testsuite>
     </testsuites>
```