Problem Set 2

Due: 3/13

Part One: Hand-Written Exercise

1. Verify the statement in slide 18, Lecture 2. That is, let $\hat{r}_{i,1}$ be the OLS residual of regressing x_1 on the constant one and $x_2, ..., x_k$. Show that $\sum_{i=1}^n \hat{r}_{i,1} x_{i,1} = \sum_{i=1}^n \hat{r}_{i,1}^2$.

2. For the multiple linear regression, the data matrix denoted as \mathbf{X} is below:

$$\mathbf{X} = \begin{bmatrix} 1 & 2 & 1 & 8 \\ 2 & 4 & 5 & 7 \\ 3 & 6 & 2 & 9 \\ 4 & 8 & 2 & 2 \end{bmatrix}$$

For this data matrix, can you calculate the OLS estimators? Why or why not? Please give a brief explanation.

3. Consider the model $y_i = \beta_0 + \beta_1 x_i + u_i$ with $Var(y_i) = \sigma^2$. Under the Classical Assumptions, the OLS estimators $\hat{\beta}_0$ and $\hat{\beta}_1$ are unbiased. Let $\tilde{\beta}_1$ be the OLS estimator of β_1 by assuming the intercept is zero. That is, $\tilde{\beta}_1$ is obtained under the assumption $\beta_0 = 0$.

(a) Calculate $\mathbb{E}(\tilde{\beta}_1)$ in terms of x_i, β_0 , and β_1 .

(b) If $\beta_0 \neq 0$, is $\tilde{\beta}_1$ unbiased?

(c) Calculate the variance of $\tilde{\beta}_1$.

(d) Compare between $Var(\tilde{\beta}_1)$ and $Var(\hat{\beta}_1)$. Is it true that $Var(\tilde{\beta}_1) \leq Var(\hat{\beta}_1)$ in general?

(e) Does the result in (d) violate the Gauss-Markov Theorem, which states that $\hat{\beta}_1$ should have the smallest variance? Explain.

Part Two: Computer Exercise

1. Let
$$\mathbf{X} = \begin{bmatrix} 7 & 2 & 3 \\ 4 & 6 & 7 \\ 9 & 2 & 0 \\ 0 & 9 & 0 \\ 5 & 3 & 5 \end{bmatrix}$$
 and $\mathbf{Y} = \begin{bmatrix} 6 \\ 2 \\ 4 \\ 2 \\ 1 \end{bmatrix}$.

(a) Please construct the OLS estimator $\hat{\beta}$. (Reminder: Don't forget the intercept term.)

(b) Given a new observation $x^* = (0, 4, 3)'$, please calculate \hat{y} .

- 2. Please load the data set "mtcars" from R using the code data(mtcars). The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973-74 models).
 - (a) Please show the data for the automobile "Duster 360".
 - (b) Please show the qsec (1/4 mile time) for all the automobile.
 - (c) Please show the data with cyl (number of cylinders) = 6.
 - (d) Please list the automobiles with mpg (miles/gallon) > 15, vs (Engine) = 1, and hp (horsepower) between 50 and 150.
 - (e) Suppose we have the following model:

$$\mathtt{drat}_i = \beta_0 + \beta_1 \mathtt{wt}_i + \beta_2 \mathtt{hp}_i + \beta_3 \mathtt{qsec}_i + \beta_4 \mathtt{vs}_i + u_i.$$

Please find $\beta_0, \beta_1, \beta_2, \beta_3$ and β_4 without the function lm().

(f) Following (e), find those estimators with the function lm().