ILS Web Services Software Development Kit (SDK)

Version 4.1 | Updated September 2025

This document cannot be shared outside of your Organization without the express consent of Inventory Locator Service.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Table of Contents

Introduction 8

Document Revision History 8

Supported Standards / Security 9

Service Availability 9

Web Services Compatibility 9

Authentication 9

Test Credentials 9

Customer Support 10

Inventory / Capabilities Listings Services 11

- SubmitInventoryLoad 11
  - WSDL 11
  - Request 11
  - Response 12
- CheckInventoryLoad 13
  - WSDL 13
  - Request 13
  - Response 13
- AddPartListing 14
  - WSDL 14
  - Request 14
  - Response 16
- ChangePartListing 19
  - WSDL 19
  - Request 19
  - Response 21
- DeletePartListing 24
  - WSDL 24
  - Request 24
  - Response 25
- AddMroListing 28
  - WSDL 28
  - Request 28

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Response 29
ChangeMroListing 31
WSDL 31
Request 31
Response 32
DeleteMroListing 34
WSDL 34
Request 34
Response 34
Search Services 36
GetPartsAvailability 36
WSDL 36
Request 36
Response 37
GetMrosAvailability 42
WSDL 42
Request 42
Response 42
GetAllLegacyData 47
WSDL 47
Request 47
Response 47
GetPartListing 48
WSDL 48
Request 48
Response 48
GetPMAData 51
WSDL 51
Request 51
Response 51
Government Search Services 53
GetGovernmentData 53
WSDL 53
Request 53

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Response 54
GetCageContact 65
WSDL 65
Request 65
Response 65
GetNiinsByPart 68
WSDL 68
Request 68
Response 68
RFQ and Quote Services 69
GetNewRfqsReceived 69
WSDL 69
Request 69
Response 69
GetRfqsReceivedByDate 75
WSDL 75
Request 75
Response 75
GetNewRfqsReceivedWithSenderInventory 81
WSDL 81
Request 81
Response 81
GetRfqsReceivedByDateWithSenderInventory 87
WSDL 87
Request 87
Response 87
GetRfq 93
WSDL 93
Request 93
Response 93
SendPartRfq 99
WSDL 99
Request 99
Response 100

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

SendQuickRfq 106
GetRfqsSentByDate 107
WSDL 107
Request 107
Response 107
SendPartQuotes 112
WSDL 112
Request 112
Response 114
GetNewPartQuotesReceived 119
WSDL 119
Request 119
Response 119
GetPartQuotes 125
WSDL 125
Request 125
Response 125
GetPartQuotesByDate 130
WSDL 130
Request 130
Response 130
MRO RFQs and Quotes Services 135
GetNewMroRfqsReceived 135
WSDL 135
Request 135
Response 135
GetMroRfqsReceivedByDate 141
WSDL 141
Request 141
Response 141
SendMroQuotes 147
WSDL 147
Request 147
Response 149

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Market Intelligence Services 153
GetFMVPricing 153
GetPartStatsAndPricing 154
WSDL 154
Request 154
Response 154
GetPartInventoryStats 160
WSDL 160
Request 160
Response 160
GetPartOverhaulStats 163
WSDL 163
Request 163
Response 163
GetPartQuoteHistory 165
WSDL 165
Request 165
Response 165
GetMROQuoteHistory 167
WSDL 167
Request 167
Response 167
GetPartPublishedPricing 169
WSDL 169
Request 169
Response 169
GetRetailPricing 171
WSDL 171
Request 171
Response 171
CreatePartsWatchList 173
WSDL 173
Request 173
Response 173

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartsWatchReport 175
WSDL 175
Request 175
Response 175
Miscellaneous Services 178
GetPreferredVendorGroups 178
WSDL 178
Request 178
Response 178
GetRFQAttachedDocuments 179
WSDL 179
Request 179
Response 179
GetRfqCompanyInformation 181
WSDL 181
Request 181
Response 181
Appendix A: Fault Handling 185
Response Faults 185
Fault Properties 185
Fault Types 185
INVALIDFIELDVALUE Faults 186
Canonical Values 187

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Introduction

Welcome to the ILS Web Services Software Development Kit (SDK). This document provides information to assist you in the development of your solution utilizing ILS Web Services.

The ILS Web Services are typically sold as bundles, and the services available to your organization depend upon your subscription level. Some services described in the WSDLs may only be available for internal ILS use or to ILS Approved Partners and are not described in this document.

Document Revision History

Document Version	Date	Summary of Changes
4.1	9/2025	Removed SendQuickRFQ and GetFMVPricing. Updated RFQ Retrieval services to reflect Home Office ID field in the responses. Updated ILS Customer Support contact information.
4.0	9/2021	Major revision. Rearranged the format and order of the content. Added the following services: • GetNewMroRfqsReceived • GetMroRfqsReceivedByDate • SendMroQuotes Removed Appendix B and Appendix C. Corrected WSDL for GetPartsAvailability.
3.3	10/2019	Added WS Fair Market Value Added new versions of the following services: • AddPartListing • ChangePartListing • DeletePartListing • GetPartListing • GetPartsAvailability • GetNewRfqsReceived • GetRfqsSentByDate • GetRfqsReceivedByDate • SendPartRfq • GetRfq • SendQuickRfq
3.2	8/2019	Corrected services available in WS Buyer Bundle and WS Buyer Bundle Plus to read SendPartRfq. Previously stated SendPartQuotes in error.
3.1	6/2018	Added GetPMAData Modified GetGovernmentData
3.0	3/2018	Document replaces ILS Software Development Kit 2.3
2.3	2/2014	Added QuotePriceType to Quote services. Added SendMessageBroadcast to the Marine Buyer Bundle section Changed request field order and other general corrections

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Document Version	Date	Summary of Changes
2.2	9/2013	Added Marine Buyer Bundle section and revised remaining sections to support the addition of Marine capabilities, where applicable.
2.1	5/2013	Corrected WSDL URL
2.0	4/2013	Document replaces the ILS Software Development Kit 1.4

Supported Standards / Security

ILS currently supports the following web services and security standards:

- SOAP 1.1
- WSDL 1.0
- TLS 1.2 and above

Service Availability

Not all services described in the WSDL(s) provided in this document are available for external use. Services not described in this document are **not available**.

Web Services Compatibility

The web services outlined in this document may not be compatible with previous versions of the same services. It is strongly recommended to use the most current web services to ensure compatibility.

Authentication

ILS Web Services use ILS User IDs and passwords for authentication and authorization. All operations require User Id and Password fields, and these must be provided in each SOAP request.

Test Credentials

A web service will function in TEST MODE if it is called using the following credentials:

User ID: TESTU01

Password: WEBSERVICETEST

ILS Web Services do not return live data while in TEST MODE; they will return only static, sample data intended to verify connectivity and the validity of the request.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

IMPORTANT

Do **NOT** develop your solution(s) against the data provided in TEST MODE; otherwise, you may experience significant issues in the future that may require recoding of your solution. All development should adhere to the definitions provided in the WSDLs and this document.

Customer Support

For ILS Web Services support, please contact us at:

Phone: 1-901-794-5000 (Worldwide)

1-800-233-3414 (North America)

E-mail: support@ilsmart.zendesk.com

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Inventory / Capabilities Listings Services

SubmitInventoryLoad

The **SubmitInventoryLoad** web service sends a file to update or replace your inventory or MRO capabilities. The web service returns the success or failure of the file submission process as well as a unique id which can be passed to the **CheckInventoryLoad** web service to check the status of the post-upload processing.

Utilizing the **SubmitInventoryLoad** web service eliminates the need to login to ILSmart and manually upload a file. Uploaded files are normally processed within 24 business hours after receipt at ILS. Files with 150,000 line items or greater are held for after-hours processing.

Please note that large files may fail for various reasons, such as timeout, loss of http connection, etc. Compressed files (ZIP or RAR) can be submitted.

IMPORTANT

Your Uploading Files preferences **MUST** be configured on ILSmart prior to using this web service.

In addition, your file **MUST** comply with ILS formatting standards to be processed. Please see the following reference materials for more information or contact ILS Customer Support.

Aviation / Government Users

- ILS Inventory/MRO Format Guidelines
- ILS Inventory Upload Template

Marine Users

- ILS Marine Inventory Upload Template

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **SubmitInventoryLoad** request is comprised of the following collections and fields, which are described below.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description
Eit		The **Eit** collection describes the file being uploaded. It is comprised of the following fields, which are described below: • Comments • Data • Database • InventoryType • NumberOfRecords • SubmitTime
Comments		Any additional information or special instructions regarding the upload file that you wish to provide to ILS.
Data	Yes	The content of the file you wish to send to ILS using Base64 encoding.
Database		Valid inputs are **PartsAvailability** or **MROCapabilities**. While it is optional to specify the database to which you are uploading your inventory, we strongly recommend that you specify this option in your web service call. It will default to **PartsAvailability** if left blank.
InventoryType		Valid inputs are **Update** or **Replacement**. **Update** will modify your ILSmart listings by adding, deleting or changing listings as specified in your file. **Replacement** will delete your current ILSmart listings and replace with the contents of the uploaded file.
NumberOfRecords	Yes	The number of records contained in your upload file Valid value is a positive integer.
SubmitTime		The date and time you wish to upload your file.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **SubmitInventoryLoad** response is comprised of the following fields, which are described below.

Field	Description
Fault	See Appendix A for information regarding Fault Handling.
EitReceived	Indicates that your file has been received by ILS. The file has **NOT** been processed. Valid values are **true** and **false**.
EmailSent	Indicates that an email notification confirming receipt of the file has been sent to the email on record for your company's Supplier contact. Valid values are **true** and **false**.
InventoryLoadId	A unique ID that identifies your file that can be input into the **CheckInventoryLoad** web service to verify if your file has been processed by ILS. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

CheckInventoryLoad

The **CheckInventoryLoad** web service verifies the status of a file submitted via the **SubmitInventoryLoad** web service.

WSDL

https://secure.ilsmart.com/services/v1/soap11

REQUEST

The **CheckInventoryLoad** request is comprised of the following fields, which are described below.

Field	Required	Description
InventoryLoadId	Yes	A unique ID returned by the **SubmitInventoryLoad** web service that identifies your file. Value is a positive integer.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

RESPONSE

The **CheckInventoryLoad** response is comprised of the following fields, which are described below.

Field	Description
Fault	See Appendix A for information regarding Fault Handling.
IsComplete	Indicates whether ILS has completed processing your uploaded file Valid values are **true** and **false**.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

AddPartListing

The **AddPartListing** web service allows Suppliers to add up to 20 parts at a time to their ILSmart inventory. The response displays the record(s), as added.

It is typically used in conjunction with **ChangePartListing** and **DeletePartListing** web services to send near real-time inventory updates to ILSmart. The **AddPartListing** web service will increase the quantity of a part if the item already exists in your ILSmart inventory.

WSDL

https://secure.ilsmart.com/services/v2/soap11

REQUEST

The **AddPartListing** request is comprised of the following collections and fields, which are described below.

Field/Collection	Required	Description
Parts	Yes	This collection is comprised of the following collections, which are described below: • AviationPartInput
AviationPartInput		The AviationPartInput collection describes an individual part and may be repeated up to 20 times. It is comprised of the following fields, which are described below: • AltPartNumber • Cage • Category • Condition • ControlCode • Description • ExchangeSel • ListCode • PartNumber • Price • Quantity • Unit • Value
AltPartNumber		Up to 20 alpha-numeric characters Must contain at least 1 alpha-numeric character
Cage		The CAGE code of the manufacturer of the part. 5 alpha-numeric characters
Category		Any code you wish to use to classify items. This field is only viewable by you. Up to 5 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description
Condition	Yes	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
ControlCode		Any information you wish to enter, such as bin location, lot number, date of acquisition, etc. This field is only viewable by you. Up to 9 alpha-numeric characters
Description		The field will default to **NO DESC PROVIDED** if this field is null. Up to 20 alpha-numeric characters.
ExchangeSel	No	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only Leaving the field null will default the value to **Outright**.

ListCode	Yes	The List Code controls who can view your items on ILSmart.
		
		Valid field values are:
		• **Y** = Displays the item to all ILS Customers
		• **G** = Displays the item at the top of a Government buyer's response in a specially highlighted section when they search. Displays to non-Government buyers in the standard response format. You must qualify to use this List Code. Contact ILS Customer Support for more information.
		• **S** = Displays the item to designated ILS IDs and/or business types. Your items are shown to the designated buyers when they search. You may add ILS IDs and/or business types by adding them to your Select List. Select ILS Select under the My ILS Inventory Management menu tab to indicate the IDs and/or business types.
		• **M** = Displays the item in a special highlighted section of Government buyer's responses. Quantity can be zero on these items if you qualify as a manufacturer, representative of the manufacturer or hold a PMA for the item. Your company's business designation qualifies your company and determines what appears in the Quantity field of the response. If the designation is:
		  ○ Original MFG: the quantity displays as **MFG**
		  ○ PMA: the quantity displays as **PMA**
		  ○ Stocking Distributor: the quantity displays as **M-REP**
		  ○ Non-Stocking MFG. Agent: the quantity displays as **M-REP**
		• **N** = Displays the item to your company only.
		• **Q** = Government qualified supplier of the item
		• **R** = Government qualified manufacturer of the item
		
		All ILS List Codes are not available to all Customers. Please contact us for additional information.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description
PartNumber	Yes	Up to 20 alpha-numeric characters Must contain at least 1 alpha-numeric character
Price		Up to 9 numeric characters
Quantity	Yes	Up to 5 numeric characters. Zeros cannot be submitted without prior ILS approval.
Unit		2 alpha-numeric characters
Value		Information such as cost of item, list price, advertised price, etc. This field is only viewable by you. Up to 9 numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **AddPartListing** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
UpdateConfirmations	This collection is comprised of the following collections, which are described below: • AviationPartUpdateConfirmation
AviationPartUpdateConfirmation	This collection is comprised of the following fields and collections, which are described below: • Action • Part • Type
Action	Valid field values are: • **A** = Add • **CF** = Change From • **CT** = Change To • **D** = Delete
Part	This collection is comprised of the following fields, which are described below: • AltPartNumber • Cage • Category • Condition • ControlCode • Description • ExchangeSel • ListCode • PartNumber • Price • Quantity • Unit • Value

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
AltPartNumber	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Cage	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Category	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Condition	Returns the value you entered in the request as confirmation of the change.
ControlCode	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Description	Returns the value you entered in the request as confirmation of the change.
ExchangeSel	Returns the value you entered in the request as confirmation of the change. The value will default to **Outright** if the field is null in the request.
ListCode	Returns the value you entered in the request as confirmation of the change.
PartNumber	Returns the value you entered in the request as confirmation of the change.
Price	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Quantity	Returns the value you entered in the request as confirmation of the change.
Unit	Returns the value you entered in the request as confirmation of the change. If the field was left blank in the request, the response will return **EA**.
Value	Returns the value you entered in the request as confirmation of the change. If the field was left blank in the request, the response will return **00000.0000**.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Type	Valid field values are: • **A** = Add • **I** = Increase Quantity • **R** = Reduce Quantity • **C** = Change • **D** = Delete

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

ChangePartListing

The **ChangePartListing** web service allows Suppliers to change up to 20 parts at a time to their ILSmart inventory. The response displays the 2 record(s), one record as the listing appeared before the change and one record reflecting the changes.

It is typically used in conjunction with **AddPartListing** and **DeletePartListing** web services to send near real-time inventory updates to ILSmart.

WSDL

https://secure.ilsmart.com/services/v2/soap11

REQUEST

The **ChangePartListing** request is comprised of the following collections and fields, which are described below.

Field/Collection	Required	Description
Parts	Yes	This collection is comprised of the following collections, which are described below: • AviationPartInput
AviationPartInput		The AviationPartInput collection describes an individual part and may be repeated up to 20 times. It is comprised of the following fields, which are described below: • AltPartNumber • Cage • Category • Condition • ControlCode • Description • ExchangeSel • ListCode • PartNumber • Price • Quantity • Unit • Value
AltPartNumber		Up to 20 alpha-numeric characters Must contain at least 1 alpha-numeric character
Cage		The CAGE code of the manufacturer of the part. 5 alpha-numeric characters
Category		Any code you wish to use to classify items. This field is only viewable by you. Up to 5 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description
Condition	Yes	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
ControlCode		Any information you wish to enter, such as bin location, lot number, date of acquisition, etc. This field is only viewable by you. Up to 9 alpha-numeric characters
Description	Yes	The field will default to **NO DESC PROVIDED** if this field is null. Up to 20 alpha-numeric characters.
ExchangeSel	No	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only Leaving the field null will default the value to **Outright**

ListCode	Yes	The List Code controls who can view your items on ILSmart.
		
		Valid field values are:
		• **Y** = Displays the item to all ILS Customers
		• **G** = Displays the item at the top of a Government buyer's response in a specially highlighted section when they search. Displays to non-Government buyers in the standard response format. You must qualify to use this List Code. Contact ILS Customer Support for more information.
		• **S** = Displays the item to designated ILS IDs and/or business types. Your items are shown to the designated buyers when they search. You may add ILS IDs and/or business types by adding them to your Select List. Select ILS Select under the My ILS Inventory Management menu tab to indicate the IDs and/or business types.
		• **M** = Displays the item in a special highlighted section of Government buyer's responses. Quantity can be zero on these items if you qualify as a manufacturer, representative of the manufacturer or hold a PMA for the item. Your company's business designation qualifies your company and determines what appears in the Quantity field of the response. If the designation is:
		  ○ Original MFG: the quantity displays as **MFG**
		  ○ PMA: the quantity displays as **PMA**
		  ○ Stocking Distributor: the quantity displays as **M-REP**
		  ○ Non-Stocking MFG. Agent: the quantity displays as **M-REP**
		• **N** = Displays the item to your company only.
		• **Q** = Government qualified supplier of the item
		• **R** = Government qualified manufacturer of the item
		
		All ILS List Codes are not available to all Customers. Please contact us for additional information.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description
PartNumber	Yes	Up to 20 alpha-numeric characters. Must contain at least 1 alpha-numeric character
Price		Up to 9 numeric characters
Quantity	Yes	Up to 5 numeric characters. Zeros cannot be submitted without prior ILS approval.
Unit		2 alpha-numeric characters
Value		Information such as cost of item, list price, advertised price, etc. This field is only viewable by you. Up to 9 numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **ChangePartListing** response is comprised of the following collections and fields, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
UpdateConfirmations	This collection is comprised of the following collections, which are described below: • AviationPartUpdateConfirmation
AviationPartUpdateConfirmation	This collection is comprised of the following fields and collections, which are described below: • Action • Part • Type
Action	Valid field values are: • **A** = Add • **CF** = Change From • **CT** = Change To • **D** = Delete

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Part	This collection is comprised of the following fields, which are described below: • AltPartNumber • Cage • Category • Condition • ControlCode • Description • ExchangeSel • ListCode • PartNumber • Price • Quantity • Unit • Value
AltPartNumber	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Cage	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Category	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Condition	Returns the value you entered in the request as confirmation of the change.
ControlCode	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Description	Returns the value you entered in the request as confirmation of the change.
ExchangeSel	Returns the value you entered in the request as confirmation of the change. The value will default to **Outright** if the field is null in the request.
ListCode	Returns the value you entered in the request as confirmation of the change.
PartNumber	Returns the value you entered in the request as confirmation of the change.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Price	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Quantity	Returns the value you entered in the request as confirmation of the change.
Unit	Returns the value you entered in the request as confirmation of the change. If the field was left blank in the request, the response will return EA.
Value	Returns the value you entered in the request as confirmation of the change. If the field was left blank in the request, the response will return 00000.0000.
Type	Valid field values are: • A = Add • I = Increase Quantity • R = Reduce Quantity • C = Change • D = Delete

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

DeletePartListing

The **DeletePartListing** web service allows Suppliers to delete up to 20 parts at a time to their ILSmart inventory. The response displays the record(s), as deleted.

It is typically used in conjunction with **AddPartListing** and **ChangePartListing** web services to send near real-time inventory updates to ILSmart.

WSDL

https://secure.ilsmart.com/services/v2/soap11

REQUEST

The **DeletePartListing** request is comprised of the following collections and fields, which are described below.

Field/Collection	Required	Description
Parts	Yes	This collection is comprised of the following collections, which are described below: • AviationPartRecordKey
AviationPartRecordKey	Yes	The **AviationPartRecordKey** collection describes an individual part and may be repeated up to 20 times. It is comprised of the following fields, which are described below: • AltPartNumber • ConditionCode • ExchangeOption • ListCode • PartNumber • Value
AltPartNumber		Up to 20 alpha-numeric characters Must match how the record appears in your current inventory listings.
ConditionCode	Yes	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed Must match how the record appears in your current inventory listings.
ExchangeOption	No	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only Leaving the field null will default the value to **Outright**

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description

ListCode	Yes	The List Code controls who can view your items on ILSmart.
		
		Valid field values are:
		• **Y** = Displays the item to all ILS Customers
		• **G** = Displays the item at the top of a Government buyer's response in a specially highlighted section when they search. Displays to non-Government buyers in the standard response format. You must qualify to use this List Code. Contact ILS Customer Support for more information.
		• **S** = Displays the item to designated ILS IDs and/or business types. Your items are shown to the designated buyers when they search. You may add ILS IDs and/or business types by adding them to your Select List. Select ILS Select under the My ILS Inventory Management menu tab to indicate the IDs and/or business types.
		• **M** = Displays the item in a special highlighted section of Government buyer's responses. Quantity can be zero on these items if you qualify as a manufacturer, representative of the manufacturer or hold a PMA for the item. Your company's business designation qualifies your company and determines what appears in the Quantity field of the response. If the designation is:
		  ○ Original MFG: the quantity displays as **MFG**
		  ○ PMA: the quantity displays as **PMA**
		  ○ Stocking Distributor: the quantity displays as **M-REP**
		  ○ Non-Stocking MFG. Agent: the quantity displays as **M-REP**
		• **N** = Displays the item to your company only.
		• **Q** = Government qualified supplier of the item
		• **R** = Government qualified manufacturer of the item
		
		All ILS List Codes are not available to all Customers. Please contact us for additional information.

PartNumber	Yes	Up to 20 alpha-numeric characters Must match how the record appears in your current inventory listings.
Value		Information such as cost of item, list price, advertised price, etc. This field is only viewable by you. Up to 9 numeric characters Must match how the record appears in your current inventory listings.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **DeletePartListing** response is comprised of the following collections and fields, which are described below.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
UpdateConfirmations	This collection is comprised of the following collections, which are described below: • AviationPartUpdateConfirmation
AviationPartUpdateConfirmation	This collection is comprised of the following fields and collections, which are described below: • Action • Part • Type
Action	Valid field values are: • A = Add • CF = Change From • CT = Change To • D = Delete
Part	This collection is comprised of the following fields, which are described below: • AltPartNumber • Cage • Category • Condition • ControlCode • Description • ExchangeOption • ListCode • PartNumber • Price • Quantity • Unit • Value
AltPartNumber	Returns the value you previously provided when the part was added to your inventory listings. The response will return a NULL indicator if this field was left blank.
Cage	Returns the value you previously provided when the part was added to your inventory listings. The response will return a NULL indicator if this field was left blank.
Category	Returns the value you previously provided when the part was added to your inventory listings. The response will return a NULL indicator if this field was left blank.
Condition	Returns the value you previously provided when the part was added to your inventory listings.
ControlCode	Returns the value you previously provided when the part was added to your inventory listings. The response will return a NULL indicator if this field was left blank.
Description	Returns the value you previously provided when the part was added to your inventory listings.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
ExchangeSel	Returns the value you entered in the request as confirmation of the change. The value will default to **Outright** if the field is null in the request.
ListCode	Returns the value you previously provided when the part was added to your inventory listings.
PartNumber	Returns the value you previously provided when the part was added to your inventory listings.
Price	Returns the value you previously provided when the part was added to your inventory listings. The response will return a NULL indicator if this field was left blank.
Quantity	Returns the value you previously provided when the part was added to your inventory listings.
Unit	Returns the value you previously provided when the part was added to your inventory listings.
Value	Returns the value you previously provided when the part was added to your inventory listings.
Type	Valid field values are: • A = Add • I = Increase Quantity • R = Reduce Quantity • C = Change • D = Delete

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

AddMroListing

The **AddMroListing** operation allows Suppliers to add up to 20 parts at a time to their ILSmart MRO Capabilities listings. The response displays the record(s), as added.

It is typically used in conjunction with **ChangeMroListing** and **DeleteMroListing** to send near real-time updates to ILSmart.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **AddMroListing** request is comprised of the following collections and fields, which are described below.

Field/Collection	Required	Description
Mros	Yes	This collection is comprised of the following collections, which are described below: • MroInput
MroInput	Yes	This collection may be repeated up to 20 times. It is comprised of the following fields, which are described below: • Agency • AltPartNumber • Cage • Description • ExchangeCode • PartNumber • Price
Agency		The approving agency Up to 5 alpha-numeric characters. This field will default to **FAA**, if left blank.
AltPartNumber		Up to 20 alpha-numeric characters
Cage		The CAGE code of the manufacturer of the part 5 alpha-numeric characters
Description	Yes	The field will default to **NO DESC PROVIDED** if this field is null. Up to 20 alpha-numeric characters.
ExchangeCode		Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only
PartNumber	Yes	Up to 20 alpha-numeric characters. Must contain at least 1 alpha-numeric character.
Price		Up to 9 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **AddMroListing** response is comprised of the following collections and fields, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
MroUpdateConfirmation	This collection may be repeated up to 20 times. It is comprised of the following fields, which are described below: • Action • Mro • UpdateType
Action	Valid field values are: • **A** = Add • **CF** = Change From • **CT** = Change To • **D** = Delete
Mro	This collection is comprised of the following fields, which are described below: • Agency • AltPartNumber • Cage • Description • ExchangeCode • PartNumber • Price
Agency	Approving Agency Returns the value you entered in the request as confirmation of the change. This field will default to **FAA**, if left blank.
AltPartNumber	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Cage	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Description	Returns the value you entered in the request as confirmation of the change.
ExchangeCode	The response will return a NULL indicator if this field is blank.
PartNumber	Returns the value you entered in the request as confirmation of the change.
Price	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
UpdateType	Valid field values are: • A = Add • C = Change • D = Delete

ChangeMroListing

The **ChangeMroListing** operation allows Suppliers to change up to 20 parts at a time in their ILSmart MRO Capabilities listings. The response displays the 2 record(s), one record as it appeared before the change and one record reflecting the requested changes.

It is typically used in conjunction with **AddPartListing** and **DeletePartListing** web services to send near real-time inventory updates to ILSmart.

WSDL

https://secure.ilsmart.com/services/v1/soap11

REQUEST

The **ChangeMroListing** request is comprised of the following collections and fields, which are described below.

Field/Collection	Required	Description
Mros	Yes	This collection is comprised of the following collections, which are described below: • MroInput
MroInput	Yes	This collection may be repeated up to 20 times. It is comprised of the following fields, which are described below: • Agency • AltPartNumber • Cage • Description • ExchangeCode • PartNumber • Price
Agency		The approving agency Up to 5 alpha-numeric characters. This field will default to **FAA**, if left blank.
AltPartNumber		Up to 20 alpha-numeric characters
Cage		The CAGE code of the manufacturer of the part 5 alpha-numeric characters
Description	Yes	Up to 20 alpha-numeric characters. The field will default to **NO DESC PROVIDED** if this field is null.
ExchangeCode		Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description
PartNumber	Yes	Up to 20 alpha-numeric characters. Must contain at least 1 alpha-numeric character.
Price		Up to 9 numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **ChangeMroListing** response is comprised of the following collections and fields, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
MroUpdateConfirmation	This collection may be repeated up to 20 times. It is comprised of the following fields, which are described below: • Action • Mro • UpdateType
Action	Valid field values are: • **A** = Add • **CF** = Change From • **CT** = Change To • **D** = Delete
Mro	This collection is comprised of the following fields, which are described below: • Agency • AltPartNumber • Cage • Description • ExchangeCode • PartNumber • Price
Agency	Approving Agency Returns the value you entered in the request as confirmation of the change. This field will default to **FAA**, if left blank.
AltPartNumber	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Cage	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.
Description	Returns the value you entered in the request as confirmation of the change.
ExchangeCode	The response will return a NULL indicator if this field is blank.
PartNumber	Returns the value you entered in the request as confirmation of the change.
Price	Returns the value you entered in the request as confirmation of the change. The response will return a NULL indicator if this field was left blank in the request.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
UpdateType	Valid field values are: • A = Add • C = Change • D = Delete

DeleteMroListing

The **DeleteMroListing** operation allows Suppliers to delete up to 20 parts at a time in their ILSmart MRO Capabilities listings. The response displays the record(s), as deleted.

It is typically used in conjunction with **AddMroListing** and **ChangeMroListing** to send near real-time updates to ILSmart.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **DeletePartListing** request is comprised of the following collections and fields, which are described below.

Field/Collection	Required	Description
Mros		This collection is comprised of the following collections, which are described below: • MroRecordDeleteKey
MroRecordDeleteKey		This collection may be repeated up to 20 times. It is comprised of the following fields, which are described below: • AltPartNumber • PartNumber
AltPartNumber		Up to 20 alpha-numeric characters. Must match how the record appears in your current capabilities listings.
PartNumber	Yes	Up to 20 alpha-numeric characters. Must match how the record appears in your current capabilities listings.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **DeletePartListing** response is comprised of the following collections and fields, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
MroUpdateConfirmation	This collection may be repeated up to 20 times. It is comprised of the following fields, which are described below: • Action • Mro • UpdateType

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Action	Valid field values are: • A = Add • CF = Change From • CT = Change To • D = Delete
Mro	This collection is comprised of the following fields, which are described below: • AltPartNumber • Cage • Description • ExchangeCode • PartNumber • Price
Agency	Up to 5 alpha-numeric characters.
AltPartNumber	Returns the value you previously provided when the part was added to your capabilities listings. The response will return a NULL indicator if this field was left blank.
Cage	Returns the value you previously provided when the part was added to your capabilities listings. The response will return a NULL indicator if this field was left blank.
Description	Returns the value you previously provided when the part was added to your capabilities listings.
ExchangeCode	Returns the value you previously provided when the part was added to your capabilities listings. The response will return a NULL indicator if this field was left blank.
PartNumber	Returns the value you previously provided when the part was added to your capabilities listings.
Price	Returns the value you previously provided when the part was added to your capabilities listings. The response will return a NULL indicator if this field was left blank.
UpdateType	Valid field values are: • A = Add • C = Change • D = Delete

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Search Services

GetPartsAvailability

The **GetPartsAvailability** web service executes an ILSmart Parts Availability search for a part number, NIIN, NSN or up to five (5) keywords and returns the search results, including the corresponding Supplier contact information.

It can be used in conjunction with other services, such as **GetMrosAvailability** and **GetGovernmentData**, to retrieve additional information about the part, or the **SendPartsRFQ** web service to locate parts and create RFQs.

Wild card searches (or open-dash searches) can be executed. Search results for wild card searches are restricted to the first 3,000 results.

WSDL

https://secure.ilsmart.com/services/v2/soap11

Request

The **GetPartsAvailability** request is comprised of the following fields and collections, which are described below.

Field/Collection	Required	Description
ConditionCodes		You may specify one or more Condition Codes in the request to limit the number of responses received. You will only receive search results that match the condition code(s) specified. Leave the array blank or omit from the request to receive all condition codes. Valid field values are: • NE = New • NS = New Surplus • OH = Overhauled • SV = Serviceable • AR = As Removed
Location		This is a place-holder field for future functionality.
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
Quantity		Up to 5 numeric characters.
UseMcrlXref		MCRL Cross-Reference Valid values are **true** and **false**.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description
UsePmaXref		PMA Cross-Reference Valid values are **true** and **false**.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPartsAvailability** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
PartListings	The **PartListings** collection describes the search results. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Company • Parts
Company	The **Company** collection provides the Supplier contact information for the corresponding **Parts** collection. It is comprised of the following fields and collections, which are described below: • AccreditedVendorLevel • AdditionalInfo • CompanyAddress • Id • MroRfqContact • Name • PartsRfqContact • SalesContact • SupplierCAGE
AccreditedVendorLevel	The Accredited Vendor Level (AVP) indicator denotes Suppliers who participate in the ILS Accredited Vendor Program. AVP Suppliers must meet certain requirements to qualify for the program. Valid values are: • **AVP** = Platinum • **AVG** = Gold • **AVS** = Silver
AdditionalInfo	Additional information from the Supplier that is typically displayed below the Company's name on the Parts Availability search results. Used to be known as the Second Line response. Up to 60 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
CompanyAddress	This collection provides the Supplier's Company address information. It is comprised of the following fields, which are described below: • Address1 • Address2 • City • Country • PostalCode • StateProvince
Address1	Up to 100 alpha-numeric characters
Address2	Up to 100 alpha-numeric characters
City	Up to 50 alpha-numeric characters
Country	Up to 50 alpha characters
PostalCode	Up to 10 alpha-numeric characters
StateProvince	Up to 3 alpha characters; US states and Canadian provinces only
Id	Supplier's ILSmart Company ID 4 alpha-numeric characters
MroRfqContact	This collection provides the Supplier's MRO RFQ Contact Information. It will only be returned if the **PartsRfqContact** and the **SalesContact** collections are null. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	Supplier's ILSmart Company ID 4 alpha-numeric characters
ContactId	The Contact ID is a unique id assigned to the MroRfqContact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection provides the Contact's fax information. It is comprised of the following fields, which are described below: • CountryCallingCode • FaxNumber
CountryCallingCode	Up to 5 numeric characters
FaxNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection provides the Contact's phone information. It is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Name	Supplier's Company Name Up to 100 alpha-numeric characters
PartsRfqContact	This collection provides Supplier's Parts RFQ Contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	Supplier's ILSmart Company ID 4 alpha-numeric characters
ContactId	The Contact ID is a unique id assigned to the PartsRfqContact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection provides the Contact's fax information. It is comprised of the following fields, which are described below: • CountryCallingCode • FaxNumber
CountryCallingCode	Up to 5 numeric characters
FaxNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection provides the Contact's phone information. It is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
SalesContact	This collection provides Supplier's Sales Contact information. It will only be returned if the **PartsRfqContact** collection is null. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	Supplier's ILSmart Company ID 4 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
ContactId	The Contact ID is a unique id assigned to the SalesContact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection provides the Sales Contact's fax information. It is comprised of the following fields, which are described below: • CountryCallingCode • FaxNumber
CountryCallingCode	Up to 5 numeric characters
FaxNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection provides the Sales Contact's phone information. It is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
SupplierCAGE	Supplier's Commercial and Government Entity (CAGE) Code 5 alpha-numeric characters
Parts	The **Parts** collection provides the part listings that correspond to the Supplier information provided in the **Company** collection. It is comprised of the following collections, which are described below: • PartsSearchResults
PartsSearchResults	This collection provides Supplier's listings. It is comprised of the following fields, which are described below: • AlternatePartNumber • ConditionCode • Description • ExchangeOption • IsGListed • IsMListed • IsPreferredVendor • Maker • Model • PartEntered • PartNumber • Quantity • SearchPartId
AlternatePartNumber	Up to 20 alpha-numeric characters
ConditionCode	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Description	Up to 20 alpha-numeric characters
ExchangeOption	Valid field values are: • EX = Exchange Available • EO = Exchange Only • NULL = Outright
IsGListed	Government Supplier Indicator This field applies to Aviation inventory listings only.
IsMListed	Manufacturer Indicator This field applies to Aviation inventory listings only.
IsPreferredVendor	Preferred Vendor Indicator This field indicates if the Supplier appears on your Preferred Vendor list.
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartEntered	Displays the part number, NSN, NIIN or keyword(s) you provided in the GetPartsAvailability web service request. Up to 20 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 alpha-numeric characters
SearchPartId	Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetMrosAvailability

The **GetMrosAvailability** web service executes an ILSmart MRO Capabilities search for a single part number and returns the corresponding search results.

It can be used in conjunction with other services, such as **GetPartsAvailability** and **GetGovernmentData**, to retrieve additional information about the part, if you have purchased access to these services.

Wild card searches (or open-dash searches) can be executed. Search results for wild card searches are restricted to the first 3,000 results.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetMrosAvailability** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
PartNumber	Yes	Up to 20 alpha-numeric characters.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetMrosAvailability** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
MroListings	The **MroListings** collection describes the search results. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Company • Mros

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Company	The **Company** collection provides the Supplier contact information for the corresponding **Mros** collection. It is comprised of the following fields and collections, which are described below: • AccreditedVendorLevel • AdditionalInfo • CompanyAddress • Id • MroRfqContact • Name • PartsRfqContact • SalesContact • SupplierCAGE
AccreditedVendorLevel	This field is a placeholder for future functionality.
AdditionalInfo	Additional information from the Supplier that is typically displayed below the Company's name on the MRO Capability search results. Up to 60 alpha-numeric characters
CompanyAddress	This collection provides the Supplier's Company address information. It is comprised of the following fields, which are described below: • Address1 • Address2 • City • Country • PostalCode • StateProvince
Address1	Up to 100 alpha-numeric characters
Address2	Up to 100 alpha-numeric characters
City	Up to 50 alpha-numeric characters
Country	Up to 50 alpha characters
PostalCode	Up to 10 alpha-numeric characters
StateProvince	Up to 3 alpha characters; US states and Canadian provinces only
Id	Supplier's ILSmart Company ID 4 alpha-numeric characters
MrosRfqContact	This collection provides the Supplier's MRO RFQ Contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	Supplier's ILSmart Company ID 4 alpha-numeric characters
ContactId	The Contact ID is a unique id assigned to the MrosRfqContact by ILS. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Name	Up to 200 alpha-numeric characters
Title	Up to 50 alpha-numeric characters
Email	Up to 100 alpha-numeric characters
Phone	This collection provides the MRO RFQ Contact's phone information. It is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Fax	This collection provides the MRO RFQ Contact's fax information. It is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 alpha-numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 100 alpha-numeric characters
PartsRfqContact	This collection provides the Supplier's Parts RFQ Contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Name • Title • Email • Phone • Fax The **PartsRfqContact** collection will only be provided if the **MroRfqContact** and the **SalesContact** collections are null.
CompanyId	Supplier's ILSmart Company ID 4 alpha-numeric characters
ContactId	The Contact ID is a unique id assigned to the Parts RFQ Contact by ILS. Valid value is a positive integer.
Name	Up to 200 alpha-numeric characters
Title	Up to 50 alpha-numeric characters
Email	Up to 100 alpha-numeric characters
Phone	This collection provides the Parts RFQ Contact's phone information. It is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 alpha-numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Fax	This collection provides the Part RFQ Contact's fax information. It is comprised of the following fields, which are described below: • CountryCallingCode • FaxNumber
CountryCallingCode	Up to 5 alpha-numeric characters
PhoneNumber	Up to 30 numeric characters
SalesContact	This collection provides the Supplier's Sales Contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Name • Title • Email • Phone • Fax The **SalesContact** collection will only be provided if the **MroRfqContact** collection is null.
CompanyId	Supplier's ILSmart Company ID 4 alpha-numeric characters
ContactId	The Contact ID is a unique id assigned to the SalesContact by ILS. Valid value is a positive integer.
Name	Up to 200 alpha-numeric characters
Title	Up to 50 alpha-numeric characters
Email	Up to 100 alpha-numeric characters
Phone	This collection provides the Sales Contact's phone information. It is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 alpha-numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Fax	This collection provides the Sales Contact's fax information. It is comprised of the following fields, which are described below: • CountryCallingCode • FaxNumber
CountryCallingCode	Up to 5 alpha-numeric characters
PhoneNumber	Up to 30 numeric characters
SupplierCAGE	Supplier's Commercial and Government Entity (CAGE) Code 5 alpha-numeric characters
Mros	This collection provides the MRO listings that correspond to the Supplier information provided in the Company collection. It is comprised of the following collections, which are described below: • MroSearchResults

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
MroSearchResults	This collection provides Supplier's listings. It is comprised of the following fields, which are described below: • AlternatePartNumber • Description • IsPreferredVendor • PartNumber
AlternatePartNumber	Up to 20 alpha-numeric characters
Description	Up to 20 alpha-numeric characters
IsPreferredVendor	This field indicates if the Supplier appears on your Preferred Vendor list. Valid field values are **true** or **false**.
PartNumber	Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetAllLegacyData

The **GetAllDataLegacy** web service executes the following searches on ILSmart for a single part number and returns the search results in a fixed-width text format:

- Parts Availability
- MRO Capabilities
- Parts Manufacturing Approval (PMA)
- Government Data

The web service is typically utilized by customers who have developed process dependencies around the ILS Complete Report.

A subscription to the ILS Government Options must be purchased for the ILSmart User ID being utilized for the web service calls to retrieve Government Data.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetAllDataLegacy** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
PartNumber	Yes	Up to 20 alpha-numeric characters.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetAllDataLegacy** response is in fixed-width text format, and the data returned must be parsed.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartListing

The **GetPartListing** web service executes a search for a single part listed in your ILS inventory and returns the search results. The results are similar to viewing a part utilizing the Inventory Management menu on ILSmart.

Please note, the web service will not return parts listed under MRO Capabilities. Also, wild card searches (or open-dash searches) cannot be executed using this web service.

WSDL

https://secure.ilsmart.com/services/v2/soap11

Request

The **GetPartListing** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPartListing** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
InventoryResults	The **InventoryResults** collection is comprised of the following collections, which are described below: • AviationPart
AviationPart	This collection is comprised of the following fields, which are described below: • AltPartNumber • Cage • Category • Condition • ControlCode • Description • ExchangeOption • ListCode • PartNumber • Price • Quantity • Unit • Value

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
AltPartNumber	Up to 20 alpha-numeric characters
Cage	The CAGE code of the manufacturer of the part. 5 alpha-numeric characters
Category	Any code you wish to use to classify items. This field is only viewable by you. Up to 5 alpha-numeric characters
Condition	Valid field values are: • NE = New • NS = New Surplus • OH = Overhauled • SV = Serviceable • AR = As Removed
ControlCode	Any information you wish to enter, such as bin location, lot number, date of acquisition, etc. This field is only viewable by you. Up to 9 alpha-numeric characters
Description	Up to 20 alpha-numeric characters
ExchangeOption	Valid field values are: • EX = Exchange Available • EO = Exchange Only • NULL = Outright

ListCode	The List Code controls who can view your items on ILSmart.
	
	Valid field values are:
	• Y = Displays the item to all ILS Customers
	• G = Displays the item at the top of a Government buyer's response in a specially highlighted section when they search. Displays to non-Government buyers in the standard response format. You must qualify to use this List Code. Contact ILS Customer Support for more information.
	• S = Displays the item to designated ILS IDs and/or business types. Your items are shown to the designated buyers when they search. You may add ILS IDs and/or business types by adding them to your Select List. Select ILS Select under the My ILS Inventory Management menu tab to indicate the IDs and/or business types.
	• M = Displays the item in a special highlighted section of Government buyer's responses. Quantity can be zero on these items if you qualify as a manufacturer, representative of the manufacturer or hold a PMA for the item. Your company's business designation qualifies your company and determines what appears in the Quantity field of the response. If the designation is:
	  ○ Original MFG: the quantity displays as MFG
	  ○ PMA: the quantity displays as PMA
	  ○ Stocking Distributor: the quantity displays as M-REP
	  ○ Non-Stocking MFG. Agent: the quantity displays as M-REP
	• N = Displays the item to your company only.
	• Q = Government qualified supplier of the item
	• R = Government qualified manufacturer of the item
	
	All ILS List Codes are not available to all Customers. Please contact us for additional information.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
PartNumber	Up to 20 alpha-numeric characters
Price	Up to 9 alpha-numeric characters
Quantity	Up to 5 numeric characters
Unit	2 alpha-numeric characters
Value	Information such as cost of item, list price, advertised price, etc. This field is only viewable by you. Up to 9 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPMAData

The **GetPMAData** operation retrieves the FAA Parts Manufacturing Approval (PMA) data for a specific part.

WSDL

https://secure.ilsmart.com/services/v2/soap11

Request

The **GetPMAData** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPMAData** response is comprised of the following fields and collections, which are described below.

Field	Description
Fault	See Appendix A for information regarding Fault Handling.
PmaSearchResults	This collection may be repeated multiple times. It is comprised of the following fields and collections: • PmaSearchResult
PmaSearchResult	This collection may be repeated multiple times. It is comprised of the following fields and collections: • CompressedPartNumber • PmaHolder • PmaOems • PmaParts
CompressedPartNumber	Up to 20 alpha-numeric characters
PmaHolder	This collection is comprised of the following fields and collections: • Address • ApprovalDate • ApprovalMeans • Description • Mido • PmaHolderName
Address	This collection is comprised of the following fields: • Address1 • Address2 • City • State • ZipCode

Field	Description
Address1	Up to 50 alpha-numeric characters
Address2	Up to 50 alpha-numeric characters
City	Up to 25 alpha-numeric characters
State	Up to 2 alpha characters
ZipCode	Up to 10 alpha-numeric characters
ApprovalDate	
ApprovalMeans	Up to 255 alpha-numeric characters
Description	Up to 255 alpha-numeric characters
Mido	Up to 25 alpha-numeric characters
PmaHolderName	Up to 50 alpha-numeric characters
PmaOems	This collection is comprised of the following collections: • PmaOem
PmaOem	This collection is comprised of the following fields: • ModelEligibility • OemPart
ModelEligibility	Up to 255 alpha-numeric characters
OemPart	Up to 50 alpha-numeric characters
PmaParts	This collection is comprised of the following collections: • PmaPart
PmaPart	This collection is comprised of the following fields: • ItemNumber • PartNumber
ItemNumber	Value is a positive integer.
PartNumber	Up to 30 alpha-numeric characters.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Government Search Services

GetGovernmentData

The **GetGovernmentData** web service executes an ILSmart Government Data search for a single part number, National Stock Number (NSN) or National Item Identification Number (NIIN) and returns the search results. The search results that are returned are based on the following criteria:

- The ILSmart options purchased for the User ID making the web service call, and
- The government datasets specified in the web service request.

A subscription to the ILS Government Options must be purchased for the ILSmart User ID being utilized for the web service calls to retrieve this information.

The Supplier's CAGE code is returned in the search results; however, the corresponding contact information is not included. The **GetCageContact** web service may be called to retrieve the Supplier's contact information.

This service can be used in conjunction with other web services, such as **GetPartsAvailability** and **GetMrosAvailability**, to retrieve additional information about the part, if you have purchased access to these services.

WSDL

https://secure.ilsmart.com/services/v2/soap11

Request

The **GetGovernmentData** request is comprised of the following fields and collections, which are described below.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Required	Description
GovFilesToSearch	Yes	Valid values are: • **AMDF** = Army Master Data File • **CRF** = Navy Cross Reference File • **DLA** = DLA Forecast Data • **ISDOD** = Department of Defense Interchangeability & Substitutability • **ISUSAF** = Air Force Interchangeability & Substitutability • **MCRL** = Master Cross Reference List • **MLC** = Management List – Consolidated • **MOE** = Major Organizational Entity Rule • **MRIL** = Navy Master Repairable Item List • **NHA** = Navy Next Higher Assembly • **PH** = Procurement History • **TECH** = Technical Characteristics You must specify at least one Government file to search in the request.
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetGovernmentData** response will vary based on the inputs provided in the **GovFilesToSearch** collection. Each collection that corresponds to a Government dataset is explained in detail below.

Please note, all non-ILS codes referenced by the **GetGovernmentData** web service are defined by the U.S. Defense Logistics Agency (DLA) in DOD 4100.39-M, Federal Logistics Information System (FLIS) Procedures Manual, Volume 10.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
GovernmentDataSearchResults	The **GovernmentDataSearchResults** collection is comprised of the following fields and collections, which are described below: • AirForceIandS • AmdfData • CrossReferenceData • DisData • EndItemIdentification • Fax • HasPartsAvailability • HistInd • HistoricalAltNsn • ItemName • McrlData • MlcData • MoeData • MrilData • NhaData • Niin • NsnInfo • PhraseCode • PmaSearchResults • ProcurementHistoryData • TcData
AirForceIandS	The **AirForceIandS** collection returns the US Air Force Interchangeability and Substitutability data. It is comprised of the following collections: • AirForceIntAndSubItem
AirForceIntAndSubItem	This collection may be repeated multiple times and is comprised of the following fields: • Act • JtcCode • OouCode • RelatedNSN
Act	Activity Code
JtcCode	Approved Item Code
OouCode	Order of Use Code
RelatedNSN	Related National Stock Number
AmdfData	The **AmdfData** collection returns the US Army Master Data Files data, and it may be repeated multiple times. It is comprised of the following collections: • ArmyMasterDataFilesItem

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
ArmyMasterDataFilesItem	This collection may be repeated multiple times. It is comprised of the following fields: • AaCode • AecCode • ArcCode • AricCode • CiicCode • EcCode • EiCode • EPI • FC • IccCode • LccCode • Lin • MaintenanceRepairCode • Mgmt • Price • RecoverabilityCode • RiccCode • ScicCode • ScmCode • SlcCode • SosCode • SrcCode • UiCode • UnitofMeasure
AaCode	Acquisition Advice Code
AecCode	Air Eligibility Category Code
AricCode	Automatic Return Item Code
ArcCode	Accounting Requirements Code
CiicCode	Controlled Inventory Item Code
EcCode	Essentiality Code
EiCode	End Item Code
EPI	Estimated Price Indicator (EPI)
FC	Fund Code
IccCode	Inventory Category Code
LccCode	Logistics Control Code
Lin	Line Item Number
MaintenanceRepairCode	Maintenance Repair Code
Mgmt	Material Category Structure Code
Price	Price
RecoverabilityCode	Recoverability/Reparability Code
RiccCode	Reportable Item Control Code
ScicCode	Special Control Item Code
ScmCode	Supply Category of Material Code
SlcCode	Shelf Life Code
SosCode	Source of Supply Code
SrcCode	Special Requirements Code
UiCode	Unit of Issue Code

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
UnitofMeasure	Unit of Measure
CrossReferenceData	The **CrossReferenceData** collection returns the US Navy Cross Reference Data. It is comprised of the following collections: • CrfItem
CrfItem	This collection is comprised of the following collections: • CrossRefFileItem
CrossRefFileItem	This collection may be repeated multiple times. It is comprised of the following fields: • Cage • CompanyName • PartNumber
Cage	Commercial and Government Entity (CAGE) Code
CompanyName	Company Name
PartNumber	Part Number
DisData	The **DisData** collection returns the US Department of Defense Interchangeability and Substitutability data. It is comprised of the following collections: • DisRecord
DisRecord	This collection is comprised of the following collections: • IntAndSubItem
IntAndSubItem	This collection may be repeated multiple times. It is comprised of the following fields: • Jtc • OouCode • Pica • PhraseCode • RelatedNSN • ServiceAgency
Jtc	Jump to Code
OouCode	Order of Use Code
Pica	Primary Inventory Control Activity (PICA)
PhraseCode	Phrase Codes
RelatedNSN	Related National Stock Number
ServiceAgency	Service Agency Code
DlaData	The **DlaData** collection returns the DLA forecast data. It is comprised of the following collections: • DlaItems
DlaItems	This collection is comprised of the following collections: • DlaItem

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
DlaItem	This collection is comprised of the following fields: • Apr • Aug • Dec • Feb • Fsc • Jan • Jul • Jun • Mar • May • Niin • Nov • Oct • Sep • Year It may be repeated multiple times.
Apr	April
Aug	August
Dec	December
Feb	February
Fsc	Federal Supply Class
Jan	January
Jul	July
Jun	June
Mar	March
May	May
Niin	National Item Identification Number
Nov	Nov
Oct	October
Sep	September
Year	Fiscal Year
EndItemIdentification	The **EndItemIdentification** collection returns the end item data. It is comprised of the following collections: • EndItem
EndItem	This collection is comprised of the following collections: • EndItemIdentificationItem
EndItemIdentificationItem	This collection is comprised of the following fields: • EndItemCode • EndItemName • ServiceAgency
EndItemCode	End Item Code
EndItemName	End Item Name
ServiceAgency	Service Agency
Fsc	Federal Supply Code
HasPartsAvailability	Parts Availability Indicator Indicates that the item is listed on ILSmart. Valid values are **true** and **false**.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
HistInd	Historical Indicator Valid values are **true** and **false**.
HistoricalAltNsn	Historical Alternate NSN
ItemName	Approved Item Name
McrlData	The **McrlData** collection returns the Master Cross Reference List data and is comprised of the following collections: • McrlItem
McrlItem	This collection may be repeated multiple times. It is comprised of the following fields: • Cage • CompanyName • Dac • Historical • PartNumber • Rncc • Rnvc
Cage	Commercial and Government Entity (CAGE) Code
CompanyName	Company Name
Dac	Document Availability Code
Historical	Historical Indicator Valid values are **True** and **False**.
PartNumber	Reference Part Number
Rncc	Reference Number Category Code (RNCC)
Rnvc	Reference Number Variation Code (RNVC)
MlcData	The **MlcData** collection returns the Management List-Consolidated data and is comprised of the following collections: • MlcItem
MlcItem	This collection may be repeated multiple times. It is comprised of the following fields and collections: • AaCode • Amcc • CiicCode • Mcd • Mmac • Qp • RecoverabilityCode • ServiceAgency • SlcCode • SosCode • SpclMatIDCode • UiCode • UnitPrice • Usc
AaCode	Acquisition Advice Code (AAC)
Amcc	Army Materiel Category Code
CiicCode	Controlled Inventory Item Code
Mcd	Management Control Data Code
Mmac	Material Management Aggregation Code
Qp	Quantity Unit Pack Code

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
RecoverabilityCode	Recoverability/Reparability Code
ServiceAgency	Service Agency Code
SlcCode	Shelf Life Code
SosCode	Source of Supply Code
SpclMatIDCode	Special Materiel Identification Code
UiCode	Unit of Issue Code
UnitPrice	Unit Price
Usc	Using Service Code
MoeData	The **MoeData** collection returns the Major Organizational Entity data. It is comprised of the following collections: • MoeRuleItem
MoeRuleItem	This collection may be repeated multiple times. It is comprised of the following fields: • Aac • Amc • Amsc • Collaborators • DSOR • Imc • Imca • MoeCode • MoeRule • Receivers
Aac	Acquisition Advice Code (AAC)
Amc	Acquisition Method Code
Amsc	Acquisition Method Code
Collaborators	Collaborator Code
DSOR	Depot Source of Repair
Imc	Item Management Code
Imca	Item Management Coding Activity
MoeCode	Major Organizational Entity (MOE) Code
MoeRule	Major Organizational Entity (MOE) Rule Code
Receivers	Receiver Code
MrilData	The **MrilData** collection returns the US Navy Master Repairable Item List data. It is comprised of the following collections: • MrilItem
MrilItem	This collection may be repeated multiple times. It is comprised of the following fields: • CiicCode • Cognizance • MaterialControlCode • MvmntPriorityDesgntr • Notes • SchedRemovalComponentInd • ShippingInstructions • ShipUIC • SpclMatIDCode
CiicCode	Controlled Inventory Item Code
Cognizance	Dual Cognizant Code

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
MaterialControlCode	Material Control Code
MvmntPriorityDesgntr	Movement Priority Designator (MPD)
Notes	Notes
SchedRemovalComponentInd	Scheduled Removal Component Card Code (SRC)
ShippingInstructions	Shipping Instructions
ShipUIC	Unit Identification Code
SpclMatIDCode	Special Materiel Identification Codes
NhaData	The **NhaData** collection returns the US Navy Next Higher Assembly P2300/P2310 and P2330 data. It is comprised of the following collections: • NHA2300 • NHA2330
NHA2300	This collection may be repeated multiple times. It is comprised of the following fields: • AllowanceListCode • AltFRC • AltNIIN • Cage • Cognizance • FamilyRelationshipCode • ItemName • LocalRoutingCode • MaintenanceRepairCode • MaterialControlCode • Model • Nha • PackingData • PartNumber • Smr • SpclMatIDCode • Upa
AllowanceListCode	Allowance List Code
AltFRC	Alternate Family Relationship Code
AltNIIN	Alternate National Item Identification Number
Cage	Commercial and Government Entity (CAGE) Code
Cognizance	Dual Cognizant Code
FamilyRelationshipCode	Family Relationship Code
ItemName	Item Name
LocalRoutingCode	Local Routing Code
MaintenanceRepairCode	Maintenance Repair Code
MaterialControlCode	Material Control Code
Model	Model Number
Nha	Next Higher Assembly
PackingData	Packaging Data
PartNumber	Part Number
Smr	Source Maintenance Recovery Codes
SpclMatIDCode	Special Materiel Identification Code
Upa	Units Per Application Code

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
NHA2330	This collection may be repeated multiple times. It is comprised of the following fields: • Cognizance • FamilyGroupCode • FamilyRelationshipCode • MaterialControlCode • SpclMatIDCode
Cognizance	Dual Cognizant Code
FamilyGroupCode	Family Group Code
FamilyRelationshipCode	Family Relationship Code
MaterialControlCode	Material Control Code
SpclMatIDCode	Special Materiel Identification Code
Niin	National Item Identification Number
NsnInfo	This collection may be repeated multiple times. It is comprised of the following fields: • NsnInfoItem
NsnInfoItem	This collection may be repeated multiple times. It is comprised of the following fields: • AdpCode • Crit • DemilitarizationCode • Esd • FedItemIdentGuide • Hmic • Ii • Isc • ItemNameCode • Orig • Pmic • Rdpmrc • Status
AdpCode	Automated Data Processing Equipment Identification Code
Crit	Criticality Code
DemilitarizationCode	Demilitarization Code
Esd	Electrostatic Discharge
FedItemIdentGuide	Federal Item Identification Guide (FIIG)
Hmic	Hazardous Material Indicator Code
Ii	Item Identification Code Type
Isc	Item Standardization Code (ISC)
ItemNameCode	Item Name Code
Orig	Originator of Standardization Decision Code
Pmic	Precious Metal Indicator Code
Rdpmrc	Reference/Partial Descriptive Method Reason Code
Status	NIIN Status Code
PhraseCode	The **PhraseCode** collection is comprised of the following collections: • PhraseCodeItem
PhraseCodeItem	This collection is comprised of the following collections: • PcItem

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
PcItem	This collection may be repeated multiple times. It is comprised of the following fields: • ServiceAgency • PhraseCode • QPA • JTC • UOM • OOU • Statement
ServiceAgency	Service Agency Code
PhraseCode	Phrase Code
QPA	Quantity Per Assembly
JTC	Jump to Code
UOM	Unit of Measure Code
OOU	Order of Use Code
Statement	Phrase Code Statement
ProcurementHistoryData	The **ProcurementHistoryData** collection returns the procurement history data. It is comprised of the following collections: • ProcurementEntry
ProcurementEntry	This collection is comprised of the following collections: • ProcurementItem
ProcurementItem	This collection may be repeated multiple times. It is comprised of the following fields: • AwardDate • Cage • Clin • CompanyName • ContractNumber • Quantity • SosCode • TotalPrice • Unit • UnitPrice
AwardDate	Award Date
Cage	Commercial and Government Entity (CAGE) Code
Clin	Contract Line Item Number
CompanyName	Company Name
ContractNumber	Contract Number
Quantity	Quantity
SosCode	Source of Supply Code
TotalPrice	Total Price
Unit	Unit of Measure Code
UnitPrice	Unit Price

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
TcData	The **TcData** collection returns the technical characteristics data. It is comprised of the following fields and collections: • Characteristics • Definition • FedItemIdentGuide • ItemName • ItemNameCode • Niin
Characteristics	This collection may be repeated multiple times. It is comprised of the following fields: • Characteristic • CharacteristicValue
Characteristic	Item Characteristic
CharacteristicValue	Item Characteristic Value
Definition	Item Definition
FedItemIdentGuide	Federal Item Identification Guide (FIIG)
ItemName	Item Name
ItemNameCode	Item Name Code
Niin	National Item Identification Number

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetCageContact

The **GetCageContact** web service executes an ILSmart CAGE search for a single Commercial and Government Entity (CAGE) code and returns the results. It is typically used in conjunction with the **GetGovernmentData** web service to retrieve Supplier contact information, but it can be used independently.

WSDL

https://secure.ilsmart.com/services/v1/soap11

REQUEST

The **GetCageContact** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
Cage	Yes	5 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

RESPONSE

The **GetCageContact** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
CageContact	This collection is comprised of the following fields and collections, which are described below: • Address • Cage • CompanyName • Division • FaxNumber • PhoneNumber • Status
Address	This collection provides the CAGE Company address information. It is comprised of the following fields, which are described below: • CityState • Country • PoBox • PostalCode • StreetAddress

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
CityState	This collection provides the CAGE Company's address information. It is comprised of the following fields, which are described below: • City • State
City	Up to 36 alpha characters
State	Up to 2 alpha characters
Country	Up to 100 alpha characters
PoBox	Up to 36 alpha-numeric characters
PostalCode	Up to 10 alpha-numeric characters
StreetAddress	This collection provides the CAGE Company's address information. It is comprised of the following fields, which are described below: • Address1 • Address2
Address1	Up to 36 alpha-numeric characters
Address2	Up to 36 alpha-numeric characters
Cage	5 alpha-numeric characters
CompanyName	Up to 120 alpha-numeric characters
Division	Up to 36 alpha-numeric characters
FaxNumber	Up to 20 numeric characters
PhoneNumber	Up to 20 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Status	Valid values are: • A = Active. Company currently in operation. • C = Restraint. Use the CAGE Code indicated. (Do not use for cataloging purposes.) • E = The company/entity shown is debarred, suspended or proposed for debarment as indicated on the GSA List of Parties Excluded from Procurement Programs. • F = Location of company unknown. Reference numbers currently recorded in the Federal/NATO supply system. • H = Company discontinued and/or CAGE/NCAGE no longer required. Reference numbers currently recorded in the Federal/NATO supply system. • J = Active Specialized Use Record. Denotes the item of production recorded in the Federal/NATO supply system is designed to certain industry wide specification(s)/standard(s). • K = Active Specialized Use Record. Denoting the item is produced or meets government designed specification/standard. • M = Active Specialized Use Record. CAGE/NCAGE is referenced to a special numbering system developed by the government and used in conjunction with the identification of cataloging data in the Federal/NATO supply system. • N = Cancelled without Replacement Record. Company is defunct and/or CAGE/NCAGE is no longer required. No reference numbers recorded in the Federal/NATO supply system. • P = Cancelled Without Replacement Record. Location of company is unknown. No reference numbers recorded in the Federal/NATO supply system. • R = Cancelled with Replacement Record. Company discontinued and/or acquired/merged within successor. • T = Active Specialized Use Record. Joint venture. Company is a 50/50 partnership. • U = Active Record with Restraint. Manufacturer's representative. Code is assigned to an organization that represents other various companies for various reasons. The company being represented will usually have their own specific CAGE code assigned. (Do not use for cataloging purposes.) • W = Active Record with Restraint. CAGE code assigned to an individual employed by a company where that individual performs contracted work using company name separate from the company location. Address on this record will be different than the address of the company itself. (Do not use for cataloging purposes.) • Y = CAGE code assigned to a company still actively engaged in business operations, however, the company no longer wishes to be considered for Federal contracting.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetNiinsByPart

The **GetNiinsByPart** web service retrieves the National Item Identification Numbers (NIINs), Federal Supply Class (FSC) Codes and the Item Name for a single part number.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetNiinsByPart** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetNiinsByPart** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
NiinListings	This collection is comprised of the following collection, which is described below: • NiinListing
NiinListing	The **NiinListing** collection is comprised of the following field and collections, which are described below: • Fsc • ItemName • Niin
Fsc	4 numeric characters
ItemName	Up to 19 alpha-numeric characters
Niin	9 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

RFQ and Quote Services

GetNewRfqsReceived

The **GetNewRfqsReceived** web service retrieves all parts Request for Quotes (RFQs) received on ILSmart since you last called the web service. This web service is often used in conjunction with the **SendPartQuotes** web service.

You are encouraged to call this web service frequently to ensure you have the most recent data. It is not recommended, however, to call this service more frequently than every 5 minutes.

WSDL

https://secure.ilsmart.com/services/v3/soap11

Request

The **GetNewRfqsReceived** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
IncludeClosed	Yes	You may choose whether to retrieve open RFQs only or all RFQs regardless of status. Valid values are **true** or **false**.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetNewRfqsReceived** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Rfqs	The **Rfqs** collection describes the RFQs being retrieved. It is comprised of the following collection, which is described below: • Rfq

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Rfq	The **Rfq** collection describes the RFQ being retrieved. This collection will be repeated for each RFQ being retrieved. It is comprised of the following field and collections, which are described below: • Attachments • CloseDate • Comments • ContactInfo • CreateDate • DeliverByDate • EntryCode • Priority • QuoteWithinDays • ReferenceNumber • RequestedItems • RfqId
Attachments	The **Attachments** is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachments are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
CloseDate	You will not be allowed to send Quotes after the RFQ's Close Date.
Comments	The Comments field is for general comments from the Buyer regarding the RFQ. Up to 255 alpha-numeric characters
ContactInfo	This collection is comprised of the following collections, which are described below: • rfqRecipient • rfqSender
rfqRecipient	This collection will be NULL for the Supplier RFQ retrieval services.
rfqSender	This collection is comprised of the following collections, which are described below: • CompanyName • IlsContact
CompanyName	Up to 100 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
IlsContact	The **IlsContact** collection describes the rfqSender's contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Home Office ID • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields are collections, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Home Office ID	The ILSmart ID for the parent organization for the RFQ Sender. This allows you to map specific users to specific organizations.
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
CreateDate	
DeliverByDate	
EntryCode	A random combination of letters and numbers used to access the quote.ilsmart.com website. Up to 14 alpha-numeric characters
Priority	This collection is comprised of the following fields, which are described below: • Code • Name
Code	Valid values are: • **AOG** = Aircraft on Ground • **CRI** = Critical • **EXP** = Expedite • **ROU** = Routine

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Name	Valid values are: • Aircraft On Ground • Critical • Expedite • Routine
QuoteWithinDays	The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique. Up to 30 alpha-numeric characters
RequestedItems	The **RequestedItems** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Item
Item	The **Item** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • RfqRequestedPart
RfqRequestedPart	The **RfqRequestedPart** collection describes the part the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Description • ItemId • ItemNumber • PartNumber • Quantity • SupplierListings
Description	The part description as entered by the Buyer on the RFQ. Up to 50 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemNumber	ItemNumber is just a sequential count of **RfqRequestedParts** on a given RFQ - item 1, 2, 3, etc. Valid value is a positive integer.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
SupplierListings	The **SupplierListings** collection describes the search results seen by the Buyer. It is comprised of the following collections, which are described below: • SupplierPartListing

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
SupplierPartListing	The **SupplierPartListing** collection describes the search results seen by the Buyer. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • PartListings • SupplierId
SupplierId	4 alpha-numeric characters
PartListings	The **PartListings** collection contains the search results seen by the Buyer. This collection may be comprised of the following fields, which are described below: • PartListing
PartListing	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • AltQuantity • ConditionCode • Description • ExchangeSel • ItemSupplierPartId • Maker • Model • PartNumber • Quantity • TraceabilityCode
AltPartNumber	Up to 20 alpha-numeric characters
AltQuantity	Non-numeric quantities will appear in this field. Valid values are: • M-REP • MFG • RQST • PMA
ConditionCode	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
Description	Up to 20 alpha-numeric characters
ExchangeSel	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only • **NULL** = Outright
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
TraceabilityCode	This field should be NULL for Retrieve RFQ web services.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetRfqsReceivedByDate

The **GetRfqsReceivedByDate** web service retrieves all parts Request for Quotes (RFQs) received on ILSmart for a specified date. This service will return all parts RFQs received for the specified date, even if the RFQs have been previously retrieved.

The **GetRfqsReceivedByDate** response is identical to **GetNewRfqsReceived** response.

WSDL

https://secure.ilsmart.com/services/v3/soap11

Request

The **GetRfqsReceivedByDate** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
DateToRetrieve	Yes	
IncludeClosed	Yes	You may choose whether to retrieve open RFQs only or all RFQs regardless of status. Valid values are **true** or **false**.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetRfqsReceivedByDate** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Rfqs	The **Rfqs** collection describes the RFQs being retrieved. It is comprised of the following collection, which is described below: • Rfq

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Rfq	The **Rfq** collection describes the RFQ being retrieved. This collection will be repeated for each RFQ being retrieved. It is comprised of the following field and collections, which are described below: • Attachments • CloseDate • Comments • ContactInfo • CreateDate • DeliverByDate • EntryCode • Priority • QuoteWithinDays • ReferenceNumber • RequestedItems • RfqId
Attachments	The **Attachments** is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachments are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
CloseDate	You will not be allowed to send Quotes after the RFQ's Close Date.
Comments	The Comments field is for general comments from the Buyer regarding the RFQ. Up to 255 alpha-numeric characters
ContactInfo	This collection is comprised of the following collections, which are described below: • rfqRecipient • rfqSender
rfqRecipient	This collection will be NULL for the Supplier RFQ retrieval services.
rfqSender	This collection is comprised of the following collections, which are described below: • CompanyName • IlsContact
CompanyName	Up to 100 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
IlsContact	The **IlsContact** collection describes the rfqSender's contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Home Office ID • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields are collections, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Home Office ID	The ILSmart ID for the parent organization for the RFQ Sender. This allows you to map specific users to specific organizations.
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
CreateDate	
DeliverByDate	
EntryCode	A random combination of letters and numbers used to access the quote.ilsmart.com website. Up to 14 alpha-numeric characters
Priority	This collection is comprised of the following fields, which are described below: • Code • Name
Code	Valid values are: • **AOG** = Aircraft on Ground • **CRI** = Critical • **EXP** = Expedite • **ROU** = Routine

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Name	Valid values are: • Aircraft On Ground • Critical • Expedite • Routine
QuoteWithinDays	The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique. Up to 30 alpha-numeric characters
RequestedItems	The **RequestedItems** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Item
Item	The **Item** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • RfqRequestedPart
RfqRequestedPart	The **RfqRequestedPart** collection describes the part the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Description • ItemId • ItemNumber • PartNumber • Quantity • SupplierListings
Description	The part description as entered by the Buyer on the RFQ. Up to 50 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemNumber	ItemNumber is just a sequential count of **RfqRequestedParts** on a given RFQ - item 1, 2, 3, etc. Valid value is a positive integer.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
SupplierListings	The **SupplierListings** collection describes the search results seen by the Buyer. It is comprised of the following collections, which are described below: • SupplierPartListing

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
SupplierPartListing	The **SupplierPartListing** collection describes the search results seen by the Buyer. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • PartListings • SupplierId
SupplierId	4 alpha-numeric characters
PartListings	The **PartListings** collection contains the search results seen by the Buyer. This collection may be comprised of the following fields, which are described below: • PartListing
PartListing	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • AltQuantity • ConditionCode • Description • ExchangeSel • ItemSupplierPartId • Maker • Model • PartNumber • Quantity • TraceabilityCode
AltPartNumber	Up to 20 alpha-numeric characters
AltQuantity	Non-numeric quantities will appear in this field. Valid values are: • M-REP • MFG • RQST • PMA
ConditionCode	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
Description	Up to 20 alpha-numeric characters
ExchangeSel	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only • **NULL** = Outright
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
TraceabilityCode	This field should be NULL for Retrieve RFQ web services.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetNewRfqsReceivedWithSenderInventory

The **GetNewRfqsReceivedWithSenderInventory** web service retrieves all parts Request for Quotes (RFQs) received on ILSmart since you last called the web service. This web service is often used in conjunction with the **SendPartQuotes** web service.

You are encouraged to call this web service frequently to ensure you have the most recent data. It is not recommended, however, to call this service more frequently than every 5 minutes.

WSDL

https://secure.ilsmart.com/services/v2/soap11

Request

The **GetNewRfqsReceivedWithSenderInventory** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
IncludeClosed	Yes	You may choose whether to retrieve open RFQs only or all RFQs regardless of status. Valid values are **true** or **false**.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetNewRfqsReceivedWithSenderInventory** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Rfqs	The **Rfqs** collection describes the RFQs being retrieved. It is comprised of the following collection, which is described below: • RfqWithSendorInventory

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
RfqWithSendorInventory	This collection will be repeated for each RFQ being retrieved. It is comprised of the following field and collections, which are described below: • Attachments • CloseDate • Comments • ContactInfo • CreateDate • DeliverByDate • EntryCode • Priority • QuoteWithinDays • ReferenceNumber • RequestedItems • RfqId
Attachments	The **Attachments** is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachments are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
CloseDate	You will not be allowed to send Quotes after the RFQ's Close Date.
Comments	The Comments field is for general comments from the Buyer regarding the RFQ. Up to 255 alpha-numeric characters
ContactInfo	This collection is comprised of the following collections, which are described below: • rfqRecipient • rfqSender
rfqRecipient	This collection is comprised of the following collections, which are described below: • CompanyName • IlsContact
rfqSender	This collection will be null for Supplier RFQ services.
CompanyName	Up to 100 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
IlsContact	The **IlsContact** collection describes the rfqSender's contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields are collections, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
CreateDate	
DeliverByDate	
EntryCode	A random combination of letters and numbers used to access the quote.ilsmart.com website. Up to 14 alpha-numeric characters
Priority	This collection is comprised of the following fields, which are described below: • Code • Name
Code	An abbreviation that corresponds to the Priority Name. Valid values are: • **AOG** = Aircraft on Ground • **CRI** = Critical • **EXP** = Expedite • **ROU** = Routine

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Name	An abbreviation that corresponds to the Priority Code. Valid values are: • Aircraft On Ground • Critical • Expedite • Routine
QuoteWithinDays	The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique. Up to 30 alpha-numeric characters
RequestedItems	The **RequestedItems** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Item
Item	The **Item** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • RfqRequestedPartWithSenderInventory
RfqRequestedPartWithSenderInventory	The **RfqRequestedPartWithSenderInventory** collection describes the part the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Description • ItemId • ItemNumber • PartNumber • Quantity • SupplierListings
Description	The part description as entered by the Buyer on the RFQ. Up to 50 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemNumber	ItemNumber is just a sequential count of **RfqRequestedParts** on a given RFQ - item 1, 2, 3, etc. Valid value is a positive integer.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
SupplierListings	The **SupplierListings** collection describes the search results seen by the Buyer. It is comprised of the following collections, which are described below: • SupplierPartListingWithSenderInventory

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
SupplierPartListing	The **SupplierPartListingWithSenderInventory** collection describes the search results seen by the Buyer. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • PartListings • SupplierId
SupplierId	4 alpha-numeric characters
PartListings	The **PartListings** collection contains the search results seen by the Buyer. This collection is comprised of the following fields, which are described below: • PartListingWithSenderQuantity
PartListingWithSenderQuantity	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • AltQuantity • ConditionCode • Description • ItemSupplierPartId • Maker • Model • PartNumber • Quantity • SenderInventoryQuantity • SenderListingInventory • TraceabilityCode
AltPartNumber	Up to 20 alpha-numeric characters
AltQuantity	Non-numeric quantities will appear in this field. Valid values are: • M-REP • MFG • RQST • PMA
ConditionCode	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
Description	Up to 20 alpha-numeric characters
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
SenderInventoryQuantity	This field displays the sum of quantities listed if the RFQ Sender also lists the requested part. Field will be null if the **SenderListingInventory** field is false.
SenderListingInventory	This field indicates if the RFQ Sender also lists the requested part in their ILS inventory listings. Valid value is **true** or **false**.
TraceabilityCode	This field should be NULL for Retrieve RFQ web services.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetRfqsReceivedByDateWithSenderInventory

The **GetRfqsReceivedByDateWithSenderInventory** web service retrieves all parts Request for Quotes (RFQs) received on ILSmart for a specified date. This service will return all parts RFQs received for the specified date, even if the RFQs have been previously retrieved.

WSDL

https://secure.ilsmart.com/services/v2/soap11

Request

The **GetRfqsReceivedByDateWithSenderInventory** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
DateToRetrieve	Yes	
IncludeClosed	Yes	You may choose whether to retrieve open RFQs only or all RFQs regardless of status. Valid values are **true** or **false**.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetRfqsReceivedByDateWithSenderInventory** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Rfqs	The **Rfqs** collection describes the RFQs being retrieved. It is comprised of the following collection, which is described below: • RfqWithSendorInventory

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
RfqWithSendorInventory	This collection will be repeated for each RFQ being retrieved. It is comprised of the following field and collections, which are described below: • Attachments • CloseDate • Comments • ContactInfo • CreateDate • DeliverByDate • EntryCode • Priority • QuoteWithinDays • ReferenceNumber • RequestedItems • RfqId
Attachments	The **Attachments** is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachments are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
CloseDate	You will not be allowed to send Quotes after the RFQ's Close Date.
Comments	The Comments field is for general comments from the Buyer regarding the RFQ. Up to 255 alpha-numeric characters
ContactInfo	This collection is comprised of the following collections, which are described below: • rfqRecipient • rfqSender
rfqRecipient	This collection is comprised of the following collections, which are described below: • CompanyName • IlsContact
rfqSender	This collection will be null for Supplier RFQ services.
CompanyName	Up to 100 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
IlsContact	The **IlsContact** collection describes the rfqSender's contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields are collections, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
CreateDate	
DeliverByDate	
EntryCode	A random combination of letters and numbers used to access the quote.ilsmart.com website. Up to 14 alpha-numeric characters
Priority	This collection is comprised of the following fields, which are described below: • Code • Name
Code	An abbreviation that corresponds to the Priority Name. Valid values are: • **AOG** = Aircraft on Ground • **CRI** = Critical • **EXP** = Expedite • **ROU** = Routine

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Name	An abbreviation that corresponds to the Priority Code. Valid values are: • Aircraft On Ground • Critical • Expedite • Routine
QuoteWithinDays	The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique. Up to 30 alpha-numeric characters
RequestedItems	The **RequestedItems** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Item
Item	The **Item** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • RfqRequestedPartWithSenderInventory
RfqRequestedPartWithSenderInventory	The **RfqRequestedPartWithSenderInventory** collection describes the part the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Description • ItemId • ItemNumber • PartNumber • Quantity • SupplierListings
Description	The part description as entered by the Buyer on the RFQ. Up to 50 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemNumber	ItemNumber is just a sequential count of **RfqRequestedParts** on a given RFQ - item 1, 2, 3, etc. Valid value is a positive integer.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
SupplierListings	The **SupplierListings** collection describes the search results seen by the Buyer. It is comprised of the following collections, which are described below: • SupplierPartListingWithSenderInventory

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
SupplierPartListing	The **SupplierPartListingWithSenderInventory** collection describes the search results seen by the Buyer. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • PartListings • SupplierId
SupplierId	4 alpha-numeric characters
PartListings	The **PartListings** collection contains the search results seen by the Buyer. This collection is comprised of the following fields, which are described below: • PartListingWithSenderQuantity
PartListingWithSenderQuantity	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • AltQuantity • ConditionCode • Description • ItemSupplierPartId • Maker • Model • PartNumber • Quantity • SenderInventoryQuantity • SenderListingInventory • TraceabilityCode
AltPartNumber	Up to 20 alpha-numeric characters
AltQuantity	Non-numeric quantities will appear in this field. Valid values are: • M-REP • MFG • RQST • PMA
ConditionCode	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
Description	Up to 20 alpha-numeric characters
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
SenderInventoryQuantity	This field displays the sum of quantities listed if the RFQ Sender also lists the requested part. Field will be null if the **SenderListingInventory** field is false.
SenderListingInventory	This field indicates if the RFQ Sender also lists the requested part in their ILS inventory listings. Valid value is **true** or **false**.
TraceabilityCode	This field should be NULL for Retrieve RFQ web services.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetRfq

The **GetRfq** operation allows Suppliers or Buyers to retrieve all quotes associated with a specific RFQ. It is typically used to replace missing records.

The ILSmart User ID used to make the web service call must be either the Supplier's ILSmart ID or the Buyer's ILSmart ID.

WSDL

https://secure.ilsmart.com/services/v3/soap11

Request

The **GetRfq** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
RfqId	Yes	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetRfq** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Rfqs	The **Rfqs** collection describes the RFQs being retrieved. It is comprised of the following collection, which is described below: • Rfq

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Rfq	The **Rfq** collection describes the RFQ being retrieved. This collection will be repeated for each RFQ being retrieved. It is comprised of the following field and collections, which are described below: • Attachments • CloseDate • Comments • ContactInfo • CreateDate • DeliverByDate • EntryCode • Priority • QuoteWithinDays • ReferenceNumber • RequestedItems • RfqId
Attachments	The **Attachments** is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachments are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
CloseDate	You will not be allowed to send Quotes after the RFQ's Close Date.
Comments	The Comments field is for general comments from the Buyer regarding the RFQ. Up to 255 alpha-numeric characters
ContactInfo	This collection is comprised of the following collections, which are described below: • rfqRecipient • rfqSender
rfqRecipient	This collection will be NULL for the Supplier RFQ retrieval services.
rfqSender	This collection is comprised of the following collections, which are described below: • CompanyName • IlsContact
CompanyName	Up to 100 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
IlsContact	The **IlsContact** collection describes the rfqSender's contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields are collections, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
CreateDate	
DeliverByDate	
EntryCode	A random combination of letters and numbers used to access the quote.ilsmart.com website. Up to 14 alpha-numeric characters
Priority	This collection is comprised of the following fields, which are described below: • Code • Name
Code	An abbreviation that corresponds to the Priority Name. Valid values are: • **AOG** = Aircraft on Ground • **CRI** = Critical • **EXP** = Expedite • **ROU** = Routine

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Name	An abbreviation that corresponds to the Priority Code. Valid values are: • Aircraft On Ground • Critical • Expedite • Routine
QuoteWithinDays	The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique. Up to 30 alpha-numeric characters
RequestedItems	The **RequestedItems** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Item
Item	The **Item** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • RfqRequestedPart
RfqRequestedPart	The **RfqRequestedPart** collection describes the part the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Description • ItemId • ItemNumber • PartNumber • Quantity • SupplierListings
Description	The part description as entered by the Buyer on the RFQ. Up to 50 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemNumber	ItemNumber is just a sequential count of **RfqRequestedParts** on a given RFQ - item 1, 2, 3, etc. Valid value is a positive integer.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
SupplierListings	The **SupplierListings** collection describes the search results seen by the Buyer. It is comprised of the following collections, which are described below: • SupplierPartListing

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
SupplierPartListing	The **SupplierPartListing** collection describes the search results seen by the Buyer. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • PartListings • SupplierId
SupplierId	4 alpha-numeric characters
PartListings	The **PartListings** collection contains the search results seen by the Buyer. This collection may be comprised of the following fields, which are described below: • PartListing
PartListing	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • AltQuantity • ConditionCode • Description • ExchangeSel • ItemSupplierPartId • Maker • Model • PartNumber • Quantity • TraceabilityCode
AltPartNumber	Up to 20 alpha-numeric characters
AltQuantity	Non-numeric quantities will appear in this field. Valid values are: • M-REP • MFG • RQST • PMA
ConditionCode	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
Description	Up to 20 alpha-numeric characters
ExchangeSel	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only • **NULL** = Outright
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
TraceabilityCode	This field should be NULL for Retrieve RFQ web services.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

SendPartRfq

The **SendPartRfq** web service sends a parts Request for Quote (RFQ) on ILSmart. The service returns data describing the RFQ as sent.

This web service must be used in conjunction with the **GetPartsAvailability** web service as the **SendPartRfq** web service requires inputs from this service in order to create a Request for Quote.

WSDL

https://secure.ilsmart.com/services/v3/soap11

REQUEST

The **SendPartRfq** request is comprised of the following fields and collections, which are described below.

Field	Required	Description
InputRfq	Yes	This collection is comprised of the following fields and collections, which are described below: • Comment • DeliverByDate • Parts • Priority • QuoteWithinDays • ReferenceNumber
Comment		Up to 255 alpha-numeric characters
DeliverByDate		
Parts	Yes	This collection is comprised of the following collections, which are described below: • PartSearchResultsInput
PartSearchResultsInput	Yes	This collection may be repeated multiple times. It is comprised of the following fields are collections, which are described below: • AlternatePartNumber • BuyerPartDescription • ConditionCode • Description • ExchangeOption • PartEntered • PartNumber • Quantity • SearchPartId • SupplierId
AlternatePartNumber		Up to 20 alpha-numeric characters
BuyerPartDescription	Yes	The description as entered in the **GetPartsAvailability** request. Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Required	Description
ConditionCode	Yes	Valid values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
Description	Yes	Up to 20 alpha-numeric characters
ExchangeOption	No	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only • **NULL** = Outright
PartEntered	Yes	The part number as entered in the GetPartsAvailability request. Up to 20 alpha-numeric characters
PartNumber	Yes	Up to 20 alpha-numeric characters
Quantity	Yes	Up to 5 alpha-numeric characters
SearchPartId	Yes	Valid value is a positive integer.
SupplierId	Yes	4 alpha-numeric characters
Priority		Valid values are: • AircraftOnGround • Critical • Expedite • Routine • None
QuoteWithinDays		The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber		A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique. Up to 30 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **SendPartRfq** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Rfqs	The **Rfqs** collection describes the RFQs being retrieved. It is comprised of the following collection, which is described below: • Rfq

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Rfq	The **Rfq** collection describes the RFQ being retrieved. This collection will be repeated for each RFQ being retrieved. It is comprised of the following field and collections, which are described below: • Attachments • CloseDate • Comments • ContactInfo • CreateDate • DeliverByDate • EntryCode • Priority • QuoteWithinDays • ReferenceNumber • RequestedItems • RfqId
Attachments	The **Attachments** is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachments are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
CloseDate	You will not be allowed to send Quotes after the RFQ's Close Date.
Comments	The Comments field is for general comments from the Buyer regarding the RFQ. Up to 255 alpha-numeric characters
ContactInfo	This collection is comprised of the following collections, which are described below: • rfqRecipient • rfqSender
rfqRecipient	This collection will be NULL for the Supplier RFQ retrieval services.
rfqSender	This collection is comprised of the following collections, which are described below: • CompanyName • IlsContact
CompanyName	Up to 100 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
IlsContact	The **IlsContact** collection describes the rfqSender's contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields are collections, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
CreateDate	
DeliverByDate	
EntryCode	A random combination of letters and numbers used to access the quote.ilsmart.com website. Up to 14 alpha-numeric characters
Priority	This collection is comprised of the following fields, which are described below: • Code • Name
Code	An abbreviation that corresponds to the Priority Name. Valid values are: • **AOG** = Aircraft on Ground • **CRI** = Critical • **EXP** = Expedite • **ROU** = Routine

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Name	An abbreviation that corresponds to the Priority Code. Valid values are: • Aircraft On Ground • Critical • Expedite • Routine
QuoteWithinDays	The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique. Up to 30 alpha-numeric characters
RequestedItems	The **RequestedItems** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Item
Item	The **Item** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • RfqRequestedPart
RfqRequestedPart	The **RfqRequestedPart** collection describes the part the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Description • ExchangeOption • ItemId • ItemNumber • PartNumber • Quantity • SupplierListings
Description	The part description as entered by the Buyer on the RFQ. Up to 50 alpha-numeric characters
ExchangeOption	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only • **NULL** = Outright
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemNumber	ItemNumber is just a sequential count of **RfqRequestedParts** on a given RFQ - item 1, 2, 3, etc. Valid value is a positive integer.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
SupplierListings	The **SupplierListings** collection describes the search results seen by the Buyer. It is comprised of the following collections, which are described below: • SupplierPartListing
SupplierPartListing	The **SupplierPartListing** collection describes the search results seen by the Buyer. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • PartListings • SupplierId
SupplierId	4 alpha-numeric characters
PartListings	The **PartListings** collection contains the search results seen by the Buyer. This collection may be comprised of the following fields, which are described below: • PartListing
PartListing	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • AltQuantity • ConditionCode • Description • ExchangeOption • ItemSupplierPartId • Maker • Model • PartNumber • Quantity • TraceabilityCode
AltPartNumber	Up to 20 alpha-numeric characters
AltQuantity	Non-numeric quantities will appear in this field. Valid values are: • M-REP • MFG • RQST • PMA
ConditionCode	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
Description	Up to 20 alpha-numeric characters
ExchangeOption	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only • **NULL** = Outright
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
TraceabilityCode	This field should be NULL for Retrieve RFQ web services.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

SendQuickRfq

The **SendQuickRfq** web service has been deprecated and is no longer available.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetRfqsSentByDate

The **GetRfqsSentByDate** operation retrieves all parts RFQs sent on ILSmart on a specified date. This web service is typically used to locate an RFQ referenced by an incoming quote.

WSDL

https://secure.ilsmart.com/services/v3/soap11

Request

The **GetRfqsSentByDate** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
DateToRetrieve	Yes	
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetRfqsSentByDate** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Rfqs	The **Rfqs** collection describes the RFQs being retrieved. It is comprised of the following collection, which is described below: • Rfq
Rfq	The **Rfq** collection describes the RFQ being retrieved. This collection will be repeated for each RFQ being retrieved. It is comprised of the following field and collections, which are described below: • Attachments • CloseDate • Comments • ContactInfo • CreateDate • DeliverByDate • EntryCode • Priority • QuoteWithinDays • ReferenceNumber • RequestedItems • RfqId
Attachments	The **Attachments** is comprised of the following collections, which are described below: • Attachment

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachments are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
CloseDate	You will not be allowed to send Quotes after the RFQ's Close Date.
Comments	The Comments field is for general comments from the Buyer regarding the RFQ. Up to 255 alpha-numeric characters
ContactInfo	This collection is comprised of the following collections, which are described below: • rfqRecipient • rfqSender
rfqRecipient	This collection will be NULL for the Supplier RFQ retrieval services.
rfqSender	This collection is comprised of the following collections, which are described below: • CompanyName • IlsContact
CompanyName	Up to 100 alpha-numeric characters
IlsContact	The **IlsContact** collection describes the rfqSender's contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields are collections, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
CreateDate	
DeliverByDate	
EntryCode	A random combination of letters and numbers used to access the quote.ilsmart.com website. Up to 14 alpha-numeric characters
Priority	This collection is comprised of the following fields, which are described below: • Code • Name
Code	An abbreviation that corresponds to the Priority Name. Valid values are: • **AOG** = Aircraft on Ground • **CRI** = Critical • **EXP** = Expedite • **ROU** = Routine
Name	An abbreviation that corresponds to the Priority Code. Valid values are: • Aircraft On Ground • Critical • Expedite • Routine
QuoteWithinDays	The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique. Up to 30 alpha-numeric characters
RequestedItems	The **RequestedItems** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Item
Item	The **Item** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • RfqRequestedPart

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
RfqRequestedPart	The **RfqRequestedPart** collection describes the part the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Description • ExchangeSel • ItemId • ItemNumber • PartNumber • Quantity • SupplierListings
Description	The part description as entered by the Buyer on the RFQ. Up to 50 alpha-numeric characters
ExchangeOption	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only • **NULL** = Outright
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemNumber	ItemNumber is just a sequential count of **RfqRequestedParts** on a given RFQ - item 1, 2, 3, etc. Valid value is a positive integer.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
SupplierListings	The **SupplierListings** collection describes the search results seen by the Buyer. It is comprised of the following collections, which are described below: • SupplierPartListing
SupplierPartListing	The **SupplierPartListing** collection describes the search results seen by the Buyer. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • PartListings • SupplierId
SupplierId	4 alpha-numeric characters
PartListings	The **PartListings** collection contains the search results seen by the Buyer. This collection may be comprised of the following fields, which are described below: • PartListing

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
PartListing	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • AltQuantity • ConditionCode • Description • ExchangeOption • ItemSupplierPartId • Maker • Model • PartNumber • Quantity • TraceabilityCode
AltPartNumber	Up to 20 alpha-numeric characters
AltQuantity	Non-numeric quantities will appear in this field. Valid values are: • M-REP • MFG • RQST • PMA
ConditionCode	Valid field values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
Description	Up to 20 alpha-numeric characters
ExchangeOption	Valid field values are: • **EX** = Exchange Available • **EO** = Exchange Only • **NULL** = Outright
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
TraceabilityCode	This field should be NULL for Retrieve RFQ web services.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

SendPartQuotes

The **SendPartQuotes** operation sends a quote in reply to parts Request for Quotes (RFQs) received on ILSmart. This web service is used in conjunction with the **GetNewRfqsReceived** and/or the **GetRfqsReceivedByDate** services, which must be called individually.

Please note, ALL items on the RFQ must be either Quoted or No-Quoted; otherwise, a fault will be generated, and the request will fail.

The response will return the quote, as sent to the Buyer.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **SendPartQuotes** request is comprised of the following fields, which are described below.

Field	Required	Description
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
Quotes	Yes	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Comments • Quote • RfqId
Comments		Up to 255 alpha-numeric characters
Quote		This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • QuotedPartInput
QuotedPartInput		This collection **must** be repeated for each **ItemSupplierPartId** on the RFQ to be quoted. It is comprised of the following fields, which are described below: • ItemSupplierPartId • NoQuote • Part The **Part** collection is required if the **NoQuote** indictor is **false**.

Field	Required	Description
ItemSupplierPartId		Item Supplier Part ID A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
NoQuote		Valid values are **true** or **false**. The **Quote** collection will be null if this field is **false**.
Part		This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • Conditions • PartNumber This collection will be null if **NoQuote** is **true**.
AltPartNumber		Up to 20 alpha-numeric characters
Conditions		The **Conditions** collection describes the specific part you, as the Supplier, are quoting in response to the RFQ. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • QuotedCondition You may quote more condition codes than the Buyer requested in the RFQ.
QuotedCondition		This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • ConditionCd • ItemComments • LeadTime • MinQuantity • Price • PriceType • Quantity • QuoteId • TagDate • Traceability • UnitofMeasure This collection will be repeated for each condition code being quoted.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Required	Description
ConditionCd	Yes	Valid values are: • NE = New • NS = New Surplus • OH = Overhauled • SV = Serviceable • AR = As Removed
ItemComments		The Item Comments field is for part-level specific comments. Up to 50 alpha-numeric characters
LeadTime		Up to 20 alpha-numeric characters
MinQuantity		Up to 5 alpha-numeric characters
Price	Yes	Up to 9 numeric characters
PriceType		The valid values are: • Exchange • Outright
Quantity	Yes	Up to 5 alpha-numeric characters
QuoteId		Valid value is a positive integer.
TagDate		
Traceability		The valid values are: • 0078 = TCCA Form 24-0078 • 121 = CFR Part 121 • 129 = CFR Part 129 • 135 = CFR Part 135 • 145 = CFR Part 145 • 8130 = FAA Form 8130 • C917 = CASA Form 917 • COFC = Certificate of Conformity • EASA = EASA • OEM = OEM • OTH = Other • TCFO = TCCA Form One
UnitOfMeasure		2 alpha-numeric characters
PartNumber	Yes	Up to 20 alpha-numeric characters
RfqId	Yes	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **SendPartQuotes** response is comprised of the following fields and collections, which are described below.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Description
Fault	See Appendix A for information regarding Fault Handling.
PartQuotes	This collection describes the quote(s) the system generated in response to your request. It is comprised of the following collections, which are described below: • PartsRfqQuotes
PartsRfqQuotes	The collection is comprised of the following fields and collections, which are described below: • Attachments • Parts • ReferenceNumber • RfqId • Supplier
Attachments	The **Attachments** collection is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachment(s) are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
Parts	This collection is comprised of the following collections, which are described below: • QuoteRequestedPart
QuoteRequestedPart	This collection describes the part as it was requested by the Buyer, and it may be repeated multiple times. It is comprised of the following fields and collections, which are described below: • AltPartNumber • Description • ItemId • ItemSupplierPartId • NoQuote • PartNumber • Quote
AltPartNumber	Up to 20 alpha-numeric characters
Description	Up to 20 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Description
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
NoQuote	Valid values are **true** or **false**. The **Quote** collection will be null if this field is **false**.
PartNumber	Up to 20 alpha-numeric characters
Quote	This collection describes the part as it was quoted by the Supplier. It is comprised of the following fields and collections, which are described below: • AltPartNumber • Conditions • PartNumber
Quote	This collection describes the part as it was quoted by the Supplier. It is comprised of the following fields and collections, which are described below: • AltPartNumber • Conditions • PartNumber
AltPartNumber	Up to 20 alpha-numeric characters
Conditions	This collection is comprised of the following fields and collections, which are described below: • QuotedCondition
QuotedCondition	This collection is comprised of the following fields and collections, which are described below: • ConditionCd • ItemComments • LeadTime • MinQuantity • Price • PriceType • Quantity • QuoteId • TagDate • Traceability • UnitOfMeasure
ConditionCd	Valid values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed

Field	Description
ItemComments	The Item Comments field is for part-level specific comments. Up to 50 alpha-numeric characters
LeadTime	Up to 20 alpha-numeric characters
MinQuantity	Up to 5 alpha-numeric characters
Price	Up to 9 numeric characters
PriceType	The valid values are: • Exchange • Outright
Quantity	Up to 5 alpha-numeric characters
QuoteId	Valid value is a positive integer.
TagDate	
Traceability	The valid values are: • **0078** = TCCA Form 24-0078 • **121** = CFR Part 121 • **129** = CFR Part 129 • **135** = CFR Part 135 • **145** = CFR Part 145 • **8130** = FAA Form 8130 • **C917** = CASA Form 917 • **COFC** = Certificate of Conformity • **EASA** = EASA • **OEM** = OEM • **OTH** = Other • **TCFO** = TCCA Form One
UnitOfMeasure	2 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
Supplier	This collection is comprised of the following fields and collections, which are described below: • CompanyAddress • Id • Name • RfqContact
CompanyAddress	This collection is comprised of the following fields and collections, which are described below: • Address1 • Address2 • City • PostalCode • StateProvince

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Description
Address1	Up to 100 alpha-numeric characters
Address2	Up to 100 alpha-numeric characters
City	Up to 50 alpha-numeric characters
PostalCode	Up to 10 alpha-numeric characters
StateProvince	Up to 3 alpha characters; US states and Canadian provinces only
Id	4 alpha-numeric characters
Name	Up to 100 alpha-numeric characters
RfqContact	The **RfqContact** collection describes the Supplier's RFQ Contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Title	Up to 50 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber • Extension
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Extension	Up to 7 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetNewPartQuotesReceived

The **GetNewPartQuotesReceived** operation retrieves all parts quotes received on ILSmart since the last time the service was called. Once an RFQ is sent, your system can periodically check for any quotes received in response. The incoming quote will reference the original RFQ.

You are encouraged to call this web service every few minutes to ensure you have the most recent data. It is not recommended to call this service more frequently than every 5 minutes.

This web service is often used in conjunction with the **SendPartsRfq** web service.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetNewPartQuotesReceived** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
IncludeQuotesForClosedRfqs	Yes	You may choose whether to retrieve quotes for open RFQs only or for all RFQs regardless of status. Valid values are **true** and **false**.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetNewPartQuotesReceived** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
PartQuotes	This collection is comprised of the following fields and collections, which are described below: • MoreQuotesAvailable • Quote

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
MoreQuotesAvailable	More Quotes Available Indicator The web service is currently throttled to return a maximum of 100 quotes in a single web service call. This number is subject to change. Call the web service again to retrieve additional quotes. Valid values are **true** or **false**.
Quote	This collection is comprised of the following collections, which are described below: • PartsRfqQuote
PartsRfqQuote	This collection is comprised of the following fields and collections, which are described below: • Attachments • Parts • Reference Number • RfqId • Supplier
Attachments	The **Attachments** collection is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachment(s) are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	Document ID A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
Name	Document File Name Up to 50 alpha-numeric characters
Parts	This collection is comprised of the following collections, which are described below: • QuoteRequestedPart

Field/Collection	Description
QuoteRequestedPart	This collection describes the part as it was requested by the Buyer. It is comprised of the following fields and collections, which are described below: • AltPartNumber • Description • ItemId • ItemSupplierPartId • NoQuote • PartNumber • Quote
AltPartNumber	Up to 20 alpha-numeric characters
Description	Up to 20 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
NoQuote	Valid values are **true** or **false**. The **Quote** collection will be null if this field is false.
PartNumber	Up to 20 alpha-numeric characters
Quote	This collection describes the part as it was quoted by the Supplier. It is comprised of the following fields and collections, which are described below: • AltPartNumber • Conditions • PartNumber
AltPartNumber	Up to 20 alpha-numeric characters
Conditions	This collection is comprised of the following fields and collections, which are described below: • QuotedCondition

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
QuotedCondition	This collection is comprised of the following fields and collections, which are described below: • ConditionCd • ItemComments • LeadTime • MinQuantity • Price • PriceType • Quantity • QuoteId • TagDate • Traceability • UnitOfMeasure
ConditionCd	Valid values are: • **NE** = New • **NS** = New Surplus • **OH** = Overhauled • **SV** = Serviceable • **AR** = As Removed
ItemComments	The Item Comments field is for part-level specific comments. Up to 50 alpha-numeric characters
LeadTime	Up to 20 alpha-numeric characters
MinQuantity	Up to 5 alpha-numeric characters
Price	Up to 9 numeric characters
PriceType	The valid values are: • Exchange • Outright
Quantity	Up to 5 alpha-numeric characters
QuoteId	Valid value is a positive integer.
TagDate	
Traceability	The valid values are: • **0078** = TCCA Form 24-0078 • **121** = CFR Part 121 • **129** = CFR Part 129 • **135** = CFR Part 135 • **145** = CFR Part 145 • **8130** = FAA Form 8130 • **C917** = CASA Form 917 • **COFC** = Certificate of Conformity • **EASA** = EASA • **OEM** = OEM • **OTH** = Other • **TCFO** = TCCA Form One
UnitOfMeasure	2 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
PartNumber	Up to 20 alpha-numeric characters
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
Supplier	This collection is comprised of the following fields and collections, which are described below: • CompanyAddress • Id • Name • RfqContact
CompanyAddress	This collection is comprised of the following fields and collections, which are described below: • Address1 • Address2 • City • PostalCode • StateProvince
Address1	Up to 100 alpha-numeric characters
Address2	Up to 100 alpha-numeric characters
City	Up to 50 alpha-numeric characters
PostalCode	Up to 10 alpha-numeric characters
StateProvince	Up to 3 alpha characters; US states and Canadian provinces only
Id	4 alpha-numeric characters
Name	
RfqContact	The **RfqContact** collection describes the Supplier's RFQ Contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Fax	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Title	Up to 50 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber • Extension
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Extension	Up to 7 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartQuotes

The **GetPartQuotes** operation allows Suppliers or Buyers to retrieve all quotes associated with a specific RFQ. It is typically used to replace missing records.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetPartQuotes** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
RfqId	Yes	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPartQuotes** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
PartQuotes	This collection is comprised of the following fields and collections, which are described below: • Quote
Quote	This collection is comprised of the following collections, which are described below: • PartsRfqQuote
PartsRfqQuote	This collection is comprised of the following fields and collections, which are described below: • Attachments • Parts • Reference Number • RfqId • Supplier

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Attachments	The **Attachments** collection is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachment(s) are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
Name	Up to 50 alpha-numeric characters
Parts	This collection is comprised of the following collections, which are described below: • QuoteRequestedPart
QuoteRequestedPart	This collection describes the part as it was requested by the Buyer. It is comprised of the following fields and collections, which are described below: • AltPartNumber • Description • ItemId • ItemSupplierPartId • NoQuote • PartNumber • Quote
AltPartNumber	Up to 20 alpha-numeric characters
Description	Up to 20 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
NoQuote	Valid values are **true** or **false**. The **Quote** collection will be null if this field is **false**.
PartNumber	Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Quote	This collection describes the part as it was quoted by the Supplier. It is comprised of the following fields and collections, which are described below: • AltPartNumber • Conditions • PartNumber
AltPartNumber	Up to 20 alpha-numeric characters
Conditions	This collection is comprised of the following fields and collections, which are described below: • QuotedCondition
QuotedCondition	This collection is comprised of the following fields and collections, which are described below: • ConditionCd • ItemComments • LeadTime • MinQuantity • Price • PriceType • Quantity • QuoteId • TagDate • Traceability • UnitOfMeasure
ConditionCd	Valid values are: • NE = New • NS = New Surplus • OH = Overhauled • SV = Serviceable • AR = As Removed
ItemComments	The Item Comments field is for part-level specific comments. Up to 50 alpha-numeric characters
LeadTime	Up to 20 alpha-numeric characters
MinQuantity	Up to 5 alpha-numeric characters
Price	Up to 9 numeric characters
PriceType	The valid values are: • Exchange • Outright
Quantity	Up to 5 alpha-numeric characters
QuoteId	Valid value is a positive integer.
TagDate	

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Traceability	The valid values are: • 0078 = TCCA Form 24-0078 • 121 = CFR Part 121 • 129 = CFR Part 129 • 135 = CFR Part 135 • 145 = CFR Part 145 • 8130 = FAA Form 8130 • C917 = CASA Form 917 • COFC = Certificate of Conformity • EASA = EASA • OEM = OEM • OTH = Other • TCFO = TCCA Form One
UnitOfMeasure	2 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may NOT be unique.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
Supplier	This collection is comprised of the following fields and collections, which are described below: • CompanyAddress • Id • Name • RfqContact
CompanyAddress	This collection is comprised of the following fields and collections, which are described below: • Address1 • Address2 • City • PostalCode • StateProvince
Address1	Up to 100 alpha-numeric characters
Address2	Up to 100 alpha-numeric characters
City	Up to 50 alpha-numeric characters
PostalCode	Up to 10 alpha-numeric characters
StateProvince	Up to 3 alpha characters; US states and Canadian provinces only
Id	Supplier's Company ID 4 alpha-numeric characters
Name	

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
RfqContact	The **RfqContact** collection describes the Supplier's RFQ Contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	Supplier's ILSmart Company ID 4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Title	Up to 50 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber • Extension
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Extension	Up to 7 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartQuotesByDate

The **GetPartQuotesByDate** operation retrieves all parts quotes received on ILSmart. Once a RFQ is sent, your system can periodically check for any quotes sent in response. The incoming quote will reference the original RFQ.

This web service is often used in conjunction with the **SendPartsRfq** web service.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetPartQuotesByDate** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
DateToRetrieve	Yes	
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPartQuotesByDate** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
PartQuotes	This collection is comprised of the following fields and collections, which are described below: • Quote
Quote	This collection is comprised of the following collections, which are described below: • PartsRfqQuote
PartsRfqQuote	This collection is comprised of the following fields and collections, which are described below: • Attachments • Parts • Reference Number • RfqId • Supplier

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Attachments	The **Attachments** collection is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachment(s) are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
Name	Up to 50 alpha-numeric characters
Parts	This collection is comprised of the following collections, which are described below: • QuoteRequestedPart
QuoteRequestedPart	This collection describes the part as it was requested by the Buyer. It is comprised of the following fields and collections, which are described below: • AltPartNumber • Description • ItemId • ItemSupplierPartId • NoQuote • PartNumber • Quote
AltPartNumber	Up to 20 alpha-numeric characters
Description	Up to 20 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
NoQuote	Valid values are **true** or **false**. The **Quote** collection will be null if this field is **false**.
PartNumber	Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Quote	This collection describes the part as it was quoted by the Supplier. It is comprised of the following fields and collections, which are described below: • AltPartNumber • Conditions • PartNumber
AltPartNumber	Up to 20 alpha-numeric characters
Conditions	This collection is comprised of the following fields and collections, which are described below: • QuotedCondition
QuotedCondition	This collection is comprised of the following fields and collections, which are described below: • ConditionCd • ItemComments • LeadTime • MinQuantity • Price • PriceType • Quantity • QuoteId • TagDate • Traceability • UnitOfMeasure
ConditionCd	Valid values are: • NE = New • NS = New Surplus • OH = Overhauled • SV = Serviceable • AR = As Removed
ItemComments	The Item Comments field is for part-level specific comments. Up to 50 alpha-numeric characters
LeadTime	Up to 20 alpha-numeric characters
MinQuantity	Up to 5 alpha-numeric characters
Price	Up to 9 numeric characters
PriceType	The valid values are: • Exchange • Outright
Quantity	Up to 5 alpha-numeric characters
QuoteId	Valid value is a positive integer.
TagDate	

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Traceability	The valid values are: • 0078 = TCCA Form 24-0078 • 121 = CFR Part 121 • 129 = CFR Part 129 • 135 = CFR Part 135 • 145 = CFR Part 145 • 8130 = FAA Form 8130 • C917 = CASA Form 917 • COFC = Certificate of Conformity • EASA = EASA • OEM = OEM • OTH = Other • TCFO = TCCA Form One
UnitOfMeasure	2 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may NOT be unique.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
Supplier	This collection is comprised of the following fields and collections, which are described below: • CompanyAddress • Id • Name • RfqContact
CompanyAddress	This collection is comprised of the following fields and collections, which are described below: • Address1 • Address2 • City • PostalCode • StateProvince
Address1	Up to 100 alpha-numeric characters
Address2	Up to 100 alpha-numeric characters
City	Up to 50 alpha-numeric characters
PostalCode	Up to 10 alpha-numeric characters
StateProvince	Up to 3 alpha characters; US states and Canadian provinces only
Id	4 alpha-numeric characters
Name	

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
RfqContact	The **RfqContact** collection describes the Supplier's RFQ Contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Title	Up to 50 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber • Extension
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Extension	Up to 7 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

MRO RFQs and Quotes Services

GetNewMroRfqsReceived

The **GetNewMroRfqsReceived** web service retrieves all parts MRO Request for Quotes (RFQs) received on ILSmart since you last called the web service. This web service is often used in conjunction with the **SendMROQuotes** web service.

You are encouraged to call this web service frequently to ensure you have the most recent data. It is not recommended, however, to call this service more frequently than every 5 minutes.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetNewMroRfqsReceived** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
IncludeClosed	Yes	You may choose whether to retrieve open RFQs only or all RFQs regardless of status. Valid values are **true** and **false**.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetNewMroRfqsReceived** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Rfqs	The **Rfqs** collection describes the RFQs being retrieved. It is comprised of the following collection, which is described below: • MroRfq

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
MroRfq	The **MroRfq** collection describes the RFQ being retrieved. This collection will be repeated for each RFQ being retrieved. It is comprised of the following field and collections, which are described below: • Attachments • CloseDate • Comments • ContactInfo • CreateDate • DeliverByDate • EntryCode • Priority • QuoteWithinDays • ReferenceNumber • RequestedItems • RequestedMroItems • RfqId • Status • ViewedIndicator
Attachments	The **Attachments** is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachments are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
CloseDate	You will not be allowed to send Quotes after the RFQ's Close Date.
Comments	The Comments field is for general comments from the Buyer regarding the RFQ. Up to 255 alpha-numeric characters
ContactInfo	This collection is comprised of the following collections, which are described below: • rfqRecipient • rfqSender
rfqRecipient	This collection will be NULL for the Supplier RFQ retrieval services.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
rfqSender	This collection is comprised of the following collections, which are described below: • CompanyName • IlsContact
CompanyName	Up to 100 alpha-numeric characters
IlsContact	The **IlsContact** collection describes the rfqSender's contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields are collections, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
CreateDate	
DeliverByDate	
EntryCode	A random combination of letters and numbers used to access the quote.ilsmart.com website. Up to 14 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Priority	This collection is comprised of the following fields, which are described below: • Code • Name
Code	An abbreviation that corresponds to the Priority Name. Valid values are: • AOG = Aircraft on Ground • CRI = Critical • EXP = Expedite • ROU = Routine
Name	An abbreviation that corresponds to the Priority Code. Valid values are: • Aircraft On Ground • Critical • Expedite • Routine
QuoteWithinDays	The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may NOT be unique. Up to 30 alpha-numeric characters
RequestedItems	This collection will be NULL for MRO RFQ and Quote services.
RequestedMroItems	The RequestedMroItems collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Items
Items	The Items collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • MroRfqRequestedPart
MroRfqRequestedPart	The MroRfqRequestedPart collection describes the part the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Description • ItemId • ItemNumber • Model • PartNumber • Quantity • ServiceCode • SupplierListings

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Description	The part description as entered by the Buyer on the RFQ. Up to 50 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemNumber	This field will be NULL for MRO RFQ and Quote services.
Model	Up to 20 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
Quantity	This field will be NULL for MRO RFQ and Quote services.
ServiceCode	Valid values are: • **OH** = Overhaul • **RP** = Repair • **BC** = Bench Check • **EX** = Exchange
SupplierListings	The **SupplierListings** collection describes the search results seen by the Buyer. It is comprised of the following collections, which are described below: • SupplierPartListing
SupplierPartListing	The **SupplierPartListing** collection describes the search results seen by the Buyer. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • PartListings • SupplierId
SupplierId	4 alpha-numeric characters
PartListings	The **PartListings** collection contains the search results seen by the Buyer. This collection may be comprised of the following fields, which are described below: • PartListing
PartListing	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • AltQuantity • ConditionCode • Description • ItemSupplierPartId • Maker • Model • PartNumber • Quantity • TraceabilityCode
AltPartNumber	Up to 20 alpha-numeric characters
AltQuantity	This field will be NULL for MRO RFQ and Quote services.
ConditionCode	This field will be NULL for MRO RFQ and Quote services.
Description	Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartNumber	Up to 20 alpha-numeric characters
Quantity	This field will be NULL for MRO RFQ and Quote services.
TraceabilityCode	This field will be NULL for MRO RFQ and Quote services.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetMroRfqsReceivedByDate

The **GetMroRfqsReceivedByDate** web service retrieves all MRO Request for Quotes (RFQs) received on ILSmart for a specified date. This service will return all MRO RFQs received for the specified date, even if the RFQs have been previously retrieved.

The **GetMroRfqsReceivedByDate** response is identical to **GetNewMroRfqsReceived** response.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetMroRfqsReceivedByDate** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
DateToRetrieve	Yes	
IncludeClosed	Yes	You may choose whether to retrieve open RFQs only or all RFQs regardless of status. Valid values are **true** and **false**.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetMroRfqsReceivedByDate** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Rfqs	The **Rfqs** collection describes the RFQs being retrieved. It is comprised of the following collection, which is described below: • MroRfq

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
MroRfq	The **MroRfq** collection describes the RFQ being retrieved. This collection will be repeated for each RFQ being retrieved. It is comprised of the following field and collections, which are described below: • Attachments • CloseDate • Comments • ContactInfo • CreateDate • DeliverByDate • EntryCode • Priority • QuoteWithinDays • ReferenceNumber • RequestedItems • RequestedMroItems • RfqId • Status • ViewedIndicator
Attachments	The **Attachments** is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachments are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
CloseDate	You will not be allowed to send Quotes after the RFQ's Close Date.
Comments	The Comments field is for general comments from the Buyer regarding the RFQ. Up to 255 alpha-numeric characters
ContactInfo	This collection is comprised of the following collections, which are described below: • rfqRecipient • rfqSender
rfqRecipient	This collection will be NULL for the Supplier RFQ retrieval services.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
rfqSender	This collection is comprised of the following collections, which are described below: • CompanyName • IlsContact
CompanyName	Up to 100 alpha-numeric characters
IlsContact	The **IlsContact** collection describes the rfqSender's contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields are collections, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
CreateDate	
DeliverByDate	
EntryCode	A random combination of letters and numbers used to access the quote.ilsmart.com website. Up to 14 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Priority	This collection is comprised of the following fields, which are described below: • Code • Name
Code	An abbreviation that corresponds to the Priority Name. Valid values are: • **AOG** = Aircraft on Ground • **CRI** = Critical • **EXP** = Expedite • **ROU** = Routine
Name	An abbreviation that corresponds to the Priority Code. Valid values are: • Aircraft On Ground • Critical • Expedite • Routine
QuoteWithinDays	The number of days in which the Supplier has to send a Quote before the RFQ closes. Quotes cannot be sent for closed RFQs. Valid value is a positive integer.
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may **NOT** be unique. Up to 30 alpha-numeric characters
RequestedItems	This collection will be NULL for MRO RFQ and Quote services.
RequestedMroItems	The **RequestedMroItems** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • Items
Items	The **Items** collection describes the part(s) the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • MroRfqRequestedPart
MroRfqRequestedPart	The **MroRfqRequestedPart** collection describes the part the RFQ Sender is requesting. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Description • ItemId • ItemNumber • Model • PartNumber • Quantity • ServiceCode • SupplierListings

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Description	The part description as entered by the Buyer on the RFQ. Up to 50 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemNumber	This field will be NULL for MRO RFQ and Quote services.
Model	Up to 20 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
Quantity	This field will be NULL for MRO RFQ and Quote services.
ServiceCode	Valid values are: • **OH** = Overhaul • **RP** = Repair • **BC** = Bench Check • **EX** = Exchange
SupplierListings	The **SupplierListings** collection describes the search results seen by the Buyer. It is comprised of the following collections, which are described below: • SupplierPartListing
SupplierPartListing	The **SupplierPartListing** collection describes the search results seen by the Buyer. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • PartListings • SupplierId
SupplierId	4 alpha-numeric characters
PartListings	The **PartListings** collection contains the search results seen by the Buyer. This collection may be comprised of the following fields, which are described below: • PartListing
PartListing	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • AltQuantity • ConditionCode • Description • ItemSupplierPartId • Maker • Model • PartNumber • Quantity • TraceabilityCode
AltPartNumber	Up to 20 alpha-numeric characters
AltQuantity	This field will be NULL for MRO RFQ and Quote services.
ConditionCode	This field will be NULL for MRO RFQ and Quote services.
Description	Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
Maker	This field applies to Marine inventory listings only.
Model	This field applies to Marine inventory listings only.
PartNumber	Up to 20 alpha-numeric characters
Quantity	This field will be NULL for MRO RFQ and Quote services.
TraceabilityCode	This field will be NULL for MRO RFQ and Quote services.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

SendMroQuotes

The **SendMroQuotes** operation sends a quote in reply to MRO Request for Quotes (RFQs) received on ILSmart. This web service is used in conjunction with the **GetNewMroRfqsReceived** and/or the **GetMroRfqsReceivedByDate** services, which must be called individually.

Please note, ALL items on the RFQ must be either Quoted or No-Quoted; otherwise, a fault will be generated and the request will fail.

The response will return the quote, as sent to the Buyer.

WSDL

https://secure.ilsmart.com/services/v1/soap11

REQUEST

The **SendMroQuotes** request is comprised of the following fields and collections, which are described below.

Field	Required	Description
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
Quotes	Yes	This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • Comments • Quote • RfqId • TermsNConditions • Warranty
Comments		Up to 255 alpha-numeric characters
Quote		This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • QuotedMROInput
QuotedMROInput		This collection **must** be repeated for each **ItemSupplierPartId** on the RFQ to be quoted. It is comprised of the following fields, which are described below: • ItemSupplierPartId • NoQuote • Part The **Part** collection is required if the **NoQuote** indictor is false.

Field	Required	Description
ItemSupplierPartId		A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
NoQuote		Valid values are **true** or **false**. The **Quote** collection will be null if this field is **false**.
Part		This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • AltPartNumber • PartNumber • Services This collection will be null if **NoQuote** is **true**.
AltPartNumber		Up to 20 alpha-numeric characters
PartNumber	Yes	Up to 20 alpha-numeric characters
Services		The **Services** collection describes the specific part you, as the Supplier, are quoting in response to the RFQ. This collection may be repeated multiple times. It is comprised of the following collections, which are described below: • QuotedService You may quote more service codes than the Buyer requested in the RFQ.
QuotedService		This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • CostPlus • Price • ServiceCode • TurnaroundDays This collection will be repeated for each service code being quoted.
CostPlus		This field is only available when quoting **EX** service code. Up to 9 numeric characters
Price	Yes	Up to 9 numeric characters
ServiceCode		Valid values are: • **OH** = Overhaul • **RP** = Repair • **BC** = Bench Check • **EX** = Exchange
TurnaroundDays		Up to 9 numeric characters
RfqId	Yes	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
TermsNConditions		Up to 255 alpha-numeric characters
Warranty		Up to 255 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Required	Description
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **SendMroQuotes** response is comprised of the following fields and collections, which are described

Field	Description
Fault	See Appendix A for information regarding Fault Handling.
MROQuotes	This collection describes the quote(s) the system generated in response to your request. It is comprised of the following collections, which are described below: • MRORfqQuotes
MRORfqQuotes	The collection is comprised of the following fields and collections, which are described below: • Attachments • Comments • Parts • ReferenceNumber • RfqId • Supplier • TermsNConditions • Warranty
Attachments	The **Attachments** collection is comprised of the following collections, which are described below: • Attachment
Attachment	The **Attachment** collection may be repeated multiple times. It is comprised of the following fields, which are described below: • DocumentId • FileName If attachment(s) are available, the web service will return a **DocumentId** for each attachment. This ID may be passed to the **GetRfqAttachedDocuments** web service to retrieve the attachment(s).
DocumentId	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
FileName	Up to 50 alpha-numeric characters
Comments	Up to 255 alpha-numeric characters
Parts	This collection is comprised of the following collections, which are described below: • QuoteRequestedMRO

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Description
QuoteRequestedMRO	This collection describes the part as it was requested by the Buyer, and it may be repeated multiple times. It is comprised of the following fields and collections, which are described below: • AircraftModel • AltPartNumber • Description • ItemId • ItemSupplierPartId • NoQuote • PartNumber • Quote
AircraftModel	Up to 20 alpha-numeric characters
AltPartNumber	Up to 20 alpha-numeric characters
Description	Up to 20 alpha-numeric characters
ItemId	A unique numeric ID assigned by ILS and used when sending Quotes. Valid value is a positive integer.
ItemSupplierPartId	A unique identifier for a specific part from a specific Supplier on a specific RFQ. It uniquely identifies to the ILS systems exactly which part is being quoted. Valid value is a positive integer.
NoQuote	Valid values are **true** or **false**. The **Quote** collection will be null if this field is **false**.
PartNumber	Up to 20 alpha-numeric characters
Quote	This collection describes the part as it was quoted by the Supplier. It is comprised of the following fields and collections, which are described below: • AltPartNumber • PartNumber • Services
AltPartNumber	Up to 20 alpha-numeric characters
Services	This collection is comprised of the following fields and collections, which are described below: • QuotedService
QuotedService	This collection is comprised of the following fields and collections, which are described below: • CostPlus • Price • ServiceCode • TurnaroundDays
CostPlus	This field is only available when quoting **EX** service code. Up to 9 numeric characters
Price	Up to 9 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Description
ServiceCode	Valid values are: • OH = Overhaul • RP = Repair • BC = Bench Check • EX = Exchange
TurnaroundDays	Up to 9 numeric characters
PartNumber	Up to 20 alpha-numeric characters
ReferenceNumber	A number or description entered by the Buyer to identify the RFQ. This field may NOT be unique.
RfqId	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
Supplier	This collection is comprised of the following fields and collections, which are described below: • CompanyAddress • Id • Name • RfqContact
CompanyAddress	This collection is comprised of the following fields and collections, which are described below: • Address1 • Address2 • City • PostalCode • StateProvince
Address1	Up to 100 alpha-numeric characters
Address2	Up to 100 alpha-numeric characters
City	Up to 50 alpha-numeric characters
PostalCode	Up to 10 alpha-numeric characters
StateProvince	Up to 3 alpha characters; US states and Canadian provinces only
Id	4 alpha-numeric characters
Name	Up to 100 alpha-numeric characters
RfqContact	The RfqContact collection describes the Supplier's RFQ Contact information. It is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	A unique id assigned to the contact by ILS. Valid value is a positive integer.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Description
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Title	Up to 50 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber • Extension
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Extension	Up to 7 numeric characters
TermsNConditions	Up to 255 alpha-numeric characters.
Warranty	Up to 255 alpha-numeric characters.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Market Intelligence Services

GetFMVPricing

The **GetFMVPricing** web service has been deprecated and replaced with a REST API. Please refer to our API documentation for further information.

https://rest.ilsmart.com/apidocs/index.html

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartStatsAndPricing

The **GetPartsStatsAndPricing** web service executes the Parts Statistics and Pricing Trends search and returns all of the data returned by the individual Parts Stats Web Services in a single call.

It is highly recommended that the **GetPartStatsAndPricing** service is called instead of calling the individual services if more than one Part Stats dataset is desired.

WSDL

https://secure.ilsmart.com/services/v2/soap11

REQUEST

The **GetPartsStatsAndPricing** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
ExactMatch	Yes	Valid values are **true** or **false**.
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

RESPONSE

The **GetPartsStatsAndPricing** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
InventoryStatsCollection	This collection is comprised of the following collections, which are described below: • InventoryStats

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
InventoryStats	This collection will be repeated 12 times, once for each Activity Month. Parts Stats data is provided for a rolling 12-month period. It is comprised of the following fields, which are described below: • ActivityMonth • ActivityYear • AvailableQuantity • AvailableSources • EndUserCompanies • EndUserInquiries • NonEndUserCompanies • NonEndUserInquiries • PartNumber • QuantityAsRemoved • QuantityNewEquipment • QuantityNewSurplus • QuantityOverhaul • QuantityServiceable
ActivityMonth	2 numeric characters (01-12)
ActivityYear	4 numeric characters
AvailableQuantity	The total quantity of the part available on ILSmart for the provided period. Up to 9 numeric characters
AvailableSources	The number of Suppliers listing the part on ILSmart for the provided period. Up to 9 numeric characters
EndUserCompanies	Represents the number of users from End User Companies who requested the part on ILSmart for the provided period. End User Companies are defined as companies that purchase parts for their own consumption, such as Operators, FBO's, Military, etc. Up to 5 numeric characters
EndUserInquiries	Represents the number of times the part was searched on ILSmart for the provided period by End User Companies. Up to 5 numeric characters
NonEndUserCompanies	Represents the number of users from Non End User Companies who requested the part on ILSmart for the provided period. Non End User Companies are defined as companies that purchase parts for resell, such as Brokers, Distributors, etc. Up to 5 numeric characters
NonEndUserInquiries	Represents the number of times the part was searched on ILSmart for the provided period by Non End User Companies. Up to 5 numeric characters
PartNumber	Up to 20 alpha-numeric characters
QuantityAsRemoved	The quantity of the part listed on ILSmart in As Removed condition for the provided period. Up to 9 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
QuantityNewEquipment	The quantity of the part listed on ILSmart in New condition for the provided period. Up to 9 numeric characters
QuantityNewSurplus	The quantity of the part listed on ILSmart in New Surplus condition for the provided period. Up to 9 numeric characters
QuantityOverhaul	The quantity of the part listed on ILSmart in Overhaul condition for the provided period. Up to 9 numeric characters
QuantityServiceable	The quantity of the part listed on ILSmart in Serviceable condition for the provided period. Up to 9 numeric characters
MROQuoteHistoryCollection	This collection is comprised of the following collections, which are described below: • MROQuoteHistory
MROQuoteHistory	This collection can be up to 10 times. It is comprised of the following fields, which are described below: • CostPlus • Description • PartNumber • QuoteDate • QuotePrice • ServiceCode • TAT
CostPlus	Up to 19 numeric characters
Description	Up to 20 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
QuoteDate	
QuotePrice	Up to 9 numeric characters
ServiceCode	Valid values are: • BC = Bench Check • EX = Exchange • MJR = Major Repair • MNR = Minor Repair • OH = Overhaul • RP = Repair
TAT	Up to 9 numeric characters
OverhaulStatsCollection	This collection is comprised of the following collections, which are described below: • OverhaulStats

Field/Collection	Description
OverhaulStats	This collection will be repeated 12 times, once for each Activity Month. Parts Stats data is provided for a rolling 12-month period. It is comprised of the following fields, which are described below: • ActivityMonth • ActivityYear • AvailableSources • EndUserCompanies • EndUserInquiries • NonEndUserCompanies • NonEndUserInquiries • PartNumber
ActivityMonth	2 numeric characters (01-12)
ActivityYear	4 numeric characters
AvailableSources	The number of Suppliers listing the part on ILSmart for the provided period. Up to 9 numeric characters
EndUserCompanies	Represents the number of users from End User Companies who requested the part on ILSmart for the provided period. End User Companies are defined as companies that purchase parts for their own consumption, such as Operators, FBO's, Military, etc. Up to 5 numeric characters
EndUserInquiries	Represents the number of times the part was searched on ILSmart for the provided period by End User Companies. Up to 5 numeric characters
NonEndUserCompanies	Represents the number of users from Non End User Companies who requested the part on ILSmart for the provided period. Non End User Companies are defined as companies that purchase parts for resell, such as Brokers, Distributors, etc. Up to 5 numeric characters
NonEndUserInquiries	Represents the number of times the part was searched on ILSmart for the provided period by Non End User Companies. Up to 5 numeric characters
PartNumber	Up to 20 alpha-numeric characters
PublishedPricingCollection	This collection is comprised of the following collections, which are described below: • PublishedPricing
PublishedPricing	This collection can be repeated multiple times. It is comprised of the following fields, which are described below: • ConditionCode • Description • ModelUsage • PartNumber • Price • UnitOfMeasure • UpdateDate • VendorMFGName

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
PublishedPricing	The **PublishedPricing** collection returns Manufacturer's published pricing if the data is available for the requested part. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • ConditionCode • Description • ModelUsage • PartNumber • Price • UnitOfMeasure • UpdateDate • VendorMFGName
ConditionCode	Valid field values are: • **CO** = Core • **EX** = Exchange • **IN** = Inspected & Certified • **NE** = New • **NO** = New Outright • **NX** = New Exchange • **OH** = Overhauled • **OO** = Overhauled Outright • **OX** = Overhauled Exchange • **RB** = Rebuilt • **RE** = Rebuilt Exchange • **RM** = Remanufactured Exchange • **RN** = Rental • **RO** = Rebuilt Outright • **RP** = Repaired • **RU** = Repaired Outright • **RX** = Repaired Exchange • **SV** = Serviceable
Description	Up to 34 alpha-numeric characters
ModelUsage	Up to 69 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
Price	Up to 9 numeric characters
UnitofMeasure	Up to 3 alpha-numeric characters
UpdateDate	
VendorMFGName	Up to 20 alpha-numeric characters
QuoteHistoryCollection	This collection is comprised of the following collections, which are described below: • QuoteHistory

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
QuoteHistory	This collection may be repeated up to 10 times. It is comprised of the following fields, which are described below: • ConditionCode • Description • PartNumber • Quantity • QuoteDate • QuotePrice • UnitofMeasure
ConditionCode	Valid field values are: • NE = New • NS = New Surplus • OH = Overhauled • SV = Serviceable • AR = As Removed
Description	Up to 20 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
QuoteDate	
QuotePrice	Up to 9 numeric characters
UnitofMeasure	Up to 2 alpha-numeric characters
RetailPricing	The collection is comprised of the following fields, which are described below: • Description • Manufacturer • PartNumber • Price • TechChar • UOM • UpdateDate The collection may be repeated multiple times.
Description	Up to 4,000 alpha-numeric characters
Manufacturer	Up to 500 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
Price	
TechChar	Up to 4,000 alpha-numeric characters
UOM	Up to 20 alpha-numeric characters
UpdateDate	

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartInventoryStats

The **GetPartInventoryStats** web service executes the Parts Statistics and Pricing Trends search and returns Parts Availability supply and demand information for a single part number.

It is highly recommended that the **GetPartStatsAndPricing** service is called instead of calling the individual services if more than one Part Stats dataset is desired.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetPartInventoryStats** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
ExactMatch	Yes	Valid values are **true** or **false**.
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPartInventoryStats** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
InventoryStatsCollection	This collection is comprised of the following collections, which are described below: • InventoryStats

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
InventoryStats	This collection will be repeated 12 times, once for each Activity Month. Parts Stats data is provided for a rolling 12-month period. It is comprised of the following fields, which are described below: • ActivityMonth • ActivityYear • AvailableQuantity • AvailableSources • EndUserCompanies • EndUserInquiries • NonEndUserCompanies • NonEndUserInquiries • PartNumber • QuantityAsRemoved • QuantityNewEquipment • QuantityNewSurplus • QuantityOverhaul • QuantityServiceable
ActivityMonth	2 numeric characters (01-12)
ActivityYear	4 numeric characters
AvailableQuantity	The total quantity of the part available on ILSmart for the provided period. Up to 9 numeric characters
AvailableSources	The number of Suppliers listing the part on ILSmart for the provided period. Up to 9 numeric characters
EndUserCompanies	Represents the number of users from End User Companies who requested the part on ILSmart for the provided period. End User Companies are defined as companies that purchase parts for their own consumption, such as Operators, FBO's, Military, etc. Up to 5 numeric characters
EndUserInquiries	Represents the number of times the part was searched on ILSmart for the provided period by End User Companies. Up to 5 numeric characters
NonEndUserCompanies	Represents the number of users from Non End User Companies who requested the part on ILSmart for the provided period. Non End User Companies are defined as companies that purchase parts for resell, such as Brokers, Distributors, etc. Up to 5 numeric characters
NonEndUserInquiries	Represents the number of times the part was searched on ILSmart for the provided period by Non End User Companies. Up to 5 numeric characters
PartNumber	Up to 20 alpha-numeric characters
QuantityAsRemoved	The quantity of the part listed on ILSmart in As Removed condition for the provided period. Up to 9 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
QuantityNewEquipment	The quantity of the part listed on ILSmart in New condition for the provided period. Up to 9 numeric characters
QuantityNewSurplus	The quantity of the part listed on ILSmart in New Surplus condition for the provided period. Up to 9 numeric characters
QuantityOverhaul	The quantity of the part listed on ILSmart in Overhaul condition for the provided period. Up to 9 numeric characters
QuantityServiceable	The quantity of the part listed on ILSmart in Serviceable condition for the provided period. Up to 9 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartOverhaulStats

The **GetPartOverhaulStats** web service executes the Parts Statistics and Pricing Trends search and returns MRO Capabilities supply and demand information for a single part number.

It is highly recommended that the **GetPartStatsAndPricing** service is called instead of calling the individual services if more than one Part Stats dataset is desired.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetPartOverhaulStats** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
ExactMatch	Yes	Valid values are **true** or **false**.
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPartOverhaulStats** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
InventoryStatsCollection	This collection is comprised of the following collections, which are described below: • InventoryStats
ActivityMonth	2 numeric characters (01-12)
ActivityYear	4 numeric characters
AvailableQuantity	The total quantity of the part available on ILSmart for the provided period. Up to 9 numeric characters
AvailableSources	The number of Suppliers listing the part on ILSmart for the provided period. Up to 9 numeric characters
PartNumber	Up to 20 alpha-numeric characters
OverhaulStatsCollection	This collection is comprised of the following collections, which are described below: • OverhaulStats

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
OverhaulStats	This collection will be repeated 12 times, once for each Activity Month. Parts Stats data is provided for a rolling 12-month period. It is comprised of the following fields, which are described below: • ActivityMonth • ActivityYear • AvailableSources • EndUserCompanies • EndUserInquiries • NonEndUserCompanies • NonEndUserInquiries • PartNumber
ActivityMonth	2 numeric characters (01-12)
ActivityYear	4 numeric characters
AvailableSources	The number of Suppliers listing the part on ILSmart for the provided period. Up to 9 numeric characters
EndUserCompanies	Represents the number of users from End User Companies who requested the part on ILSmart for the provided period. End User Companies are defined as companies that purchase parts for their own consumption, such as Operators, FBO's, Military, etc. Up to 5 numeric characters
EndUserInquiries	Represents the number of times the part was searched on ILSmart for the provided period by End User Companies. Up to 5 numeric characters
NonEndUserCompanies	Represents the number of users from Non End User Companies who requested the part on ILSmart for the provided period. Non End User Companies are defined as companies that purchase parts for resell, such as Brokers, Distributors, etc. Up to 5 numeric characters
NonEndUserInquiries	Represents the number of times the part was searched on ILSmart for the provided period by Non End User Companies. Up to 5 numeric characters
PartNumber	Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartQuoteHistory

The **GetPartQuoteHistory** web service executes the Parts Statistics and Pricing Trends search and returns up to the ten (10) most recent ILS Parts Availability quotes for a single part number.

It is highly recommended that the **GetPartStatsAndPricing** service is called instead of calling the individual services if more than one Part Stats dataset is desired.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetPartQuoteHistory** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
ExactMatch	Yes	Valid values are **true** or **false**.
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPartQuoteHistory** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
QuoteHistoryCollection	This collection is comprised of the following collections, which are described below: • QuoteHistory
QuoteHistory	This collection may be repeated up to 10 times. It is comprised of the following fields, which are described below: • ConditionCode • Description • PartNumber • Quantity • QuoteDate • QuotePrice • UnitofMeasure

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
ConditionCode	Valid field values are: • NE = New • NS = New Surplus • OH = Overhauled • SV = Serviceable • AR = As Removed
Description	Up to 20 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
Quantity	Up to 5 numeric characters
QuoteDate	
QuotePrice	Up to 9 numeric characters
UnitofMeasure	Up to 2 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetMROQuoteHistory

The **GetMROQuoteHistory** web service executes the Parts Statistics and Pricing Trends search and returns up to the ten (10) most recent ILS MRO Capabilities quotes for a single part number.

It is highly recommended that the **GetPartStatsAndPricing** service is called instead of calling the individual services if more than one Part Stats dataset is desired.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetMROQuoteHistory** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
ExactMatch	Yes	Valid values are **true** or **false**.
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetMROQuoteHistory** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
MROQuoteHistoryCollection	This collection is comprised of the following collections, which are described below: • MROQuoteHistory
MROQuoteHistory	This collection can be up to 10 times. It is comprised of the following fields, which are described below: • CostPlus • Description • PartNumber • QuoteDate • QuotePrice • ServiceCode • TAT
CostPlus	Up to 19 numeric characters
Description	Up to 20 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
QuoteDate	

Field/Collection	Description
QuotePrice	Up to 9 numeric characters
ServiceCode	Valid values are: • BC = Bench Check • EX = Exchange • MJR = Major Repair • MNR = Minor Repair • OH = Overhaul • RP = Repair
TAT	Up to 9 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartPublishedPricing

The **GetPartPublishedPricing** web service executes the Parts Statistics and Pricing Trends search and returns the manufacturers' published pricing information for a single part number.

It is highly recommended that the **GetPartStatsAndPricing** service is called instead of calling the individual services if more than one Part Stats dataset is desired.

WSDL

https://secure.ilsmart.com/services/v1/soap11

REQUEST

The **GetPartPublishedPricing** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
ExactMatch	Yes	Valid values are **true** or **false**.
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

RESPONSE

The **GetPartPublishedPricing** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
PublishedPricingCollection	This collection is comprised of the following collections, which are described below: • PublishedPricing
PublishedPricing	This collection can be repeated multiple times. It is comprised of the following fields, which are described below: • ConditionCode • Description • ModelUsage • PartNumber • Price • UnitOfMeasure • UpdateDate • VendorMFGName

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
PublishedPricing	The **PublishedPricing** collection returns Manufacturer's published pricing if the data is available for the requested part. This collection may be repeated multiple times. It is comprised of the following fields, which are described below: • ConditionCode • Description • ModelUsage • PartNumber • Price • UnitOfMeasure • UpdateDate • VendorMFGName
ConditionCode	Valid field values are: • **CO** = Core • **EX** = Exchange • **IN** = Inspected & Certified • **NE** = New • **NO** = New Outright • **NX** = New Exchange • **OH** = Overhauled • **OO** = Overhauled Outright • **OX** = Overhauled Exchange • **RB** = Rebuilt • **RE** = Rebuilt Exchange • **RM** = Remanufactured Exchange • **RN** = Rental • **RO** = Rebuilt Outright • **RP** = Repaired • **RU** = Repaired Outright • **RX** = Repaired Exchange • **SV** = Serviceable
Description	Up to 34 alpha-numeric characters
ModelUsage	Up to 69 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
Price	Up to 9 numeric characters
UnitofMeasure	Up to 3 alpha-numeric characters
UpdateDate	
VendorMFGName	Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetRetailPricing

The **GetRetailPricing** web service executes a Parts Statistics and Pricing Trends search and returns the manufacturers' retail pricing information for a single part number.

It is highly recommended that the **GetPartStatsAndPricing** service is called instead of calling the individual services if more than one Part Stats dataset is desired.

WSDL

https://secure.ilsmart.com/services/v1/soap11

REQUEST

The **GetRetailPricing** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
ExactMatch	Yes	Valid values are **true** or **false**.
PartNumber	Yes	Up to 20 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

RESPONSE

The **GetRetailPricing** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
RetailPricing	The collection is comprised of the following fields, which are described below: • Description • Manufacturer • PartNumber • Price • TechChar • UOM • UpdateDate The collection may be repeated multiple times.
Description	Up to 4,000 alpha-numeric characters
Manufacturer	Up to 500 alpha-numeric characters
PartNumber	Up to 20 alpha-numeric characters
Price	
TechChar	Up to 4,000 alpha-numeric characters
UOM	Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
UpdateDate	

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

CreatePartsWatchList

The **CreatePartsWatchList** web service allows Subscribers to submit a list of part numbers to ILSmart to monitor additions, deletions and quantity changes for the selected part(s).

Up to 5,000 part numbers may be added to your Parts Watch list. In addition, you must specify your Parts Watch Report options on ILSmart in your Preferences.

You must provide complete part numbers only. Wildcards will not be recognized.

WSDL

https://secure.ilsmart.com/webservices/marketplace/inventory/marketplace.inventory.part.wsdl

REQUEST

The **CreatePartsWatchList** request is comprised of the following fields and collections, which are described below.

Field/Collection	Required	Description
PartList	Yes	The collection is comprised of the following fields, which are described below: • Part Number
PartNumber	Yes	Up to 20 alpha-numeric characters May add up to 5,000 part numbers to your Parts Watch list.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

RESPONSE

The **CreatePartsWatchList** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
PartList	The **PartList** collection describes the parts, as added. It is comprised of the following fields, which are described below: • PartsWatchPart
PartsWatchPart	The **PartsWatchPart** collection is comprised of the following fields, which are described below: • PartNumber • DateAdded • StrippedPartNumber

Field/Collection	Description
PartNumber	The part number, as provided in the **CreatePartsWatchList** request. Up to 20 alpha-numeric characters
DateAdded	Date Added
StrippedPartNumber	All special characters are removed from the part number Up to 20 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetPartsWatchReport

The **GetPartsWatchReport** web service allows Subscribers to receive the search results for the part numbers submitted via the **CreatePartsWatchList** web service. Due to the amount of data potentially returned, this service returns its response as a stream and should be handled as such in order to avoid encountering memory constraints on your systems.

WSDL

https://secure.ilsmart.com/webservices/_2010/_06/_01/streaming/report/partswatchreport.wsdl

Request

The **GetPartsWatchReport** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
Period	Yes	Specifies the period for which data will be retrieved. Valid values are: • **1** = Rolling 24-hour period • **30** = Previous 30 days
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPartsWatchReport** response is comprised of the following fields, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Parts	The **PartList** collection describes the part numbers you wish to monitor via Parts Watch. It is comprised of the following properties which are described below: • sid • sn • av • gav • sc • sp • sf • pn • apn • d • q • c • ut • ud

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
sid	Supplier's Company ID 4 alpha-numeric characters
sn	Supplier's Company Name Up to 100 alpha-numeric characters
av	Accredited Vendor Level indicator The Accredited Vendor Level (AVP) indicator denotes Suppliers who participate in the ILS Accredited Vendor Program. AVP Suppliers must meet certain requirements to qualify for the program. Valid field values are: • P = Platinum • G = Gold • S = Silver
gav	Government Accredited Vendor Level indicator The Accredited Vendor Level (AVP) indicator denotes Suppliers who participate in the ILS Accredited Vendor Program. AVP Suppliers must meet certain requirements to qualify for the program. Valid field values are: • P = Platinum • G = Gold • S = Silver
sc	Additional Info Additional information from the Supplier that is typically displayed below the Company's name on the Parts Availability search results. Up to 60 alpha-numeric characters
sp	Supplier's Phone Number Up to 30 numeric characters
sf	Supplier's Fax Number Up to 30 numeric characters
pn	Part Number Up to 20 alpha-numeric characters
apn	Alternate Part Number Up to 20 alpha-numeric characters
d	Description Up to 20 alpha-numeric characters
q	Quantity Up to 5 numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
c	Condition Code Valid field values are: • NE = New • NS = New Surplus • OH = Overhauled • SV = Serviceable • AR = As Removed
ut	Update Type Valid values are: • A = Added Inventory • D = Deleted Inventory • Q = Quantity Changes
ud	Update Date/Time

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Miscellaneous Services

GetPreferredVendorGroups

The **GetPreferredVendorGroups** operation retrieves the Preferred Vendor Group(s) for a specific ILSmart user. Suppliers added to your Preferred Vendor Group(s) appear at the top of the search results on ILSmart. They are indicated in the search results by the letter P to the left of the Supplier's Company Name on ILSmart.com.

This web service is used in conjunction with the **SendQuickRfq** web service. When a Preferred Vendor Group is specified in the **SendQuickRfq** web service request, the RFQs created will only be sent to the Suppliers included in that group.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetPreferredVendorGroups** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetPreferredVendorGroups** response is comprised of the following fields, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
PvgId	Integer between -1 and 999999999
PvgName	Up to 25 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetRFQAttachedDocuments

The **GetRfqAttachedDocuments** web services retrieves document(s) that are attached to parts Request for Quotes (RFQs) received on ILSmart. This web service can be used in conjunction with any of the RFQ retrieval web services.

WSDL

https://secure.ilsmart.com/services/v1/soap11

Request

The **GetRfqAttachedDocuments** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
DocumentId	Yes	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer.
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
RfqId	Yes	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetRfqAttachedDocuments** response is comprised of the following fields and collections, which are described below.

Field/Collection	Description
Fault	See Appendix A for information regarding Fault Handling.
Document	This collection is comprised of the following fields and collections, which are described below. • Document
Document	This collection is comprised of the following fields and collections, which are described below. • Content • Id • Name • Type
Content	
Id	A unique ID assigned to each document attached to the RFQ. Valid value is a positive integer

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field/Collection	Description
Name	Up to 50 alpha-numeric characters
Type	

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

GetRfqCompanyInformation

The **GetRfqCompanyInformation** operation retrieves the contact information for a specified ILSmart customer ID associated with a specified RFQ. It can only be called by the Supplier or Buyer listed on the specified RFQ.

This web service can be used in conjunction with any of the RFQ and Quote services.

WSDL

https://secure.ilsmart.com/services/v2/soap11

Request

The **GetRfqCompanyInformation** request is comprised of the following fields, which are described below.

Field/Collection	Required	Description
CompanyId	Yes	May be the Supplier or the Buyer. 4 alpha-numeric characters
Password	Yes	Must be between 6 and 20 characters. ILSmart passwords are case-sensitive.
RfqId	Yes	A unique ID assigned by ILS to the RFQ for identification purposes. Valid value is a positive integer.
UserId	Yes	Up to 10 alpha-numeric characters ending in U01.

Response

The **GetRfqCompanyInformation** response is comprised of the following fields and collections, which are described below.

Field	Description
Fault	See Appendix A for information regarding Fault Handling.
RfqCompany	This collection is comprised of the following fields and collections, which are described below. • AccreditedVendorLevel • AdditionalInfo • CompanyAddress • Id • MroRfqContact • Name • PartsRfqContact • SalesContact • SupplierCAGE

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Description
AccreditedVendorLevel	The Accredited Vendor Level (AVP) indicator denotes Suppliers who participate in the ILS Accredited Vendor Program. AVP Suppliers must meet certain requirements to qualify for the program. Valid values are: • AVP = Platinum • AVG = Gold • AVS = Silver
AdditionalInfo	Additional information from the Supplier that is typically displayed below the Company's name on the Parts Availability search results. Up to 60 alpha-numeric characters
CompanyAddress	This collection is comprised of the following fields, which are described below: • Address1 • Address2 • City • Country • PostalCode • StateProvince
Address1	Up to 100 alpha-numeric characters
Address2	Up to 100 alpha-numeric characters
City	Up to 50 alpha-numeric characters
Country	Up to 50 alpha characters
PostalCode	Up to 10 alpha-numeric characters
StateProvince	Up to 3 alpha characters; US states and Canadian provinces only
Id	The ILSmart ID assigned to the company for which to retrieve the contact information. 4 alpha-numeric characters
MroRfqContact	This collection is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	The Contact ID is a unique id assigned to the **MroRfqContact** by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Field	Description
Fax	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
PartsRfqContact	This collection is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	The Contact ID is a unique id assigned to the **PartsRfqContact** by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters

Field	Description
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
SalesContact	This collection is comprised of the following fields and collections, which are described below: • CompanyId • ContactId • Email • Fax • Name • Phone • Title
CompanyId	4 alpha-numeric characters
ContactId	The Contact ID is a unique id assigned to the **SalesContact** by ILS. Valid value is a positive integer.
Email	Up to 100 alpha-numeric characters
Fax	This collection is comprised of the following fields, which are described below: • CountryCallingCode • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
PhoneNumber	Up to 30 numeric characters
Name	Up to 200 alpha-numeric characters
Phone	This collection is comprised of the following fields, which are described below: • CountryCallingCode • Extension • PhoneNumber
CountryCallingCode	Up to 5 numeric characters
Extension	Up to 7 numeric characters
PhoneNumber	Up to 30 numeric characters
Title	Up to 50 alpha-numeric characters
SupplierCAGE	Supplier's Commercial and Government Entity (CAGE) Code 5 alpha-numeric characters

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Appendix A: Fault Handling

Response Faults

Each service has two properties on its response type:

- A collection containing the expected return value for that service, and
- A faults collection.

The faults collection will be empty if no errors occur during the processing of a request. If any errors occur, there will be at least one (1) fault in the faults collection. There may also be results in the expected return value, depending on the nature and severity of the fault(s).

Fault Properties

Every fault has the following properties. Fields marked with an asterisk (*) will always contain a value.

Fault	Description
Name*	A predictable, machine-readable value indicating the nature or "type" of the fault.
Severity*	A predictable, machine-readable value indicating the severity of the fault. Currently, Severity will contain either **Fatal** or **Warning**. A **Fatal** fault is one that completely prevents the processing of the request. A **Warning** fault is one that allows partial processing of the request to continue.
Message*	A human-readable value explaining the nature of a specific fault occurrence.
SubType	A predictable, machine-readable value that, when populated, provides further information regarding the nature of the fault.
AdditionalInfo	An optional collection of key-value pairs that, when populated, provides additional details about the specific fault occurrence.

Fault Types

The following fault types exist. Further fault types may be added as new services are added or business/technical requirements dictate.

Fault Name	Severity	Description
TechnicalDifficulties	Usually **Fatal**	A catch-all fault type to represent unexpected error conditions.
AuthenticationFailure	**Fatal**	The user identity credentials passed to the service were not recognized.
AuthorizationFailure	Usually **Fatal**	The user does not have permission to call the service.
InvalidFieldValue	**Fatal**	A value in the request was not valid. There are multiple subtypes of InvalidFieldValue faults. Please see below for additional information.
EntityNotFound	**Fatal**	The user requested a business entity that does not exist. For example, a **GetRfq** request must specify the RFQ ID of a specific RFQ to retrieve. If there is no RFQ with that RFQ ID, an EntityNotFound fault will be returned.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

Fault Name	Severity	Description
EntityAccessDenied	Fatal	The user requested access to a business entity they do not have access to. For example, an EntityAccessDenied fault will be returned if a user calls the **GetRfq** service and specifies the RFQ ID of an RFQ on which they are neither the Buyer nor the Supplier.
GovernmentFileAccessDenied	Warning	The user requested access to a government data file they do not have access to. The specific file(s) will be identified in the fault's AdditionalInfo field. Please note, if access is denied to all files requested, the response will return no results, as if it were Fatal.

INVALIDFIELDVALUE Faults

Each request to a service goes through a validation process to ensure that all of the values required in order to process the request are present and contain recognizable data of the appropriate types. An InvalidFieldValue fault will be returned for each field that contains an invalid value. Each fault will identify the field it references and provide details on why that field is invalid. Every InvalidFieldValue fault will include a SubType value that indicates the type of validation error.

InvalidFieldValue faults are always Fatal.

For example, an UnrecognizedValue fault (one of the SubTypes) might look like the following:

Name: "InvalidFieldValue"

SubType: "UnrecognizedValue"

Severity: "Fatal"

Message: "AviationPartInput.CondiitonCode must contain one of the following values: NE, NS, OH, AR, SV. Value provided: 'XYZ'"

AdditionalInfo: [empty]

The following SubTypes currently exist. Additional SubTypes may be added as business and technical requirements dictate.

SubType	Description
Null	No value was provided in a field where a value was expected.
LengthGreaterThan	A string value provided was longer than the maximum allowed length. The message will include the maximum length allowed for that field.
LengthLessThan	A string value provided was shorter than the minimum allowed length. The message will include the minimum length allowed for that field.
LengthNotEqualTo	A string value of an exact length was expected, but the value provided was of some other length. The message will include the expected length for that field.

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved

SubType	Description
InvalidCharacter	A string value contained one (1) or more characters not allowed in that field. The message will identify the disallowed character(s).
PatternMismatch	A string conforming to a specific pattern was expected, but the field contained a value outside that set. The message will include a regular expression (in .NET dialect) identifying the expected pattern.
UnrecognizedValue	One of a set of values was expected, but the field contained a value outside that set. The message will include the list of expected values.
NotNumeric	A numeric value was expected, but the field contained a non-numeric value.
GreaterThan	A numeric value provided was greater than the maximum allowed value. The message will include the maximum allowed value.
LessThan	A numeric value provided was less than the minimum allowed value. The message will include the minimum allowed value.
InvalidDateTime	A date or date-time field contained a value outside the expected limits. For example, an InvalidDateTime validation fault will be returned if GetRfqsByDate is called with a future date.
CollectionLongerThan	A collection of values contained more values than the maximum allowed length. The message will include the maximum length allowed for that collection.
CollectionShorterThan	A collection of values contained fewer values than the minimum allowed length. The message will include the minimum length allowed for that collection.
BusinessRule	One or more ILS business rules were violated by the identified field. A BusinessRule validation fault will always identify each individual problem with the field in its AdditionalInfo collection.

Canonical Values

The following sets of values, as enumerated above, are considered canonical, meaning the enumerated values will not be changed or removed without extended prior notice. Please note, however, that values might be added to any of these sets at any time, with notification.

- Fault Properties
- Fault Names
- Fault Severities
- Fault SubTypes

© Copyright 2025 Inventory Locator Service, ® LLC All Rights Reserved