





ISOMETRIC VIEW

NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. BRICK $12 \times 6 \times 4.08809$; FILL 7.62 DEEP (RATIO 1.87).
5. SHOWN COMPRESSED AND LOCKED. HANDLE SHOWN BROKEN, FULL LENGTH 48 .
6. SEE SHEET 4 FOR OPERATION, LOADS AND STRENGTH CHECKS.
7. STEEL WEIGHT ABOUT 185 LB.

42	2	Upper Insert	1/2" aluminium, plastic or wood	0.1	OSRL-12x6x4-42
41	2	Hinge Pin	3/8" round x 5/8	0.0	OSRL-12x6x4-41
40	2	Counterweight Pin	1/2" round x 2	0.1	OSRL-12x6x4-40
39	2	Counterweight	3-1/2" round x 1-3/8	3.7	OSRL-12x6x4-39
38	2	Counterweight Arm	1/8 plate	0.5	OSRL-12x6x4-38
37	2	Lid Rail	1/4 plate	1.5	OSRL-12x6x4-37
36	1	Lid	3/16 plate 6-1/2 x 13	4.5	OSRL-12x6x4-36
35	1	Latch Handle	1/4" CRS, bent U	0.1	OSRL-12x6x4-35
34	1	Latch Pivot	1/4" CRS x 2-1/2	0.0	OSRL-12x6x4-34
33	1	Latch Hook	1/8 plate 2-1/16 x 2-3/4	0.2	OSRL-12x6x4-33
32	2	Latch Body	1/8 x 1-1/2 plate x 5-1/4	0.2	OSRL-12x6x4-32
31	1	Lever	1-1/4" sch 40 pipe x 48	9.1	OSRL-12x6x4-31
30	2	Toggle Follower	2" CRS x 1-1/4	0.8	OSRL-12x6x4-30
29	1	Follower Axle	1" CRS x 6	1.3	OSRL-12x6x4-29
28	1	Toggle Axle	1" CRS x 3-1/2	0.8	OSRL-12x6x4-28
27	2	Lower Toggle	3/8 x 2-1/2 plate x 5-3/8	1.1	OSRL-12x6x4-27
26	1	Toggle Body	2" sq x 3/16 tube x 9	3.4	OSRL-12x6x4-26
25	2	Pivot Mount	3/8 x 2-1/2 plate x 5-1/4	1.2	OSRL-12x6x4-25
24	2	Head Side	3/8 x 2-1/2 plate x 4	1.0	OSRL-12x6x4-24
23	2	Head Body	3/8 x 2-1/2 plate x 7-1/2	2.0	OSRL-12x6x4-23
22	2	Yoke Arm	3/8 x 2-1/2 plate x 26-3/4	6.9	OSRL-12x6x4-22
21	1	Lower Insert	1/2" aluminium, plastic or wood	1.0	OSRL-12x6x4-21
20	2	Pin Spacer	1-3/8" OD x 1" bore	0.2	OSRL-12x6x4-20
19	1	Piston Pin	1" CRS x 9-1/4	2.0	OSRL-12x6x4-19
18	1	Pivot Tube	1" sch 40 pipe x 5-7/8	0.8	OSRL-12x6x4-18
17	2	Piston Side	1/4 x 6 plate	3.3	OSRL-12x6x4-17
16	2	Piston Guide	2-1/2" sch 40 pipe x 6	2.9	OSRL-12x6x4-16
15	2	Plate Stiffener	1/4 x 1 plate x 10	0.7	OSRL-12x6x4-15
14	1	Piston Top Plate	1/4 plate	4.4	OSRL-12x6x4-14
13	2	Mounting Tab	5/16 x 2 plate x 6	1.0	OSRL-12x6x4-13
12	2	Outrigger	C3x6 x 18	8.9	OSRL-12x6x4-12
11	2	Eject Roller	2" CRS x 1-3/4	1.3	OSRL-12x6x4-11
10	1	Eject Axle	3/4" CRS x 10	1.3	OSRL-12x6x4-10
9	2	Rod Bottom	3/8 plate dia 2-1/16	0.3	OSRL-12x6x4-09
8	2	Rod Top	1/4 plate dia 2-1/16	0.2	OSRL-12x6x4-08
7	2	Guide Rod	2" sch 40 pipe x 18	5.5	OSRL-12x6x4-07
6	2	Lid Hinge	1/8 x 1-1/2 plate	0.1	OSRL-12x6x4-06
5	4	Outrigger Mount	C3x6 x 4-1/2	2.2	OSRL-12x6x4-05
4	1	Base Plate	1/4 x 6 plate x 16-3/8	6.9	OSRL-12x6x4-04
3	2	Side Plate	1/4 x 8 plate x 13	7.4	OSRL-12x6x4-03
2	1	Rear Channel	C6x13 x 18	19.3	OSRL-12x6x4-02
1	1	Front Channel	C6x13 x 18	19.2	OSRL-12x6x4-01
Item	Qty	Title	Stock	lb ea	Drawing no.

Material See parts list		Qty 1	Scale 1:10	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Assembly drawing	
Legal owner J. Clements III CEB Project		Title OSRL CEB Press General assembly, 12x6x4 brick		Identification number OSRL-12x6x4-00	Sheet 1/46
		Rev A	Date of issue 2026-10-03		




NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. BRICK 12 X 6 X 4.08809; FILL 7.62 DEEP (RATIO 1.87).
5. SHOWN COMPRESSED AND LOCKED. HANDLE SHOWN BROKEN, FULL LENGTH 48.
6. SEE SHEET 4 FOR OPERATION, LOADS AND STRENGTH CHECKS.

Material See parts list		Qty 1	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Assembly drawing	Status Draft
Legal owner J. Clements III CEB Project		Title OSRL CEB Press Assembly views, 12x6x4 brick			Identification number OSRL-12x6x4-00
		Rev A	Date of issue 2026-10-03		Sheet 2/46


2 START OF COMPRESSION

yoke -16.7 deg, handle -16.7 deg, piston -7.588




1 FILL

yoke -38.3 deg, handle -38.3 deg, piston -7.625




4 EJECT

yoke -88.5 deg, handle -88.5 deg, piston +0.062



3 COMPRESSED AND LOCKED

yoke -8.3 deg, handle 90.0 deg, piston -4.088



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. POSITIONS COMPUTED FROM THE LINKAGE; ALL FOUR AND THE MOTIONS BETWEEN THEM WERE CHECKED FOR CLEARANCE.
5. YOKE TILT = ARM TILT FROM VERTICAL, + TOWARD THE REAR CHANNEL; LEVER = LEVER ANGLE FROM VERTICAL, + TOWARD THE REAR; PISTON = PISTON FACE (LOWER INSERT) RELATIVE TO THE MOLD TOP.

Material	Qty	Scale	Units	Projection
-	1	1:20	inch	
Created by	Approved by	Document type	Status	
J. Clements III	-	Assembly drawing	Draft	
Legal owner	Title		Identification number	Sheet
J. Clements III CEB Project	OSRL CEB Press Operating positions, 12x6x4 brick		OSRL-12x6x4-00	3/46
Rev	Date of issue			
A	2026-10-03			

PRESS DATA

Block (pressed)	12 x 6 x 4.09 in, two 2-3/8 cores, 63.1 sq in
Yoke hole	4: block 7.06, 6.07, 5.08, 4.09, 3.10 in for holes 1..5
Loose fill depth	7.625 in, ratio 1.87; mold top 21 in above the ground
Working pressure	200 psi = 12,628 lbf on the piston
Design (overfill) load	300 psi = 18,942 lbf, all parts checked
Toggle	follower 2.875 from the axle; lever -16.7 to 90 deg; piston +3.500 in
Peak push on lever	150 / 199 / 249 lbf at 150 / 200 / 250 psi (48 in lever); their 80 lbf = 80 psi
Ejection	piston rises 7.688 in; yoke tilts 38 to 89 deg forward; about 85 lbf on the lever
Weight	about 185 lb (their 205 lb)


OPERATION

1. Start: lever latched along the yoke, yoke resting on the eject rollers, piston on the bottom, lid open (it rests on its counterweights against the front channel).
2. Oil the mold. Fill with loose mix to the top, press it into the corners, strike off level. Close the lid.
3. Lift the lever (and yoke with it) toward upright: the followers roll up the rail slopes and drop into the scoops with the piston still on the bottom.
4. Press the latch handle down to lift the hook. Pull the lever over to horizontal toward the rear channel (two or three firm pushes). It must reach horizontal, or the block comes out thick.
5. Raise the lever back to upright (the piston drops away from the block); let the latch drop over the head.
6. Tilt lever and yoke forward onto the eject rollers. Open the lid. Push the lever down steadily to raise the block clear; lift it off by its ends.
7. Let the lever rise: the piston drops back to the bottom for the next fill.

STRENGTH CHECKS AT 18,942 LBF (ksi)


Item	Basis	Stress	Allow	Ratio
Piston pin, bending	F/2 x 1.125, 1 CRS	108.5	33.0	3.29
Piston pin, shear	F/2 per side	12.1	20.0	0.60
Yoke arm, net tension at P	F/2 on 0.539 sq in	17.6	29.0	0.61
Yoke arm, pin bearing	F/2 on 1.0 x 3/8	25.3	32.4	0.78
Head bolts, shear	F/2 on two 1/2 bolts per side	24.1	36.8	0.66
Yoke arm, bolt bearing	F/2 on two 1/2 x 3/8	25.3	32.4	0.78
Toggle axle, bending	F/2 x 0.375, 1 CRS	36.2	33.0	1.10
Pivot mount, axle bearing	F/2 on 1.0 x 3/8	25.3	32.4	0.78
Follower axle, bending	F/2 x 0.312, 1 CRS	30.1	33.0	0.91
Rail scoop, bearing	F/2 on 2.0 x 1/4 (follower seated)	18.9	32.4	0.58
Lid and rails, bending	F L / 8, I = 0.76 in^4	55.2	23.8	2.32
Lid plate between rails	strip span 3.50, 3/16	78.4	23.8	3.30
Lid plate outside rails	cantilever 1.250, 3/16	40.0	23.8	1.68
Side plate, bending	K0 0.5, span 12, 1/4, ends fixed	172.8	23.8	7.27
Channel web (mold end)	K0 0.5, span 6, 0.437	14.1	23.8	0.60
Lever, bending at socket	299 lbf x 41.2, 1-1/4 sch 40	52.6	23.1	2.28
Toggle body, bending	299 lbf x 49.0, 2 x 3/16 sq	19.5	30.4	0.64
Eject axle, bending	343 lbf per roller x 1.05, 3/4 CRS	8.7	33.0	0.26
Yoke arm, bending (eject)	600 lbf at P x 7.3, 2 arms	5.6	23.8	0.24

HAND FORCE AND PISTON RISE OVER THE STROKE



- NOTES:
1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
 2. BREAK SHARP EDGES, REMOVE BURRS.
 3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
 4. THEIR DRAWINGS REV 1.1 AS DRAWN, EXCEPT: HINGE PIN $5/8$ LONG, NOT $1-3/8$: LONGER, IT FOULS THE FOLLOWERS (INSIDE) OR THE YOKE ARMS (OUTSIDE).
 5. FIRST-ORDER HAND CALCULATIONS; BUILD ONE PRESS AND LOAD-TEST BEFORE PRODUCTION.
 6. ALLOWABLES: A36 0.66 FY BENDING, 0.5 FU NET TENSION; CRS 1018 FY 50 KSI; A53 PIPE FY 35 KSI.
 7. SOIL MODEL: PRESSURE RISES AS $(E^5X - 1)/(E^5 - 1)$ OVER THE STROKE; LATERAL WALL PRESSURE 0.5 X VERTICAL.


Material	Qty	Scale	Units	Projection
-	1	-	inch	
Created by	Approved by	Document type	Status	
J. Clements III	-	Design data	Draft	
Legal owner	Title	Identification number	Sheet	
J. Clements III	OSRL CEB Press	OSRL-12x6x4-00	4/46	
CEB Project	Operation and design data, 12x6x4 brick	Rev	Date of issue	
		A	2026-10-03	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 3. EJECT AXLE IN THE 7 IN HOLE (SHEET 2); 8 AND 9 TILT THE YOKE LESS AT EJECT.
5. WEB BACK FACE IS THE MOLD END. GRIND $1/32$ OFF EACH FLANGE FACE IF THE BLOCK COMES OUT OVER 6.


Material C6x13 x 18		Qty 1	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project		Title Front Channel OSRL CEB Press, 12x6x4 brick		Identification number OSRL-12x6x4-01	Sheet 5/46
				Rev A	Date of issue 2026-10-03



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS 1/4 UNLESS NOTED.
4. SHEET 3. THE TAPPED HOLES TAKE A HOPPER OR BENCH BRACKET (NOT IN THE DRAWINGS).


Material C6x13 x 18	Qty 1	Scale 1:5	Units inch	Projection 
Created by J. Clements III	Approved by -	Document type Detail drawing	Status Draft	
Legal owner J. Clements III CEB Project	Title Rear Channel OSRL CEB Press, 12x6x4 brick	Identification number OSRL-12x6x4-02	Sheet 6/46	
		Rev A	Date of issue 2026-10-03	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 3. WELD TO THE OUTSIDE OF BOTH CHANNELS' FLANGES, TOP FLUSH, $1/2$ PAST EACH WEB.
5. THE $1/4$ PLATE SPANS 12 IN BETWEEN THE FLANGES WITH NOTHING ACROSS IT; SEE THE DESIGN SHEET.


Material 1/4 x 8 plate x 13		Qty 2	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Side Plate OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-03	Sheet 7/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 3. $9/16$ HOLES TAKE THE GUIDE RODS' $1/2$ UNC BOLTS FROM BELOW.


Material 1/4 x 6 plate x 16-3/8		Qty 1	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Base Plate OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-04	Sheet 8/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 3. WEB FLUSH WITH THE BASE PLATE EDGE, FLANGES OUT; WELD TO THE BASE PLATE AND CHANNEL.


Material C3x6 x 4-1/2		Qty 4	Scale 1:2	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Outrigger Mount OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-05	Sheet 9/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEETS 2, 3. HOLE $1-1/8$ ABOVE THE SIDE PLATE TOP, OVER ITS FRONT EDGE (DETAIL A).


Material 1/8 x 1-1/2 plate		Qty 2	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project		Title Lid Hinge OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-06
		Rev A		Date of issue 2026-10-03	Sheet 10/46



NOTES:
1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS 1/4 UNLESS NOTED.
4. SHEET 4. PLUMB ON THE BASE PLATE, 6.00 APART, CENTRED IN THE MOLD. FORMS THE BLOCK'S CORES.

Material 2" sch 40 pipe x 18		Qty 2	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -	Document type Detail drawing		Status Draft
Legal owner J. Clements III CEB Project	Title Guide Rod OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-07	Sheet 11/46
				Rev A	


ø2.062



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 4. WELD FLUSH IN THE ROD'S TOP END; GRIND SMOOTH.


Material 1/4 plate dia 2-1/16		Qty 2	Scale 1:1	Units inch	Projection 	
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft	
Legal owner J. Clements III CEB Project	Title Rod Top OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-08		Sheet 12/46
				Rev A	Date of issue 2026-10-03	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 4. WELD IN THE ROD'S BOTTOM END; TAP $1/2$ UNC.


Material 3/8 plate dia 2-1/16		Qty 2	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Rod Bottom OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-09	
				Rev A	Date of issue 2026-10-03
					Sheet 13/46



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS 1/4 UNLESS NOTED.
4. SHEET 4. THROUGH BOTH FRONT-CHANNEL FLANGES; WASHERS AND COTTERS OUTSIDE THE ROLLERS.


Material 3/4" CRS x 10		Qty 1	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -	Document type Detail drawing		Status Draft
Legal owner J. Clements III CEB Project	Title Eject Axle OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-10	Sheet 14/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 4. $3/4$ BORE. THE YOKE ARMS REST ON THESE TO FILL AND TO EJECT.


Material 2" CRS x 1-3/4		Qty 2	Scale 1:2	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Eject Roller OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-11	Sheet 15/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 4. IN LINE WITH THE FRONT MOUNTS, TOWARD THE EJECT SIDE.


Material C3x6 x 18		Qty 2	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Outrigger OSRL CEB Press, 12x6x4 brick	Identification number OSRL-12x6x4-12		Sheet 16/46	
		Rev A	Date of issue 2026-10-03		



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 4. WELD IN THE OUTRIGGER, $1\text{-}1/2$ PROTRUDING; BOLT TO THE MOUNT ($1/2$ UNC).

Material 5/16 x 2 plate x 6		Qty 2	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Mounting Tab OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-13	Sheet 17/46
				Rev A	





NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 8. 11-15/16 X 5-15/16: $1/32$ RUNNING CLEARANCE IN THE MOLD.

Material 1/4 plate		Qty 1	Scale 1:2	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Piston Top Plate OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-14	Sheet 18/46
				Rev A	


1.000



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 8. ON EDGE UNDER THE TOP PLATE, 2 IN EACH SIDE OF THE CENTRE LINE.


Material 1/4 x 1 plate x 10		Qty 2	Scale 1:2	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Plate Stiffener OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-15	Sheet 19/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 8. UNDER THE TOP PLATE HOLES; SLIDES ON THE GUIDE RODS.


Material 2-1/2" sch 40 pipe x 6		Qty 2	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Piston Guide OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-16	Sheet 20/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS 1/4 UNLESS NOTED.
4. SHEET 8. THE PISTON RESTS ON THE BASE PLATE ON THESE (PIN 1-3/8 UP).


Material 1/4 x 6 plate		Qty 2	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -	Document type Detail drawing		Status Draft
Legal owner J. Clements III CEB Project	Title Piston Side OSRL CEB Press, 12x6x4 brick	Identification number OSRL-12x6x4-17		Sheet 21/46	
		Rev A	Date of issue 2026-10-03		



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 8. THROUGH BOTH PISTON SIDES, ENDS FLUSH OUTSIDE.



Material 1" sch 40 pipe x 5-7/8		Qty 1	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Pivot Tube OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-18	Sheet 22/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 8. $5/32$ CROSS HOLES $1/4$ FROM THE ENDS FOR COTTER PINS.


Material 1" CRS x 9-1/4		Qty 1	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Piston Pin OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-19	Sheet 23/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 8. BETWEEN THE PIVOT TUBE ENDS AND THE YOKE ARMS.


Material 1-3/8" OD x 1" bore		Qty 2	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -	Document type Detail drawing		Status Draft
Legal owner J. Clements III CEB Project	Title Pin Spacer OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-20	Sheet 24/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 8. 45 DEG COUNTERSINKS 3-7/8 AT THE FACE CHAMFER THE CORES.


Material 1/2" aluminium, plastic or wood	Qty 1	Scale 1:2	Units inch	Projection 
Created by J. Clements III	Approved by -	Document type Detail drawing	Status Draft	
Legal owner J. Clements III CEB Project	Title Lower Insert OSRL CEB Press, 12x6x4 brick		Identification number OSRL-12x6x4-21	Sheet 25/46
		Rev A	Date of issue 2026-10-03	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. DRILL BOTH ARMS STACKED. HEAD BOLTS IN HOLES N AND N+2; HOLE 4 GIVES THE 4 IN BLOCK.


Material 3/8 x 2-1/2 plate x 26-3/4		Qty 2	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	
Legal owner J. Clements III CEB Project		Title Yoke Arm OSRL CEB Press, 12x6x4 brick		Identification number OSRL-12x6x4-22	Sheet 26/46
Rev A		Date of issue 2026-10-03			



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. ACROSS THE ARMS AT THEIR FRONT AND REAR EDGES, BETWEEN THE HEAD SIDES.


Material 3/8 x 2-1/2 plate x 7-1/2		Qty 2	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Head Body OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-23	Sheet 27/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. TAP $1/2$ UNF; BOLTS FROM OUTSIDE THROUGH THE ARM.


Material 3/8 x 2-1/2 plate x 4		Qty 2	Scale 1:2	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Head Side OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-24	Sheet 28/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. 2.0 APART EITHER SIDE OF THE TOGGLE BODY, UNDER THE HEAD BODIES; THE TOGGLE AXLE SITS $2-3/4$ BEHIND THE ARM CENTRE LINE, SO THE LEVER SWINGS OVER CLEAR OF THE HEAD.


Material 3/8 x 2-1/2 plate x 5-1/4		Qty 2	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -	Document type Detail drawing		Status Draft
Legal owner J. Clements III CEB Project	Title Pivot Mount OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-25	Sheet 29/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. 1 IN HOLE $1-1/4$ FROM THE BOTTOM; WELD THE TOGGLE AXLE IN IT AND THE LOWER TOGGLES TO IT.


Material 2" sq x 3/16 tube x 9		Qty 1	Scale 1:5	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Toggle Body OSRL CEB Press, 12x6x4 brick	Identification number OSRL-12x6x4-26		Sheet 30/46	
		Rev A	Date of issue 2026-10-03		



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. SQUARE TO THE TOGGLE BODY: FOLLOWER AXLE BEHIND THE TOGGLE AXLE WITH THE LEVER UPRIGHT.


Material 3/8 x 2-1/2 plate x 5-3/8		Qty 2	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project		Title Lower Toggle OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-27
		Rev A		Date of issue 2026-10-03	Sheet 31/46



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. TURNS IN THE PIVOT MOUNTS.


Material 1" CRS x 3-1/2		Qty 1	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Toggle Axle OSRL CEB Press, 12x6x4 brick	Identification number OSRL-12x6x4-28			Sheet 32/46
		Rev A	Date of issue 2026-10-03		



NOTES:


1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6.

Material 1" CRS x 6		Qty 1	Scale 1:2	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Follower Axle OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-29	Sheet 33/46
				Rev A	




- NOTES:
- 1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
 - 2. BREAK SHARP EDGES, REMOVE BURRS.
 - 3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
 - 4. SHEET 6. 1 IN BORE. RIDES THE LID RAILS AND SEATS IN THE SCOOPS.

Material 2" CRS x 1-1/4		Qty 2	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -	Document type Detail drawing		Status Draft
Legal owner J. Clements III CEB Project	Title Toggle Follower OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-30	Sheet 34/46
				Rev A	



NOTES:
1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS 1/4 UNLESS NOTED.
4. SHEET 6. GRIND FLATS TO SLIDE INTO THE TOGGLE BODY; DO NOT WELD (IT COMES OUT FOR CARRYING).

Material 1-1/4" sch 40 pipe x 48		Qty 1	Scale 1:10	Units inch	Projection 
Created by J. Clements III		Approved by -	Document type Detail drawing		Status Draft
Legal owner J. Clements III CEB Project	Title Lever OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-31	Sheet 35/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. 45 DEG FRONT END CARRIES THE HOOK.


Material 1/8 x 1-1/2 plate x 5-1/4		Qty 2	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Latch Body OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-32	Sheet 36/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. DROPS IN FRONT OF THE REAR HEAD BODY AND HOLDS THE LEVER ALONG THE YOKE.


Material 1/8 plate 2-1/16 x 2-3/4		Qty 1	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Latch Hook OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-38	Sheet 37/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. WELD ACROSS THE BACK OF THE TOGGLE BODY.

Material 1/4" CRS x 2-1/2		Qty 1	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Latch Pivot OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-34	Sheet 38/46
				Rev A	



NOTES:


1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 6. PRESS DOWN TO LIFT THE HOOK AND FREE THE LEVER.

Material 1/4" CRS, bent U		Qty 1	Scale 1:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Latch Handle OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-35	Sheet 39/46
				Rev A	



- NOTES:
1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
 2. BREAK SHARP EDGES, REMOVE BURRS.
 3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
 4. SHEET 10.



Material 3/16 plate 6-1/2 x 13		Qty 1	Scale 1:2	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Lid OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-36	Sheet 40/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 10. SCOOP 0.70 BELOW THE 2-1/2 FLAT; CENTRE 5.0 FROM THE HIGH END, OVER THE MOLD CENTRE.
5. ON EDGE 1-7/8 EACH SIDE OF THE LID CENTRE LINE, LOW END $1/2$ FROM THE HINGE EDGE.


Material 1/4 plate		Qty 2	Scale 1:2	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Lid Rail OSRL CEB Press, 12x6x4 brick	Identification number OSRL-12x6x4-37		Sheet 41/46	
		Rev A	Date of issue 2026-10-03		



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 10. BLOCK ON THE LID EDGE, TIP FORWARD. THE HINGE HOLE IS NOT DIMENSIONED: $1-1/2$ FROM THE BLOCK'S REAR END, $15/16$ UP, PUTS THE PIN AT THE LID'S HINGE EDGE AS ON SHEET 9.


Material 1/8 plate	Qty 2	Scale 1:2	Units inch	Projection 
Created by J. Clements III	Approved by -	Document type Detail drawing	Status Draft	
Legal owner J. Clements III CEB Project	Title Counterweight Arm OSRL CEB Press, 12x6x4 brick	Identification number OSRL-12x6x4-38	Rev A	Sheet 42/46
		Date of issue 2026-10-03		



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 10. $1/2$ HOLE. $1-3/4$ MIN BETWEEN THE PAIR.


Material 3-1/2" round x 1-3/8		Qty 2	Scale 1:2	Units inch	Projection 	
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft	
Legal owner J. Clements III CEB Project	Title Counterweight OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-39		Sheet 43/46
				Rev A	Date of issue 2026-10-03	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 10. WELD SECURELY ALL ROUND TO THE ARM TIP.


Material 1/2" round x 2		Qty 2	Scale 2:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Counterweight Pin OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-40	Sheet 44/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 10 GIVES $1-3/8$; CUT TO $5/8$ (SEE DESIGN SHEET: LONGER, IT FOULS THE FOLLOWERS INSIDE OR THE YOKE ARMS OUTSIDE AS THE YOKE STANDS UP).

Material 3/8" round x 5/8		Qty 2	Scale 5:1	Units inch	Projection 
Created by J. Clements III		Approved by -		Document type Detail drawing	Status Draft
Legal owner J. Clements III CEB Project	Title Hinge Pin OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-41	Sheet 45/46
				Rev A	



NOTES:

1. ALL DIMENSIONS IN INCHES. TOLERANCE $\pm 1/32$ UNLESS NOTED.
2. BREAK SHARP EDGES, REMOVE BURRS.
3. MATERIAL PER TITLE BLOCK. FILLET WELDS $1/4$ UNLESS NOTED.
4. SHEET 10. TWO-FACED TAPE UNDER THE LID, 3- $1/2$ FROM ITS ENDS, OVER THE ROD TOPS.

Material 1/2" aluminium, plastic or wood		Qty 2	Scale 1:2	Units inch	Projection 
Created by J. Clements III		Approved by -	Document type Detail drawing		Status Draft
Legal owner J. Clements III CEB Project	Title Upper Insert OSRL CEB Press, 12x6x4 brick			Identification number OSRL-12x6x4-42	Sheet 46/46
				Rev A	