

# mdlout example gallery

**mdlout** converts Markdown into typeset documents by routing through Lout<sup>1</sup>, a small ANSI-C document formatter. The default output is HTML wrapped around a Lout-emitted SVG; the `-format=pdf` flag selects the legacy PostScript path. This gallery indexes every worked example committed to `examples/`. Each entry shows a page-1 thumbnail and links out to the rendered HTML, the rendered PDF, and the Markdown source. This page itself was built by mdlout from `gallery.md`<sup>2</sup>.

## Getting started

### Hello

The smallest possible end-to-end smoke test: one paragraph of prose. 1 page.

---

<sup>1</sup><https://github.com/william8000/lout>

<sup>2</sup>`gallery.md`

14/15: true (false) The single paragraph in the middle represents the main idea of the paragraph. The sentences before it and after it support the main idea.

HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## Typography sampler

Inline spans: bold, italic, bold-italic, inline code, strikethrough, superscript, and backslash escapes. HTML mode only at present. 1 page.

HTML<sup>4</sup> | Markdown source<sup>5</sup>

## Lists and tables

Bullet, numbered, task, and definition lists; pipe tables with alignment markers; grid tables. 2 pages.

---

<sup>1</sup>out/01\_hello.html

<sup>2</sup>out/01\_hello.pdf

<sup>3</sup>01\_hello.md

<sup>4</sup>out/02\_typography.html

<sup>5</sup>02\_typography.md



## Math and music

### Block and inline math

$\$ \$ . . \$ \$$  and `'math` fenced display math, plus inline  $\$ . . \$$ : integrals, sums, fractions, matrices, and aligned equations. 1 page.

---

<sup>1</sup>out/03\_lists\_and\_tables.html

<sup>2</sup>out/03\_lists\_and\_tables.pdf

<sup>3</sup>03\_lists\_and\_tables.md

## Math block sampler

The following theorem holds for both  $\text{Laplace}(0, 1)$  and  $\text{Gaussian}(0, 1)$  noise in the block sampler. It is a special case of the more general theorem.

Let  $\mathbf{y}$  be a vector of  $n$  samples of a random variable  $y$  with mean  $\mu$  and variance  $\sigma^2$ . The following theorem holds for  $\text{Laplace}(0, 1)$  and  $\text{Gaussian}(0, 1)$  noise.

**Theorem 1**

$$\text{Laplace}(0, 1) \text{ or } \text{Gaussian}(0, 1) \text{ noise} \Rightarrow \text{Laplace}(0, 1) \text{ or } \text{Gaussian}(0, 1) \text{ noise}$$

**Proof.** Let  $\mathbf{y}$  be a vector of  $n$  samples of  $y$ .

$$\text{Laplace}(0, 1) \text{ or } \text{Gaussian}(0, 1) \text{ noise} \Rightarrow \text{Laplace}(0, 1) \text{ or } \text{Gaussian}(0, 1) \text{ noise}$$

**Proof.** Let  $\mathbf{y}$  be a vector of  $n$  samples of  $y$ . Then  $\mathbf{y}$  is a vector of  $n$  samples of  $y$ .

The following theorem holds for  $\text{Laplace}(0, 1)$  and  $\text{Gaussian}(0, 1)$  noise in the block sampler. It is a special case of the more general theorem.

**Theorem 2**

$$\text{Laplace}(0, 1) \text{ or } \text{Gaussian}(0, 1) \text{ noise} \Rightarrow \text{Laplace}(0, 1) \text{ or } \text{Gaussian}(0, 1) \text{ noise}$$

**Proof.** Let  $\mathbf{y}$  be a vector of  $n$  samples of  $y$ .

The following theorem holds for  $\text{Laplace}(0, 1)$  and  $\text{Gaussian}(0, 1)$  noise in the block sampler. It is a special case of the more general theorem.

**Theorem 3**

## Music notation

Three `‘abc` fenced blocks of increasing complexity, including a `%%score`-locked harp grand-staff.  
Routed through `@ABC` and `abcjsharp` in HTML mode. 1 page.

---

<sup>1</sup>`out/04_math.html`

<sup>2</sup>`out/04_math.pdf`

<sup>3</sup>`04_math.md`

## Music sampler

These ABC charts of phonemic segments show that the phonetic information abstracted by the children is not a phonetic space with fixed points.

Acquisition analysis of the segmental 'richness' of input

(ABC) token counts

S = 10000 tokens (all words, all tokens) (all words) (all words) (all words)

to show how much phonetic information is in the input

How much phonetic information is in the input? (all words) (all words) (all words) (all words)

A large period of time (e.g. 10000 tokens) and how much phonetic information is in the input (all words) (all words) (all words) (all words)

How much phonetic information is in the input? (all words) (all words) (all words) (all words)

These charts generally show a large number of words in the input (all words) (all words) (all words) (all words)



## Chord chart with multi-voice scores

A heavier ABC workload than the introductory music example: multi-line scores, multiple voices, and dense chord-symbol annotations above each bar. 2 pages.

---

<sup>1</sup>out/05\_music.html

<sup>2</sup>out/05\_music.pdf

<sup>3</sup>05\_music.md



## Math proofs with sequence diagrams

Short mathematical derivations paired with mermaid sequence diagrams that narrate each step. KaTeX and mermaid coexist in the same flow. 2 pages.

---

<sup>1</sup>out/chord\_chart.html

<sup>2</sup>out/chord\_chart.pdf

<sup>3</sup>chord\_chart.md

## Math proofs illustrated by sequence diagrams

This document gives some mathematical statements with associated sequence diagrams. By viewing them, you may obtain the proof in doing. The reader may also visit the link to PDF file, which has diagrams with enough annotations to be more convenient to print and read. Both representations are the same file.

### 1. The sum of the first $n$ integers

The classical theorem states that the sum of the integers of the form  $1 + 2 + \cdots + n$  is the  $n$  times the second and smallest one, with some condition on  $n$ , and their associated proof.

If  $n \in \mathbb{N}$ ,  $n$  is taken to be equal to a positive integer  $n$  (positive integer  $n$  is denoted by  $n$ ).

The property is a statement of natural numbers "total" and the natural numbers induction method will be followed. The notation is:

(Theorem 1)  $\text{sum}(n) = n(n+1)/2$  (for  $n \in \mathbb{N}$ ).

### 2. The infinite geometric series

For  $|x| < 1$ , the geometric series sum,  $\sum_{k=0}^{\infty} x^k$  is convergent to  $1/(1-x)$ . The proof is through the partial sums  $S_n = \sum_{k=0}^n x^k$  and their limit.

For  $|x| < 1$ , the partial sums  $S_n = \sum_{k=0}^n x^k$  are convergent to  $1/(1-x)$  (for  $n \in \mathbb{N}$ ).

By a direct geometric method, the "total" will converge to the geometric series. The "total" is a series of  $x$  added.

(Theorem 2)  $\sum_{k=0}^{\infty} x^k = 1/(1-x)$  (for  $|x| < 1$ ).

### 3. The derivative of $x$ squared from first principles

The first derivative of the function:

$$f(x) = x^2, \quad f'(x) = 2x \quad (\text{for } x \in \mathbb{R}).$$

Proof:  $f'(x) = 2x$ .

By the first principle:

The first derivative of the function  $f(x) = x^2$  is  $f'(x) = 2x$  (for  $x \in \mathbb{R}$ ). The proof is through the first principle.

[HTML](#)<sup>1</sup> | [PDF](#)<sup>2</sup> | [Markdown source](#)<sup>3</sup>

## Diagrams

### Diag gallery

Exhaustive `@Diag` exercise: every `arrowstyle`, `shape macro`, and `@Tree`. Raw-Lout fences throughout. The canonical reference for what the SVG back-end handles. 7 pages.

---

<sup>1</sup>`out/math_with_diagrams.html`

<sup>2</sup>`out/math_with_diagrams.pdf`

<sup>3</sup>`math_with_diagrams.md`

## Diagram gallery

This document contains proprietary information of Health Group, which is a service mark of Health Group of the United States. Health Group and the Health Group logo are trademarks of Health Group of the United States. All other trademarks are the property of their respective owners.

bioRxiv preprint doi: <https://doi.org/10.1101/2019.07.08.234967>; this version posted July 10, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

## Abstract

Individuals with a history of seizures should consult their physician before using this product. Do not use if pregnant or nursing. Do not use if you are taking any other medications. Do not use if you are taking any other medications. Do not use if you are taking any other medications.

### Statistical Analysis



**Abstract:** The effect of the following factors on the perceived effort of the trunk:



Readings: *Journal of the American Medical Association*, 2001; 286: 1361-1366.



REPORTS REPORTS BY: NAME: NAME: NAME: NAME:



[HTML](#)<sup>1</sup> | [PDF](#)<sup>2</sup> | [Markdown source](#)<sup>3</sup>

## Complex diagrams

A demanding follow-up: arithmetic-expression grammars as railroad diagrams, binary search trees, paint-filled subsystem boxes, multi-style flowcharts, and composite figures. 4 pages.

---

<sup>1</sup>[out/diag\\_gallery.html](#)

<sup>2</sup>[out/diag\\_gallery.pdf](#)

<sup>3</sup>[diag\\_gallery.md](#)

## Complex diagram examples

The Abstract Syntax Tree's `visit` method handles both `if` and `while` loops and is used instead of `visitBlockDiagram`. In many cases, too, a block's `visit` method may itself use `visitBlockDiagram` to construct several nested `Diagram` objects. These diagrams are added to the `Diagram` graph through the `addBlockDiagram` method of the `Diagram` interface, which is implemented in the `DiagramFactory` class.

## A grammar for arithmetic expressions

We define the following grammar:

```
expr -> atom | ( expr )1 | expr op expr2 | not expr3 | if ( expr ) then a boolean4
        else b boolean5 | expr if ( expr ) then a boolean6 | while ( expr ) then a boolean7
```

Below, each rule is rendered as a `Diagram` object, which is then added to the `Diagram` graph. The `Diagram` graph is then rendered as an image, and the resulting `Diagram` object is added to the `Diagram` graph.





[HTML](#)<sup>1</sup> | [PDF](#)<sup>2</sup> | [Markdown source](#)<sup>3</sup>

## Mermaid diagrams

The `@Mermaid` passthrough routes `mermaid` fences through a `foreignObject` for browser-side rendering. Three common shapes; PDF falls back to placeholders. 1 page.

---

<sup>1</sup>`out/complex_diag.html`

<sup>2</sup>`out/complex_diag.pdf`

<sup>3</sup>`complex_diag.md`

## Mermaid diagrams

Mermaid (https://mermaidjs.github.io/mermaid/) is a visual modeling language that allows you to create diagrams for your code. It is a simple, easy-to-use language that can be used to create a wide variety of diagrams, including flowcharts, sequence diagrams, and class diagrams.

### 1. Top-down flowchart

A top-down flowchart is a diagram that shows the flow of data or information from a single source to multiple destinations.

(https://www.mermaidjs.com/docs/flowchart-v1/)

### 2. Sequence diagram

A sequence diagram is a diagram that shows the sequence of interactions between a set of objects or components.

(https://www.mermaidjs.com/docs/sequence-diagram/)

### 3. Class diagram

A class diagram is a diagram that shows the relationships between a set of classes or objects.

(https://www.mermaidjs.com/docs/class-diagram/)

In UML, each class is represented by a rectangle. The top half of the rectangle is the class name, and the bottom half is the class's attributes and methods. Relationships between classes are represented by lines. The lines are labeled with the type of relationship, such as association, inheritance, or generalization. The lines are also labeled with the role of each class in the relationship.

(https://www.mermaidjs.com/docs/class-diagram/)

[HTML](#)<sup>1</sup> | [PDF](#)<sup>2</sup> | [Markdown source](#)<sup>3</sup>

## Hand-rolled SVG

The `'svg` fenced-code passthrough routed through `@SVG`. Inlines verbatim in HTML mode; falls back to a stub in PDF mode. 2 pages.

---

<sup>1</sup>[out/mermaid.html](#)

<sup>2</sup>[out/mermaid.pdf](#)

<sup>3</sup>[mermaid.md](#)



HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## Structured documents

### Pipeline status report

`type: report with cover, [TOC], @Section` nesting, code fences, math, footnotes, and a raw-Lout figure. The minimum a multi-section paper needs. 3 pages.

---

<sup>1</sup>out/svg\_diagram.html

<sup>2</sup>out/svg\_diagram.pdf

<sup>3</sup>svg\_diagram.md

## Mathematics Level 1 Practice Test

Answer Section 10

Answer Section 10

Answer Section 10

HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## Scientific paper

Short workshop-style paper on trapezoidal and Simpson's quadrature. Abstract / introduction / methods / results / discussion / references, display math, pipe tables of error data, a @Diag figure, manual bibliography. 6 pages.

---

<sup>1</sup>out/06\_report.html

<sup>2</sup>out/06\_report.pdf

<sup>3</sup>06\_report.md

**Abstract**

100



[HTML](#)<sup>1</sup> | [PDF](#)<sup>2</sup> | [Markdown source](#)<sup>3</sup>

## Technical manual

The mdlout technical manual itself, the largest example in the corpus. Exercises every report-level idiom: cover, abstract, multi-page TOC, deeply nested sections, footnotes, citations, code, and inline math. 25 pages.

---

<sup>1</sup>`out/scientific_paper.html`

<sup>2</sup>`out/scientific_paper.pdf`

<sup>3</sup>`scientific_paper.md`

Journal of Statistical Software

Volume 100 (2021)

Article 10

doi:10.18637/jss.v100.i10

### Abstract

This paper introduces a new package for the R statistical computing environment. It provides a simple and efficient way to generate random numbers from a wide range of distributions. The package is designed to be easy to use and to integrate well with other R packages. It includes a variety of functions for generating random numbers from different distributions, and it also includes functions for checking the quality of the generated numbers. The package is available on the Comprehensive R Archive Network (CRAN) and can be installed using the R package manager, RStudio.

<https://www.jstatsoft.org/v100/i10/p10>

HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## Kitchen sink

Two-column `type: report` combining headings, lists, tables, math, music, code, raw Lout, and the full inline-formatting menagerie into one file. The canonical end-to-end regression target. 3 pages.

---

<sup>1</sup>out/technical\_manual.html

<sup>2</sup>out/technical\_manual.pdf

<sup>3</sup>technical\_manual.md

**William Richard Hall**  
Regentia 1840

[HTML](#)<sup>1</sup> | [PDF](#)<sup>2</sup> | [Markdown source](#)<sup>3</sup>

## Raw Lout and SVG passthrough

`'lout` and `'svg` raw-passthrough fences for testing `@SVG` routing, plus hand-rolled `@Eq` math and a boxed display block. 1 page.

---

<sup>1</sup>`out/08_kitchen_sink.html`

<sup>2</sup>`out/08_kitchen_sink.pdf`

<sup>3</sup>`08_kitchen_sink.md`

## Raw passthrough sampler

That file contains the raw data generated by the sampler. It contains the following information and is in the following CSV columns. The table should be read through the CSV headers in order.

### Raw Lost

Download page for raw data in CSV

Raw data is not passthrough

Download page for raw data in CSV

The raw data is generated by a raw data sampler that is not available. The raw data is generated by a raw data sampler that is not available.

Raw data is generated by a raw data sampler that is not available. The raw data is generated by a raw data sampler that is not available.

Raw data

Raw data is generated by a raw data sampler that is not available.

### Raw CSV

Raw data is generated by a raw data sampler that is not available. The raw data is generated by a raw data sampler that is not available.

Raw data is generated by a raw data sampler that is not available.

Raw data is generated by a raw data sampler that is not available.

Raw data is generated by a raw data sampler that is not available.

Raw data is generated by a raw data sampler that is not available. The raw data is generated by a raw data sampler that is not available.

## Books and reports

### Book chapter

A5 novel chapter with Roman chapter numerals, subheadings, a raw-Lout pull-quote, and an @FootNote invoked via raw Lout. 3 pages.

---

<sup>1</sup>out/07\_raw\_lout\_and\_svg.html

<sup>2</sup>out/07\_raw\_lout\_and\_svg.pdf

<sup>3</sup>07\_raw\_lout\_and\_svg.md

## The Cartographers of Veil





## Book with epigraphs

Three short letters with chapter-opening epigraphs. A5 trim, Times roman, recto-aligned page numbers, chapter-start: Any. 3 pages.

---

<sup>1</sup>out/book\_chapter.html

<sup>2</sup>out/book\_chapter.pdf

<sup>3</sup>book\_chapter.md

## Three Letters from the Coast

by J. J. Ziemer

[HTML](#)<sup>1</sup> | [PDF](#)<sup>2</sup> | [Markdown source](#)<sup>3</sup>

## Textbook

An introduction to numerical analysis: A4 textbook trim, multi-chapter structure, Arabic chapter and section numbering, theorems and worked examples, math throughout. 10 pages.

---

<sup>1</sup>`out/book_with_epigraphs.html`

<sup>2</sup>`out/book_with_epigraphs.pdf`

<sup>3</sup>`book_with_epigraphs.md`

# An Introduction to Numerical Analysis

J. J. D. D. D.

HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## Slides (basic)

`type: slides`, six-slide intro to Lout. Title slide, bullet list, math-as-prose, code-as-prose, a centred-display pipeline figure. 9 pages.

---

<sup>1</sup>`out/textbook.html`

<sup>2</sup>`out/textbook.pdf`

<sup>3</sup>`textbook.md`

—

4

# An Introduction to Lout

James Clements II

HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## Presentation

`type: slides`, ten-slide deck mixing prose, math, code, and a mermaid diagram. 11 pages.

---

<sup>1</sup>`out/slides_basic.html`

<sup>2</sup>`out/slides_basic.pdf`

<sup>3</sup>`slides_basic.md`



# mdlout in Ten Slides

James Clements III



## Posters

### Academic poster

A3 landscape, three columns, generous margins, large display heading. Abstract / introduction / method / results / discussion / references in a flowing three-column grid. 2 pages.



### Magazine layout

US Letter, two columns with a 1 cm gutter, raw-Lout masthead and pull-quotes. The narrative

<sup>1</sup>out/presentation.html

<sup>2</sup>out/presentation.pdf

<sup>3</sup>presentation.md

<sup>4</sup>out/academic\_poster.html

<sup>5</sup>out/academic\_poster.pdf

<sup>6</sup>academic\_poster.md

equivalent of the CV's column layout. 3 pages.



[HTML](#)<sup>1</sup> | [PDF](#)<sup>2</sup> | [Markdown source](#)<sup>3</sup>

## Specialised

### Letter

Formal US business letter built on `type: doc` plus raw-Lout passthrough for the sender block, date, recipient block, and signature. The de-facto template for letters until `type: letter` lands. 1 page.

---

<sup>1</sup>`out/magazine_layout.html`

<sup>2</sup>`out/magazine_layout.pdf`

<sup>3</sup>`magazine_layout.md`



HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## CV

Two-column CV for a fictitious senior audio DSP engineer. Raw-Lout @TaggedList for skills, raw-Lout banner heading, markdown prose for the bulk. 1 page.

---

<sup>1</sup>out/letter.html

<sup>2</sup>out/letter.pdf

<sup>3</sup>letter.md

## **Work Experience**

**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)

## **Summary**

I am a highly motivated and experienced professional with a strong background in business development and sales. I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.

## **Education**

**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)

## **Professional experience**

**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)

- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.
- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.
- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.

**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)

- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.
- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.

- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.

**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)  
**Education** — [University of California, Berkeley](#)

- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.

## **Selected publications & projects**

- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.
- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.
- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.
- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.

## **Technical skills**

- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.
- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.
- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.
- I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.

## **References**

I have a proven track record of identifying and securing new business opportunities, and I am confident in my ability to drive growth and profitability for any organization.

HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## Exam

Five-question calculus midterm with blank workspaces between questions and a separate answer key page. The template for quizzes, worksheets, and exam booklets. 3 pages (PDF) / 6 pages (HTML).

---

<sup>1</sup>out/cv.html

<sup>2</sup>out/cv.pdf

<sup>3</sup>cv.md



## Exercise 1: Multiple-Choice Questions

Start: 2025-11-01 10:00:00 | 45 minutes | 100 points

Answer every question correctly. (Maximum 100 points/100 marks)

**Instructions:** Answer all the questions in the given question paper. You have 45 minutes to complete the exam. Answer every question correctly. The questions are of multiple-choice type. You have to select the correct answer from the given options. You have to select the correct answer from the given options.

### Question 1: Limits (15 points)

Evaluate the limit of the function  $f(x) = \frac{x^2 - 4}{x - 2}$  as  $x$  approaches 2. The limit is:

### Question 2: Differentiation (20 points)

Let  $f(x) = x^3 + 2x^2 - 5x + 7$ . Find the derivative of  $f(x)$  with respect to  $x$ . The derivative is:

### Question 3: Chain rule (20 points)

HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## Marginalia

Widened right margin plus raw-Lout `@RightNote` and `@OuterNote` fences for Tufte-style side-notes. Demonstrates note attachment, automatic collision shifts, and recto/verso-aware placement. 2 pages.

---

<sup>1</sup>out/exam.html

<sup>2</sup>out/exam.pdf

<sup>3</sup>exam.md



HTML<sup>1</sup> | PDF<sup>2</sup> | Markdown source<sup>3</sup>

## Multilingual

Three character regimes: accented Western-European Latin via @Char, the Greek alphabet plus math operators via the Adobe Symbol font, a KaTeX math display, and a Russian-language paragraph via @Language. 3 pages.

---

<sup>1</sup>out/marginalia.html

<sup>2</sup>out/marginalia.pdf

<sup>3</sup>marginalia.md



[HTML](#)<sup>1</sup> | [PDF](#)<sup>2</sup> | [Markdown source](#)<sup>3</sup>

## See also

- [examples/README.md](#)<sup>4</sup> for a tabular index with deeper per-example notes.
- [project README](#)<sup>5</sup> for an overview of the toolchain.
- [TODO.md](#)<sup>6</sup> for the current state of the SVG back-end and known gaps.

---

<sup>1</sup>`out/multilingual.html`

<sup>2</sup>`out/multilingual.pdf`

<sup>3</sup>`multilingual.md`

<sup>4</sup>`README.md`

<sup>5</sup>`../README.md`

<sup>6</sup>`../TODO.md`