

mdlout Kitchen Sink

Regression suite

mdlout Kitchen Sink

Regression suite

Contents

1. Overview	1
1.1. Why two columns?	1
2. Inline and lists	1
3. Tables, math, music	1
3.1. A small table	1
3.2. A worked equation	2
3.3. A music snippet	2
4. Code, raw Lout, and admonitions	2
5. Closing remarks	2

Bullet list:

- Markdown extensions: tables, task lists, definition lists, math blocks.
- Frontmatter mapping: type, page, columns, headers, contents.
- Output formats: HTML (via `lout -G`) and PDF (via `ps2pdf`).

Numbered list:

1. Overview

This is the **kitchen-sink** regression document. It mixes every feature the other examples exercise into one file: headings at three levels, lists, tables, math, music, code, raw Lout, and the full inline-formatting menagerie. Use this as the canonical end-to-end target.

1. Parse frontmatter.
2. Parse blocks.
3. Convert inline spans.
4. Emit Lout source.

Task list:

1.1. Why two columns?

The frontmatter sets `columns: 2`, which exercises Lout's column-balancing machinery. Long lists and tables should re-flow gracefully; figures and displays should span both columns or be confined to one, depending on width.

- [x] Inline formatting
- [x] Block-level parser
- [] @Math macro
- [] @ABC macro
- [] @SVG macro

2. Inline and lists

A paragraph with the full inline kit: **bold**, *italic*, ***both***, code, ~~struck~~, superscript, an embedded link¹ (which mdlout renders as a footnote), and an escaped `*literal*` span.

¹<https://example.org/mdlout>

3. Tables, math, music

3.1. A small table

Module	Purpose	LOC
z01.c	Supervisor and main()	~600
z18.c	Galley transfer	~1200
z48.c	PDF back end	~900
z50.c	PDF compression	~400

3.2. A worked equation

Euler's identity, the canonical one-line proof that mathematicians have taste:

$$e^{i\pi} + 1 = 0$$

The Gaussian integral, repeated here because it never gets old:

$$\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}$$

3.3. A music snippet

A two-bar fragment for the harp's right hand, just to make sure that an ABC fenced block survives the column break:

```
[ABC music notation: X:1 T:Fragment M:4/4 L:1/8 K:C "C" CEGc c2 GE | "G7" DGBd d2 BG |]
```

4. Code, raw Lout, and admonitions

A Python snippet showing the converter's main entry point:

```
def main() -> None:
    args = parse_args()
    md_text = read_input(args.input)
    frontmatter, body = parse_frontmatter(md_text)
```

```
blocks = parse_markdown(body)
lout_src = generate_lout(blocks, frontmatter)
render(lout_src, args)
```

A raw Lout escape hatch, useful when markdown's vocabulary runs out:

Hand-written Lout, embedded mid-document.

Heads up

This admonition block tests mdlout's admonition-to-@Box mapping. Anything inside should be boxed and clearly set off from running text.

5. Closing remarks

If this document renders cleanly in both HTML and PDF, the regression suite has nothing to complain about today. *Onward to the next bug.*