



Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity




Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity



Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.

Uneven fight-level line movements | scenario sensitivity



Bands group scenarios into 5-point average-movement bins. Percentiles describe the sampling design, not forecast probabilities.
Fixed saved models; recomputed Kelly stakes. Existing uncapped exposure retained. Both sides of each fight move together.