



Juan Camilo Mosquera Mosquera &lt;juancamilo.mosquera@globant.com&gt;

**GIT/CI Juan\_Mosquera**

1 mensaje

**Juan Camilo Mosquera M.** <juancamilo.mosqueram@hotmail.com>

29 de octubre de 2021, 10:15

Para: "juancamilo.mosquera@globant.com" &lt;juancamilo.mosquera@globant.com&gt;

The screenshot shows the Jenkins web interface. At the top is a navigation bar with the Jenkins logo, a search bar, and user information for Juan Camilo Mosquera. Below this is a 'Panel de Control' (Control Panel) with a sidebar on the left containing links like 'Nueva Tarea', 'Personas', 'Historial de trabajos', 'Administrar Jenkins', 'Mis vistas', and 'Lockable Resources'. The main area displays a table of jobs. The table has columns for status (S), icon (W), name, last success, last failure, and last duration. Two jobs are listed: 'Job1' and 'Job2'. Below the table are links for 'Guía de iconos' and 'Atom feed' for various metrics.

S	W	Nombre	Último Éxito	Último Fallo	Última Duración
✓	☁	Job1	11 Hor - #12	11 Hor - #10	5,2 Seg
✓	☁	Job2	11 Hor - #5	11 Hor - #3	1,8 Seg

The screenshot shows the configuration page for a Jenkins job. It has tabs for 'General', 'Configurar el origen del código fuente', 'Disparadores de ejecuciones', 'Entorno de ejecución', 'Ejecutar', and 'Acciones para ejecutar después'. The 'General' tab is active, showing a description 'Descargar proyecto en la rama Jenkins\_academy'. Below this is the 'Configurar el origen del código fuente' section, where 'Git' is selected as the provider. The 'Repository URL' is set to 'https://github.com/jmosqueram/GIT'. The 'Credentials' dropdown is set to 'none'. The 'Branches to build' section has a 'Branch Specifier' set to '\*/jenkins\_academy'. At the bottom is the 'Ejecutar un comando de Windows' section, which contains a multi-line command to build a Java project. Buttons for 'Avanzado...' and 'Add Repository' are visible.

```
cd src
javac com/java/data/Calculator.java
echo com/java/data/Manifest.txt
echo Main-Class: com/java/data/Calculator > com/java/data/Manifest.txt
jar cfm MiJarCalculator.jar com/java/data/Manifest.txt com/java/data/Calculator.class
```

find	x
	#12 28-oct-2021 22:08
	#11 28-oct-2021 21:48
	#10 28-oct-2021 21:42
	#9 28-oct-2021 18:33
	#8 28-oct-2021 17:52
	#7 28-oct-2021 17:50
	#6 28-oct-2021 17:47
	#5 28-oct-2021 17:43
	#4 28-oct-2021 17:39
	#3 28-oct-2021 17:29
	#2 28-oct-2021 15:46
	#1 28-oct-2021 15:46

JOB 2:

General

Configurar el origen del código fuente

Disparadores de ejecuciones

Entorno de ejecución

Ejecutar

Acciones para ejecutar después.

Descripción

Job2 toma job1 y ejecuta el jar

Configurar el origen del código fuente

☒ Ninguno

☐ Git

Disparadores de ejecuciones

☐ Lanzar ejecuciones remotas (ejem: desde 'scripts')

☒ Construir tras otros proyectos

Projects to watch

Job1

Ejecutar

Ejecutar un comando de Windows

Comando

cd ../job1/src  
java -jar MiJarCalculator.jar

Visualiza la lista de variables de entorno disponibles

Historia de tareas

Tendencia

find

#5

28-oct-2021 22:08

#4

28-oct-2021 22:06

#3


28-oct-2021 22:05

#2

28-oct-2021 22:04

#1

28-oct-2021 21:57



Nombre	Fecha de modifica...	Tipo	Tamaño
.git	28/10/2021 10:08 ...	Carpeta de archivos	
.idea	28/10/2021 03:46 ...	Carpeta de archivos	
out	28/10/2021 06:34 ...	Carpeta de archivos	
src	28/10/2021 09:48 ...	Carpeta de archivos	
.gitignore	28/10/2021 03:46 ...	Documento de tex...	0 KB
calculator.iml	28/10/2021 03:46 ...	Archivo IML	1 KB
README.md	28/10/2021 03:46 ...	Archivo MD	1 KB