
PORTFOLIO · 2023–2026

# JOHN NORTHRUP



## Designer & Digital Fabrication Specialist | Computational Workflows & Physical Systems

I am a designer and technical fabricator specializing in computational modeling, digital workflows, and physical construction. Grounded in hands-on material fabrication—from fine joinery to structural welding—and technical spatial design, my work bridges complex digital systems with buildable, physical space. I focus on technical design development, project management, and translating complex digital models into precise physical outcomes.

JCNORTHRUP@GMAIL.COM JCNORTHRUP.COM





CODE & AI

| | | | |
|---|---|---|---|
| 01 | memoryMACHINE | SU26, M.ARCH THESIS | 03 |
| 02 | AMENITY DECK ENGINE | 2026, SELF-DIRECTED COMPUTATIONAL STUDY | 06 |
| 03 | PROTOTYPE | SP26, PROTOTYPE, 3GB STUDIO | 14 |

ARCHITECTURE


| | | | |
|---|---|---|---|
| 04 | DESIGN SCHOOL IN MEXICO CITY | SP25, 2GB STUDIO, WITH NATE SMITH | 17 |
| 05 | LITTLE TOKYO THEATER | FA23, DS 1100, 1GA STUDIO | 20 |
| 06 | LA DANCE SHED | FA24, 2GA STUDIO, WITH MILAN SLEDGE | 27 |

DRAWING & DOCUMENTATION

| | | | |
|---|---|---|---|
| 07 | DESIGN DOCUMENTS | DESIGN DOCUMENTS | 31 |
| 08 | ADVANCED PROJECT DELIVERY | ADVANCED PROJECT DELIVERY | 34 |

FABRICATION & MECHANICAL

| | | | |
|---|---|---|---|
| 09 | RESILIENT FUTURES | 2025, SCI-ARC RESILIENT FUTURES TASK FORCE | 36 |
| 10 | DETAILS, DETAILS | F25, DETAILS, DETAILS, WITH CHIA-CHEN LI AND BAIZHEN YU | 39 |
| 11 | ELF-O-MATIC-3000 | FA22, MONSTER CITY STUDIOS | 41 |



01


# memoryMACHINE

SU26, M.ARCH THESIS
ADVISOR · CASEY REHM

memoryMACHINE is a computational design framework that transforms civic sentiment and archival memory into operative spatial data to revitalize under-utilized public space. Using Pershing Square in Downtown Los Angeles as a test bed—a civic site defined by a history of top-down, disconnected redesigns—the project proposes an adaptive spatial infrastructure in place of the fixed, one-time master plan.

At its core, a multimodal data ingestion engine aggregates web reviews, archival records, and spatial metrics, pairing qualitative sentiment with physical variables such as microclimate, canopy coverage, and circulation flows. To ensure equitable representation, the engine applies demographic weighting to mitigate digital access bias. These inputs are translated into spatial density fields and programmatic adjacencies, generating interventions—such as terraced landforms, water systems, and subterranean transit connections—as evidence-based spatial responses rather than predetermined formal gestures.

By merging expert analysis with experiential civic data, memoryMACHINE repositions the architect from sole author to system mediator. Public input shifts from a one-off consultation phase into a permanent, operative design parameter. The result is a self-regulating spatial framework that ingests usage patterns to continuously re-evaluate the site and adapt through phased physical interventions—establishing a democratic model in which public space evolves alongside the community it serves.




SOFTWARE | GENERATE A PLAN, REBUILD IT AS MASSING, DRAW IT (SPED UP) (VIDEO: JCNOR...




INSTALLATION | TIMBER SITE MODEL IN THE EXHIBITION HALL




INSTALLATION | TIMBER SITE MODEL




RENDER | THE GENERATED PARK IN ITS DOWNTOWN CONTEXT




GENERATED PLAN | PERSHING SQUARE



GENERATED MODEL | THE SAME SCHEME AS A MASSING




DRAWING | PERSHING SQUARE, LOS ANGELES: THE PROJECT SITE READ IN THE SYSTEM'S OWN TERMS



02

# AMENITY DECK ENGINE

2026, SELF-DIRECTED COMPUTATIONAL STUDY
ROLE · DESIGN & SCRIPTING


A parametric workflow for a high-rise podium deck, balancing complex site constraints—mechanical clearances, egress cores, and hardscape—with three distinct privacy zones.

The engine is a six-phase Grasshopper and Python pipeline. It reads the Rhino boundary, buffers the fixed obstacles, and uses a straight-skeleton algorithm to seed pool locations against a target deck-to-water ratio. A weighted Voronoi power diagram resolves the overlaps into obstacle-clipped cells, and a final phase converts those cells into grid-aligned basins with coping, typed by width.


What it returns is not a finished plan but an allocation—curves and cells showing where programmatic density wants to settle on a tightly constrained floor plate. Re-run, one definition produces a field of options rather than a single answer.

The deck was designed off that allocation. I offset from the curves the engine produced and developed the basins, coping and soaking pools by hand: not arbitrarily, but from the shapes the script gave me. The engine did the spatial reasoning; the design judgment was mine. Every drawing and diagram here is output from the definition.


## THE ENGINE



DEFINITION | SIX-PHASE PIPELINE, GRASSHOPPER AND PYTHON




PHASE 2 | STRAIGHT SKELETON AND SEED POINTS




PHASE 3B | WEIGHTED VORONOI POWER DIAGRAM

## THE ENGINE




PHASE 6 | CELLS CONVERTED TO BUILDABLE BASINS





OPTION ARRAY | ONE DEFINITION, FOUR POOL COUNTS

## FROM ALLOCATION TO DESIGN





DESIGN NARRATIVE | THREE PRIVACY ZONES

THE DECK





DRAWING | HARDSCAPE PLAN, THE DELIVERABLE

## THE DECK




RHINO MODEL AND FINISHED RENDER | AERIAL




RHINO MODEL AND FINISHED RENDER | ZONE 2

## THE DECK



RHINO MODEL AND FINISHED RENDER | ZONE 3



RHINO MODEL | PAVILION TERRACE

## THE DECK



RENDER | PAVILION TERRACE



03


# PROTOTYPE

SP26, PROTOTYPE, 3GB STUDIO

A generative pipeline for retail architecture and product design, built around a footwear brand's flagship storefront. Architectural iterations were produced through a custom Flux/ComfyUI pipeline, while the product line — a technical boot shown here in cutaway and colorway studies — was developed in parallel through a Gemini-based image pipeline. The two threads feed each other: the building's industrial material palette of raw wood, steel, and concrete is carried directly into the product's own construction and display.



CUTAWAY SECTION ELEVATION OF THE FULL BUILDING



INTERIOR RETAIL FLOOR WITH STEEL AND TIMBER SHELVING DISPLAY



INTERIOR COUNTER SCENE WITH STAFF AND CUSTOMER



TECHNICAL BOOT PRODUCT RENDER, STUDIO SHOT



BOOT COLORWAY COMPARISON SHEET, FOUR VARIANTS



TECHNICAL CUTAWAY OF THE BOOT'S INTERNAL CONSTRUCTION




04


# DESIGN SCHOOL IN MEXICO CITY

SP25, 2GB STUDIO, WITH NATE SMITH
ADVISOR · ZEINA KOREITEM


An addition to the IMSS headquarters, Mexico's social security bureau, in Mexico City: a design school that plugs into the existing office building without major changes to its structure. On our studio trip we read the city as a palimpsest, built in layers, with new buildings and materials laid directly against the ones before them. The proposal continues that reading. Studios, classrooms, a gallery, a café and a library stack as blocks on one another and on the IMSS building, a public plaza opens at street level, and a mesh facade drapes over the whole: one more layer of the city.




DRAWING | GROUND FLOOR PLAN AND PUBLIC PLAZA



DRAWING | SECOND FLOOR, CAFÉ AND STUDIOS



DRAWING | LONG SECTION AA




DRAWING | SHORT SECTION BB



MODEL | FINAL MODEL, MESH REMOVED



MODEL | BRICK-CLAD BLOCKS AND TRUSS BRIDGE




05

# LITTLE TOKYO THEATER


FA23, DS 1100, 1GA STUDIO
ADVISOR · MATTHEW AU


This first semester studio project stems from a study of grid systems, materiality, galleries, and theatres. The initial measurement grids were carefully constructed, using the limitations of the tape itself and the gap in named measurements vs. actual measurements. The grids operate in a way that looks at material falsities, as well as transparency. Through these measurement systems, they are then expanded into large boards. These boards are then used to produce a massing model. Ultimately realized as a performing arts theater in the Little Tokyo District, the Measurement Grid is transformed into a space that offers a place for community to gather in an unconventional theater setting where actors and patrons are active participants in the shows on display.

## GRID STUDIES





MEASUREMENT GRID DIAGRAM WITH TETRAHEDRON






DIGITAL GRID FIGURE STUDY 1 AND 2






DIGITAL GRID FIGURE STUDY 3 AND 4


## GRID STUDIES




DIGITAL GRID FIGURE STUDY 5 AND 6




DIGITAL GRID STUDY, PRINTED BOARD FLAT AND BENT



GRID STUDY DRAWING, SHORT SECTION




GRID STUDY DRAWING, LONG SECTION




GRID STUDY DRAWING, SECTION

## GRID STUDIES




GRID STUDY DRAWING, PLAN


## FINAL MODEL




FINAL MASSING MODEL, PRIMARY VIEW



FINAL MASSING MODEL, VIEW 2



FINAL MASSING MODEL, VIEW 3




FINAL MASSING MODEL, VIEW 4




FINAL MASSING MODEL, VIEW 5

## FINAL MODEL




FINAL MASSING MODEL, ELEVATION VIEW




FINAL MASSING MODEL, VIEW 7

## FINAL MODEL



FINAL MODEL COMPOSITE SECTION DRAWING



06


# LA DANCE SHED

FA24, 2GA STUDIO, WITH MILAN SLEDGE
ADVISOR · MARCELO SPINA

This project for the Los Angeles Dance Project (LADP) seeks to bring the community of Pico-Union together on a campus that serves and connects the community. Located directly across from the Pico-Union Project, the site was surgically opened up in order to connect via sightlines and circulation to this important community asset. A unique goal among this project was to preserve many of the existing structures on the site and repurposing the materials from buildings that were to be removed. With a raised circulatory system, visitors are encouraged to meander throughout the site, engaging with it from within the in-between spaces. The roof serves as not only shade for warm summer days, but also acts as an organizing device for the discrete elements of the site, bringing them together in a collective, just as is intended with the surrounding community.




RENDER | FROM THE PICO-UNION SIDE OF THE SITE





AXONOMETRIC | STEEL-FRAMED ROOF, CONCRETE SPINE AND BLACK BOX THEATER



PLAN | LEVEL 1




PLAN | LEVEL 2




SECTIONS | THROUGH THE THEATER AND SPINE



ELEVATIONS | STREET FRONTAGES, TERRACOTTA PANEL FACADE




RENDER | TOWARD THE CAMPUS CAFE



MODEL | THE ROOF LIFTED OFF THE CAMPUS BELOW



MODEL | SETTING THE ROOF PLATES OVER THE SITE





07


# DESIGN DOCUMENTS

DESIGN DOCUMENTS
ADVISOR · HERWIG BAUMGARTNER


This course studies the implementation of design, technology, and an understanding of building systems. Students are tasked with preparing Design Document drawings from a previous year's studio project and are asked to bring it to life with real-world materials, budgets, and environmental factors.




TYPICAL GROUND FLOOR WALL — PEEL-BACK RENDER AND DRAWING




TYPICAL UPPER FLOOR WALL — PEEL-BACK RENDER AND DRAWING



TIMBER STRUCTURE JOINT — PEEL-BACK RENDER AND DRAWING




OCULUS SKYLIGHT — PEEL-BACK RENDER AND DRAWING



08


# ADVANCED PROJECT DELIVERY

ADVANCED PROJECT DELIVERY
ADVISOR · PAVEL GETOV AND KARENZA HARRIS


A Construction Documents course focused on taking a design through to buildable detail — resolving material assemblies, structural connections, and building systems into a coordinated drawing set. Site plans, reflected ceiling plans, and wall section sheets were developed to real-world standards of dimension, specification, and constructability.




SITE PLAN SHEET



REFLECTED CEILING PLAN, FIRST FLOOR



DETAILS AND WALL SECTION SHEET



09


# RESILIENT FUTURES

2025, SCI-ARC RESILIENT FUTURES TASK FORCE
ROLE · DRAWINGS, DESIGN & FABRICATION

SCI-Arc formed the Resilient Futures Task Force after the January 2025 firestorms that burned through Altadena and the Pacific Palisades. One thing the fires left behind was suspicion of timber: people rebuilding wanted to know whether building in wood had made it worse.

These drawings and models were made for the task force's public work on that question, alongside its Demystifying Timber session. Nothing in them is exotic. They are the ordinary parts that make an ordinary timber house more likely to survive a fire, and the whole point is that you can see every one. Three conditions are drawn as annotated axonometrics and then built at full scale: the eaves and overhang, the wall, and the deck. I drew all three, and helped design and build the eaves and overhang.


The specification is the argument. Fiber-cement shingles over a Class A underlayment membrane, non-combustible fiber-cement cladding, soffit and fascia, NFPA-approved soffit vents, an aluminum mesh gutter guard and a downspout strainer to keep embers out of the gutter, fire-rated insulation, and a fire-rated window with tempered insulated glass. Built at full size, the vent screen and the gutter guard stop being line weights and become things you can stand in front of.




DRAWING | EAVES AND OVERHANG, LAYER BY LAYER




MODEL | THE VENTED SOFFIT AND GUARDED GUTTER, FROM BELOW




DRAWING | WALL, WITH THE FIRE-RATED WINDOW AND SILL



MODEL | THE TIMBER FRAME BEHIND THE CLADDING




DRAWING | DECK, FURRING AND NON-COMBUSTIBLE SIDING



MODEL | THE ASSEMBLY AT FULL SCALE



10


# DETAILS, DETAILS

F25, DETAILS, DETAILS, WITH CHIA-CHEN LI AND BAIZHEN YU
ADVISOR · DWAYNE OYLER

A doorlock mechanism inspired by Frank Lloyd Wright's detail work, specifically the door mechanisms in the Hollyhock House.



FOAM PROTOTYPING PROCESS



PROTOTYPE INTERIOR MECHANISM



FINAL DOOR MECHANISM, CLOSE-UP




11

# ELF-O-MATIC-3000

FA22, MONSTER CITY STUDIOS
ROLE · TECHNICAL DESIGNER & PROJECT MANAGER


A holiday show piece built at Monster City Studios: a steam-powered candy machine with a neon marquee, a lit viewing window of tumbling balls, a STEAM grille, a pressure gauge and a candy-striped dome. Behind the theming is a working show, with lighting, moving parts and an operator panel to reset it between guests.




BUILT WORK | THE MACHINE RUNNING IN THE SHOP (VIDEO: JCNORTHRUP.COM/PROJECTS/E...




BUILT WORK | MARQUEE, GAUGES AND DOME




DETAIL | WARNING GAUGE




DETAIL | OPERATOR PANEL




DETAIL | SERVICE HATCH WITH LABELED CONTROL SWITCHES