

# Pro Spring 5

An In-Depth Guide to the Spring Framework and Its Tools

Fifth Edition

Iuliana Cosmina Rob Harrop Chris Schaefer Clarence Ho

## **Pro Spring 5**

An In-Depth Guide to the Spring Framework and Its Tools

Fifth Edition

Iuliana Cosmina Rob Harrop Chris Schaefer Clarence Ho

#### Pro Spring 5: An In-Depth Guide to the Spring Framework and Its Tools

Iuliana Cosmina

Sibiu, Sibiu, Romania

Chris Schaefer Venice, Florida, USA

ISBN-13 (pbk): 978-1-4842-2807-4 DOI 10.1007/978-1-4842-2808-1 Rob Harrop

Reddish, United Kingdom

Clarence Ho Hong Kong, China

ISBN-13 (electronic): 978-1-4842-2808-1

Library of Congress Control Number: 2017955423

Copyright © 2017 by Iuliana Cosmina, Rob Harrop, Chris Schaefer, and Clarence Ho

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

Trademarked names, logos, and images may appear in this book. Rather than use a trademark symbol with every occurrence of a trademarked name, logo, or image we use the names, logos, and images only in an editorial fashion and to the benefit of the trademark owner, with no intention of infringement of the trademark.

The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Cover image by Freepik (www.freepik.com)

Managing Director: Welmoed Spahr Editorial Director: Todd Green Acquisitions Editor: Steve Anglin Development Editor: Matthew Moodie Technical Reviewer: Massimo Nardone Coordinating Editor: Mark Powers Copy Editor: Kim Wimpsett

Distributed to the book trade worldwide by Springer Science+Business Media New York, 233 Spring Street, 6th Floor, New York, NY 10013. Phone 1-800-SPRINGER, fax (201) 348-4505, e-mail orders-ny@springer-sbm.com, or visit www.springeronline.com. Apress Media, LLC is a California LLC and the sole member (owner) is Springer Science + Business Media Finance Inc (SSBM Finance Inc). SSBM Finance Inc is a **Delaware** corporation.

For information on translations, please e-mail rights@apress.com, or visit www.apress.com/rights-permissions.

Apress titles may be purchased in bulk for academic, corporate, or promotional use. eBook versions and licenses are also available for most titles. For more information, reference our Print and eBook Bulk Sales web page at www.apress.com/bulk-sales.

Any source code or other supplementary material referenced by the author in this book is available to readers on GitHub via the book's product page, located at www.apress.com/9781484228074. For more detailed information, please visit www.apress.com/source-code.

Printed on acid-free paper

I dedicate this book to my friends, to my godson stefan, and to all the musicians who have made working on this book easy with their music.

—Iuliana Cosmina

## **Contents at a Glance**

| About the Authors  | xxiii             |
|--|-------------------|
| About the Technical Reviewer                               | xxv               |
| Acknowledgments  | xxvii             |
| Introduction   | xxix              |
| Chapter 1: Introducing Spring                              | 1                 |
| Chapter 2: Getting Started                                 | 19                |
| Chapter 3: Introducing IoC and DI in Spring                | <mark>37</mark>   |
| ■Chapter 4: Spring Configuration in Detail and Spring Boot | 125               |
| Chapter 5: Introducing Spring AOP                          | <mark>211</mark>  |
| Chapter 6: Spring JDBC Support                             | <mark>297</mark>  |
| Chapter 7: Using Hibernate in Spring                       | 3 <mark>55</mark> |
| Chapter 8: Data Access in Spring with JPA2                 | <mark>393</mark>  |
| Chapter 9: Transaction Management                          | 4 <mark>67</mark> |
| Chapter 10: Validation with Type Conversion and Formatting | <mark>509</mark>  |
| Chapter 11: Task Scheduling                                | <mark>537</mark>  |
| Chapter 12: Using Spring Remoting                          | <mark>557</mark>  |
| Chapter 13: Spring Testing                                 | 615               |
| Chapter 14: Scripting Support in Spring                    | <mark>639</mark>  |
| Chapter 15: Application Monitoring                         | <mark>655</mark>  |
|  |                   |

#### CONTENTS AT A GLANCE

| Chapter 16: Web Applications                                   | 66 <mark>5</mark> |
|--|-------------------|
| ■Chapter 17: WebSocket   | <mark>751</mark>  |
| ■Chapter 18: Spring Projects: Batch, Integration, XD, and More | <mark>773</mark>  |
| ■Appendix A: Setting Up Your Development Environment           | <mark>829</mark>  |
| Index  | 841               |

### **Contents**

| About the Authors                            |       |
|--|-------|
| About the Technical Reviewer                 | xxv   |
| Acknowledgments                              | xxvii |
| Introduction                                 | xxix  |
| ■Chapter 1: Introducing Spring               | 1     |
| What Is Spring?                              | 1     |
| Evolution of the Spring Framework            | 2     |
| Inverting Control or Injecting Dependencies? | 8     |
| Evolution of Dependency Injection            | 8     |
| Beyond Dependency Injection                  | 10    |
| The Spring Project                           | 15    |
| Origins of Spring                            | 15    |
| The Spring Community                         | 15    |
| The Spring Tool Suite                        | 16    |
| The Spring Security Project                  | 16    |
| Spring Boot                                  | 16    |
| Spring Batch and Integration                 | 17    |
| Many Other Projects                          | 17    |
| Alternatives to Spring                       | 17    |
| JBoss Seam Framework                         | 17    |
| Google Guice                                 | 17    |
| PicoContainer                                | 17    |
| JEE 7 Container                              | 18    |
| Summary                                      | 18    |

| Chapter 2: Getting Started                       | 19               |
|--|------------------|
| Obtaining the Spring Framework                   | <mark>20</mark>  |
| Getting Started Quickly                          | 20               |
| Checking Spring Out of GitHub                    | <mark>20</mark>  |
| Using the Right JDK                              | <mark>2</mark> 1 |
| Understanding Spring Packaging                   | <mark>2</mark> 1 |
| Choosing Modules for Your Application            | <mark>24</mark>  |
| Accessing Spring Modules on the Maven Repository | 24               |
| Accessing Spring Modules Using Gradle            | 26               |
| Using Spring Documentation                       | 26               |
| Putting a Spring into Hello World                | <mark>27</mark>  |
| Building the Sample Hello World Application      | <mark>27</mark>  |
| Refactoring with Spring                          | 31               |
| Summary  | 35               |
| Chapter 3: Introducing IoC and DI in Spring      | 37               |
| Inversion of Control and Dependency Injection    |                  |
| Types of Inversion of Control                    |                  |
| Dependency Pull                                  |                  |
| Contextualized Dependency Lookup                 |                  |
| Constructor Dependency Injection                 |                  |
| Setter Dependency Injection                      | 41               |
| Injection vs. Lookup                             | 41               |
| Setter Injection vs. Constructor Injection       | 42               |
| Inversion of Control in Spring                   | 45               |
| Dependency Injection in Spring                   | 46               |
| Beans and BeanFactory                            |                  |
| BeanFactory Implementations                      |                  |
| ApplicationContext                               | 48               |
| Configuring ApplicationContext                   | 48               |
| Setting Spring Configuration Options             |                  |
| Basic Configuration Overview                     | 49               |
|  |                  |

| Declaring Spring Components                 | 50                     |
|---|------------------------|
| Using Method Injection                      | 84                     |
| Understanding Bean Naming                   | 95                     |
| Understanding Bean Instantiation Mode       | 105                    |
| Resolving Dependencies                      | 109                    |
| Autowiring Your Bean                        | 112                    |
| When to Use Autowiring                      | 121                    |
| Setting Bean Inheritance                    | 122                    |
| Summary                                     | 124                    |
| ■Chapter 4: Spring Configuration in Det     | ail and Spring Boot125 |
| Spring's Impact on Application Portability  | 126                    |
| Bean Life-Cycle Management                  | 127                    |
| Hooking into Bean Creation                  | 128                    |
| Executing a Method When a Bean Is Created   | 128                    |
| Implementing the InitializingBean Interface | 132                    |
| Using the JSR-250 @PostConstruct Annotation | n 134                  |
| Declaring an Initialization Method Using @  | DBean 137              |
| Understanding Order of Resolution           | 138                    |
| Hooking into Bean Destruction               | 139                    |
| Executing a Method When a Bean Is Desti     | royed139               |
| Implementing the DisposableBean Interface   | 141                    |
| Using the JSR-250 @PreDestroy Annotation    | on 143                 |
| Declaring a Destroy Method Using @Bear      | 1144                   |
| Understanding Order of Resolution           | 146                    |
| Using a Shutdown Hook                       | 146                    |
| Making Your Beans "Spring Aware"            | 146                    |
| Using the BeanNameAware Interface           | 147                    |
| Using the ApplicationContextAware Interface | 148                    |
| Use of FactoryBeans                         | 151                    |
| FactoryBean Example: The MessageDigestFac   | etoryBean151           |

| Accessing a FactoryBean Directly                     | 156          |
|--|--------------|
| Using the factory-bean and factory-method Attributes | 1 <b>57</b>  |
| JavaBeans PropertyEditors                            | 1 <b>5</b> 8 |
| Using the Built-in PropertyEditors                   | . 159        |
| Creating a Custom PropertyEditor                     | .164         |
| More Spring ApplicationContext Configuration         | 167          |
| Internationalization with the MessageSource          | .168         |
| Using MessageSource in Stand-Alone Applications      | . 171        |
| Application Events                                   | . 171        |
| Accessing Resources                                  | 174          |
| Configuration Using Java Classes                     | 175          |
| ApplicationContext Configuration in Java             | . 175        |
| Spring Mixed Configuration                           | . 185        |
| Java or XML Configuration?                           | . 187        |
| Profiles   | 187          |
| An Example of Using the Spring Profiles Feature      | . 187        |
| Spring Profiles Using Java Configuration             | 190          |
| Considerations for Using Profiles                    | . 193        |
| Environment and PropertySource Abstraction           | 193          |
| Configuration Using JSR-330 Annotations              | 198          |
| Configuration Using Groovy                           | 201          |
| Spring Boot  | 204          |
| Summary  | 210          |
| IChapter 5: Introducing Spring AOP                   | 211          |
| AOP Concepts   | 212          |
| Types of AOP   | 213          |
| Using Static AOP                                     |              |
| Using Dynamic AOP                                    | .213         |
| Choosing an AOP Type                                 | .213         |

| AOP in Spring   | 214               |
|---|-------------------|
| The AOP Alliance  | 214               |
| Hello World in AOP  | 214               |
| Spring AOP Architecture   | 216               |
| Joinpoints in Spring  | 216               |
| Aspects in Spring   | 217               |
| About the ProxyFactory Class                                      | 217               |
| Creating Advice in Spring   | 217               |
| Interfaces for Advice   | 219               |
| Creating Before Advice  | 219               |
| Securing Method Access by Using Before Advice                     | <mark>22</mark> 0 |
| Creating After-Returning Advice                                   | 224               |
| Creating Around Advice  | 227               |
| Creating Throws Advice  | 230               |
| Choosing an Advice Type   | 232               |
| Advisors and Pointcuts in Spring                                  | 233               |
| The Pointcut Interface  | 2 <mark>33</mark> |
| Available Pointcut Implementations                                | 2 <mark>35</mark> |
| Using DefaultPointcutAdvisor                                      | 236               |
| Creating a Static Pointcut by Using StaticMethodMatcherPointcut   | 236               |
| Creating a Dynamic Pointcut by Using DyanmicMethodMatcherPointcut | 239               |
| Using Simple Name Matching  | 242               |
| Creating Pointcuts with Regular Expressions                       | 244               |
| Creating Pointcuts with AspectJ Pointcut Expression               | 246               |
| Creating Annotation Matching Pointcuts                            | 247               |
| Convenience Advisor Implementations                               | 248               |
| Understanding Proxies   | 249               |
| Using JDK Dynamic Proxies   | 250               |
| Using CGLIB Proxies   | 250               |
| Comparing Proxy Performance                                       | 251               |
| Choosing a Proxy to Use   | 256               |

| Advanced Use of Pointcuts                               | 256               |
|---|-------------------|
| Using Control Flow Pointcuts                            | <mark>25</mark> 6 |
| Using a Composable Pointcut                             | 259               |
| Composition and the Pointcut Interface                  | 262               |
| Pointcut Summary  | 262               |
| Getting Started with Introductions                      | 263               |
| Introduction Basics                                     | 263               |
| Object Modification Detection with Introductions        | 265               |
| Introduction Summary                                    | 270               |
| Framework Services for AOP                              | 271               |
| Configuring AOP Declaratively                           | <mark>27</mark> 1 |
| Using ProxyFactoryBean                                  | 271               |
| Using the aop Namespace                                 | 277               |
| Using @AspectJ-Style Annotations                        | 284               |
| Considerations for Declarative Spring AOP Configuration | 291               |
| AspectJ Integration                                     | 291               |
| About AspectJ   | 291               |
| Using Singleton Aspects                                 | 292               |
| Summary   | 295               |
| ■Chapter 6: Spring JDBC Support                         | 297               |
| Introducing Lambda Expressions                          | 298               |
| Sample Data Model for Example Code                      | 298               |
| Exploring the JDBC Infrastructure                       | 304               |
| Spring JDBC Infrastructure                              | 309               |
| Overview and Used Packages                              | 309               |
| Database Connections and DataSources                    | 310               |
| Embedded Database Support                               | 315               |
| Using DataSources in DAO Classes                        | 317               |
| Exception Handling                                      | 319               |

|   | The JdbcTemplate Class  | 321                                      |
|---|---|--|
|   | Initializing JdbcTemplate in a DAO Class  | 321                                      |
|   | Using Named Parameters with NamedParameterJdbcTemplate  | 323                                      |
|   | Retrieving Domain Objects with RowMapper <t></t>  | 325                                      |
|   | Retrieving Nested Domain Objects with ResultSetExtractor  | 327                                      |
|   | Spring Classes That Model JDBC Operations   | 330                                      |
|   | Querying Data by Using MappingSqlQuery <t></t>  | 333                                      |
|   | Updating Data by Using SqlUpdate  | 337                                      |
|   | Inserting Data and Retrieving the Generated Key   | 340                                      |
|   | Batching Operations with BatchSqlUpdate   | 342                                      |
|   | Calling Stored Functions by Using SqlFunction   | 347                                      |
|   | Spring Data Project: JDBC Extensions  | 349                                      |
|   | Considerations for Using JDBC   | 349                                      |
|   | Spring Boot JDBC  | 350                                      |
|   | Summary   | 353                                      |
| i | IChapter 7: Using Hibernate in Spring   | 355                                      |
|   | Sample Data Model for Example Code  | 356                                      |
|   | Configuring Hibernate's SessionFactory  | 358                                      |
|   | ORM Mapping Using Hibernate Annotations   |  |
|   | Simple Mappings   |  |
|   |   |  |
|   | One-to-Many Mappings  |  |
|   | One-to-Many Mappings  | 367                                      |
|   | • • • •   | 367<br>369                               |
|   | Many-to-Many Mappings   | 367<br>369                               |
|   | Many-to-Many Mappings  The Hibernate Session Interface  | 367<br>369<br>.371<br>372                |
|   | Many-to-Many Mappings  The Hibernate Session Interface  Querying Data by Using the Hibernate Query Language                                     | 367<br>369<br>.371<br>372                |
|   | Many-to-Many Mappings  The Hibernate Session Interface  Querying Data by Using the Hibernate Query Language  Simple Querying with Lazy Fetching | 367<br>369<br>371<br>372<br>372          |
|   | Many-to-Many Mappings  The Hibernate Session Interface  Querying Data by Using the Hibernate Query Language  Simple Querying with Lazy Fetching | 367<br>369<br>. 371<br>372<br>372<br>375 |

| Configuring Hibernate to Generate Tables from Entities               | 386 |
|--|-----|
| Annotating Methods or Fields?  | 389 |
| Considerations When Using Hibernate                                  | 391 |
| Summary  | 392 |
| ■Chapter 8: Data Access in Spring with JPA2                          | 393 |
| Introducing JPA 2.1  | 394 |
| Sample Data Model for Example Code                                   | 394 |
| Configuring JPA's EntityManagerFactory                               | 395 |
| Using JPA Annotations for ORM Mapping                                | 398 |
| Performing Database Operations with JPA                              | 400 |
| Using the Java Persistence Query Language to Query Data              | 400 |
| Querying with Untyped Results  | 410 |
| Querying for a Custom Result Type with a Constructor Expression      | 412 |
| Inserting Data   | 415 |
| Updating Data  | 417 |
| Deleting data  | 419 |
| Using a Native Query   | 420 |
| Using a Simple Native Query  | 421 |
| Native Querying with SQL ResultSet Mapping                           | 421 |
| Using the JPA 2 Criteria API for a Criteria Query                    | 422 |
| Introducing Spring Data JPA  | 429 |
| Adding Spring Data JPA Library Dependencies                          | 429 |
| Using Spring Data JPA Repository Abstraction for Database Operations | 430 |
| Using JpaRepository  | 436 |
| Spring Data JPA with Custom Queries                                  | 437 |
| Keeping Track of Changes on the Entity Class                         | 440 |
| Keeping Entity Versions by Using Hibernate Envers                    | 451 |
| Adding Tables for Entity Versioning                                  | 452 |
| Configuring EntityManagerEactory for Entity Versioning               | 453 |

| Enabling Entity Versioning and History Retrieval           | 456         |
|--|-------------|
| Testing Entity Versioning                                  | 457         |
| Spring Boot JPA  | 459         |
| Considerations When Using JPA                              | 465         |
| Summary  | 466         |
| Chapter 9: Transaction Management                          | 467         |
| Exploring the Spring Transaction Abstraction Layer         | 468         |
| Transaction Types  | 468         |
| Implementations of the PlatformTransactionManager          | 469         |
| Analyzing Transaction Properties                           | <b>470</b>  |
| The TransactionDefinition Interface                        | 471         |
| The TransactionStatus Interface                            | 472         |
| Sample Data Model and Infrastructure for Example Code      | 473         |
| Creating a Simple Spring JPA Project with Dependencies     | 473         |
| Sample Data Model and Common Classes                       | 475         |
| Using AOP Configuration for Transaction Management         | 486         |
| Using Programmatic Transactions                            | 488         |
| Considerations on Transaction Management                   | 490         |
| Global Transactions with Spring                            | 490         |
| Infrastructure for Implementing the JTA Sample             | 491         |
| Implementing Global Transactions with JTA                  | 491         |
| Spring Boot JTA  | 501         |
| Considerations on Using JTA Transaction Manager            | 50 <b>7</b> |
| Summary  | <b>507</b>  |
| Chapter 10: Validation with Type Conversion and Formatting | <b>509</b>  |
| Dependencies   | 510         |
| Spring Type Conversion System                              | <b>510</b>  |
| Conversion from a String Using PropertyEditors             | 511         |

| Introducing Spring Type Conversion                | 514               |
|---|-------------------|
| Implementing a Custom Converter                   | 514               |
| Configuring ConversionService                     | 515               |
| Converting Between Arbitrary Types                | 517               |
| Field Formatting in Spring                        | 521               |
| Implementing a Custom Formatter                   | 521               |
| Configuring ConversionServiceFactoryBean          | <mark>52</mark> 3 |
| Validation in Spring                              | 524               |
| Using the Spring Validator Interface              | 525               |
| Using JSR-349 Bean Validation                     | 527               |
| Configuring Bean Validation Support in Spring     |                   |
| Creating a Custom Validator                       | 531               |
| Using AssertTrue for Custom Validation            | 534               |
| Considerations for Custom Validation              | <u>535</u>        |
| Deciding Which Validation API to Use              | <u>53</u> 5       |
| Summary   | 535               |
| ■Chapter 11: Task Scheduling                      | 537               |
| Dependencies for the Task Scheduling Samples      | 537               |
| Task Scheduling in Spring                         | 538               |
| Introducing the Spring TaskScheduler Abstraction  | 539               |
| Exploring a Sample Task                           | 540               |
| Using Annotations for Task Scheduling             | 547               |
| Asynchronous Task Execution in Spring             | 551               |
| Task Execution in Spring                          | 554               |
| Summary   | 556               |
| ■Chapter 12: Using Spring Remoting                |                   |
| Using a Data Model for Samples                    |                   |
| Adding Required Dependencies for the JPA Back End |                   |

|   | Implementing and Configuring SingerService      | <mark>562</mark>  |
|---|---|-------------------|
|   | Implementing SingerService                      | 562               |
|   | Configuring SingerService                       | 564               |
|   | Exposing the Service                            | 567               |
|   | Invoking the Service                            | <mark>568</mark>  |
|   | Using JMS in Spring                             | <mark>57</mark> 0 |
|   | Implementing a JMS Listener in Spring           | <mark>57</mark> 3 |
|   | Sending JMS Messages in Spring                  | 574               |
|   | Spring Boot Artemis Starter                     | <mark>57</mark> 6 |
|   | Using RESTful-WS in Spring                      | <b>57</b> 9       |
|   | Introducing RESTful Web Services                | 579               |
|   | Adding Required Dependencies for Samples        | <mark>58</mark> 0 |
|   | Designing the Singer RESTful Web Service        | <mark>58</mark> 0 |
|   | Using Spring MVC to Expose RESTful Web Services | 581               |
|   | Configuring Castor XML                          | <mark>582</mark>  |
|   | Implementing SingerController                   | 584               |
|   | Configuring a Spring Web Application            | 586               |
|   | Using curl to Test RESTful-WS                   | 590               |
|   | Using RestTemplate to Access RESTful-WS         | 592               |
|   | Securing RESTful-WS with Spring Security        | 597               |
|   | RESTful-WS with Spring with Spring Boot         | <mark>602</mark>  |
|   | Using AMQP in Spring                            | <mark>605</mark>  |
|   | Using AMQP with Spring Boot                     | 611               |
|   | Summary   | <mark>613</mark>  |
| į | Chapter 13: Spring Testing                      | 615               |
|   | Introducing Testing Categories                  |                   |
|   | Using Spring Test Annotations                   |                   |
|   | Implementing Logic Unit Tests                   |                   |
|   | Adding Required Dependencies                    |                   |
|   | Unit Testing Spring MVC Controllers             |                   |
|   | One roomy opinig with controllers               | 020               |

|   | Implementing an Integration Test                           | <mark>623</mark>  |
|---|--|-------------------|
|   | Adding Required Dependencies                               | <mark>623</mark>  |
|   | Configuring the Profile for Service-Layer Testing          | <mark>623</mark>  |
|   | Java Configuration Version                                 | <mark>625</mark>  |
|   | Implementing the Infrastructure Classes                    | 627               |
|   | Unit Testing the Service Layer                             | <mark>63</mark> 0 |
|   | Dropping DbUnit  | 634               |
|   | Implementing a Front-End Unit Test                         | 63 <b>7</b>       |
|   | Introducing Selenium                                       | <mark>638</mark>  |
|   | Summary  | <mark>638</mark>  |
| į | Chapter 14: Scripting Support in Spring                    | 639               |
|   | Working with Scripting Support in Java                     | <mark>640</mark>  |
|   | Introducing Groovy   | 641               |
|   | Dynamic Typing   | 642               |
|   | Simplified Syntax  | 643               |
|   | Closure  | 643               |
|   | Using Groovy with Spring                                   | 644               |
|   | Developing the Singer Domain                               | 645               |
|   | Implementing the Rule Engine                               | 646               |
|   | Implementing the Rule Factory as a Spring Refreshable Bean | 648               |
|   | Testing the Age Category Rule                              | <mark>65</mark> 0 |
|   | Inlining Dynamic Language Code                             | <mark>652</mark>  |
|   | Summary  | 654               |
| į | Chapter 15: Application Monitoring                         | <mark>655</mark>  |
|   | JMX Support in Spring                                      | <mark>655</mark>  |
|   | Exporting a Spring Bean to JMX                             | 656               |
|   | Using Java VisualVM for JMX Monitoring                     |                   |
|   | Monitoring Hibernate Statistics                            |                   |
|   | JMX with Spring Boot                                       |                   |
|   | Summary  |                   |
|   |  | UU                |

| ■ Chapter 16: Web Applications                          | 665          |
|---|--------------|
| Implementing the Service Layer for Samples              | 666          |
| Using a Data Model for the Samples                      | 666          |
| Implementing the DAO Layer                              | 670          |
| Implementing the Service Layer                          | 670          |
| Configuring SingerService                               | 672          |
| Introducing MVC and Spring MVC                          | 6 <b>7</b> 3 |
| Introducing MVC   | 674          |
| Introducing Spring MVC                                  | 675          |
| Spring MVC WebApplicationContext Hierarchy              | 675          |
| Spring MVC Request Life Cycle                           | 676          |
| Spring MVC Configuration                                | 678          |
| Creating the First View in Spring MVC                   | 681          |
| Configuring DispatcherServlet                           | 683          |
| Implementing SingerController                           | 684          |
| Implementing the Singer List View                       | 685          |
| Testing the Singer List View                            | 686          |
| Understanding the Spring MVC Project Structure          | 686          |
| Enabling Internationalization (i18n)                    | 687          |
| Configuring i18n in the DispatcherServlet Configuration | 688          |
| Modifying the Singer List View for i18n Support         | 690          |
| Using Theming and Templating                            | 691          |
| Theming Support   | 691          |
| View Templating with Apache Tiles                       | 693          |
| Designing the Template Layout                           | 693          |
| Implementing Page Layout Components                     | 694          |
| Configuring Tiles in Spring MVC                         | 698          |
| Implementing the Views for Singer Information           |              |
| Mapping URLs to the Views                               |              |
| Implementing the Show Singer View                       | 700          |

| Implementing the Edit Singer View                 | 703               |
|---|-------------------|
| Implementing the Add Singer View                  | 708               |
| Enabling JSR-349 (Bean Validation)                | 709               |
| Using jQuery and jQuery Ul                        | <mark>711</mark>  |
| Introducing jQuery and jQuery UI                  | <mark>711</mark>  |
| Enabling jQuery and jQuery UI in a View           | 712               |
| Rich-Text Editing with CKEditor                   | 714               |
| Using jqGrid for a Data Grid with Pagination      | <mark>715</mark>  |
| Enabling jqGrid in the Singer List View           | 715               |
| Enabling Pagination on the Server Side            | <mark>717</mark>  |
| Handling File Upload                              | <mark>721</mark>  |
| Configuring File Upload Support                   | <mark>72</mark> 1 |
| Modifying Views for File Upload Support           | <mark>723</mark>  |
| Modifying Controllers for File Upload Support     | 724               |
| Securing a Web Application with Spring Security   | <mark>726</mark>  |
| Configuring Spring Security                       | 726               |
| Adding Login Functions to the Application         | 729               |
| Using Annotations to Secure Controller Methods    | <mark>731</mark>  |
| Creating Spring Web Applications with Spring Boot |                   |
| Setting Up the DAO Layer                          | 733               |
| Setting Up the Service Layer                      | 735               |
| Setting Up the Web Layer                          | 735               |
| Setting Up Spring Security                        | 737               |
| Creating Thymeleaf Views                          |                   |
| Using Thymeleaf Extensions                        | 743               |
| Using Webjars                                     | 747               |
| Summary   | 749               |
| Chapter 17: WebSocket                             | <mark>751</mark>  |
| Introducing WebSocket                             |                   |
| Using WebSocket with Spring                       | 752               |
|   |                   |

| Us   | ing the WebSocket API                                       | <mark>752</mark>  |
|------|---|-------------------|
|      | Using SockJS  | <mark>76</mark> 0 |
| Se   | nding Messages with STOMP                                   | <mark>765</mark>  |
| Su   | mmary   | 772               |
| Ch   | apter 18: Spring Projects: Batch, Integration, XD, and More | 773               |
| Sp   | ring Batch  | 774               |
| JS   | R-352   | <mark>78</mark> 3 |
| Sp   | ring Boot Batch   | 786               |
| Sp   | ring Integration  | <mark>79</mark> 0 |
| Sp   | ring XD   | 796               |
| Sp   | ring Framework's Five Most Notable Features                 | 798               |
|      | The Functional Web Framework                                | <b>79</b> 9       |
|      | Java 9 Interoperabiliy                                      | 811               |
|      | JDK Modularity  | 811               |
|      | Reactive Programming with Java 9 and Spring WebFlux         | 814               |
|      | Spring Support for JUnit 5 Jupiter                          | 817               |
| Su   | mmary   | 827               |
| Ap   | pendix A: Setting Up Your Development Environment           | <mark>829</mark>  |
| Int  | roducing Project pro-spring-15                              | 829               |
| Un   | derstanding the Gradle Configuration                        | 831               |
| Bu   | ilding and Troubleshooting                                  | 834               |
| De   | ploy on Apache Tomcat                                       | 837               |
| Inde | v   | . 841             |
|      | A   | 04                |