Author: Davor Ljubenkov, Aalborg University Supervisor: Sokol Kosta, Aalborg University License: GPL v3.0 Copyright: COCI

Direct

We are given a tree with N nodes denoted with different positive integers from 1 to N. 1 Additionally, you are given M node pairs from the tree in the form of (a_1, b_1) , (a_2, b_2) , ..., (a_M, b_M) . We need to direct each edge of the tree so that for each given node pair (a_i, b_i) there is a path from a_i to b_i or from b_i to a_i . How many different ways are there to achieve this? Since the solution can be quite large, determine it modulo $10^9 + 7$.

Input

The first line of input contains the positive integers N and M ($1 \le N$, M $\le 3 \cdot 10^5$), the number of nodes in the tree and the number of given node pairs, respectively. Each of the following N - 1 lines contains two positive integers, the labels of the nodes connected with an edge. The ith of the following M lines contains two different positive integers a_i and b_i , the labels of the nodes from the ith node pair. All node pairs will be mutually different.

Output

You must output a single line containing the total number of different ways to direct the edges of the tree that meet the requirement from the task, modulo $10^9 + 7$

Author: Davor Ljubenkov, Aalborg University Supervisor: Sokol Kosta, Aalborg University License: GPL v3.0

Copyright: COCI

Sample input

Sample output

41 4 12 23 34 24 72 8 12 3 13 42 25 25
23 34 24 72 13 42
3 4 2 4 7 2 1 2 1 3 4 2
24 72 12 13 42
24 72 12 13 42
7 2 1 2 1 3 4 2
1 3 4 2
1 3 4 2
4 2
25
6 5
5 7
1 7
2 6
4 3 0
1 2
1 3
1 4 2 3
2 4
3 4