

# Club Name MATCH REPORT BY STAGE

2014-09-14

A Match Description or Subtitle

Stage 01 Results	IDPA ID	DIV-CC	Total	Time	PD	FTDR	FTN	HNT	PE
1 First Last T00349	T00349	ESP-MA	18.32	17.82 (17.82)	1 (1, 0, 0, 0, 0, 0)	0	0	0	0
2 First Last T00010	T00010	ESP-SS	18.98	17.48 (17.48)	3 (1, 0, 2, 0, 0, 0)	0	0	0	0
3 First Last T00171	T00171	SSP-EX	19.11	15.61 (15.61)	7 (5, 2)	0	0	0	0
4 First Last T00088	T00088	SSP-EX	20.10	18.60 (18.60)	3 (1, 0, 1, 0, 0, 1)	0	0	0	0
5 First Last T00025	T00025	SSP-EX	21.37	19.87 (19.87)	3 (1, 1, 1, 0, 0, 0)	0	0	0	0
6 First Last T00022	T00022	SSP-MA	21.45	20.95 (20.95)	1 (1)	0	0	0	0
7 First Last T00466	T00466	ESP-EX	22.86	17.86 (17.86)	10 (1, 2, 2, 5, 0)	0	0	0	0
8 First Last T00052	T00052	ESP-SS	22.89	22.89 (22.89)	0 (0, 0, 0, 0, 0, 0)	0	0	0	0
9 First Last T00283	T00283	CDP-SS	23.03	20.53 (20.53)	5 (1, 1, 3)	0	0	0	0
10 First Last T00094	T00094	SSP-EX	23.23	20.73 (20.73)	5 (1, 2, 0, 0, 2, 0)	0	0	0	0
11 First Last T00253	T00253	SSP-EX	23.25	18.75 (18.75)	9 (6, 1, 1, 1)	0	0	0	0
12 Jane Doe	T00330	SSP-EX	24.24	17.74 (17.74)	3 (0, 0, 2, 0, 1, 0)	0	0	1	0
13 First Last T00385	T00385	SSP-MM	24.28	20.78 (20.78)	7 (1, 2, 2, 0, 1, 1)	0	0	0	0
14 First Last T00219	T00219	CDP-MM	24.44	23.44 (23.44)	2 (1, 1)	0	0	0	0
15 First Last T00149	T00149	SSP-MM	24.46	23.96 (23.96)	1 (0, 0, 1, 0, 0, 0)	0	0	0	0
16 First Last T00146	T00146	SSP-SS	24.68	20.18 (20.18)	9 (2, 2, 3, 2)	0	0	0	0
17 First Last T00255	T00255	SSR-SS	25.09	24.09 (24.09)	2 (2)	0	0	0	0
18 First Last T00049	T00049	SSP-SS	25.23	24.23 (24.23)	2 (1, 1)	0	0	0	0
19 First Last T00431	T00431	SSP-MM	26.11	23.11 (23.11)	6 (1, 5)	0	0	0	0
20 First Last T00232	T00232	ESP-SS	26.95	26.95 (26.95)	0 (0, 0, 0, 0, 0, 0)	0	0	0	0
21 First Last T00161	T00161	SSR-SS	26.96	22.46 (22.46)	9 (3, 5, 1)	0	0	0	0
22 First Last T00017	T00017	SSP-MM	27.32	26.32 (26.32)	2 (0, 0, 1, 0, 1, 0)	0	0	0	0
23 First Last T00403	T00403	SSP-MM	27.63	23.63 (23.63)	8 (1, 3, 2, 1, 1)	0	0	0	0
24 First Last T00111	T00111	SSP-SS	27.90	20.90 (20.90)	4 (1, 1, 2, 0, 0, 0)	0	0	1	0
25 John Smith	T00074	SSP-SS	28.49	28.49 (28.49)	0 (0)	0	0	0	0
26 First Last T00394	T00394	SSP-SS	28.60	21.60 (21.60)	14 (1, 4, 1, 5, 2, 1)	0	0	0	0
27 First Last T00270	T00270	SSP-SS	29.57	26.07 (26.07)	7 (2, 1, 2, 0, 2, 0)	0	0	0	0
28 First Last T00249	T00249	ESP-MM	30.04	27.54 (27.54)	5 (0, 4, 1, 0, 0, 0)	0	0	0	0
29 First Last T00011	T00011	SSP-SS	30.42	28.92 (28.92)	3 (1, 1, 1)	0	0	0	0
30 First Last T00024	T00024	ESP-MM	30.45	28.95 (28.95)	3 (1, 1, 1)	0	0	0	0
31 First Last T00483	T00483	SSP-UN	30.89	30.39 (30.39)	1 (1, 0, 0, 0, 0, 0)	0	0	0	0
32 First Last T00041	T00041	ESP-SS	31.20	23.70 (23.70)	15 (1, 2, 8, 0, 3, 1)	0	0	0	0
33 First Last T00346	T00346	SSP-SS	31.23	27.73 (27.73)	7 (1, 1, 1, 4)	0	0	0	0

34	First Last T00023	T00023	SSP-SS	<b>32.24</b>	30.24 (30.24)	4 (2, 2, 0, 0, 0, 0)	0	0	0	0
35	First Last T00424	T00424	SSP-MM	<b>32.41</b>	31.91 (31.91)	1 (1)	0	0	0	0
36	First Last T00484	T00484	SSP-UN	<b>32.43</b>	29.93 (29.93)	5 (1, 2, 0, 1, 0, 1)	0	0	0	0
37	First Last T00029	T00029	CDP-MM	<b>32.53</b>	27.03 (27.03)	5 (1, 2, 2)	0	0	0	1
38	First Last T00006	T00006	SSP-SS	<b>32.64</b>	22.14 (22.14)	11 (6, 4, 1)	0	1	0	0
39	First Last T00430	T00430	ESP-UN	<b>33.78</b>	29.28 (29.28)	9 (1, 1, 4, 0, 3, 0)	0	0	0	0
40	First Last T00421	T00421	SSP-UN	<b>35.98</b>	32.98 (32.98)	6 (0, 0, 1, 5, 0, 0)	0	0	0	0
41	First Last T00428	T00428	CDP-UN	<b>36.14</b>	31.64 (31.64)	3 (1, 0, 0, 0, 0, 2)	0	0	0	1
42	First Last T00168	T00168	ESP-MM	<b>36.71</b>	35.21 (35.21)	3 (1, 0, 2, 0, 0, 0)	0	0	0	0
43	First Last T00138	T00138	SSP-SS	<b>36.82</b>	25.82 (25.82)	16 (2, 0, 5, 5, 0, 4)	0	0	0	1
44	First Last T00485	T00485	CDP-UN	<b>36.93</b>	33.43 (33.43)	7 (0, 0, 5, 0, 2, 0)	0	0	0	0
45	First Last T00208	T00208	SSP-MM	<b>37.37</b>	36.37 (36.37)	2 (2)	0	0	0	0
46	First Last T00072	T00072	ESP-SS	<b>37.94</b>	33.44 (33.44)	9 (2, 1, 0, 0, 5, 1)	0	0	0	0
47	First Last T00083	T00083	ESP-MM	<b>38.12</b>	33.12 (33.12)	10 (4, 1, 3, 1, 1)	0	0	0	0
48	First Last T00470	T00470	SSP-UN	<b>38.26</b>	33.76 (33.76)	9 (1, 2, 1, 1, 4, 0)	0	0	0	0
49	First Last T00124	T00124	ESP-MM	<b>38.95</b>	31.45 (31.45)	15 (0, 3, 6, 5, 1, 0)	0	0	0	0
50	First Last T00447	T00447	SSP-NV	<b>39.00</b>	34.00 (34.00)	10 (1, 2, 4, 0, 1, 2)	0	0	0	0
51	First Last T00047	T00047	ESP-NV	<b>42.04</b>	28.04 (28.04)	12 (10, 1, 1)	0	0	1	1
52	First Last T00386	T00386	SSP-UN	<b>42.12</b>	35.62 (35.62)	13 (4, 4, 0, 0, 5, 0, 0)	0	0	0	0
53	First Last T00271	T00271	SSP-UN	<b>43.05</b>	35.55 (35.55)	5 (2, 1, 2)	0	0	1	0
54	First Last T00393	T00393	SSP-MM	<b>43.50</b>	40.00 (40.00)	7 (1, 1, 0, 0, 4, 1)	0	0	0	0
55	First Last T00061	T00061	SSP-MM	<b>43.67</b>	40.17 (40.17)	7 (5, 2)	0	0	0	0
56	Foo Bar	T00324	SSP-MM	<b>43.93</b>	36.93 (36.93)	14 (4, 2, 0, 0, 4, 4)	0	0	0	0
57	First Last T00235	T00235	SSP-MM	<b>44.44</b>	39.94 (39.94)	9 (1, 1, 0, 1, 5, 0, 1)	0	0	0	0
58	First Last T00160	T00160	ESP-MM	<b>44.47</b>	33.97 (33.97)	11 (1, 1, 1, 8)	0	1	0	0
59	First Last T00475	T00475	CDP-MM	<b>44.64</b>	38.64 (38.64)	12 (1, 2, 1, 0, 6, 2)	0	0	0	0
60	First Last T00418	T00418	SSP-MM	<b>46.18</b>	42.18 (42.18)	8 (1, 1, 1, 0, 3, 2)	0	0	0	0
61	First Last T00136	T00136	SSP-SS	<b>47.68</b>	47.68 (47.68)	<b>0 (0, 0, 0, 0, 0, 0)</b>	0	0	0	0
62	First Last T00480	T00480	SSP-UN	<b>47.79</b>	42.29 (42.29)	11 (4, 1, 6, 0, 0, 0)	0	0	0	0
63	First Last T00435	T00435	CDP-UN	<b>47.91</b>	42.91 (42.91)	10 (2, 5, 2, 1)	0	0	0	0
64	First Last T00471	T00471	SSP-NV	<b>47.96</b>	38.96 (38.96)	8 (1, 3, 3, 0, 1, 0)	0	0	1	0
65	First Last T00042	T00042	CDP-MM	<b>50.03</b>	42.53 (42.53)	5 (5)	0	0	1	0
66	First Last T00425	T00425	ESP-UN	<b>50.60</b>	39.10 (39.10)	11 (1, 3, 0, 0, 5, 1, 1)	0	0	0	2
67	First Last T00429	T00429	SSP-NV	<b>53.76</b>	51.26 (51.26)	5 (1, 3, 1)	0	0	0	0
68	First Last T00455	T00455	SSP-UN	<b>53.94</b>	37.94 (37.94)	12 (1, 8, 3)	0	1	1	0
69	First Last T00450	T00450	SSP-UN	<b>54.08</b>	40.58 (40.58)	17 (3, 2, 1, 10, 0, 1)	0	1	0	0
70	First Last T00482	T00482	SSP-UN	<b>54.51</b>	52.01 (52.01)	5 (1, 1, 3, 0, 0, 0)	0	0	0	0
71	First Last T00478	T00478	SSP-UN	<b>58.24</b>	50.24 (50.24)	16 (1, 6, 5, 3, 1)	0	0	0	0

72	First Last T00481	T00481	SSP-UN	<b>58.51</b>	51.51 (51.51)	4 (1, 1, 0, 2, 0, 0, 0)	0	0	1	0
73	First Last T00443	T00443	SSP-UN	<b>60.00</b>	43.50 (43.50)	13 (4, 6, 1, 1, 0, 1)	0	1	1	0
74	First Last T00469	T00469	SSP-UN	<b>62.41</b>	37.91 (37.91)	29 (6, 5, 5, 10, 3, 0)	0	2	0	0
75	First Last T00476	T00476	SSP-UN	<b>63.69</b>	56.69 (56.69)	8 (6, 0, 2, 0, 0, 0)	0	0	0	1
76	First Last T00448	T00448	ESP-NV	<b>63.74</b>	57.74 (57.74)	6 (0, 0, 1, 0, 2, 3)	0	0	0	1
77	First Last T00477	T00477	CDP-UN	<b>65.06</b>	59.56 (59.56)	5 (0, 0, 3, 0, 1, 1)	0	0	0	1
78	First Last T00045	T00045	ESR-UN	<b>80.90</b>	57.40 (57.40)	17 (1, 4, 6, 5, 1, 0)	0	0	3	0
79	First Last T00026	T00026	SSP-UN	<b>88.22</b>	74.22 (74.22)	18 (8, 1, 8, 0, 1, 0)	0	1	0	0
R	Jane Doe	T00330	SSP-EX	<b>19.29</b>	18.29 (18.29)	2 (1, 1)	0	0	0	0
R	First Last T00394	T00394	ESP-SS	<b>20.50</b>	19.00 (19.00)	3 (1, 1, 1)	0	0	0	0
R	First Last T00010	T00010	SSP-SS	<b>27.52</b>	23.02 (23.02)	3 (1, 1, 1)	0	0	0	1
R	First Last T00385	T00385	SSP-MM	<b>33.15</b>	20.65 (20.65)	15 (1, 6, 5, 1, 2)	0	1	0	0
R	Foo Bar	T00324	SSP-MM	<b>40.55</b>	35.55 (35.55)	10 (4, 1, 3, 0, 0, 2)	0	0	0	0
R	First Last T00475	T00475	CDP-MM	<b>48.99</b>	41.99 (41.99)	4 (0, 0, 3, 0, 1, 0)	0	0	1	0
R	First Last T00443	T00443	SSP-UN	<b>61.64</b>	57.14 (57.14)	9 (1, 1, 4, 0, 2, 1)	0	0	0	0
R	First Last T00393	T00393	SSP-MM	<b>65.86</b>	59.86 (59.86)	12 (0, 2, 2, 5, 1, 2)	0	0	0	0

Stage 02 Results		IDPA ID	DIV-CC	Total	Time	PD	FTDR	FTN	HNT	PE
1	First Last T00466	T00466	ESP-EX	17.90	16.90 (16.90)	2 (0, 0, 0, 2, 0, 0, 0)	0	0	0	0
2	First Last T00023	T00023	SSP-SS	19.87	16.87 (16.87)	6 (2, 2, 1, 1)	0	0	0	0
3	First Last T00385	T00385	SSP-MM	20.08	19.08 (19.08)	2 (0, 0, 0, 1, 1, 0, 0)	0	0	0	0
4	Jane Doe	T00330	SSP-EX	20.27	16.77 (16.77)	7 (1, 0, 0, 2, 1, 0, 3)	0	0	0	0
5	First Last T00088	T00088	SSP-EX	21.49	19.49 (19.49)	4 (0, 0, 1, 1, 1, 0, 1)	0	0	0	0
6	First Last T00349	T00349	ESP-MA	21.89	19.89 (19.89)	4 (0, 1, 0, 1, 1, 1, 0)	0	0	0	0
7	First Last T00022	T00022	SSP-MA	23.04	18.54 (18.54)	3 (1, 1, 1)	0	0	0	1
8	First Last T00138	T00138	SSP-SS	23.51	20.51 (20.51)	6 (0, 0, 0, 1, 1, 1, 3)	0	0	0	0
9	First Last T00111	T00111	SSP-SS	23.54	22.54 (22.54)	2 (0, 1, 0, 1, 0, 0, 0)	0	0	0	0
10	First Last T00403	T00403	SSP-MM	23.62	19.62 (19.62)	8 (1, 2, 1, 2, 2)	0	0	0	0
11	First Last T00394	T00394	SSP-SS	23.75	20.75 (20.75)	6 (0, 3, 0, 1, 1, 0, 1)	0	0	0	0
12	First Last T00255	T00255	SSR-SS	24.41	20.41 (20.41)	8 (1, 1, 5, 1)	0	0	0	0
13	John Smith	T00074	SSP-SS	24.93	21.43 (21.43)	7 (3, 0, 1, 1, 2, 0, 0)	0	0	0	0
14	First Last T00171	T00171	SSP-EX	25.08	17.08 (17.08)	4 (1, 1, 1, 1)	0	0	0	2
15	First Last T00017	T00017	SSP-MM	25.38	24.88 (24.88)	1 (1, 0, 0, 0, 0)	0	0	0	0
16	First Last T00094	T00094	SSP-EX	25.58	19.58 (19.58)	12 (0, 1, 2, 4, 1, 2, 2)	0	0	0	0
17	First Last T00161	T00161	SSR-SS	25.59	22.59 (22.59)	6 (0, 1, 1, 3, 0, 0, 1)	0	0	0	0
18	First Last T00484	T00484	SSP-UN	25.60	23.60 (23.60)	4 (0, 0, 1, 1, 1, 1, 0)	0	0	0	0
19	First Last T00283	T00283	CDP-SS	25.65	21.65 (21.65)	8 (1, 1, 2, 1, 3)	0	0	0	0
20	First Last T00072	T00072	ESP-SS	25.91	20.91 (20.91)	10 (0, 0, 0, 5, 2, 3, 0)	0	0	0	0

21	First Last T00219	T00219	CDP-MM	<b>26.05</b>	21.55 (21.55)	9 (1, 2, 2, 2, 2)	0	0	0	0
22	First Last T00010	T00010	ESP-SS	<b>26.12</b>	22.12 (22.12)	8 (0, 1, 1, 4, 2, 0, 0)	0	0	0	0
23	First Last T00346	T00346	SSP-SS	<b>26.14</b>	18.64 (18.64)	15 (3, 5, 2, 1, 1, 1, 2)	0	0	0	0
24	First Last T00149	T00149	SSP-MM	<b>26.95</b>	23.95 (23.95)	6 (0, 1, 0, 2, 0, 0, 3)	0	0	0	0
25	First Last T00253	T00253	SSP-EX	<b>27.00</b>	19.00 (19.00)	4 (1, 1, 1, 1)	0	0	0	2
26	First Last T00430	T00430	ESP-UN	<b>27.27</b>	25.27 (25.27)	4 (1, 1, 0, 1, 0, 0, 1)	0	0	0	0
27	First Last T00146	T00146	SSP-SS	<b>28.71</b>	27.21 (27.21)	3 (1, 1, 1)	0	0	0	0
28	First Last T00025	T00025	SSP-EX	<b>28.97</b>	25.97 (25.97)	<b>0 (0, 0, 0, 0, 0, 0, 0)</b>	0	0	0	1
29	First Last T00006	T00006	SSP-SS	<b>29.14</b>	25.14 (25.14)	8 (2, 4, 1, 1)	0	0	0	0
29	First Last T00160	T00160	ESP-MM	<b>29.14</b>	25.64 (25.64)	7 (1, 1, 1, 1, 3)	0	0	0	0
31	First Last T00124	T00124	ESP-MM	<b>29.19</b>	25.69 (25.69)	7 (1, 3, 2, 1)	0	0	0	0
32	First Last T00447	T00447	SSP-NV	<b>29.64</b>	25.64 (25.64)	8 (1, 1, 0, 1, 2, 1, 2)	0	0	0	0
33	First Last T00483	T00483	SSP-UN	<b>30.24</b>	27.24 (27.24)	6 (0, 0, 0, 1, 1, 4, 0)	0	0	0	0
34	First Last T00208	T00208	SSP-MM	<b>30.79</b>	28.79 (28.79)	4 (1, 2, 1)	0	0	0	0
35	First Last T00052	T00052	ESP-SS	<b>30.82</b>	26.82 (26.82)	2 (1, 1, 0, 0, 0, 0, 0)	0	0	0	1
36	First Last T00232	T00232	ESP-SS	<b>30.88</b>	27.88 (27.88)	<b>0 (0, 0, 0, 0, 0, 0, 0)</b>	0	0	0	1
37	First Last T00049	T00049	SSP-SS	<b>31.68</b>	25.68 (25.68)	12 (4, 1, 1, 6)	0	0	0	0
38	First Last T00047	T00047	ESP-NV	<b>32.17</b>	28.17 (28.17)	8 (4, 0, 1, 0, 0, 2, 1)	0	0	0	0
39	First Last T00011	T00011	SSP-SS	<b>32.26</b>	27.26 (27.26)	10 (3, 2, 1, 1, 3)	0	0	0	0
40	First Last T00481	T00481	SSP-UN	<b>34.01</b>	28.51 (28.51)	11 (2, 4, 2, 3)	0	0	0	0
41	First Last T00270	T00270	SSP-SS	<b>34.05</b>	27.05 (27.05)	8 (5, 0, 0, 1, 2, 0)	0	0	0	1
42	First Last T00455	T00455	SSP-UN	<b>34.57</b>	30.57 (30.57)	8 (1, 1, 2, 1, 1, 2)	0	0	0	0
43	First Last T00168	T00168	ESP-MM	<b>34.86</b>	34.86 (34.86)	<b>0 (0)</b>	0	0	0	0
44	First Last T00431	T00431	SSP-MM	<b>34.88</b>	28.88 (28.88)	6 (1, 2, 3)	0	0	0	1
45	First Last T00435	T00435	CDP-UN	<b>35.32</b>	31.32 (31.32)	8 (2, 1, 2, 1, 2)	0	0	0	0
46	First Last T00425	T00425	ESP-UN	<b>35.39</b>	32.89 (32.89)	5 (2, 1, 1, 1)	0	0	0	0
47	First Last T00061	T00061	SSP-MM	<b>35.87</b>	32.37 (32.37)	7 (1, 1, 5)	0	0	0	0
48	First Last T00450	T00450	SSP-UN	<b>36.22</b>	32.22 (32.22)	8 (0, 1, 1, 0, 1, 5)	0	0	0	0
49	First Last T00249	T00249	ESP-MM	<b>36.35</b>	31.35 (31.35)	4 (2, 0, 0, 0, 1, 0, 1)	0	0	0	1
50	First Last T00424	T00424	SSP-MM	<b>36.82</b>	33.32 (33.32)	1 (1)	0	0	0	1
51	First Last T00271	T00271	SSP-UN	<b>36.92</b>	32.92 (32.92)	8 (0, 2, 0, 2, 2, 0, 2)	0	0	0	0
52	First Last T00485	T00485	CDP-UN	<b>36.97</b>	30.97 (30.97)	12 (0, 2, 4, 1, 1, 1, 3)	0	0	0	0
53	First Last T00386	T00386	SSP-UN	<b>37.26</b>	31.76 (31.76)	11 (1, 1, 4, 4, 1)	0	0	0	0
54	First Last T00029	T00029	CDP-MM	<b>37.64</b>	29.64 (29.64)	4 (1, 1, 1, 1)	0	0	0	2
55	First Last T00421	T00421	SSP-UN	<b>38.57</b>	23.57 (23.57)	20 (1, 2, 1, 1, 10, 3, 2)	0	1	0	0
56	First Last T00469	T00469	SSP-UN	<b>38.84</b>	28.84 (28.84)	20 (2, 5, 4, 3, 5, 1)	0	0	0	0
57	First Last T00235	T00235	SSP-MM	<b>38.89</b>	32.39 (32.39)	7 (1, 1, 5)	0	0	0	1
58	First Last T00136	T00136	SSP-SS	<b>39.30</b>	29.80 (29.80)	7 (1, 0, 1, 4, 0, 0, 1)	0	0	0	2

59	First Last T00041	T00041	ESP-SS	<b>39.94</b>	21.44 (21.44)	19 (6, 1, 5, 1, 1, 2, 3)	0	0	0	3
60	First Last T00418	T00418	SSP-MM	<b>40.42</b>	32.92 (32.92)	9 (1, 1, 1, 6)	0	0	0	1
61	First Last T00477	T00477	CDP-UN	<b>41.46</b>	39.96 (39.96)	3 (0, 0, 0, 1, 0, 1, 1)	0	0	0	0
62	First Last T00024	T00024	ESP-MM	<b>41.90</b>	27.90 (27.90)	18 (2, 4, 2, 6, 2, 2, 0)	0	1	0	0
63	First Last T00428	T00428	CDP-UN	<b>42.58</b>	37.58 (37.58)	10 (0, 1, 2, 4, 2, 1)	0	0	0	0
64	First Last T00482	T00482	SSP-UN	<b>42.72</b>	35.22 (35.22)	15 (6, 4, 3, 2)	0	0	0	0
65	First Last T00448	T00448	ESP-NV	<b>44.09</b>	30.59 (30.59)	17 (2, 1, 6, 6, 1, 0, 1)	0	1	0	0
66	First Last T00480	T00480	SSP-UN	<b>48.34</b>	41.34 (41.34)	2 (1, 1)	0	0	0	2
67	First Last T00470	T00470	SSP-UN	<b>48.96</b>	31.46 (31.46)	19 (10, 2, 1, 3, 2, 0, 1)	0	1	0	1
68	First Last T00475	T00475	CDP-MM	<b>49.62</b>	47.12 (47.12)	5 (0, 0, 2, 1, 0, 1, 1)	0	0	0	0
69	First Last T00393	T00393	SSP-MM	<b>50.73</b>	36.73 (36.73)	10 (0, 1, 3, 2, 2, 1, 1)	0	0	0	3
70	First Last T00429	T00429	SSP-NV	<b>51.16</b>	38.66 (38.66)	19 (1, 6, 2, 1, 4, 5)	0	0	0	1
71	First Last T00471	T00471	SSP-NV	<b>52.80</b>	25.30 (25.30)	29 (5, 6, 5, 10, 1, 2)	0	2	0	1
72	First Last T00045	T00045	ESR-UN	<b>53.02</b>	38.52 (38.52)	19 (1, 4, 1, 10, 2, 1, 0)	0	1	0	0
73	First Last T00443	T00443	SSP-UN	<b>56.67</b>	47.17 (47.17)	7 (0, 1, 1, 0, 0, 3, 2)	0	0	0	2
74	Foo Bar	T00324	SSP-MM	<b>57.88</b>	35.88 (35.88)	22 (2, 4, 8, 1, 0, 1, 6)	0	1	0	2
75	First Last T00042	T00042	CDP-MM	<b>58.50</b>	39.50 (39.50)	22 (1, 8, 1, 2, 4, 6)	0	1	0	1
76	First Last T00026	T00026	SSP-UN	<b>64.40</b>	43.40 (43.40)	22 (8, 0, 0, 3, 0, 1, 10)	0	2	0	0
77	First Last T00083	T00083	ESP-MM	<b>69.48</b>	44.98 (44.98)	29 (1, 4, 8, 3, 3, 10)	0	2	0	0
78	First Last T00478	T00478	SSP-UN	<b>92.65</b>	43.15 (43.15)	49 (10, 8, 10, 10, 8, 2, 1)	0	5	0	0
79	First Last T00476	T00476	SSP-UN	<b>122.13</b>	106.13 (106.13)	22 (0, 4, 1, 4, 10, 0, 3)	0	1	0	0
R	First Last T00385	T00385	SSP-MM	<b>22.71</b>	17.71 (17.71)	10 (3, 4, 3)	0	0	0	0
R	First Last T00394	T00394	ESP-SS	<b>23.55</b>	21.05 (21.05)	5 (1, 1, 1, 1, 1)	0	0	0	0
R	First Last T00010	T00010	SSP-SS	<b>23.93</b>	19.43 (19.43)	9 (4, 3, 1, 1)	0	0	0	0
R	Jane Doe	T00330	SSP-EX	<b>28.15</b>	17.15 (17.15)	10 (2, 2, 1, 0, 2, 1, 2)	0	0	0	2
R	First Last T00475	T00475	CDP-MM	<b>33.56</b>	32.06 (32.06)	3 (0, 1, 1, 1, 0, 0, 0)	0	0	0	0
R	First Last T00443	T00443	SSP-UN	<b>36.80</b>	34.30 (34.30)	5 (1, 2, 0, 0, 0, 0, 2)	0	0	0	0
R	Foo Bar	T00324	SSP-MM	<b>44.44</b>	39.44 (39.44)	10 (0, 1, 2, 4, 2, 1, 0)	0	0	0	0
R	First Last T00393	T00393	SSP-MM	<b>48.05</b>	33.05 (33.05)	18 (4, 3, 3, 1, 5, 2, 0)	0	0	0	2

Stage 03 Results		IDPA ID	DIV-CC	Total	Time	PD	FTDR	FTN	HNT	PE
1	First Last T00094	T00094	SSP-EX	<b>7.12</b>	7.12 (7.12)	<b>0 (0)</b>	0	0	0	0
2	Jane Doe	T00330	SSP-EX	<b>7.17</b>	7.17 (7.17)	<b>0 (0)</b>	0	0	0	0
3	First Last T00025	T00025	SSP-EX	<b>7.26</b>	7.26 (7.26)	<b>0 (0, 0)</b>	0	0	0	0
4	First Last T00208	T00208	SSP-MM	<b>7.66</b>	7.66 (7.66)	<b>0 (0)</b>	0	0	0	0
5	First Last T00349	T00349	ESP-MA	<b>7.95</b>	7.95 (7.95)	<b>0 (0)</b>	0	0	0	0
6	First Last T00049	T00049	SSP-SS	<b>8.03</b>	8.03 (8.03)	<b>0 (0)</b>	0	0	0	0
7	First Last T00484	T00484	SSP-UN	<b>8.04</b>	8.04 (8.04)	<b>0 (0)</b>	0	0	0	0

8	First Last T00022	T00022	SSP-MA	<b>8.16</b>	8.16 (8.16)	<b>0 (0, 0)</b>	0	0	0	0
9	First Last T00072	T00072	ESP-SS	<b>8.21</b>	8.21 (8.21)	<b>0 (0)</b>	0	0	0	0
10	First Last T00346	T00346	SSP-SS	<b>8.46</b>	8.46 (8.46)	<b>0 (0)</b>	0	0	0	0
11	First Last T00431	T00431	SSP-MM	<b>8.65</b>	8.65 (8.65)	<b>0 (0)</b>	0	0	0	0
12	First Last T00394	T00394	SSP-SS	<b>8.69</b>	8.69 (8.69)	<b>0 (0)</b>	0	0	0	0
13	First Last T00253	T00253	SSP-EX	<b>8.81</b>	7.31 (7.31)	3 (3, 0, 0, 0)	0	0	0	0
14	First Last T00061	T00061	SSP-MM	<b>8.94</b>	8.94 (8.94)	<b>0 (0)</b>	0	0	0	0
15	First Last T00283	T00283	CDP-SS	<b>9.11</b>	9.11 (9.11)	<b>0 (0)</b>	0	0	0	0
16	First Last T00466	T00466	ESP-EX	<b>9.12</b>	9.12 (9.12)	<b>0 (0)</b>	0	0	0	0
17	First Last T00029	T00029	CDP-MM	<b>9.23</b>	9.23 (9.23)	<b>0 (0)</b>	0	0	0	0
18	First Last T00010	T00010	ESP-SS	<b>9.28</b>	9.28 (9.28)	<b>0 (0)</b>	0	0	0	0
19	First Last T00421	T00421	SSP-UN	<b>9.39</b>	9.39 (9.39)	<b>0 (0)</b>	0	0	0	0
20	First Last T00052	T00052	ESP-SS	<b>9.44</b>	8.94 (8.94)	1 (1)	0	0	0	0
21	First Last T00168	T00168	ESP-MM	<b>9.48</b>	9.48 (9.48)	<b>0 (0, 0, 0, 0)</b>	0	0	0	0
22	First Last T00006	T00006	SSP-SS	<b>9.56</b>	9.56 (9.56)	<b>0 (0)</b>	0	0	0	0
23	First Last T00160	T00160	ESP-MM	<b>9.70</b>	9.70 (9.70)	<b>0 (0)</b>	0	0	0	0
24	First Last T00047	T00047	ESP-NV	<b>9.84</b>	9.84 (9.84)	<b>0 (0)</b>	0	0	0	0
25	First Last T00429	T00429	SSP-NV	<b>9.94</b>	9.94 (9.94)	<b>0 (0)</b>	0	0	0	0
26	First Last T00023	T00023	SSP-SS	<b>10.01</b>	10.01 (10.01)	<b>0 (0)</b>	0	0	0	0
26	John Smith	T00074	SSP-SS	<b>10.01</b>	10.01 (10.01)	<b>0 (0)</b>	0	0	0	0
28	First Last T00232	T00232	ESP-SS	<b>10.11</b>	10.11 (10.11)	<b>0 (0)</b>	0	0	0	0
29	First Last T00138	T00138	SSP-SS	<b>10.21</b>	8.71 (8.71)	3 (3)	0	0	0	0
30	First Last T00011	T00011	SSP-SS	<b>10.34</b>	10.34 (10.34)	<b>0 (0)</b>	0	0	0	0
31	First Last T00481	T00481	SSP-UN	<b>10.52</b>	10.52 (10.52)	<b>0 (0)</b>	0	0	0	0
32	First Last T00403	T00403	SSP-MM	<b>10.55</b>	10.55 (10.55)	<b>0 (0)</b>	0	0	0	0
33	First Last T00041	T00041	ESP-SS	<b>10.79</b>	10.79 (10.79)	<b>0 (0)</b>	0	0	0	0
34	First Last T00124	T00124	ESP-MM	<b>10.82</b>	10.82 (10.82)	<b>0 (0)</b>	0	0	0	0
35	First Last T00249	T00249	ESP-MM	<b>10.85</b>	10.85 (10.85)	<b>0 (0)</b>	0	0	0	0
36	First Last T00424	T00424	SSP-MM	<b>10.93</b>	10.93 (10.93)	<b>0 (0)</b>	0	0	0	0
37	First Last T00443	T00443	SSP-UN	<b>10.97</b>	10.97 (10.97)	<b>0 (0)</b>	0	0	0	0
38	First Last T00435	T00435	CDP-UN	<b>11.21</b>	11.21 (11.21)	<b>0 (0)</b>	0	0	0	0
39	First Last T00483	T00483	SSP-UN	<b>11.40</b>	11.40 (11.40)	<b>0 (0)</b>	0	0	0	0
40	First Last T00017	T00017	SSP-MM	<b>11.54</b>	11.54 (11.54)	<b>0 (0)</b>	0	0	0	0
41	First Last T00270	T00270	SSP-SS	<b>11.56</b>	11.56 (11.56)	<b>0 (0)</b>	0	0	0	0
42	First Last T00024	T00024	ESP-MM	<b>11.62</b>	11.62 (11.62)	<b>0 (0)</b>	0	0	0	0
43	First Last T00146	T00146	SSP-SS	<b>11.65</b>	11.15 (11.15)	1 (1)	0	0	0	0
44	First Last T00088	T00088	SSP-EX	<b>12.36</b>	12.36 (12.36)	<b>0 (0)</b>	0	0	0	0
45	First Last T00386	T00386	SSP-UN	<b>12.48</b>	12.48 (12.48)	<b>0 (0)</b>	0	0	0	0

46	First Last T00455	T00455	SSP-UN	<b>12.68</b>	12.68 (12.68)	<b>0 (0)</b>	0	0	0	0
47	First Last T00430	T00430	ESP-UN	<b>12.82</b>	12.82 (12.82)	<b>0 (0)</b>	0	0	0	0
48	First Last T00235	T00235	SSP-MM	<b>12.87</b>	12.87 (12.87)	<b>0 (0)</b>	0	0	0	0
49	First Last T00480	T00480	SSP-UN	<b>12.93</b>	12.93 (12.93)	<b>0 (0)</b>	0	0	0	0
50	First Last T00255	T00255	SSR-SS	<b>13.02</b>	13.02 (13.02)	<b>0 (0)</b>	0	0	0	0
51	First Last T00482	T00482	SSP-UN	<b>13.06</b>	13.06 (13.06)	<b>0 (0)</b>	0	0	0	0
52	First Last T00136	T00136	SSP-SS	<b>13.18</b>	13.18 (13.18)	<b>0 (0)</b>	0	0	0	0
53	First Last T00111	T00111	SSP-SS	<b>13.52</b>	10.52 (10.52)	<b>0 (0)</b>	0	0	0	1
54	First Last T00219	T00219	CDP-MM	<b>13.54</b>	13.54 (13.54)	<b>0 (0)</b>	0	0	0	0
55	First Last T00149	T00149	SSP-MM	<b>14.10</b>	14.10 (14.10)	<b>0 (0)</b>	0	0	0	0
55	First Last T00485	T00485	CDP-UN	<b>14.10</b>	14.10 (14.10)	<b>0 (0)</b>	0	0	0	0
57	First Last T00385	T00385	SSP-MM	<b>14.91</b>	14.91 (14.91)	<b>0 (0)</b>	0	0	0	0
58	First Last T00425	T00425	ESP-UN	<b>14.93</b>	14.93 (14.93)	<b>0 (0)</b>	0	0	0	0
59	First Last T00450	T00450	SSP-UN	<b>15.53</b>	15.53 (15.53)	<b>0 (0)</b>	0	0	0	0
60	First Last T00469	T00469	SSP-UN	<b>16.41</b>	16.41 (16.41)	<b>0 (0)</b>	0	0	0	0
61	First Last T00161	T00161	SSR-SS	<b>17.21</b>	17.21 (17.21)	<b>0 (0, 0, 0, 0)</b>	0	0	0	0
62	First Last T00418	T00418	SSP-MM	<b>17.52</b>	15.02 (15.02)	5 (5)	0	0	0	0
63	First Last T00045	T00045	ESR-UN	<b>17.73</b>	17.73 (17.73)	<b>0 (0)</b>	0	0	0	0
64	First Last T00477	T00477	CDP-UN	<b>17.98</b>	10.48 (10.48)	5 (5)	0	1	0	0
65	First Last T00042	T00042	CDP-MM	<b>18.33</b>	10.33 (10.33)	10 (10)	0	0	0	1
66	First Last T00171	T00171	SSP-EX	<b>18.78</b>	18.78 (18.78)	<b>0 (0)</b>	0	0	0	0
67	First Last T00447	T00447	SSP-NV	<b>19.15</b>	19.15 (19.15)	<b>0 (0)</b>	0	0	0	0
68	First Last T00393	T00393	SSP-MM	<b>20.09</b>	20.09 (20.09)	<b>0 (0)</b>	0	0	0	0
69	First Last T00475	T00475	CDP-MM	<b>20.79</b>	20.79 (20.79)	<b>0 (0)</b>	0	0	0	0
70	First Last T00083	T00083	ESP-MM	<b>21.89</b>	21.89 (21.89)	<b>0 (0)</b>	0	0	0	0
71	First Last T00428	T00428	CDP-UN	<b>24.17</b>	21.17 (21.17)	<b>0 (0)</b>	0	0	0	1
72	First Last T00471	T00471	SSP-NV	<b>25.20</b>	25.20 (25.20)	<b>0 (0)</b>	0	0	0	0
73	First Last T00470	T00470	SSP-UN	<b>27.24</b>	27.24 (27.24)	<b>0 (0)</b>	0	0	0	0
74	Foo Bar	T00324	SSP-MM	<b>27.74</b>	26.24 (26.24)	3 (3)	0	0	0	0
75	First Last T00026	T00026	SSP-UN	<b>29.81</b>	29.81 (29.81)	<b>0 (0, 0)</b>	0	0	0	0
76	First Last T00271	T00271	SSP-UN	<b>30.69</b>	30.69 (30.69)	<b>0 (0, 0, 0, 0)</b>	0	0	0	0
77	First Last T00478	T00478	SSP-UN	<b>34.81</b>	32.81 (32.81)	4 (4)	0	0	0	0
78	First Last T00448	T00448	ESP-NV	<b>40.99</b>	40.49 (40.49)	1 (1, 0, 0, 0)	0	0	0	0
79	First Last T00476	T00476	SSP-UN	<b>101.27</b>	100.77 (100.77)	1 (1)	0	0	0	0
DNF	First Last T00479	T00479	SSP-UN	<b>12.93</b>	12.93 (12.93)	0 (0, 0, 0, 0)	0	0	0	0
R	Jane Doe	T00330	SSP-EX	<b>6.93</b>	6.93 (6.93)	0 (0)	0	0	0	0
R	First Last T00394	T00394	ESP-SS	<b>7.55</b>	7.55 (7.55)	0 (0)	0	0	0	0
R	First Last T00010	T00010	SSP-SS	<b>8.59</b>	8.59 (8.59)	0 (0)	0	0	0	0

R	First Last T00393	T00393	SSP-MM	<b>9.18</b>	9.18 (9.18)	0 (0)	0	0	0	0
R	First Last T00443	T00443	SSP-UN	<b>11.16</b>	11.16 (11.16)	0 (0)	0	0	0	0
R	Foo Bar	T00324	SSP-MM	<b>12.98</b>	12.98 (12.98)	0 (0)	0	0	0	0
R	First Last T00385	T00385	SSP-MM	<b>15.54</b>	15.04 (15.04)	1 (1)	0	0	0	0
R	First Last T00475	T00475	CDP-MM	<b>18.17</b>	18.17 (18.17)	0 (0)	0	0	0	0

Stage 04 Results		IDPA ID	DIV-CC	Total	Time	PD	FTDR	FTN	HNT	PE
1	First Last T00022	T00022	SSP-MA	<b>19.03</b>	17.03 (17.03)	4 (1, 1, 2)	0	0	0	0
2	Jane Doe	T00330	SSP-EX	<b>19.28</b>	16.78 (16.78)	5 (0, 1, 0, 0, 1, 3)	0	0	0	0
3	First Last T00253	T00253	SSP-EX	<b>19.85</b>	14.85 (14.85)	10 (2, 5, 2, 1)	0	0	0	0
4	First Last T00466	T00466	ESP-EX	<b>21.26</b>	17.76 (17.76)	7 (0, 0, 0, 0, 6, 1)	0	0	0	0
5	First Last T00349	T00349	ESP-MA	<b>22.37</b>	16.37 (16.37)	12 (6, 6, 0, 0, 0, 0)	0	0	0	0
6	First Last T00088	T00088	SSP-EX	<b>22.86</b>	18.86 (18.86)	8 (1, 5, 0, 2, 0, 0)	0	0	0	0
7	First Last T00010	T00010	ESP-SS	<b>23.20</b>	20.20 (20.20)	6 (1, 0, 1, 0, 1, 3)	0	0	0	0
7	First Last T00283	T00283	CDP-SS	<b>23.20</b>	22.20 (22.20)	<b>2 (1, 1)</b>	0	0	0	0
9	First Last T00023	T00023	SSP-SS	<b>24.02</b>	22.02 (22.02)	4 (1, 2, 0, 0, 1, 0)	0	0	0	0
10	First Last T00052	T00052	ESP-SS	<b>25.26</b>	22.76 (22.76)	5 (0, 1, 0, 0, 1, 3)	0	0	0	0
11	First Last T00270	T00270	SSP-SS	<b>25.45</b>	23.95 (23.95)	3 (2, 0, 1)	0	0	0	0
12	First Last T00094	T00094	SSP-EX	<b>25.77</b>	20.27 (20.27)	11 (2, 6, 1, 0, 1, 1)	0	0	0	0
13	First Last T00161	T00161	SSR-SS	<b>26.03</b>	23.03 (23.03)	6 (2, 3, 1)	0	0	0	0
14	First Last T00049	T00049	SSP-SS	<b>26.26</b>	25.26 (25.26)	<b>2 (2)</b>	0	0	0	0
15	First Last T00025	T00025	SSP-EX	<b>26.57</b>	21.57 (21.57)	10 (1, 8, 0, 0, 1, 0)	0	0	0	0
16	First Last T00149	T00149	SSP-MM	<b>26.73</b>	22.23 (22.23)	9 (1, 6, 1, 1, 0, 0)	0	0	0	0
17	First Last T00219	T00219	CDP-MM	<b>27.24</b>	26.24 (26.24)	<b>2 (1, 1)</b>	0	0	0	0
17	First Last T00171	T00171	SSP-EX	<b>27.24</b>	21.24 (21.24)	12 (0, 0, 0, 10, 2)	0	0	0	0
19	John Smith	T00074	SSP-SS	<b>27.30</b>	23.30 (23.30)	8 (2, 0, 0, 1, 4, 1)	0	0	0	0
20	First Last T00011	T00011	SSP-SS	<b>27.68</b>	21.18 (21.18)	13 (10, 3)	0	0	0	0
21	First Last T00072	T00072	ESP-SS	<b>27.73</b>	23.73 (23.73)	8 (6, 2)	0	0	0	0
22	First Last T00346	T00346	SSP-SS	<b>27.98</b>	17.98 (17.98)	10 (2, 3, 1, 4)	0	0	1	0
23	First Last T00124	T00124	ESP-MM	<b>28.07</b>	21.07 (21.07)	14 (0, 1, 0, 1, 2, 10)	0	0	0	0
24	First Last T00249	T00249	ESP-MM	<b>28.08</b>	26.08 (26.08)	4 (1, 0, 0, 1, 1, 1)	0	0	0	0
25	First Last T00168	T00168	ESP-MM	<b>28.26</b>	25.76 (25.76)	5 (5)	0	0	0	0
25	First Last T00232	T00232	ESP-SS	<b>28.26</b>	25.26 (25.26)	6 (3, 2, 0, 1, 0, 0)	0	0	0	0
27	First Last T00208	T00208	SSP-MM	<b>29.24</b>	25.24 (25.24)	8 (1, 2, 5)	0	0	0	0
28	First Last T00041	T00041	ESP-SS	<b>29.52</b>	27.02 (27.02)	5 (1, 1, 1, 0, 0, 2)	0	0	0	0
29	First Last T00484	T00484	SSP-UN	<b>29.54</b>	26.54 (26.54)	6 (4, 2, 0, 0, 0, 0)	0	0	0	0
30	First Last T00006	T00006	SSP-SS	<b>29.59</b>	24.59 (24.59)	10 (1, 6, 3)	0	0	0	0
31	First Last T00431	T00431	SSP-MM	<b>29.72</b>	25.22 (25.22)	9 (1, 1, 1, 2, 4)	0	0	0	0



32	First Last T00421	T00421	SSP-UN	<b>30.64</b>	27.14 (27.14)	7 (4, 1, 1, 0, 0, 1)	0	0	0	0
33	First Last T00136	T00136	SSP-SS	<b>30.91</b>	25.91 (25.91)	10 (4, 5, 0, 1, 0, 0)	0	0	0	0
34	First Last T00111	T00111	SSP-SS	<b>30.95</b>	19.95 (19.95)	22 (8, 10, 2, 0, 2, 0)	0	0	0	0
35	First Last T00138	T00138	SSP-SS	<b>31.03</b>	23.03 (23.03)	16 (0, 2, 1, 1, 4, 8)	0	0	0	0
36	First Last T00146	T00146	SSP-SS	<b>31.53</b>	25.53 (25.53)	12 (2, 10)	0	0	0	0
36	First Last T00394	T00394	SSP-SS	<b>31.53</b>	22.53 (22.53)	8 (0, 0, 2, 1, 3, 2)	0	0	1	0
38	First Last T00271	T00271	SSP-UN	<b>31.99</b>	25.49 (25.49)	13 (1, 6, 4, 2)	0	0	0	0
39	First Last T00255	T00255	SSR-SS	<b>32.45</b>	23.95 (23.95)	17 (6, 8, 2, 1)	0	0	0	0
40	First Last T00385	T00385	SSP-MM	<b>33.03</b>	21.03 (21.03)	14 (0, 0, 0, 0, 4, 10)	0	0	1	0
41	First Last T00424	T00424	SSP-MM	<b>33.08</b>	25.08 (25.08)	16 (6, 8, 1, 0, 1)	0	0	0	0
42	First Last T00029	T00029	CDP-MM	<b>33.82</b>	25.82 (25.82)	6 (1, 1, 1, 1, 2)	0	0	1	0
43	First Last T00024	T00024	ESP-MM	<b>33.94</b>	30.94 (30.94)	6 (1, 0, 0, 2, 2, 1)	0	0	0	0
44	First Last T00430	T00430	ESP-UN	<b>34.37</b>	31.37 (31.37)	6 (0, 5, 1)	0	0	0	0
45	First Last T00061	T00061	SSP-MM	<b>34.51</b>	28.51 (28.51)	6 (1, 1, 1, 3)	0	0	0	1
46	First Last T00448	T00448	ESP-NV	<b>34.62</b>	23.62 (23.62)	12 (5, 5, 1, 1)	0	0	1	0
47	First Last T00450	T00450	SSP-UN	<b>36.14</b>	34.14 (34.14)	4 (3, 1, 0)	0	0	0	0
48	First Last T00485	T00485	CDP-UN	<b>36.50</b>	33.50 (33.50)	6 (1, 1, 1, 3)	0	0	0	0
49	First Last T00386	T00386	SSP-UN	<b>37.58</b>	29.08 (29.08)	17 (0, 1, 0, 0, 10, 6)	0	0	0	0
50	First Last T00481	T00481	SSP-UN	<b>37.72</b>	29.72 (29.72)	6 (0, 2, 1, 0, 1, 2)	0	0	1	0
51	First Last T00428	T00428	CDP-UN	<b>37.82</b>	31.32 (31.32)	13 (1, 10, 1, 0, 0, 1)	0	0	0	0
52	First Last T00017	T00017	SSP-MM	<b>37.86</b>	27.86 (27.86)	10 (0, 0, 0, 0, 4, 6)	0	0	1	0
53	First Last T00047	T00047	ESP-NV	<b>38.01</b>	30.51 (30.51)	15 (1, 0, 0, 0, 8, 6)	0	0	0	0
54	First Last T00429	T00429	SSP-NV	<b>38.51</b>	34.01 (34.01)	9 (1, 5, 3)	0	0	0	0
55	First Last T00471	T00471	SSP-NV	<b>39.71</b>	27.71 (27.71)	14 (2, 4, 3, 5)	0	0	1	0
56	First Last T00447	T00447	SSP-NV	<b>39.83</b>	26.83 (26.83)	16 (1, 8, 1, 1, 0, 5)	0	0	1	0
57	First Last T00483	T00483	SSP-UN	<b>39.89</b>	35.89 (35.89)	8 (3, 2, 0, 1, 1, 1)	0	0	0	0
58	First Last T00418	T00418	SSP-MM	<b>40.11</b>	37.11 (37.11)	6 (1, 1, 4)	0	0	0	0
59	First Last T00393	T00393	SSP-MM	<b>40.61</b>	34.61 (34.61)	<b>2 (1, 0, 1, 0, 0, 0)</b>	0	0	1	0
60	First Last T00235	T00235	SSP-MM	<b>41.73</b>	36.23 (36.23)	11 (0, 1, 1, 0, 1, 0, 8)	0	0	0	0
61	First Last T00470	T00470	SSP-UN	<b>42.11</b>	29.61 (29.61)	15 (5, 4, 2, 1, 0, 3)	0	0	1	0
62	First Last T00160	T00160	ESP-MM	<b>42.16</b>	27.66 (27.66)	19 (8, 10, 1)	0	0	1	0
63	First Last T00443	T00443	SSP-UN	<b>42.35</b>	37.85 (37.85)	9 (1, 4, 1, 2, 0, 1)	0	0	0	0
64	First Last T00042	T00042	CDP-MM	<b>42.51</b>	32.01 (32.01)	21 (2, 2, 4, 8, 5)	0	0	0	0
65	First Last T00403	T00403	SSP-MM	<b>42.57</b>	22.07 (22.07)	21 (2, 2, 1, 2, 6, 8)	0	0	2	0
66	First Last T00455	T00455	SSP-UN	<b>42.64</b>	28.64 (28.64)	28 (6, 10, 4, 1, 6, 1)	0	0	0	0
67	Foo Bar	T00324	SSP-MM	<b>43.32</b>	33.82 (33.82)	19 (10, 6, 0, 0, 0, 3)	0	0	0	0
68	First Last T00480	T00480	SSP-UN	<b>44.11</b>	35.11 (35.11)	8 (0, 0, 0, 0, 0, 8)	0	0	1	0
69	First Last T00435	T00435	CDP-UN	<b>45.99</b>	32.99 (32.99)	14 (6, 4, 1, 2, 1)	0	0	0	2

70	First Last T00469	T00469	SSP-UN	<b>46.13</b>	36.13 (36.13)	20 (10, 6, 1, 1, 1, 1)	0	0	0	0
71	First Last T00045	T00045	ESR-UN	<b>47.54</b>	33.54 (33.54)	22 (10, 8, 1, 2, 1, 0)	0	0	0	1
72	First Last T00475	T00475	CDP-MM	<b>49.41</b>	46.91 (46.91)	5 (0, 0, 2, 0, 2, 1)	0	0	0	0
73	First Last T00425	T00425	ESP-UN	<b>50.48</b>	37.48 (37.48)	10 (1, 0, 0, 0, 5, 4)	0	0	1	1
74	First Last T00477	T00477	CDP-UN	<b>52.01</b>	35.01 (35.01)	14 (0, 0, 0, 0, 8, 6)	0	0	2	0
75	First Last T00083	T00083	ESP-MM	<b>52.92</b>	47.92 (47.92)	10 (1, 2, 2, 5)	0	0	0	0
76	First Last T00026	T00026	SSP-UN	<b>55.73</b>	43.73 (43.73)	14 (1, 1, 2, 10)	0	0	1	0
77	First Last T00482	T00482	SSP-UN	<b>58.05</b>	28.55 (28.55)	23 (3, 6, 3, 10, 1, 0)	0	1	2	1
78	First Last T00478	T00478	SSP-UN	<b>59.54</b>	34.04 (34.04)	31 (10, 8, 3, 4, 4, 2)	0	0	2	0
79	First Last T00476	T00476	SSP-UN	<b>59.75</b>	48.75 (48.75)	22 (3, 3, 3, 1, 10, 2)	0	0	0	0
DNF	First Last T00479	T00479	SSP-UN	<b>39.75</b>	18.75 (18.75)	26 (10, 6, 8, 1, 1)	0	1	0	1
R	Jane Doe	T00330	SSP-EX	<b>21.22</b>	13.72 (13.72)	15 (2, 0, 0, 0, 8, 5)	0	0	0	0
R	First Last T00394	T00394	ESP-SS	<b>24.30</b>	18.80 (18.80)	11 (5, 6)	0	0	0	0
R	First Last T00010	T00010	SSP-SS	<b>24.96</b>	21.46 (21.46)	7 (2, 2, 1, 1, 1)	0	0	0	0
R	First Last T00385	T00385	SSP-MM	<b>25.77</b>	21.77 (21.77)	8 (2, 5, 1)	0	0	0	0
R	Foo Bar	T00324	SSP-MM	<b>29.01</b>	25.01 (25.01)	8 (3, 0, 1, 1, 2, 1)	0	0	0	0
R	First Last T00475	T00475	CDP-MM	<b>34.02</b>	32.52 (32.52)	3 (2, 0, 0, 0, 1, 0)	0	0	0	0
R	First Last T00443	T00443	SSP-UN	<b>35.50</b>	29.50 (29.50)	12 (5, 2, 3, 0, 1, 1)	0	0	0	0
R	First Last T00393	T00393	SSP-MM	<b>39.04</b>	30.04 (30.04)	18 (8, 6, 1, 2, 0, 1)	0	0	0	0

Stage 05 Results		IDPA ID	DIV-CC	Total	Time	PD	FTDR	FTN	HNT	PE
1	First Last T00022	T00022	SSP-MA	<b>18.58</b>	16.58 (16.58)	4 (2, 1, 1)	0	0	0	0
2	First Last T00171	T00171	SSP-EX	<b>20.23</b>	16.73 (16.73)	7 (1, 2, 4)	0	0	0	0
3	First Last T00094	T00094	SSP-EX	<b>20.30</b>	17.30 (17.30)	6 (3, 3, 0)	0	0	0	0
4	Jane Doe	T00330	SSP-EX	<b>20.74</b>	18.24 (18.24)	5 (1, 1, 3)	0	0	0	0
5	First Last T00025	T00025	SSP-EX	<b>21.29</b>	17.29 (17.29)	8 (2, 0, 6)	0	0	0	0
6	First Last T00253	T00253	SSP-EX	<b>21.33</b>	14.33 (14.33)	14 (6, 8)	0	0	0	0
7	First Last T00023	T00023	SSP-SS	<b>21.85</b>	19.85 (19.85)	4 (1, 2, 1)	0	0	0	0
8	First Last T00424	T00424	SSP-MM	<b>22.04</b>	19.04 (19.04)	6 (3, 0, 3)	0	0	0	0
9	John Smith	T00074	SSP-SS	<b>22.32</b>	18.82 (18.82)	7 (3, 1, 3)	0	0	0	0
10	First Last T00385	T00385	SSP-MM	<b>22.66</b>	17.66 (17.66)	10 (5, 1, 4)	0	0	0	0
11	First Last T00088	T00088	SSP-EX	<b>22.70</b>	19.20 (19.20)	7 (2, 2, 3)	0	0	0	0
12	First Last T00011	T00011	SSP-SS	<b>22.84</b>	18.34 (18.34)	9 (2, 4, 3)	0	0	0	0
13	First Last T00466	T00466	ESP-EX	<b>22.87</b>	19.37 (19.37)	7 (5, 0, 2)	0	0	0	0
14	First Last T00072	T00072	ESP-SS	<b>22.89</b>	16.89 (16.89)	12 (10, 1, 1)	0	0	0	0
15	First Last T00006	T00006	SSP-SS	<b>23.20</b>	20.70 (20.70)	5 (2, 1, 2)	0	0	0	0
16	First Last T00138	T00138	SSP-SS	<b>23.22</b>	19.22 (19.22)	8 (4, 1, 3)	0	0	0	0
17	First Last T00255	T00255	SSR-SS	<b>23.63</b>	19.63 (19.63)	8 (3, 2, 3)	0	0	0	0

18	First Last T00010	T00010	ESP-SS	<b>23.99</b>	18.99 (18.99)	10 (7, 3, 0)	0	0	0	0
19	First Last T00484	T00484	SSP-UN	<b>24.10</b>	17.60 (17.60)	7 (4, 1, 2)	0	0	0	1
20	First Last T00394	T00394	SSP-SS	<b>24.16</b>	20.16 (20.16)	8 (6, 0, 2)	0	0	0	0
21	First Last T00283	T00283	CDP-SS	<b>24.47</b>	19.47 (19.47)	4 (0, 1, 3)	0	0	0	1
22	First Last T00161	T00161	SSR-SS	<b>24.54</b>	19.04 (19.04)	11 (1, 1, 9)	0	0	0	0
23	First Last T00052	T00052	ESP-SS	<b>24.56</b>	23.56 (23.56)	<b>2 (1, 0, 1)</b>	0	0	0	0
24	First Last T00421	T00421	SSP-UN	<b>25.28</b>	23.78 (23.78)	3 (1, 1, 1)	0	0	0	0
25	First Last T00386	T00386	SSP-UN	<b>25.78</b>	22.78 (22.78)	6 (2, 2, 2)	0	0	0	0
26	First Last T00232	T00232	ESP-SS	<b>26.26</b>	20.76 (20.76)	5 (0, 4, 1)	0	0	0	1
27	First Last T00481	T00481	SSP-UN	<b>27.67</b>	20.67 (20.67)	14 (8, 2, 4)	0	0	0	0
28	First Last T00483	T00483	SSP-UN	<b>27.83</b>	23.33 (23.33)	9 (2, 1, 6)	0	0	0	0
29	First Last T00049	T00049	SSP-SS	<b>28.66</b>	25.16 (25.16)	7 (1, 1, 5)	0	0	0	0
30	First Last T00249	T00249	ESP-MM	<b>28.76</b>	18.76 (18.76)	20 (7, 2, 11)	0	0	0	0
31	First Last T00168	T00168	ESP-MM	<b>28.83</b>	24.33 (24.33)	3 (1, 1, 1)	0	0	0	1
31	First Last T00475	T00475	CDP-MM	<b>28.83</b>	19.33 (19.33)	19 (11, 5, 3)	0	0	0	0
33	First Last T00041	T00041	ESP-SS	<b>28.87</b>	18.87 (18.87)	20 (5, 6, 9)	0	0	0	0
34	First Last T00271	T00271	SSP-UN	<b>28.89</b>	18.89 (18.89)	10 (4, 5, 1)	0	0	1	0
35	First Last T00047	T00047	ESP-NV	<b>29.03</b>	26.53 (26.53)	5 (2, 2, 1)	0	0	0	0
36	First Last T00061	T00061	SSP-MM	<b>29.74</b>	25.24 (25.24)	9 (6, 2, 1)	0	0	0	0
37	First Last T00111	T00111	SSP-SS	<b>29.88</b>	17.38 (17.38)	19 (4, 0, 15)	0	0	0	1
38	First Last T00029	T00029	CDP-MM	<b>29.98</b>	24.98 (24.98)	10 (7, 3)	0	0	0	0
39	First Last T00349	T00349	ESP-MA	<b>30.56</b>	17.06 (17.06)	11 (1, 3, 7)	0	0	1	1
40	First Last T00235	T00235	SSP-MM	<b>30.73</b>	23.73 (23.73)	14 (12, 1, 1)	0	0	0	0
41	First Last T00208	T00208	SSP-MM	<b>30.86</b>	26.36 (26.36)	9 (5, 4)	0	0	0	0
42	First Last T00124	T00124	ESP-MM	<b>31.06</b>	23.56 (23.56)	15 (8, 2, 5)	0	0	0	0
43	First Last T00403	T00403	SSP-MM	<b>31.58</b>	16.58 (16.58)	30 (13, 11, 6)	0	0	0	0
44	First Last T00270	T00270	SSP-SS	<b>31.63</b>	21.13 (21.13)	15 (2, 3, 10)	0	0	0	1
45	First Last T00450	T00450	SSP-UN	<b>31.69</b>	27.69 (27.69)	8 (1, 2, 5)	0	0	0	0
46	First Last T00393	T00393	SSP-MM	<b>31.93</b>	16.93 (16.93)	24 (13, 5, 6)	0	0	0	1
47	First Last T00418	T00418	SSP-MM	<b>31.98</b>	22.98 (22.98)	18 (3, 4, 11)	0	0	0	0
48	First Last T00146	T00146	SSP-SS	<b>32.43</b>	22.93 (22.93)	13 (1, 2, 10)	0	0	0	1
49	First Last T00024	T00024	ESP-MM	<b>32.63</b>	24.13 (24.13)	17 (6, 10, 1)	0	0	0	0
50	First Last T00017	T00017	SSP-MM	<b>33.04</b>	23.54 (23.54)	19 (11, 1, 7)	0	0	0	0
51	First Last T00346	T00346	SSP-SS	<b>33.20</b>	17.70 (17.70)	21 (12, 4, 5)	0	0	1	0
52	First Last T00045	T00045	ESR-UN	<b>33.49</b>	28.49 (28.49)	10 (3, 3, 4)	0	0	0	0
53	First Last T00042	T00042	CDP-MM	<b>34.41</b>	25.41 (25.41)	18 (7, 1, 10)	0	0	0	0
54	First Last T00136	T00136	SSP-SS	<b>34.73</b>	24.23 (24.23)	21 (10, 3, 8)	0	0	0	0
55	First Last T00160	T00160	ESP-MM	<b>34.76</b>	32.76 (32.76)	4 (1, 2, 1)	0	0	0	0

56	First Last T00435	T00435	CDP-UN	<b>34.93</b>	24.93 (24.93)	14 (6, 7, 1)	0	0	0	1
57	First Last T00482	T00482	SSP-UN	<b>35.00</b>	22.00 (22.00)	26 (16, 1, 9)	0	0	0	0
58	First Last T00149	T00149	SSP-MM	<b>35.53</b>	22.03 (22.03)	17 (4, 6, 7)	0	0	1	0
59	First Last T00431	T00431	SSP-MM	<b>35.81</b>	28.81 (28.81)	8 (4, 1, 3)	0	0	0	1
60	Foo Bar	T00324	SSP-MM	<b>36.60</b>	26.10 (26.10)	21 (14, 4, 3)	0	0	0	0
61	First Last T00447	T00447	SSP-NV	<b>37.07</b>	23.57 (23.57)	21 (4, 7, 10)	0	0	0	1
62	First Last T00219	T00219	CDP-MM	<b>37.74</b>	28.74 (28.74)	18 (10, 4, 4)	0	0	0	0
63	First Last T00430	T00430	ESP-UN	<b>37.93</b>	25.43 (25.43)	25 (6, 4, 15)	0	0	0	0
64	First Last T00485	T00485	CDP-UN	<b>38.00</b>	18.50 (18.50)	27 (11, 6, 10)	0	0	0	2
65	First Last T00083	T00083	ESP-MM	<b>38.89</b>	33.39 (33.39)	11 (3, 7, 1)	0	0	0	0
66	First Last T00425	T00425	ESP-UN	<b>38.91</b>	33.41 (33.41)	11 (9, 2, 0)	0	0	0	0
67	First Last T00429	T00429	SSP-NV	<b>40.61</b>	25.61 (25.61)	18 (10, 4, 4)	0	0	0	2
68	First Last T00477	T00477	CDP-UN	<b>40.72</b>	28.22 (28.22)	25 (6, 5, 14)	0	0	0	0
69	First Last T00471	T00471	SSP-NV	<b>41.03</b>	19.53 (19.53)	33 (15, 16, 2)	0	0	1	0
70	First Last T00448	T00448	ESP-NV	<b>41.59</b>	21.59 (21.59)	34 (14, 7, 13)	0	0	0	1
71	First Last T00470	T00470	SSP-UN	<b>43.49</b>	19.99 (19.99)	25 (10, 7, 8)	0	0	1	2
72	First Last T00026	T00026	SSP-UN	<b>43.55</b>	31.55 (31.55)	24 (2, 4, 18)	0	0	0	0
73	First Last T00469	T00469	SSP-UN	<b>43.77</b>	24.27 (24.27)	39 (15, 9, 15)	0	0	0	0
74	First Last T00428	T00428	CDP-UN	<b>46.77</b>	22.27 (22.27)	27 (13, 6, 8)	0	0	1	2
75	First Last T00476	T00476	SSP-UN	<b>47.20</b>	25.70 (25.70)	43 (20, 15, 8)	0	0	0	0
76	First Last T00443	T00443	SSP-UN	<b>48.94</b>	27.94 (27.94)	32 (18, 6, 8)	0	0	1	0
77	First Last T00480	T00480	SSP-UN	<b>51.00</b>	33.00 (33.00)	26 (11, 10, 5)	0	0	1	0
78	First Last T00455	T00455	SSP-UN	<b>53.12</b>	28.62 (28.62)	33 (6, 16, 11)	0	0	1	1
79	First Last T00478	T00478	SSP-UN	<b>59.29</b>	29.79 (29.79)	43 (18, 11, 14)	0	0	1	1
DNF	First Last T00479	T00479	SSP-UN	<b>46.11</b>	23.11 (23.11)	34 (10, 14, 10)	0	0	0	2
R	First Last T00010	T00010	SSP-SS	<b>20.02</b>	18.02 (18.02)	4 (2, 2)	0	0	0	0
R	First Last T00385	T00385	SSP-MM	<b>20.31</b>	16.81 (16.81)	7 (2, 2, 3)	0	0	0	0
R	Jane Doe	T00330	SSP-EX	<b>22.62</b>	17.62 (17.62)	10 (6, 2, 2)	0	0	0	0
R	First Last T00394	T00394	ESP-SS	<b>27.29</b>	17.79 (17.79)	9 (3, 4, 2)	0	0	1	0
R	First Last T00475	T00475	CDP-MM	<b>31.41</b>	18.91 (18.91)	25 (15, 3, 7)	0	0	0	0
R	First Last T00393	T00393	SSP-MM	<b>36.37</b>	19.87 (19.87)	33 (11, 12, 10)	0	0	0	0
R	First Last T00443	T00443	SSP-UN	<b>38.30</b>	26.80 (26.80)	17 (9, 2, 6)	0	0	0	1
R	Foo Bar	T00324	SSP-MM	<b>40.36</b>	20.36 (20.36)	30 (15, 9, 6)	0	0	1	0

Stage 06 Results		IDPA ID	DIV-CC	Total	Time	PD	FTDR	FTN	HNT	PE
1	First Last T00072	T00072	ESP-SS	<b>12.27</b>	11.27 (11.27)	2 (1, 0, 0, 0, 0, 1)	0	0	0	0
1	First Last T00346	T00346	SSP-SS	<b>12.27</b>	9.77 (9.77)	5 (1, 1, 1, 1, 1)	0	0	0	0
3	First Last T00253	T00253	SSP-EX	<b>12.83</b>	9.33 (9.33)	7 (0, 1, 1, 3, 1, 1)	0	0	0	0

4	First Last T00466	T00466	ESP-EX	<b>13.00</b>	11.00 (11.00)	4 (1, 0, 1, 1, 0, 1)	0	0	0	0
5	First Last T00171	T00171	SSP-EX	<b>13.35</b>	11.35 (11.35)	4 (1, 1, 2)	0	0	0	0
6	First Last T00283	T00283	CDP-SS	<b>13.50</b>	12.00 (12.00)	3 (0, 1, 1, 1, 0)	0	0	0	0
7	First Last T00349	T00349	ESP-MA	<b>13.86</b>	12.86 (12.86)	2 (0, 0, 1, 0, 1, 0)	0	0	0	0
8	First Last T00094	T00094	SSP-EX	<b>13.89</b>	11.89 (11.89)	4 (0, 0, 1, 1, 2, 0)	0	0	0	0
9	First Last T00022	T00022	SSP-MA	<b>14.11</b>	13.11 (13.11)	2 (1, 1)	0	0	0	0
10	First Last T00025	T00025	SSP-EX	<b>14.16</b>	13.66 (13.66)	1 (0, 0, 0, 0, 1, 0)	0	0	0	0
11	First Last T00010	T00010	ESP-SS	<b>14.18</b>	11.68 (11.68)	5 (0, 1, 1, 1, 0, 2)	0	0	0	0
12	Jane Doe	T00330	SSP-EX	<b>14.50</b>	12.00 (12.00)	5 (0, 0, 4, 1, 0)	0	0	0	0
13	First Last T00111	T00111	SSP-SS	<b>14.54</b>	13.54 (13.54)	2 (0, 0, 0, 1, 1, 0)	0	0	0	0
14	First Last T00006	T00006	SSP-SS	<b>15.07</b>	12.57 (12.57)	5 (1, 1, 1, 2)	0	0	0	0
15	First Last T00424	T00424	SSP-MM	<b>15.18</b>	13.68 (13.68)	3 (0, 0, 2, 1, 0, 0)	0	0	0	0
16	First Last T00011	T00011	SSP-SS	<b>15.21</b>	13.21 (13.21)	4 (1, 1, 1, 1)	0	0	0	0
17	First Last T00049	T00049	SSP-SS	<b>15.30</b>	14.30 (14.30)	2 (1, 1)	0	0	0	0
18	First Last T00385	T00385	SSP-MM	<b>15.47</b>	14.47 (14.47)	2 (0, 0, 1, 0, 1)	0	0	0	0
19	First Last T00041	T00041	ESP-SS	<b>15.96</b>	13.46 (13.46)	5 (0, 1, 1, 0, 1, 2)	0	0	0	0
20	First Last T00403	T00403	SSP-MM	<b>16.03</b>	13.53 (13.53)	5 (2, 2, 1)	0	0	0	0
21	First Last T00146	T00146	SSP-SS	<b>16.45</b>	14.45 (14.45)	4 (0, 0, 0, 1, 2, 1)	0	0	0	0
22	First Last T00255	T00255	SSR-SS	<b>16.47</b>	15.97 (15.97)	1 (1)	0	0	0	0
23	First Last T00052	T00052	ESP-SS	<b>16.57</b>	15.57 (15.57)	2 (0, 0, 1, 0, 0, 1)	0	0	0	0
24	First Last T00029	T00029	CDP-MM	<b>16.67</b>	15.67 (15.67)	2 (1, 1)	0	0	0	0
25	First Last T00232	T00232	ESP-SS	<b>16.73</b>	15.23 (15.23)	3 (0, 0, 0, 0, 0, 3)	0	0	0	0
26	First Last T00136	T00136	SSP-SS	<b>16.79</b>	15.79 (15.79)	2 (0, 0, 0, 1, 0, 1)	0	0	0	0
27	First Last T00270	T00270	SSP-SS	<b>16.85</b>	14.85 (14.85)	4 (0, 1, 1, 1, 1)	0	0	0	0
28	First Last T00023	T00023	SSP-SS	<b>16.97</b>	15.47 (15.47)	3 (1, 0, 2, 0, 0, 0)	0	0	0	0
28	First Last T00138	T00138	SSP-SS	<b>16.97</b>	13.97 (13.97)	6 (4, 1, 1)	0	0	0	0
30	First Last T00161	T00161	SSR-SS	<b>17.05</b>	13.05 (13.05)	8 (0, 1, 0, 4, 1, 2)	0	0	0	0
31	John Smith	T00074	SSP-SS	<b>17.41</b>	14.91 (14.91)	5 (1, 2, 1, 0, 0, 1)	0	0	0	0
32	First Last T00394	T00394	SSP-SS	<b>17.42</b>	16.42 (16.42)	2 (0, 0, 0, 1, 1, 0)	0	0	0	0
33	First Last T00219	T00219	CDP-MM	<b>17.67</b>	16.67 (16.67)	2 (2)	0	0	0	0
34	First Last T00047	T00047	ESP-NV	<b>17.94</b>	16.94 (16.94)	2 (1, 1)	0	0	0	0
35	First Last T00208	T00208	SSP-MM	<b>18.58</b>	17.08 (17.08)	3 (1, 1, 1)	0	0	0	0
36	First Last T00430	T00430	ESP-UN	<b>19.08</b>	18.08 (18.08)	2 (0, 1, 0, 0, 1)	0	0	0	0
37	First Last T00160	T00160	ESP-MM	<b>19.17</b>	17.67 (17.67)	3 (2, 1)	0	0	0	0
38	First Last T00168	T00168	ESP-MM	<b>19.25</b>	19.25 (19.25)	<b>0 (0, 0, 0, 0, 0, 0)</b>	0	0	0	0
39	First Last T00235	T00235	SSP-MM	<b>19.99</b>	19.99 (19.99)	<b>0 (0, 0, 0, 0, 0, 0)</b>	0	0	0	0
40	First Last T00470	T00470	SSP-UN	<b>20.15</b>	18.15 (18.15)	4 (1, 0, 0, 1, 2)	0	0	0	0
41	First Last T00475	T00475	CDP-MM	<b>20.33</b>	19.33 (19.33)	2 (0, 0, 1, 0, 0, 1)	0	0	0	0

42	First Last T00149	T00149	SSP-MM	<b>20.41</b>	19.41 (19.41)	2 (0, 2, 0)	0	0	0	0
43	First Last T00447	T00447	SSP-NV	<b>20.49</b>	15.49 (15.49)	4 (0, 1, 0, 1, 1, 1)	0	0	0	1
44	First Last T00455	T00455	SSP-UN	<b>20.51</b>	18.01 (18.01)	5 (2, 1, 1, 1)	0	0	0	0
45	First Last T00484	T00484	SSP-UN	<b>20.55</b>	20.05 (20.05)	1 (0, 0, 0, 0, 1, 0)	0	0	0	0
46	First Last T00483	T00483	SSP-UN	<b>20.63</b>	19.63 (19.63)	2 (0, 0, 0, 1, 1, 0)	0	0	0	0
47	First Last T00421	T00421	SSP-UN	<b>20.65</b>	18.65 (18.65)	4 (0, 0, 0, 4, 0, 0)	0	0	0	0
48	First Last T00448	T00448	ESP-NV	<b>20.85</b>	18.35 (18.35)	5 (1, 1, 1, 1, 1, 0)	0	0	0	0
49	First Last T00386	T00386	SSP-UN	<b>21.00</b>	18.50 (18.50)	5 (1, 0, 1, 0, 2, 1)	0	0	0	0
50	First Last T00124	T00124	ESP-MM	<b>21.06</b>	19.56 (19.56)	3 (2, 1)	0	0	0	0
51	First Last T00088	T00088	SSP-EX	<b>21.49</b>	11.49 (11.49)	10 (0, 1, 1, 8, 0)	0	1	0	0
52	First Last T00083	T00083	ESP-MM	<b>21.92</b>	16.92 (16.92)	10 (2, 1, 3, 4)	0	0	0	0
52	First Last T00471	T00471	SSP-NV	<b>21.92</b>	18.92 (18.92)	6 (1, 1, 1, 1, 1, 1)	0	0	0	0
54	First Last T00485	T00485	CDP-UN	<b>21.98</b>	19.98 (19.98)	4 (1, 0, 0, 1, 2, 0)	0	0	0	0
55	First Last T00061	T00061	SSP-MM	<b>22.25</b>	18.75 (18.75)	7 (4, 1, 1, 1)	0	0	0	0
56	First Last T00393	T00393	SSP-MM	<b>22.74</b>	20.24 (20.24)	5 (0, 0, 0, 2, 1, 2)	0	0	0	0
57	First Last T00249	T00249	ESP-MM	<b>22.76</b>	18.76 (18.76)	8 (1, 0, 2, 1, 0, 4)	0	0	0	0
58	First Last T00431	T00431	SSP-MM	<b>22.90</b>	16.40 (16.40)	3 (2, 1)	0	0	1	0
59	First Last T00450	T00450	SSP-UN	<b>23.06</b>	19.56 (19.56)	7 (0, 1, 1, 3, 1, 1)	0	0	0	0
60	First Last T00481	T00481	SSP-UN	<b>23.98</b>	20.98 (20.98)	6 (0, 0, 1, 1, 3, 1)	0	0	0	0
61	First Last T00418	T00418	SSP-MM	<b>24.00</b>	22.00 (22.00)	4 (1, 1, 1, 1)	0	0	0	0
62	First Last T00017	T00017	SSP-MM	<b>24.40</b>	18.90 (18.90)	11 (1, 1, 1, 3, 1, 4)	0	0	0	0
63	First Last T00024	T00024	ESP-MM	<b>24.57</b>	16.07 (16.07)	17 (1, 1, 3, 2, 4, 6)	0	0	0	0
64	First Last T00443	T00443	SSP-UN	<b>24.78</b>	20.28 (20.28)	9 (1, 2, 1, 2, 1, 2)	0	0	0	0
65	First Last T00469	T00469	SSP-UN	<b>25.05</b>	20.05 (20.05)	10 (1, 0, 1, 3, 0, 5)	0	0	0	0
66	First Last T00429	T00429	SSP-NV	<b>25.95</b>	23.95 (23.95)	4 (1, 2, 1)	0	0	0	0
67	First Last T00482	T00482	SSP-UN	<b>26.18</b>	25.18 (25.18)	2 (0, 0, 0, 1, 0, 1)	0	0	0	0
68	First Last T00480	T00480	SSP-UN	<b>26.55</b>	26.55 (26.55)	<b>0 (0, 0, 0, 0, 0, 0)</b>	0	0	0	0
69	First Last T00045	T00045	ESR-UN	<b>26.60</b>	22.10 (22.10)	9 (0, 2, 2, 3, 1, 1)	0	0	0	0
70	First Last T00428	T00428	CDP-UN	<b>27.18</b>	23.68 (23.68)	7 (1, 1, 1, 3, 0, 1)	0	0	0	0
71	First Last T00042	T00042	CDP-MM	<b>28.44</b>	23.44 (23.44)	10 (1, 1, 1, 1, 6)	0	0	0	0
72	First Last T00271	T00271	SSP-UN	<b>29.35</b>	17.85 (17.85)	13 (8, 2, 1, 2)	0	1	0	0
73	Foo Bar	T00324	SSP-MM	<b>29.69</b>	24.19 (24.19)	11 (1, 1, 2, 1, 4, 2)	0	0	0	0
74	First Last T00476	T00476	SSP-UN	<b>30.69</b>	23.19 (23.19)	15 (0, 0, 5, 3, 6, 1)	0	0	0	0
75	First Last T00026	T00026	SSP-UN	<b>31.87</b>	29.37 (29.37)	5 (1, 4)	0	0	0	0
76	First Last T00435	T00435	CDP-UN	<b>32.37</b>	26.87 (26.87)	11 (1, 1, 2, 1, 6)	0	0	0	0
77	First Last T00477	T00477	CDP-UN	<b>32.98</b>	27.98 (27.98)	4 (2, 0, 0, 1, 0, 1)	0	0	0	1
78	First Last T00478	T00478	SSP-UN	<b>44.72</b>	27.22 (27.22)	25 (2, 3, 4, 0, 10, 6)	0	1	0	0
79	First Last T00425	T00425	ESP-UN	<b>61.85</b>	58.85 (58.85)	6 (0, 0, 1, 2, 3, 0)	0	0	0	0

DNF	First Last T00479	T00479	SSP-UN	<b>19.42</b>	15.42 (15.42)	8 (1, 0, 1, 4, 2, 0)	0	0	0	0
R	Jane Doe	T00330	SSP-EX	<b>11.87</b>	9.87 (9.87)	4 (1, 3, 0, 0)	0	0	0	0
R	First Last T00010	T00010	SSP-SS	<b>12.89</b>	11.89 (11.89)	2 (1, 1)	0	0	0	0
R	First Last T00385	T00385	SSP-MM	<b>15.07</b>	11.07 (11.07)	8 (0, 1, 0, 1, 6)	0	0	0	0
R	First Last T00394	T00394	ESP-SS	<b>18.22</b>	14.72 (14.72)	7 (3, 3, 1)	0	0	0	0
R	First Last T00475	T00475	CDP-MM	<b>20.11</b>	18.61 (18.61)	3 (0, 0, 1, 1, 1, 0)	0	0	0	0
R	First Last T00393	T00393	SSP-MM	<b>23.00</b>	18.00 (18.00)	10 (0, 0, 1, 2, 6, 1)	0	0	0	0
R	First Last T00443	T00443	SSP-UN	<b>29.54</b>	23.54 (23.54)	12 (2, 2, 1, 2, 3, 2)	0	0	0	0
R	Foo Bar	T00324	SSP-MM	<b>32.85</b>	19.35 (19.35)	17 (2, 1, 1, 1, 4, 8)	0	1	0	0

Stage 07 Results		IDPA ID	DIV-CC	Total	Time	PD	FTDR	FTN	HNT	PE
1	First Last T00088	T00088	SSP-EX	<b>18.32</b>	17.32 (17.32)	2 (0, 0, 0, 0, 2)	0	0	0	0
2	First Last T00283	T00283	CDP-SS	<b>18.42</b>	16.92 (16.92)	3 (0, 1, 1, 1, 0)	0	0	0	0
3	First Last T00466	T00466	ESP-EX	<b>18.67</b>	15.67 (15.67)	6 (0, 1, 1, 0, 1, 2, 1)	0	0	0	0
4	First Last T00171	T00171	SSP-EX	<b>19.33</b>	14.83 (14.83)	9 (0, 1, 1, 6, 1)	0	0	0	0
5	First Last T00023	T00023	SSP-SS	<b>19.65</b>	18.65 (18.65)	2 (0, 0, 0, 0, 1, 1, 0)	0	0	0	0
6	First Last T00072	T00072	ESP-SS	<b>20.38</b>	17.88 (17.88)	5 (0, 0, 0, 1, 2, 2, 0)	0	0	0	0
7	First Last T00138	T00138	SSP-SS	<b>20.68</b>	18.68 (18.68)	4 (0, 1, 1, 1, 0, 0, 1)	0	0	0	0
8	Jane Doe	T00330	SSP-EX	<b>21.02</b>	16.02 (16.02)	10 (0, 1, 6, 1, 1, 1, 0)	0	0	0	0
9	First Last T00232	T00232	ESP-SS	<b>21.22</b>	19.72 (19.72)	3 (0, 0, 1, 1, 1, 0, 0)	0	0	0	0
10	First Last T00349	T00349	ESP-MA	<b>21.55</b>	20.05 (20.05)	3 (0, 0, 0, 1, 0, 1, 1)	0	0	0	0
11	First Last T00146	T00146	SSP-SS	<b>21.80</b>	17.80 (17.80)	8 (1, 1, 4, 1, 1)	0	0	0	0
12	First Last T00052	T00052	ESP-SS	<b>22.09</b>	20.59 (20.59)	3 (0, 2, 0, 0, 1, 0, 0)	0	0	0	0
13	First Last T00346	T00346	SSP-SS	<b>23.30</b>	20.30 (20.30)	6 (1, 1, 2, 1, 1)	0	0	0	0
14	First Last T00394	T00394	SSP-SS	<b>23.38</b>	18.88 (18.88)	9 (0, 1, 1, 0, 1, 5, 1)	0	0	0	0
15	First Last T00253	T00253	SSP-EX	<b>23.44</b>	18.44 (18.44)	10 (1, 4, 5)	0	0	0	0
16	First Last T00094	T00094	SSP-EX	<b>23.67</b>	23.17 (23.17)	<b>1 (0, 0, 0, 0, 0, 0, 1)</b>	0	0	0	0
17	First Last T00208	T00208	SSP-MM	<b>24.36</b>	22.86 (22.86)	3 (1, 1, 1)	0	0	0	0
18	First Last T00385	T00385	SSP-MM	<b>24.55</b>	19.55 (19.55)	10 (0, 1, 1, 1, 6, 0, 1)	0	0	0	0
19	First Last T00022	T00022	SSP-MA	<b>24.87</b>	22.37 (22.37)	5 (1, 4)	0	0	0	0
20	First Last T00111	T00111	SSP-SS	<b>25.49</b>	19.99 (19.99)	11 (0, 1, 0, 0, 5, 0, 5)	0	0	0	0
21	First Last T00017	T00017	SSP-MM	<b>25.76</b>	23.76 (23.76)	4 (0, 2, 0, 0, 1, 1)	0	0	0	0
22	First Last T00025	T00025	SSP-EX	<b>25.78</b>	24.78 (24.78)	2 (0, 1, 0, 0, 0, 1, 0)	0	0	0	0
23	John Smith	T00074	SSP-SS	<b>26.07</b>	21.57 (21.57)	3 (1, 1, 0, 1, 0)	0	0	0	1
24	First Last T00047	T00047	ESP-NV	<b>26.31</b>	20.81 (20.81)	11 (0, 2, 1, 3, 1, 4)	0	0	0	0
25	First Last T00421	T00421	SSP-UN	<b>26.47</b>	23.47 (23.47)	6 (0, 0, 1, 2, 1, 1, 1)	0	0	0	0
26	First Last T00431	T00431	SSP-MM	<b>26.62</b>	23.12 (23.12)	7 (2, 1, 4)	0	0	0	0
27	First Last T00483	T00483	SSP-UN	<b>27.02</b>	23.02 (23.02)	8 (0, 1, 1, 0, 2, 2, 2)	0	0	0	0

28	First Last T00124	T00124	ESP-MM	<b>27.84</b>	19.84 (19.84)	16 (0, 2, 0, 3, 1, 6, 4)	0	0	0	0
29	First Last T00011	T00011	SSP-SS	<b>28.61</b>	26.61 (26.61)	4 (1, 1, 2)	0	0	0	0
30	First Last T00424	T00424	SSP-MM	<b>29.03</b>	28.53 (28.53)	<b>1 (1)</b>	0	0	0	0
31	First Last T00029	T00029	CDP-MM	<b>29.19</b>	26.19 (26.19)	6 (2, 1, 1, 2)	0	0	0	0
32	First Last T00160	T00160	ESP-MM	<b>29.38</b>	24.38 (24.38)	10 (1, 1, 3, 2, 1, 2)	0	0	0	0
33	First Last T00049	T00049	SSP-SS	<b>29.78</b>	27.28 (27.28)	5 (2, 1, 2)	0	0	0	0
34	First Last T00168	T00168	ESP-MM	<b>30.04</b>	29.54 (29.54)	<b>1 (1)</b>	0	0	0	0
35	First Last T00161	T00161	SSR-SS	<b>30.79</b>	26.29 (26.29)	9 (1, 1, 1, 3, 2, 1)	0	0	0	0
36	First Last T00249	T00249	ESP-MM	<b>30.89</b>	28.39 (28.39)	5 (0, 1, 1, 1, 0, 1, 1)	0	0	0	0
37	First Last T00403	T00403	SSP-MM	<b>31.27</b>	30.27 (30.27)	2 (1, 1)	0	0	0	0
38	First Last T00481	T00481	SSP-UN	<b>31.31</b>	23.81 (23.81)	15 (6, 6, 1, 1, 0, 1, 0)	0	0	0	0
39	First Last T00393	T00393	SSP-MM	<b>31.56</b>	24.56 (24.56)	14 (3, 1, 2, 2, 2, 4, 0)	0	0	0	0
40	First Last T00386	T00386	SSP-UN	<b>32.49</b>	27.49 (27.49)	10 (4, 1, 0, 1, 4, 0, 0)	0	0	0	0
41	First Last T00484	T00484	SSP-UN	<b>32.80</b>	26.80 (26.80)	12 (0, 1, 0, 0, 3, 6, 2)	0	0	0	0
42	First Last T00083	T00083	ESP-MM	<b>32.89</b>	24.39 (24.39)	17 (0, 2, 1, 1, 10, 1, 2)	0	0	0	0
43	First Last T00149	T00149	SSP-MM	<b>33.12</b>	26.12 (26.12)	14 (0, 4, 0, 1, 2, 1, 6)	0	0	0	0
44	First Last T00219	T00219	CDP-MM	<b>33.15</b>	27.65 (27.65)	5 (1, 4)	0	0	0	1
44	First Last T00271	T00271	SSP-UN	<b>33.15</b>	29.65 (29.65)	7 (1, 1, 4, 1, 0)	0	0	0	0
46	First Last T00061	T00061	SSP-MM	<b>33.55</b>	26.55 (26.55)	8 (2, 1, 1, 3, 1)	0	0	0	1
47	First Last T00471	T00471	SSP-NV	<b>33.63</b>	31.63 (31.63)	4 (1, 1, 0, 0, 1, 1, 0)	0	0	0	0
48	First Last T00270	T00270	SSP-SS	<b>33.64</b>	22.64 (22.64)	12 (0, 0, 1, 8, 1, 2)	0	1	0	0
49	First Last T00010	T00010	ESP-SS	<b>33.87</b>	16.87 (16.87)	14 (0, 1, 0, 1, 6, 0, 6)	0	2	0	0
50	First Last T00041	T00041	ESP-SS	<b>34.98</b>	18.48 (18.48)	23 (1, 0, 1, 10, 5, 6)	0	1	0	0
51	First Last T00485	T00485	CDP-UN	<b>35.35</b>	33.85 (33.85)	3 (3, 0, 0)	0	0	0	0
52	First Last T00006	T00006	SSP-SS	<b>35.57</b>	24.07 (24.07)	13 (1, 8, 4)	0	1	0	0
53	First Last T00455	T00455	SSP-UN	<b>35.67</b>	25.17 (25.17)	21 (4, 4, 4, 5, 1, 3)	0	0	0	0
54	First Last T00469	T00469	SSP-UN	<b>36.63</b>	31.63 (31.63)	10 (2, 1, 0, 0, 4, 3, 0)	0	0	0	0
55	First Last T00428	T00428	CDP-UN	<b>36.96</b>	33.96 (33.96)	6 (1, 1, 1, 0, 1, 2, 0)	0	0	0	0
56	First Last T00136	T00136	SSP-SS	<b>36.97</b>	23.47 (23.47)	17 (0, 1, 0, 1, 8, 1, 6)	0	1	0	0
57	First Last T00430	T00430	ESP-UN	<b>37.25</b>	25.75 (25.75)	13 (0, 1, 6, 2, 4)	0	1	0	0
58	First Last T00235	T00235	SSP-MM	<b>37.58</b>	24.58 (24.58)	16 (6, 1, 1, 6, 1, 1, 0)	0	1	0	0
59	First Last T00447	T00447	SSP-NV	<b>38.02</b>	25.02 (25.02)	16 (0, 4, 2, 1, 0, 1, 8)	0	1	0	0
60	First Last T00477	T00477	CDP-UN	<b>38.29</b>	35.29 (35.29)	6 (0, 0, 0, 1, 3, 1, 1)	0	0	0	0
61	First Last T00443	T00443	SSP-UN	<b>39.41</b>	34.91 (34.91)	9 (1, 1, 1, 2, 4)	0	0	0	0
62	First Last T00470	T00470	SSP-UN	<b>41.87</b>	34.37 (34.37)	15 (3, 1, 3, 2, 0, 1, 5)	0	0	0	0
63	First Last T00475	T00475	CDP-MM	<b>42.60</b>	40.60 (40.60)	4 (0, 1, 2, 0, 1, 0, 0)	0	0	0	0
64	First Last T00450	T00450	SSP-UN	<b>42.93</b>	25.93 (25.93)	24 (0, 1, 2, 0, 5, 6, 10)	0	1	0	0
65	First Last T00448	T00448	ESP-NV	<b>43.49</b>	35.99 (35.99)	15 (6, 1, 1, 6, 1)	0	0	0	0



66	First Last T00255	T00255	SSR-SS	<b>43.79</b>	39.79 (39.79)	8 (1, 1, 5, 1)	0	0	0	0
67	Foo Bar	T00324	SSP-MM	<b>44.32</b>	39.82 (39.82)	9 (2, 1, 0, 2, 2, 2, 0)	0	0	0	0
68	First Last T00042	T00042	CDP-MM	<b>46.15</b>	31.65 (31.65)	19 (6, 8, 5)	0	1	0	0
69	First Last T00480	T00480	SSP-UN	<b>47.30</b>	40.30 (40.30)	14 (3, 2, 3, 5, 1, 0, 0)	0	0	0	0
70	First Last T00418	T00418	SSP-MM	<b>47.35</b>	27.85 (27.85)	19 (2, 8, 8, 1)	0	2	0	0
71	First Last T00024	T00024	ESP-MM	<b>49.28</b>	24.78 (24.78)	29 (8, 10, 5, 4, 2)	0	2	0	0
72	First Last T00429	T00429	SSP-NV	<b>49.35</b>	42.35 (42.35)	14 (1, 5, 2, 2, 2, 2)	0	0	0	0
73	First Last T00435	T00435	CDP-UN	<b>53.06</b>	41.56 (41.56)	17 (1, 1, 8, 1, 6)	0	0	0	1
74	First Last T00045	T00045	ESR-UN	<b>56.46</b>	40.46 (40.46)	22 (0, 1, 3, 4, 2, 6, 6)	0	1	0	0
75	First Last T00482	T00482	SSP-UN	<b>57.95</b>	21.45 (21.45)	43 (6, 10, 10, 8, 5, 4, 0)	0	3	0	0
76	First Last T00478	T00478	SSP-UN	<b>58.26</b>	36.76 (36.76)	33 (10, 5, 5, 5, 3, 5)	0	1	0	0
77	First Last T00026	T00026	SSP-UN	<b>68.67</b>	50.17 (50.17)	27 (1, 4, 1, 6, 10, 5)	0	1	0	0
78	First Last T00425	T00425	ESP-UN	<b>72.97</b>	51.97 (51.97)	20 (8, 5, 1, 1, 3, 2, 0)	0	1	0	2
79	First Last T00476	T00476	SSP-UN	<b>74.92</b>	52.92 (52.92)	28 (2, 1, 6, 6, 3, 10)	0	1	0	1
DNF	First Last T00479	T00479	SSP-UN	<b>26.61</b>	21.61 (21.61)	10 (4, 1, 4, 1, 0)	0	0	0	0
R	Jane Doe	T00330	SSP-EX	<b>17.52</b>	14.02 (14.02)	7 (0, 0, 2, 1, 2, 1, 1)	0	0	0	0
R	First Last T00394	T00394	ESP-SS	<b>20.50</b>	18.00 (18.00)	5 (1, 1, 1, 1, 1)	0	0	0	0
R	First Last T00010	T00010	SSP-SS	<b>21.72</b>	19.22 (19.22)	5 (2, 0, 1, 1, 1, 0, 0)	0	0	0	0
R	Foo Bar	T00324	SSP-MM	<b>30.94</b>	28.94 (28.94)	4 (0, 0, 0, 3, 0, 1)	0	0	0	0
R	First Last T00385	T00385	SSP-MM	<b>33.31</b>	18.31 (18.31)	20 (0, 1, 5, 6, 8)	0	1	0	0
R	First Last T00393	T00393	SSP-MM	<b>41.44</b>	37.44 (37.44)	8 (1, 0, 2, 2, 3, 0, 0)	0	0	0	0
R	First Last T00475	T00475	CDP-MM	<b>43.76</b>	39.76 (39.76)	8 (0, 3, 1, 0, 3, 0, 1)	0	0	0	0
R	First Last T00443	T00443	SSP-UN	<b>50.92</b>	47.92 (47.92)	6 (0, 1, 1, 1, 1, 1, 1)	0	0	0	0

Stage 08 Results		IDPA ID	DIV-CC	Total	Time	PD	FTDR	FTN	HNT	PE
1	First Last T00349	T00349	ESP-MA	<b>23.27</b>	22.77 (22.77)	1 (0, 0, 1, 0, 0, 0, 0)	0	0	0	0
2	First Last T00025	T00025	SSP-EX	<b>23.94</b>	23.44 (23.44)	1 (0, 0, 1, 0, 0, 0, 0)	0	0	0	0
3	First Last T00253	T00253	SSP-EX	<b>24.26</b>	22.76 (22.76)	3 (1, 1, 0, 1, 0, 0, 0)	0	0	0	0
4	First Last T00049	T00049	SSP-SS	<b>25.62</b>	24.62 (24.62)	2 (1, 1)	0	0	0	0
5	Jane Doe	T00330	SSP-EX	<b>25.96</b>	25.46 (25.46)	1 (0, 0, 0, 1, 0, 0, 0)	0	0	0	0
6	First Last T00094	T00094	SSP-EX	<b>26.13</b>	25.13 (25.13)	2 (0, 0, 0, 1, 0, 0, 1)	0	0	0	0
7	First Last T00466	T00466	ESP-EX	<b>27.38</b>	26.38 (26.38)	2 (1, 0, 0, 0, 0, 1, 0)	0	0	0	0
8	First Last T00052	T00052	ESP-SS	<b>27.43</b>	26.43 (26.43)	2 (0, 0, 0, 0, 0, 2, 0)	0	0	0	0
9	First Last T00072	T00072	ESP-SS	<b>27.62</b>	26.12 (26.12)	3 (0, 0, 0, 1, 0, 0, 2)	0	0	0	0
10	First Last T00171	T00171	SSP-EX	<b>29.46</b>	26.96 (26.96)	5 (1, 0, 0, 4, 0, 0, 0)	0	0	0	0
11	First Last T00023	T00023	SSP-SS	<b>30.06</b>	24.56 (24.56)	5 (0, 0, 0, 0, 0, 0, 5)	0	0	0	1
12	First Last T00346	T00346	SSP-SS	<b>30.53</b>	25.53 (25.53)	10 (4, 2, 2, 2)	0	0	0	0
13	First Last T00146	T00146	SSP-SS	<b>30.66</b>	30.16 (30.16)	1 (1, 0)	0	0	0	0

14	First Last T00394	T00394	SSP-SS	<b>31.20</b>	29.20 (29.20)	4 (0, 1, 0, 1, 0, 0, 2)	0	0	0	0
15	First Last T00022	T00022	SSP-MA	<b>32.00</b>	29.00 (29.00)	<b>0 (0)</b>	0	0	0	1
16	First Last T00006	T00006	SSP-SS	<b>32.57</b>	31.57 (31.57)	2 (1, 1)	0	0	0	0
17	First Last T00283	T00283	CDP-SS	<b>33.13</b>	32.63 (32.63)	1 (0, 1)	0	0	0	0
18	First Last T00160	T00160	ESP-MM	<b>34.35</b>	31.85 (31.85)	5 (1, 1, 1, 2)	0	0	0	0
19	First Last T00088	T00088	SSP-EX	<b>34.38</b>	33.88 (33.88)	1 (0, 0, 1, 0, 0, 0, 0)	0	0	0	0
20	First Last T00477	T00477	CDP-UN	<b>34.58</b>	34.58 (34.58)	<b>0 (0, 0, 0, 0, 0, 0, 0)</b>	0	0	0	0
21	First Last T00168	T00168	ESP-MM	<b>34.71</b>	34.21 (34.21)	1 (0, 1, 0, 0, 0, 0, 0)	0	0	0	0
22	First Last T00011	T00011	SSP-SS	<b>35.28</b>	34.78 (34.78)	1 (1)	0	0	0	0
23	First Last T00232	T00232	ESP-SS	<b>36.10</b>	35.60 (35.60)	1 (0, 0, 0, 0, 1, 0, 0)	0	0	0	0
24	John Smith	T00074	SSP-SS	<b>36.24</b>	31.74 (31.74)	3 (1, 0, 0, 0, 2)	0	0	0	1
25	First Last T00041	T00041	ESP-SS	<b>37.24</b>	33.74 (33.74)	7 (0, 0, 1, 5, 1, 0)	0	0	0	0
26	First Last T00208	T00208	SSP-MM	<b>37.49</b>	35.99 (35.99)	3 (1, 1, 1)	0	0	0	0
27	First Last T00270	T00270	SSP-SS	<b>37.71</b>	33.71 (33.71)	8 (1, 1, 0, 1, 0, 0, 5)	0	0	0	0
28	First Last T00138	T00138	SSP-SS	<b>37.72</b>	36.72 (36.72)	2 (0, 1, 0, 1, 0, 0)	0	0	0	0
29	First Last T00403	T00403	SSP-MM	<b>38.06</b>	27.56 (27.56)	21 (5, 3, 5, 1, 5, 1, 1)	0	0	0	0
30	First Last T00124	T00124	ESP-MM	<b>38.07</b>	34.57 (34.57)	7 (1, 1, 0, 0, 5, 0, 0)	0	0	0	0
31	First Last T00255	T00255	SSR-SS	<b>38.83</b>	36.83 (36.83)	4 (1, 1, 1, 1)	0	0	0	0
32	First Last T00111	T00111	SSP-SS	<b>39.61</b>	34.11 (34.11)	11 (0, 0, 5, 2, 0, 2, 2)	0	0	0	0
33	First Last T00010	T00010	ESP-SS	<b>39.83</b>	37.33 (37.33)	5 (0, 0, 0, 0, 0, 0, 5)	0	0	0	0
34	First Last T00483	T00483	SSP-UN	<b>40.56</b>	40.06 (40.06)	1 (0, 0, 0, 1, 0, 0, 0)	0	0	0	0
35	First Last T00485	T00485	CDP-UN	<b>40.61</b>	36.11 (36.11)	9 (0, 3, 0, 2, 0, 3, 1)	0	0	0	0
36	First Last T00418	T00418	SSP-MM	<b>41.27</b>	41.27 (41.27)	<b>0 (0, 0, 0, 0, 0, 0, 0)</b>	0	0	0	0
37	First Last T00047	T00047	ESP-NV	<b>43.19</b>	39.69 (39.69)	1 (0, 1, 0, 0)	0	0	0	1
38	First Last T00447	T00447	SSP-NV	<b>43.67</b>	39.67 (39.67)	8 (1, 3, 2, 1, 1, 0, 0)	0	0	0	0
39	First Last T00484	T00484	SSP-UN	<b>43.77</b>	40.27 (40.27)	7 (0, 1, 5, 0, 0, 0, 1)	0	0	0	0
40	First Last T00061	T00061	SSP-MM	<b>44.51</b>	41.51 (41.51)	<b>0 (0)</b>	0	0	0	1
41	First Last T00393	T00393	SSP-MM	<b>44.70</b>	39.70 (39.70)	10 (5, 1, 1, 1, 0, 2, 0)	0	0	0	0
42	First Last T00430	T00430	ESP-UN	<b>46.08</b>	43.08 (43.08)	6 (0, 1, 0, 0, 5)	0	0	0	0
43	First Last T00421	T00421	SSP-UN	<b>46.15</b>	34.15 (34.15)	14 (0, 8, 5, 1, 0, 0, 0)	0	1	0	0
44	First Last T00424	T00424	SSP-MM	<b>46.28</b>	39.28 (39.28)	14 (1, 2, 5, 1, 5)	0	0	0	0
45	First Last T00428	T00428	CDP-UN	<b>46.58</b>	43.58 (43.58)	6 (1, 1, 0, 1, 0, 2, 1)	0	0	0	0
46	First Last T00386	T00386	SSP-UN	<b>46.79</b>	45.29 (45.29)	3 (1, 0, 0, 1, 0, 0, 1)	0	0	0	0
47	First Last T00235	T00235	SSP-MM	<b>46.94</b>	45.94 (45.94)	2 (0, 0, 0, 0, 0, 1, 1)	0	0	0	0
48	First Last T00480	T00480	SSP-UN	<b>47.18</b>	44.18 (44.18)	<b>0 (0, 0, 0, 0, 0, 0, 0)</b>	0	0	0	1
49	First Last T00471	T00471	SSP-NV	<b>47.24</b>	39.74 (39.74)	15 (1, 3, 5, 5, 1)	0	0	0	0
50	First Last T00385	T00385	SSP-MM	<b>47.42</b>	30.42 (30.42)	24 (10, 5, 1, 3, 0, 3, 2)	0	1	0	0
51	First Last T00469	T00469	SSP-UN	<b>47.46</b>	43.96 (43.96)	7 (1, 0, 0, 0, 5, 1, 0)	0	0	0	0

52	First Last T00435	T00435	CDP-UN	<b>48.36</b>	48.36 (48.36)	<b>0 (0)</b>	0	0	0	0
53	First Last T00481	T00481	SSP-UN	<b>48.77</b>	43.27 (43.27)	11 (1, 1, 3, 1, 5)	0	0	0	0
54	First Last T00455	T00455	SSP-UN	<b>49.08</b>	43.58 (43.58)	11 (1, 2, 1, 2, 5)	0	0	0	0
55	First Last T00470	T00470	SSP-UN	<b>49.29</b>	39.29 (39.29)	20 (0, 0, 5, 3, 10, 2, 0)	0	0	0	0
56	First Last T00478	T00478	SSP-UN	<b>49.37</b>	38.87 (38.87)	21 (2, 2, 5, 5, 1, 6)	0	0	0	0
57	First Last T00161	T00161	SSR-SS	<b>49.74</b>	46.24 (46.24)	7 (0, 0, 1, 1, 5, 0, 0)	0	0	0	0
58	First Last T00029	T00029	CDP-MM	<b>49.88</b>	42.88 (42.88)	8 (5, 1, 1, 1)	0	0	0	1
59	Foo Bar	T00324	SSP-MM	<b>51.28</b>	43.28 (43.28)	16 (5, 1, 0, 5, 5, 0, 0)	0	0	0	0
60	First Last T00443	T00443	SSP-UN	<b>52.28</b>	47.78 (47.78)	9 (5, 0, 1, 1, 1, 0, 1)	0	0	0	0
61	First Last T00219	T00219	CDP-MM	<b>52.46</b>	47.96 (47.96)	3 (1, 1, 1)	0	0	0	1
62	First Last T00431	T00431	SSP-MM	<b>52.60</b>	49.10 (49.10)	1 (1)	0	0	0	1
63	First Last T00149	T00149	SSP-MM	<b>53.02</b>	38.52 (38.52)	19 (2, 1, 1, 10, 2, 1, 2)	0	1	0	0
64	First Last T00136	T00136	SSP-SS	<b>53.22</b>	51.22 (51.22)	4 (0, 1, 0, 1, 2, 0, 0)	0	0	0	0
65	First Last T00475	T00475	CDP-MM	<b>53.69</b>	52.19 (52.19)	3 (2, 0, 0, 0, 0, 1, 0)	0	0	0	0
66	First Last T00249	T00249	ESP-MM	<b>53.91</b>	51.91 (51.91)	4 (0, 1, 0, 1, 1, 1, 0)	0	0	0	0
67	First Last T00450	T00450	SSP-UN	<b>54.01</b>	50.01 (50.01)	8 (4, 0, 0, 4, 0, 0, 0)	0	0	0	0
68	First Last T00083	T00083	ESP-MM	<b>58.75</b>	46.75 (46.75)	14 (0, 1, 0, 1, 10, 1, 1)	0	1	0	0
69	First Last T00271	T00271	SSP-UN	<b>59.32</b>	36.32 (36.32)	26 (4, 1, 2, 6, 10, 1, 2)	0	2	0	0
70	First Last T00024	T00024	ESP-MM	<b>59.90</b>	48.90 (48.90)	16 (3, 0, 5, 3, 0, 1, 4)	0	0	0	1
71	First Last T00017	T00017	SSP-MM	<b>60.31</b>	54.81 (54.81)	5 (1, 3, 0, 1, 0)	0	0	0	1
72	First Last T00045	T00045	ESR-UN	<b>62.66</b>	54.66 (54.66)	16 (0, 1, 3, 2, 5, 0, 5)	0	0	0	0
73	First Last T00482	T00482	SSP-UN	<b>63.38</b>	48.88 (48.88)	13 (2, 1, 10)	0	1	0	1
74	First Last T00448	T00448	ESP-NV	<b>64.69</b>	36.19 (36.19)	25 (1, 2, 0, 2, 10, 0, 10)	0	2	0	2
75	First Last T00476	T00476	SSP-UN	<b>71.18</b>	48.68 (48.68)	35 (5, 10, 6, 6, 2, 6, 0)	0	1	0	0
76	First Last T00425	T00425	ESP-UN	<b>72.48</b>	63.98 (63.98)	5 (0, 5, 0, 0, 0, 0, 0)	0	0	0	2
77	First Last T00429	T00429	SSP-NV	<b>73.97</b>	55.47 (55.47)	17 (1, 6, 10)	0	2	0	0
78	First Last T00042	T00042	CDP-MM	<b>86.92</b>	84.42 (84.42)	5 (1, 1, 2, 1)	0	0	0	0
79	First Last T00026	T00026	SSP-UN	<b>133.32</b>	119.32 (119.32)	18 (2, 3, 0, 1, 10, 2, 0)	0	1	0	0
DNF	First Last T00479	T00479	SSP-UN	<b>52.13</b>	37.63 (37.63)	19 (2, 0, 0, 1, 5, 1, 10)	0	1	0	0
R	Jane Doe	T00330	SSP-EX	<b>21.44</b>	20.44 (20.44)	2 (1, 1, 0, 0, 0)	0	0	0	0
R	First Last T00385	T00385	SSP-MM	<b>28.38</b>	26.38 (26.38)	4 (1, 0, 0, 2, 0, 0, 1)	0	0	0	0
R	First Last T00394	T00394	ESP-SS	<b>32.03</b>	30.03 (30.03)	4 (3, 1)	0	0	0	0
R	First Last T00010	T00010	SSP-SS	<b>33.09</b>	28.59 (28.59)	9 (4, 4, 1, 0)	0	0	0	0
R	First Last T00475	T00475	CDP-MM	<b>51.62</b>	45.62 (45.62)	0 (0, 0, 0, 0, 0, 0, 0)	0	0	0	2
R	First Last T00443	T00443	SSP-UN	<b>53.42</b>	47.92 (47.92)	11 (5, 1, 0, 0, 1, 2, 2)	0	0	0	0
R	First Last T00393	T00393	SSP-MM	<b>54.51</b>	45.01 (45.01)	9 (0, 1, 0, 6, 0, 1, 1)	0	1	0	0
R	Foo Bar	T00324	SSP-MM	<b>62.11</b>	48.11 (48.11)	18 (1, 0, 5, 1, 10, 1, 0)	0	1	0	0

### **Stage Details:**

**Stage 01** = Description for Stage 1 (14 of 101 rounds)  
**Stage 02** = Description for Stage 2 (14 of 101 rounds)  
**Stage 03** = Description for Stage 3 (8 of 101 rounds)  
**Stage 04** = Description for Stage 4 (13 of 101 rounds)  
**Stage 05** = Description for Stage 5 (12 of 101 rounds)  
**Stage 06** = Description for Stage 6 (12 of 101 rounds)  
**Stage 07** = Description for Stage 7 (14 of 101 rounds)  
**Stage 08** = Description for Stage 8 (14 of 101 rounds)

### **Notes:**

**Most Accurate Shooters** for the match or stage have their Points Down in bold.

**Division Winners** have their name and rank in bold.

**Stage Winners** have their stage score in bold.

**CDP** = Custom Defensive Pistol

**ESP** = Enhanced Service Pistol

**SSP** = Stock Service Pistol

**ESR** = Enhanced Service Revolver

**SSR** = Stock Service Revolver

**BUG** = Back Up Gun

**NFC** = Not For Competition

**PD** = Points Down

**FTDR** = Failure To Do Right

**FTN** = Failure To Neutralize

**HNT** = Hit on a Non-Threat

**PE** = Procedural Error

**()** = Stage Points Down, or Times and Points Down for results by stage

### **Classification Times:**

**CDP** : Master ≤ 92.00, Expert ≤ 111.00, Sharpshooter ≤ 142.00, Marksman ≤ 195.00

**ESP** : Master ≤ 89.00, Expert ≤ 109.00, Sharpshooter ≤ 138.00, Marksman ≤ 190.00

**SSP** : Master ≤ 91.00, Expert ≤ 110.00, Sharpshooter ≤ 140.00, Marksman ≤ 192.00

**ESR** : Master ≤ 101.00, Expert ≤ 122.00, Sharpshooter ≤ 155.00, Marksman ≤ 212.00

**SSR** : Master ≤ 102.00, Expert ≤ 124.00, Sharpshooter ≤ 158.00, Marksman ≤ 218.00