

2.5 Type conversions ^

Settings

Beta features

type conversion

A type conversion is a conversion of one type to another, such as a float to an integer.

implicit conversion

An implicit conversion is a type conversion automatically made by the compiler between numeric types.

Table 2.5.1: Conversion functions for some common types.

Function	Notes	Can convert:
int()	Creates integers	integer, float, strings w/integers only
float()	Creates floats	integer, float, strings w/integers or floats
str()	Creates strings	Any

Try 2.5.1: Simple example of converting float and integer types.

Run the below program. Observe how the type conversion affects the entered number. Change the program again.



▶ Run

```
1 input_text = input("Enter a number: ")
2 float_variable = float(input_text)
3 int_variable = int(float_variable)
4
5 print(f"original input text: {input_text}")
6 print(f"input text converted to a float: {float_variable}")
7 print(f"float variable converted to an int: {int_variable}")
```

CONSOLE



**CHALLENGE
ACTIVITY**

2.5.1: Enter the output of the conversion expression.

763650.1443318.qx3zqy7

Start

Type the program's output

```
number = 1
new_number = number * 5
print(new_number)
```

5

1

2

3

4

5

6

Check**Next**View solution ▼ *(Instructors only)***CHALLENGE
ACTIVITY**

2.5.2: Type conversions.

763650.1443318.qx3zqy7

Start

A float is read from input into variable `num_meters`. Use a conversion function to convert the value to a string and assign the value to the variable `str_meters`.

[Click here for example](#) ▼

```
1 num_meters = float(input())
2
3 """ Your code goes here """
4
5 print("Number of meters: " + str_meters)
```

1

2

Check**Next level**

View solution ▼ *(Instructors only)*