

2.7 Python expressions ^

Settings

Beta features

Figure 2.7.1: Expression example: Leasing cost.

```
""" Computes the total cost of leasing a car given the down payment,
    monthly rate, and number of months """
```

```
down_payment = int(input("Enter down payment: "))
payment_per_month = int(input("Enter monthly payment: "))
num_months = int(input("Enter number of months: "))
```

```
total_cost = down_payment + (payment_per_month * num_months)
```

```
print (f"Total cost: ${total_cost:.2f}")
```

```
Enter dow
Enter mon
Enter num
Total cos
```

unary minus

Minus (-) used as negative is known as unary minus.

compound operators / += / -= / *= / /= / % =

Special operators called compound operators provide a shorthand such as `age += 1` being shorthand for `age = age + 1`. Other compound operators are `*=`, `/=`, and `%=`.

Table 2.7.1: Compound operators.

Compound operator	Expression with compound ope
Addition assignment	<code>age += 1</code>
Subtraction assignment	<code>age -= 1</code>
Multiplication assignment	<code>age *= 1</code>
Division assignment	<code>age /= 1</code>
Modulo (operator discussed elsewhere) assignment	<code>age %= 1</code>

CHALLENGE
ACTIVITY

2.7.1: Python expressions.

763650.1443318.qx3zqy7

Start

The area of a circle is calculated using the formula $Area = (r^2) * \pi$, where r is the circle's radius.

Given variable circle_radius read from input and constant PI, compute the area of a circle and assign it to variable circle_area.

[Click here for example](#) ▼

```
1 PI = 3.14159
2
3 circle_radius = float(input())
4
5 """ Your code goes here """
6
7 print(f"Area of a circle: {circle_area:.2f}")
```

1

2

Check**Next level**

View solution ▼ *(Instructors only)*